

Hyeon Joo Jeong

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7034770/hyeon-joo-jeong-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112
papers

1,048
citations

16
h-index

27
g-index

114
ext. papers

1,217
ext. citations

2.9
avg, IF

4.02
L-index

#	Paper	IF	Citations
112	Decreased circulating C3 levels and mesangial C3 deposition predict renal outcome in patients with IgA nephropathy. <i>PLoS ONE</i> , 2012 , 7, e40495	3.7	73
111	Clinical features and outcomes of IgA nephropathy with nephrotic syndrome. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012 , 7, 427-36	6.9	67
110	An analysis of 4,514 cases of renal biopsy in Korea. <i>Yonsei Medical Journal</i> , 2001 , 42, 247-54	3	61
109	Cyclosporin A therapy for severe Henoch-Schönlein nephritis with nephrotic syndrome. <i>Pediatric Nephrology</i> , 2005 , 20, 1093-7	3.2	50
108	Can azathioprine and steroids alter the progression of severe Henoch-Schönlein nephritis in children?. <i>Pediatric Nephrology</i> , 2005 , 20, 1087-92	3.2	47
107	Live donor renal allograft in end-stage renal failure patients from immunoglobulin A nephropathy. <i>Transplantation</i> , 2001 , 71, 233-8	1.8	46
106	DOES DELAYED OPERATION FOR PEDIATRIC URETEROPELVIC JUNCTION OBSTRUCTION CAUSE HISTOPATHOLOGICAL CHANGES?. <i>Journal of Urology</i> , 1998 , 160, 984-988	2.5	32
105	Comparison of the Haas and the Oxford classifications for prediction of renal outcome in patients with IgA nephropathy. <i>Human Pathology</i> , 2014 , 45, 236-43	3.7	26
104	Factors affecting histological regression of crescentic Henoch-Schönlein nephritis in children. <i>Pediatric Nephrology</i> , 2006 , 21, 54-9	3.2	25
103	Focal segmental glomerulosclerosis and medullary nephrocalcinosis in children with ADCK4 mutations. <i>Pediatric Nephrology</i> , 2017 , 32, 1547-1554	3.2	24
102	Clinical implication of crescentic lesions in immunoglobulin A nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 356-64	4.3	23
101	Optimal proteinuria target for renoprotection in patients with IgA nephropathy. <i>PLoS ONE</i> , 2014 , 9, e101935	3.7	19
100	Elastin content of the renal pelvis and ureter determines post-pyeloplasty recovery. <i>Journal of Urology</i> , 2005 , 173, 962-6	2.5	17
99	The Effect of Bortezomib on Antibody-Mediated Rejection after Kidney Transplantation. <i>Yonsei Medical Journal</i> , 2015 , 56, 1638-42	3	16
98	Toll-like receptor 4 signaling is involved in IgA-stimulated mesangial cell activation. <i>Yonsei Medical Journal</i> , 2011 , 52, 610-5	3	16
97	Glomerular crescents are responsible for chronic graft dysfunction in post-transplant IgA nephropathy. <i>Pathology International</i> , 2004 , 54, 837-42	1.8	16
96	Diagnosis of renal transplant rejection: Banff classification and beyond. <i>Kidney Research and Clinical Practice</i> , 2020 , 39, 17-31	3.6	16

95	Predictive factors for ciclosporin-associated nephrotoxicity in children with minimal change nephrotic syndrome. <i>Journal of Clinical Pathology</i> , 2011 , 64, 516-9	3.9	15
94	Successful use of cyclosporin A in severe Schönlein-Henoch nephritis resistant to both methylprednisolone pulse and azathioprine. <i>Clinical Rheumatology</i> , 2006 , 25, 759-60	3.9	15
93	Long-term outcome of kidney transplantation in adult recipients with focal segmental glomerulosclerosis. <i>Yonsei Medical Journal</i> , 2001 , 42, 209-14	3	15
92	Significance of mesangial IgA deposition in minimal change nephrotic syndrome: a study of 60 cases. <i>Yonsei Medical Journal</i> , 1990 , 31, 258-63	3	13
91	Predictive value of mesangial C3 and C4d deposition in IgA nephropathy. <i>Clinical Immunology</i> , 2020 , 211, 108331	9	13
90	Usefulness of Oxford classification in assessing immunoglobulin A nephropathy after transplantation. <i>Transplantation</i> , 2013 , 95, 1491-7	1.8	12
89	Nutcracker syndrome combined with IgA nephropathy in a child with recurrent hematuria. <i>Pediatrics International</i> , 2006 , 48, 324-6	1.2	12
88	Clinical features and outcomes of focal segmental glomerulosclerosis pathologic variants in Korean adult patients. <i>BMC Nephrology</i> , 2014 , 15, 52	2.7	11
87	Lysyl oxidase-like 2 is expressed in kidney tissue and is associated with the progression of tubulointerstitial fibrosis. <i>Molecular Medicine Reports</i> , 2017 , 16, 2477-2482	2.9	11
86	Renal tubular expression of Toll-like receptor 4 in cyclosporine nephrotoxicity. <i>Apmis</i> , 2009 , 117, 583-91	3.4	11
85	Progression of renal allograft histology after renal transplantation in recurrent and nonrecurrent immunoglobulin A nephropathy. <i>Human Pathology</i> , 2008 , 39, 1511-8	3.7	11
84	IgA nephropathy in renal allografts-recurrence and graft dysfunction. <i>Yonsei Medical Journal</i> , 2004 , 45, 1043-8	3	11
83	Osteopontin expression and microvascular injury in cyclosporine nephrotoxicity. <i>Pediatric Nephrology</i> , 2004 , 19, 288-94	3.2	11
82	Overview of IgG4-Related Tubulointerstitial Nephritis and Its Mimickers. <i>Journal of Pathology and Translational Medicine</i> , 2016 , 50, 26-36	2.9	11
81	Fibroblast Growth Factor Receptor 1 Overexpression Is Associated with Poor Survival in Patients with Resected Muscle Invasive Urothelial Carcinoma. <i>Yonsei Medical Journal</i> , 2016 , 57, 831-9	3	11
80	The first case of familial Mediterranean fever associated with renal amyloidosis in Korea. <i>Yonsei Medical Journal</i> , 2012 , 53, 454-8	3	10
79	Urinary HLA-DR and CD54 expression--indicators for inflammatory activity in decoy cell shedding patients. <i>Nephrology Dialysis Transplantation</i> , 2006 , 21, 2601-6	4.3	10
78	Segmental glomerulosclerosis in IgA nephropathy after renal transplantation: relationship with proteinuria and therapeutic response to enalapril. <i>Clinical Transplantation</i> , 2003 , 17, 108-13	3.8	10

77	Serum IgA/C3 ratio may be a useful marker of disease activity in severe Henoch-Schönlein nephritis. <i>Nephron Clinical Practice</i> , 2005 , 101, c72-8		10
76	An analysis of 2361 cases of renal biopsy in Korea. <i>Yonsei Medical Journal</i> , 1991 , 32, 9-15	3	10
75	The significance of tubulointerstitial lesions in childhood Henoch-Schönlein nephritis. <i>Pediatric Nephrology</i> , 2016 , 31, 2087-93	3.2	9
74	Glomerular epithelial CD44 expression and segmental sclerosis in IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2016 , 20, 871-877	2.5	9
73	Factors indicating renal injury in pediatric bilateral ureteropelvic-junction obstruction. <i>Urology</i> , 2013 , 81, 873-8	1.6	9
72	Myxoma: life-threatening benign nonepithelial tumor of the larynx. <i>Yonsei Medical Journal</i> , 1997 , 38, 187-9	3	8
71	Increased nephron volume is not a cause of supranormal renographic differential renal function in patients with ureteropelvic junction obstruction. <i>Journal of Urology</i> , 2004 , 172, 1108-10	2.5	8
70	Hepatic amyloidosis--two cases report. <i>Journal of Korean Medical Science</i> , 1988 , 3, 151-5	4.7	8
69	Podocytic infolding glomerulopathy: A case report. <i>Ultrastructural Pathology</i> , 2016 , 40, 374-377	1.3	8
68	A re-evaluation of the renal ablation model of progressive renal disease in rats. <i>Journal of Nephrology</i> , 2003 , 16, 196-202	4.8	8
67	Clinical usefulness of the Oxford classification in determining immunosuppressive treatment in IgA nephropathy. <i>Annals of Medicine</i> , 2017 , 49, 217-229	1.5	7
66	Rifampicin-induced minimal change disease is improved after cessation of rifampicin without steroid therapy. <i>Yonsei Medical Journal</i> , 2015 , 56, 582-5	3	7
65	Effects of cyclosporin A therapy combined with steroids and angiotensin converting enzyme inhibitors on childhood IgA nephropathy. <i>Journal of Korean Medical Science</i> , 2010 , 25, 723-7	4.7	7
64	Tubuloreticular inclusions in peritubular capillaries of renal allografts. <i>Pathology Research and Practice</i> , 2017 , 213, 1185-1190	3.4	6
63	A Case of Constrictive Pericarditis due to Immunoglobulin G4-Related Disease. <i>Korean Circulation Journal</i> , 2015 , 45, 161-4	2.2	6
62	Expression of fibrosis-associated molecules in IgA nephropathy treated with cyclosporine. <i>Pediatric Nephrology</i> , 2009 , 24, 513-9	3.2	6
61	Development of Graves Disease during cyclosporin treatment for severe Henoch-Schönlein nephritis. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 2014-5	4.3	6
60	Melanosis coli--histochemical and immunohistochemical comparison of the pigments of melanosis coli and Dubin-Johnson syndrome. <i>Yonsei Medical Journal</i> , 1990 , 31, 27-32	3	6

59	Successful treatment of tubulointerstitial nephritis and uveitis with steroid and azathioprine in a 12-year-old boy. <i>Korean Journal of Pediatrics</i> , 2016 , 59, S99-S102	2.4	6
58	Cytologic features of giant cell ependymoma: a case report and review of the literature. <i>Korean Journal of Pathology</i> , 2012 , 46, 507-13		6
57	Successful kidney transplantation across a positive complement-dependent cytotoxicity crossmatch by using C1q assay-directed, bortezomib-assisted desensitization: A case report. <i>Medicine (United States)</i> , 2017 , 96, e8145	1.8	5
56	Angiotensin II receptor blockade blocker pre-treatment largely prevents injury from gradual renal ablation in rats. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2007 , 8, 110-7	3	5
55	Peritubular capillary C4d deposition in chronic allograft dysfunction. <i>Yonsei Medical Journal</i> , 2004 , 45, 859-64	3	5
54	Polyomavirus nephropathy in renal transplantation: a clinico-pathological study. <i>Transplant International</i> , 2003 , 16, 671-5	3	5
53	Successful launch of an ABO-incompatible kidney transplantation program to overcome the shortage of compatible living donors: experience at a single center?. <i>Clinical Nephrology</i> , 2017 , 88, 117-123	2.1	5
52	Tubulointerstitial Infiltration of M2 Macrophages in Henoch-Schlelein Purpura Nephritis Indicates the Presence of Glomerular Crescents and Bad Clinical Parameters. <i>BioMed Research International</i> , 2019 , 2019, 8579619	3	4
51	Association between post-transplant uric acid level and renal allograft fibrosis: Analysis using Banff pathologic scores from renal biopsies. <i>Scientific Reports</i> , 2018 , 8, 11601	4.9	4
50	A case of nephrotic syndrome in a patient with Churg-Strauss syndrome. <i>Rheumatology International</i> , 2010 , 30, 1385-8	3.6	4
49	A case of Klinefelter syndrome with retroperitoneal teratoma. <i>Yonsei Medical Journal</i> , 2000 , 41, 136-9	3	4
48	Granzyme B and TIA-1 expression in chronic and acute on chronic renal allograft rejection. <i>Yonsei Medical Journal</i> , 2001 , 42, 285-90	3	4
47	Electron microscopic study of the cases of minimal change nephrotic syndrome with mesangial IgA deposition. <i>Yonsei Medical Journal</i> , 1992 , 33, 351-6	3	4
46	Primary carcinoid tumor of the larynx. <i>Yonsei Medical Journal</i> , 1989 , 30, 193-7	3	4
45	Urinary decoy cell grading and its clinical implications. <i>Korean Journal of Pathology</i> , 2012 , 46, 233-6		4
44	Relationship between complement deposition and the Oxford classification score and their combined effects on renal outcome in immunoglobulin A nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 2103-2137	4.3	4
43	A case of membranous nephropathy as a manifestation of graft-versus-host disease. <i>Kidney Research and Clinical Practice</i> , 2013 , 32, 39-42	3.6	3
42	Dense deposit disease in Korean children: a multicenter clinicopathologic study. <i>Journal of Korean Medical Science</i> , 2012 , 27, 1215-21	4.7	3

41	Most Transmitted Glomerular Lesions in a Zero-Hour Biopsy of Allograft Kidney Have No Clinical Significance. <i>The Journal of the Korean Society for Transplantation</i> , 2012 , 26, 174	0.3	3
40	Immunologic control for polyomavirus infection after kidney transplantation. <i>Nephron Clinical Practice</i> , 2008 , 108, c148-54		3
39	Renal intravascular large B cell lymphoma: the first case report in Korea and a review of the literature. <i>Journal of Pathology and Translational Medicine</i> , 2020 , 54, 426-431	2.9	3
38	Smoking-Related Renal Histologic Injury in IgA Nephropathy Patients. <i>Yonsei Medical Journal</i> , 2016 , 57, 209-16	3	3
37	De novo C3 glomerulonephritis in a renal allograft. <i>Ultrastructural Pathology</i> , 2016 , 40, 112-5	1.3	3
36	Transplant outcomes in positive complement-dependent cytotoxicity- versus flow cytometry-crossmatch kidney transplant recipients after successful desensitization: a retrospective study. <i>BMC Nephrology</i> , 2019 , 20, 456	2.7	3
35	Renal tissue elasticity by acoustic radiation force impulse: A prospective study of healthy kidney donors. <i>Medicine (United States)</i> , 2021 , 100, e23561	1.8	3
34	Renal histologic parameters influencing postoperative renal function in renal cell carcinoma patients. <i>Korean Journal of Pathology</i> , 2013 , 47, 557-62		2
33	Alterations in extracellular matrix components in transplant glomerulopathy. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2000 , 437, 69-73	5.1	2
32	Practical Standardization in Renal Biopsy Reporting. <i>Korean Journal of Pathology</i> , 2010 , 44, 613		2
31	An Analysis of Focal Segmental Glomerulosclerosis according to Morphologic Subtypes. <i>Korean Journal of Pathology</i> , 2010 , 44, 589		2
30	Clinicopathologic Changes of IgA Nephropathy in Children During Long-term (average 10.8 yrs) Follow-up. <i>Journal of the Korean Society of Pediatric Nephrology</i> , 2010 , 14, 154		2
29	Influence of cyclosporine A on glomerular growth and the effect of mizoribine and losartan on cyclosporine nephrotoxicity in young rats. <i>Scientific Reports</i> , 2016 , 6, 22374	4.9	2
28	Minimal Change Disease in Systemic Lupus: Another Renal Manifestation of Lupus?. <i>The Ewha Medical Journal</i> , 2013 , 36, 139	0.1	1
27	Methylprednisolone and cyclosporin therapy in a patient with nephrotic proteinuria. <i>Indian Journal of Pediatrics</i> , 2007 , 74, 593-4	3	1
26	Live donor renal transplantation in patients with end-stage renal failure due to IgA nephropathy: clinicopathological assessment. <i>Nephrology</i> , 2002 , 7, S74-S77	2.2	1
25	Polyomavirus nephropathy in renal transplantation: a clinico-pathological study. <i>Transplant International</i> , 2003 , 16, 671-675	3	1
24	Fabry's disease--a case report and review of literatures reported in Korea. <i>Yonsei Medical Journal</i> , 1998 , 39, 67-72	3	1

23	Adult WilmsTumor--a case report. <i>Yonsei Medical Journal</i> , 1989 , 30, 88-94	3	1
22	Aberrant breast tissue of the perineum--a report on two cases. <i>Yonsei Medical Journal</i> , 1990 , 31, 182-6	3	1
21	Aberrant Blood Vessel Formation Connecting the Glomerular Capillary Tuft and the Interstitium Is a Characteristic Feature of Focal Segmental Glomerulosclerosis-like IgA Nephropathy. <i>Journal of Pathology and Translational Medicine</i> , 2016 , 50, 211-6	2.9	1
20	Seven-Year Follow Up of Microscopic Polyangiitis Presenting with Rapidly Progressive Glomerulonephritis. <i>Journal of the Korean Society of Pediatric Nephrology</i> , 2008 , 12, 99		1
19	Glomerular subepithelial microparticles - a footprint for podocyte injury. <i>Ultrastructural Pathology</i> , 2021 , 45, 236-242	1.3	1
18	CD71 mesangial IgA1 receptor and the progression of IgA nephropathy. <i>Translational Research</i> , 2021 , 230, 34-43	11	1
17	Sirolimus conversion efficacy for graft function improvement and histopathology in renal recipients with mild to moderate renal insufficiency. <i>Journal of Korean Medical Science</i> , 2014 , 29, 1069-76	4.7	0
16	Effects of bisphosphonates on long-term kidney transplantation outcomes. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 722-729	4.3	0
15	Clinical Significance of Revised Banff Criteria in the Diagnosis of Antibody-Mediated Rejection. <i>Transplantation Proceedings</i> , 2019 , 51, 1488-1490	1.1	
14	Validation of Tissue Microarrays for the Study of Immunosuppressive Agent-induced Nephrotoxicity. <i>The Journal of the Korean Society for Transplantation</i> , 2013 , 27, 114	0.3	
13	Changes of Kidney Injury Molecule-1 Expression and Renal Allograft Function in Protocol and for Cause Renal Allograft Biopsy. <i>The Journal of the Korean Society for Transplantation</i> , 2014 , 28, 135	0.3	
12	Clinical Remission of Renal Amyloidosis after Autologous Peripheral Blood Stem Cell Transplantation. <i>The Ewha Medical Journal</i> , 2013 , 36, S25	0.1	
11	Pathogenesis of Transplant Glomerulopathy. <i>The Journal of the Korean Society for Transplantation</i> , 2011 , 25, 71	0.3	
10	Distribution of lymphocytic subpopulations infiltrated in thyroid glands of GravesDisease. <i>Yonsei Medical Journal</i> , 1989 , 30, 118-24	3	
9	Histopathologic and immunocytochemical study of HodgkinS disease. <i>Yonsei Medical Journal</i> , 1988 , 29, 326-32	3	
8	A study of glomerular minimal lesion and minimal mesangial proliferation with or without nephrotic syndrome; pathologic, immunopathologic and clinical correlations. <i>Yonsei Medical Journal</i> , 1986 , 27, 17-24	3	
7	Expression of Phospholipase A2 Receptor in Pediatric Hepatitis B Virus-Related Membranous Nephropathy. <i>Childhood Kidney Diseases</i> , 2020 , 24, 36-41	0.3	
6	Solitary Fibrous Tumor in Retroperitoneum. <i>Journal of the Korean Radiological Society</i> , 1996 , 35, 957		

- 5 Does Heparin Attenuate the Renal Injury Induced by Ischemia Reperfusion in the Rabbit?. *Daehan Macwirgwa Haghoeji*, **1998**, 35, 23
- 4 Relationship of Glomerular Basement Membrane Alterations to Epithelial Cell Structure and Clinical Parameters in Alport Syndrome. *Journal of the Korean Society of Pediatric Nephrology*, **2010**, 14, 22
- 3 A Case of Atypical Thrombotic Microangiopathy. *Journal of the Korean Society of Pediatric Nephrology*, **2013**, 17, 149
- 2 Podocytopathy and Morphologic Changes in Focal Segmental Glomerulosclerosis. *Journal of the Korean Society of Pediatric Nephrology*, **2013**, 17, 13
- 1 Reduction in proteinuria after immunosuppressive therapy and long-term kidney outcomes in patients with immunoglobulin A nephropathy. *Korean Journal of Internal Medicine*, **2021**, 36, 1169-1180 ²⁻⁵