

Robert S Marks

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7035854/robert-s-marks-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

188
papers

4,891
citations

40
h-index

58
g-index

203
ext. papers

5,497
ext. citations

6.5
avg, IF

5.7
L-index

#	Paper	IF	Citations
188	Probiotic Characteristics of Lactiplantibacillus Plantarum N-1 and Its Cholesterol-Lowering Effect in Hypercholesterolemic Rats.. <i>Probiotics and Antimicrobial Proteins</i> , 2022 , 1	5.5	1
187	Anti-Virulence Activity of 3,3'-Diindolylmethane (DIM): A Bioactive Cruciferous Phytochemical with Accelerated Wound Healing Benefits. <i>Pharmaceutics</i> , 2022 , 14, 967	6.4	1
186	Multi-tailoring of a modified MOF-derived CuO electrochemical transducer for enhanced hydrogen peroxide sensing. <i>Analyst, The</i> , 2021 ,	5	3
185	Assessing the Molecular Targets and Mode of Action of Furanone C-30 on Quorum Sensing. <i>Molecules</i> , 2021 , 26,	4.8	2
184	Cigarette smoke toxicity modes of action estimated by a bioluminescent bioreporter bacterial panel. <i>Talanta</i> , 2021 , 226, 122076	6.2	2
183	Blood biomarkers to detect new-onset atrial fibrillation and cardioembolism in ischemic stroke patients. <i>Heart Rhythm</i> , 2021 , 18, 855-861	6.7	2
182	Fe-MOGs-based enzyme mimetic and its mediated electrochemiluminescence for in situ detection of HO released from Hela cells. <i>Biosensors and Bioelectronics</i> , 2021 , 184, 113216	11.8	11
181	3D confined self-assembling of QD within super-engineering block copolymers as biocompatible superparticles enabling stimulus responsive solid state fluorescence. <i>Nano Research</i> , 2021 , 14, 285-294	10	19
180	The effect of cannabis toxicity on a model microbiome bacterium epitomized by a panel of bioluminescent E. coli. <i>Chemosphere</i> , 2021 , 263, 128241	8.4	4
179	A brief overview of global biotechnology. <i>Biotechnology and Biotechnological Equipment</i> , 2021 , 35, S5-S14	14.6	4
178	Postmodulation of the Metal-Organic Framework Precursor toward the Vacancy-Rich CuO Transducer for Sensitivity Boost: Synthesis, Catalysis, and HO Sensing. <i>Analytical Chemistry</i> , 2021 , 93, 11066-11071	7.8	2
177	Capture-Layer Lateral Flow Immunoassay: A New Platform Validated in the Detection and Quantification of Dengue NS1. <i>ACS Omega</i> , 2020 , 5, 10433-10440	3.9	5
176	Spectral Distortions in Zinc-based Metal-Enhanced Fluorescence Underpinned by Fast and Slow Electronic Transitions. <i>Chemical Physics Letters</i> , 2020 , 744,	2.5	1
175	Enhanced Colorimetric Signal for Accurate Signal Detection in Paper-Based Biosensors. <i>Diagnostics</i> , 2020 , 10,	3.8	8
174	Spectral Distortions in Metal-Enhanced Fluorescence: Experimental Evidence for Ultra-Fast and Slow Transitions. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 4723-4737	3.8	8
173	Environmental pollutants induce noninherited antibiotic resistance to polymyxin B in. <i>Future Microbiology</i> , 2020 , 15, 1631-1643	2.9	1
172	Ethics committees for clinical experimentation at international level with a focus on Italy. <i>Acta Biomedica</i> , 2020 , 91, e2020016	3.2	2

171	Membrane type comparison and modification to modulate sample flow in paper diagnostics. <i>Biochemical Engineering Journal</i> , 2020 , 155, 107483	4.2	4
170	Enhanced Electrochemiluminescence of Porphyrin-Based Metal-Organic Frameworks Controlled via Coordination Modulation. <i>Analytical Chemistry</i> , 2020 , 92, 1916-1924	7.8	13
169	Blood-Based Biomarkers Are Associated with Different Ischemic Stroke Mechanisms and Enable Rapid Classification between Cardioembolic and Atherosclerosis Etiologies. <i>Diagnostics</i> , 2020 , 10,	3.8	9
168	Anti-Quorum Sensing Activity of Stevia Extract, Stevioside, Rebaudioside A and Their Aglycon Steviol. <i>Molecules</i> , 2020 , 25,	4.8	3
167	Postsynthesis Ligand Exchange Induced Porphyrin Hybrid Crystalloid Reconstruction for Self-Enhanced Electrochemiluminescence. <i>Analytical Chemistry</i> , 2020 , 92, 15270-15274	7.8	2
166	B-Type Natriuretic Peptide as a Significant Brain Biomarker for Stroke Triaging Using a Bedside Point-of-Care Monitoring Biosensor. <i>Biosensors</i> , 2020 , 10,	5.9	5
165	Self-assembled meso-tetra(4-carboxyphenyl)porphine: Structural modulation using surfactants for enhanced photoelectrochemical properties. <i>Electrochimica Acta</i> , 2019 , 299, 560-566	6.7	3
164	Point-of-Care Surface Plasmon Resonance Biosensor for Stroke Biomarkers NT-proBNP and S100 β Using a Functionalized Gold Chip with Specific Antibody. <i>Sensors</i> , 2019 , 19,	3.8	19
163	Design and optimisation of Photochrome Aptamer Switch Assay (PHASA). <i>Analytica Chimica Acta</i> , 2019 , 1061, 134-141	6.6	5
162	ATMP-induced three-dimensional conductive polymer hydrogel scaffold for a novel enhanced solid-state electrochemiluminescence biosensor. <i>Biosensors and Bioelectronics</i> , 2019 , 143, 111601	11.8	16
161	Uniform and Easy-To-Prepare Glycopolymer-Brush Interface for Rapid Protein (Anti-)Adhesion Sensing. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 32366-32372	9.5	11
160	Indoor air pollution and the contribution of biosensors. <i>The EuroBiotech Journal</i> , 2019 , 3, 19-31	1.5	5
159	Dissolvable Polyvinyl-Alcohol Film, a Time-Barrier to Modulate Sample Flow in a 3D-Printed Holder for Capillary Flow Paper Diagnostics. <i>Materials</i> , 2019 , 12,	3.5	14
158	Theoretical and Experimental Studies of N,N-Dimethyl-NSPicryl-4,4'Stilbenediamine. <i>Journal of Fluorescence</i> , 2018 , 28, 13-19	2.4	3
157	Impedimetric quantification of anti-dengue antibodies using functional carbon nanotube deposits validated with blood plasma assays. <i>Electrochimica Acta</i> , 2018 , 274, 84-90	6.7	22
156	TEMPO-based immuno-lateral flow quantitative detection of dengue NS1 protein. <i>Sensors and Actuators B: Chemical</i> , 2018 , 259, 354-363	8.5	20
155	Photoinducible silane diazirine as an effective crosslinker in the construction of a chemiluminescent immunosensor targeting a model E. coli analyte. <i>Sensors and Actuators B: Chemical</i> , 2018 , 256, 234-242	8.5	3
154	MoS ₂ quantum dots-combined zirconium-metalloporphyrin frameworks: Synergistic effect on electron transfer and application for bioassay. <i>Sensors and Actuators B: Chemical</i> , 2018 , 273, 566-573	8.5	15

153	MoS ₂ nanoparticles coupled to SnS ₂ nanosheets: The structural and electronic modulation for synergetic electrocatalytic hydrogen evolution. <i>Journal of Catalysis</i> , 2018 , 366, 8-15	7.3	32
152	Lachish River event monitored for toxicity using bioluminescent reporter organisms. <i>The EuroBiotech Journal</i> , 2018 , 2, 47-58	1.5	2
151	Aptamer adaptive binding assessed by stilbene photoisomerization towards regenerating aptasensors. <i>Sensors and Actuators B: Chemical</i> , 2018 , 257, 245-255	8.5	18
150	Probing the toxicity mechanism of multiwalled carbon nanotubes on bacteria. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 5003-5012	5.1	19
149	DNA origami nanorobot fiber optic genosensor to TMV. <i>Biosensors and Bioelectronics</i> , 2018 , 99, 209-215	11.8	13
148	Rapid and label-free electrochemical DNA biosensor for detecting hepatitis A virus. <i>Biosensors and Bioelectronics</i> , 2018 , 100, 89-95	11.8	72
147	Measuring Artificial Sweeteners Toxicity Using a Bioluminescent Bacterial Panel. <i>Molecules</i> , 2018 , 23,	4.8	28
146	Nanostructured photoactivatable electrode surface based on pyrene diazirine. <i>Electrochemistry Communications</i> , 2017 , 80, 5-8	5.1	7
145	Development of a chemiluminescent DNA fibre optic genosensor to Hepatitis A Virus (HAV). <i>Talanta</i> , 2017 , 174, 401-408	6.2	8
144	Biochip based on arrays of switchable magnetic nano-traps. <i>Sensors and Actuators B: Chemical</i> , 2017 , 251, 699-705	8.5	4
143	Controlled carbon nanotube layers for impedimetric immunosensors: High performance label free detection and quantification of anti-cholera toxin antibody. <i>Biosensors and Bioelectronics</i> , 2017 , 97, 177-183	11.8	27
142	Impact of copper nanoparticles on porcine neutrophils: ultrasensitive characterization factor combining chemiluminescence information and USEtox assessment model. <i>Materials Today Communications</i> , 2017 , 11, 68-75	2.5	3
141	Chemiluminescent optical fibre genosensor for porcine meat detection. <i>Sensors and Actuators B: Chemical</i> , 2017 , 247, 868-874	8.5	13
140	Self-assembled photoadditives in polyester films allow stop and go chemical release. <i>Acta Biomaterialia</i> , 2017 , 54, 186-200	10.8	10
139	Stilbene Switch Activated by Click Chemistry. <i>Procedia Technology</i> , 2017 , 27, 10-11		2
138	Towards a Versatile Photoreactive Platform for Biosensing Applications. <i>Journal of Analysis and Testing</i> , 2017 , 1, 1	3.2	1
137	Colorimetric stack pad immunoassay for bacterial identification. <i>Biosensors and Bioelectronics</i> , 2017 , 87, 572-578	11.8	31
136	Probing putative carcinogenic potential of processed and unprocessed meat using bioluminescent bacterial bioreporters. <i>Sensors and Actuators B: Chemical</i> , 2017 , 239, 113-119	8.5	3

135	Functional marine metagenomic screening for anti-quorum sensing and anti-biofilm activity. <i>Biofouling</i> , 2017 , 33, 1-13	3.3	25
134	Rapid and Label-Free Electrochemical DNA Biosensor for Detecting Hepatitis A Virus. <i>Proceedings (mdpi)</i> , 2017 , 1, 794	0.3	
133	Electrochemical impedimetric detection of stroke biomarker NT-proBNP using disposable screen-printed gold electrodes. <i>The EuroBiotech Journal</i> , 2017 , 1, 165-176	1.5	9
132	Development and Validation of an On-Line Water Toxicity Sensor with Immobilized Luminescent Bacteria for On-Line Surface Water Monitoring. <i>Sensors</i> , 2017 , 17,	3.8	7
131	Point-of-Care-Testing in Acute Stroke Management: An Unmet Need Ripe for Technological Harvest. <i>Biosensors</i> , 2017 , 7,	5.9	26
130	Glucose fuel cell based on carbon nanotube-supported pyrene π metalporphyrin catalysts. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 10635-10640	13	26
129	Bioluminescent bioreporter pad biosensor for monitoring water toxicity. <i>Talanta</i> , 2016 , 149, 290-297	6.2	39
128	<i>Vibrio cholerae</i> detection: Traditional assays, novel diagnostic techniques and biosensors. <i>TrAC - Trends in Analytical Chemistry</i> , 2016 , 79, 199-209	14.6	17
127	Development of a Microsphere-Based System to Facilitate Real-Time Insulin Monitoring. <i>Journal of Diabetes Science and Technology</i> , 2016 , 10, 689-96	4.1	3
126	Thiazole derivative-modified upconversion nanoparticles for Hg(2+) detection in living cells. <i>Nanoscale</i> , 2016 , 8, 276-82	7.7	69
125	Electrochemical lateral flow immunosensor for detection and quantification of dengue NS1 protein. <i>Biosensors and Bioelectronics</i> , 2016 , 77, 400-8	11.8	96
124	Novel Anti-Adhesive Biomaterial Patches: Preventing Biofilm with Metal Complex Films (MCF) Derived from a Microalgal Polysaccharide. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1500486	4.6	7
123	Calcium-alginate/carbon nanotubes/TiO composite beads for removal of bisphenol A. <i>Water Science and Technology</i> , 2016 , 74, 1585-1593	2.2	9
122	Miniaturized Flow Stacked Immunoassay for Detecting Escherichia coli in a Single Step. <i>Analytical Chemistry</i> , 2016 , 88, 6441-9	7.8	21
121	Organic additives stabilize RNA aptamer binding of malachite green. <i>Talanta</i> , 2016 , 160, 172-182	6.2	11
120	Anti-Biofilms: Novel Anti-Adhesive Biomaterial Patches: Preventing Biofilm with Metal Complex Films (MCF) Derived from a Microalgal Polysaccharide (Adv. Mater. Interfaces 9/2016). <i>Advanced Materials Interfaces</i> , 2016 , 3,	4.6	1
119	Creation of a new portable biosensor for water toxicity determination. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 1044-1054	8.5	34
118	Fiber-optic immunosensor for detection of Crimean-Congo hemorrhagic fever IgG antibodies in patients. <i>Analytical Chemistry</i> , 2015 , 87, 8394-8	7.8	27

117	Highly sensitive and specific detection of E. coli by a SERS nanobiosensor chip utilizing metallic nanosculptured thin films. <i>Analyst, The</i> , 2015 , 140, 3201-9	5	68
116	Bioluminescent liquid light guide pad biosensor for indoor air toxicity monitoring. <i>Analytical Chemistry</i> , 2015 , 87, 3655-61	7.8	39
115	Use of Bamboo Powder Waste for Removal of Bisphenol A in Aqueous Solution. <i>Water, Air, and Soil Pollution</i> , 2015 , 226, 1	2.6	6
114	Metal-enhanced fluorescence from zinc substrates can lead to spectral distortion and a wavelength dependence. <i>Applied Physics Letters</i> , 2015 , 106, 081605	3.4	13
113	Highly sensitive detection of paclitaxel by surface-enhanced Raman scattering. <i>Journal of Optics (United Kingdom)</i> , 2015 , 17, 114019	1.7	14
112	Hybrid multi-walled carbon nanotubes-alginate-polysulfone beads for adsorption of bisphenol-A from aqueous solution. <i>Desalination and Water Treatment</i> , 2015 , 54, 1167-1183		12
111	On-line biosensor for the detection of putative toxicity in water contaminants. <i>Talanta</i> , 2015 , 132, 583-90.2		17
110	Recent advances in aptasensors based on graphene and graphene-like nanomaterials. <i>Biosensors and Bioelectronics</i> , 2015 , 64, 373-85	11.8	148
109	Lateral Flow Immunoassays From Paper Strip to Smartphone Technology. <i>Electroanalysis</i> , 2015 , 27, 2116-2130	3	71
108	Functional Mimetics of the HIV-1 CCR5 Co-Receptor Displayed on the Surface of Magnetic Liposomes. <i>PLoS ONE</i> , 2015 , 10, e0144043	3.7	7
107	New Photochrome Probe Allows Simultaneous pH and Microviscosity Sensing. <i>Journal of Fluorescence</i> , 2015 , 25, 961-72	2.4	7
106	Freestanding HRP/Ox redox buckypaper as an oxygen-reducing biocathode for biofuel cell applications. <i>Energy and Environmental Science</i> , 2015 , 8, 2069-2074	35.4	63
105	Fixed Escherichia coli bacterial templates enable the production of sensitive SERS-based gold nanostructures. <i>Sensors and Actuators B: Chemical</i> , 2015 , 211, 213-219	8.5	11
104	Tunable chemical release from polyester thin film by photocatalytic zinc oxide and doped LiYF4 upconverting nanoparticles. <i>Biomacromolecules</i> , 2015 , 16, 364-73	6.9	17
103	Influence of carbon-based nanomaterials on lux-bioreporter Escherichia coli. <i>Talanta</i> , 2014 , 126, 208-13	6.2	8
102	Biofunctionalization of multiwalled carbon nanotubes by electropolymerized poly(pyrrole-concanavalin A) films. <i>Chemistry - A European Journal</i> , 2014 , 20, 13561-4	4.8	9
101	Amplified detection of femtomolar DNA based on a one-to-few recognition reaction between DNA-Au conjugate and target DNA. <i>Nanoscale</i> , 2014 , 6, 3110-5	7.7	22
100	Chemiluminescent assay of phenol in wastewater using HRP-catalysed luminol oxidation with and without enhancers. <i>Analytical Methods</i> , 2014 , 6, 8654-8659	3.2	6

99	Novel Photochrome Aptamer Switch Assay (PHASA) for adaptive binding to aptamers. <i>Journal of Fluorescence</i> , 2014 , 24, 1581-91	2.4	10
98	Cloud-enabled microscopy and droplet microfluidic platform for specific detection of <i>Escherichia coli</i> in water. <i>PLoS ONE</i> , 2014 , 9, e86341	3.7	40
97	Increased bioassay sensitivity of bioactive molecule discovery using metal-enhanced bioluminescence. <i>Journal of Nanoparticle Research</i> , 2014 , 16, 1	2.3	6
96	Novel on-demand bioadhesion to soft tissue in wet environments. <i>Macromolecular Bioscience</i> , 2014 , 14, 478-84	5.5	23
95	Coral-associated bacteria, quorum sensing disrupters, and the regulation of biofouling. <i>Biofouling</i> , 2013 , 29, 669-82	3.3	50
94	Bioluminescence enhancement through an added washing protocol enabling a greater sensitivity to carbofuran toxicity. <i>Ecotoxicology and Environmental Safety</i> , 2013 , 96, 61-6	7	10
93	Colorimetric detection of mercury ions based on plasmonic nanoparticles. <i>Small</i> , 2013 , 9, 1467-81	11	226
92	Persistent immune responses after Ebola virus infection. <i>New England Journal of Medicine</i> , 2013 , 369, 492-3	59.2	42
91	Profile and persistence of the virus-specific neutralizing humoral immune response in human survivors of Sudan ebolavirus (Gulu). <i>Journal of Infectious Diseases</i> , 2013 , 208, 299-309	7	42
90	Biofunctionalization of multiwalled carbon nanotubes by irradiation of electropolymerized poly(pyrrole-diazirine) films. <i>Chemistry - A European Journal</i> , 2013 , 19, 9639-43	4.8	15
89	Study of Immobilization Procedure on Silver Nanolayers and Detection of Estrone with Diverged Beam Surface Plasmon Resonance (SPR) Imaging. <i>Biosensors</i> , 2013 , 3, 157-70	5.9	19
88	Chemiluminescent DNA optical fibre sensor for <i>Brettanomyces bruxellensis</i> detection. <i>Journal of Biotechnology</i> , 2012 , 157, 25-30	3.7	34
87	A lower limit of detection for atrazine was obtained using bioluminescent reporter bacteria via a lower incubation temperature. <i>Ecotoxicology and Environmental Safety</i> , 2012 , 84, 221-6	7	31
86	Multi-resistance as a tool for detecting novel beta-lactam antibiotics in the environment. <i>Sensors and Actuators B: Chemical</i> , 2012 , 174, 342-348	8.5	12
85	Profiling the native specific human humoral immune response to Sudan Ebola virus strain Gulu by chemiluminescence enzyme-linked immunosorbent assay. <i>Vaccine Journal</i> , 2012 , 19, 1844-52		23
84	Biosensors based on combined optical and electrochemical transduction for molecular diagnostics. <i>Expert Review of Molecular Diagnostics</i> , 2011 , 11, 533-46	3.8	21
83	Differentiation between viral and bacterial acute infections using chemiluminescent signatures of circulating phagocytes. <i>Analytical Chemistry</i> , 2011 , 83, 4258-65	7.8	13
82	Optical immunosensor for endocrine disruptor nanolayer detection by surface plasmon resonance imaging 2011 ,		4

81	Two-color, 30 second microwave-accelerated Metal-Enhanced Fluorescence DNA assays: a new Rapid Catch and Signal (RCS) technology. <i>Journal of Immunological Methods</i> , 2011 , 366, 1-7	2.5	18
80	Classification of infectious diseases based on chemiluminescent signatures of phagocytes in whole blood. <i>Artificial Intelligence in Medicine</i> , 2011 , 52, 153-63	7.4	9
79	Label free and amplified detection of cancer marker EBNA-1 by DNA probe based biosensors. <i>Biosensors and Bioelectronics</i> , 2011 , 30, 272-5	11.8	23
78	UV and arsenate toxicity: a specific and sensitive yeast bioluminescence assay. <i>Cell Biology and Toxicology</i> , 2011 , 27, 227-36	7.4	19
77	Whole-cell aquatic biosensors. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 400, 895-913	4.4	87
76	Characterization of quorum sensing signals in coral-associated bacteria. <i>Microbial Ecology</i> , 2011 , 61, 783-92	7.4	50
75	Creation of a fiber optic based biosensor for air toxicity monitoring. <i>Sensors and Actuators B: Chemical</i> , 2011 , 155, 859-867	8.5	43
74	Mixed-metal substrates for applications in metal-enhanced fluorescence. <i>Journal of Materials Chemistry</i> , 2011 , 21, 6179		8
73	Dengue Virus Diagnostics. <i>NATO Science for Peace and Security Series A: Chemistry and Biology</i> , 2010 , 275-295	0.1	1
72	Fiber-optic based cell sensors. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2010 , 117, 131-54	1.7	11
71	Surface-enhanced fluorescence from metal sculptured thin films with application to biosensing in water. <i>Applied Physics Letters</i> , 2009 , 94, 063106	3.4	58
70	Metal-enhanced bioluminescence: An approach for monitoring biological luminescent processes. <i>Applied Physics Letters</i> , 2009 , 94, 083901	3.4	21
69	Luminol-dependent chemiluminescence of human phagocyte cell lines: comparison between DMSO differentiated PLB 985 and HL 60 cells. <i>Luminescence</i> , 2009 , 24, 171-7	2.5	6
68	Chemiluminescent optical fiber immunosensor detection of Brucella cells presenting smooth-A antigen. <i>Sensors and Actuators B: Chemical</i> , 2009 , 140, 568-576	8.5	20
67	Flow-through real time bacterial biosensor for toxic compounds in water. <i>Sensors and Actuators B: Chemical</i> , 2009 , 142, 11-18	8.5	48
66	Glucose determination using a re-usable enzyme-modified ion track membrane sensor. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 2702-6	11.8	47
65	New approach of constructing biosensing matrices by physical and chemical crosslinking of biotin-alginate with alginate-pyrrole. <i>Electrochimica Acta</i> , 2009 , 54, 4359-4364	6.7	5
64	Chemiluminescent optical fiber immunosensor for the detection of IgM antibody to dengue virus in humans. <i>Sensors and Actuators B: Chemical</i> , 2009 , 140, 206-215	8.5	47

63	Impedance study of the hybrid molecule alginate-pyrrole: Demonstration as host matrix for the construction of a highly sensitive amperometric glucose biosensor. <i>Sensors and Actuators B: Chemical</i> , 2009 , 136, 516-522	8.5	16
62	Poly(methyl metacrylate) conductive fiber optic transducers as dual biosensor platforms. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 3683-7	11.8	5
61	Highly sensitive amperometric immunosensor for the detection of Escherichia coli. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 3461-6	11.8	33
60	Characterization of electrogenerated polypyrrole-benzophenone films coated on poly(pyrrole-methyl metacrylate) optic-conductive fibers. <i>Langmuir</i> , 2009 , 25, 10384-9	4	11
59	Amperometric biosensor based on the electro-copolymerization of a conductive biotinylated-pyrrole and alginate-pyrrole. <i>Synthetic Metals</i> , 2009 , 159, 1117-1122	3.6	8
58	Electrochemistry and chemiluminescence techniques compared in the detection of NADPH oxidase activity in phagocyte cells. <i>Talanta</i> , 2009 , 77, 1460-5	6.2	9
57	Immobilization strategies of Brucella particles on optical fibers for use in chemiluminescence immunosensors. <i>Talanta</i> , 2009 , 80, 338-45	6.2	15
56	Synthesis, characterization and protein binding properties of supported dendrons. <i>Journal of Materials Chemistry</i> , 2009 , 19, 6616		11
55	Parameters to consider in the construction of fiber-optic biosensors as alternative bioanalytical tools. <i>IEEE Instrumentation and Measurement Magazine</i> , 2009 , 12, 10-16	1.4	8
54	ITO pattern fabrication of glass platforms for electropolymerization of light sensitive polymer for its conjugation to bioreceptors on a micro-array. <i>Talanta</i> , 2008 , 75, 564-71	6.2	16
53	Preparation and characterization of a novel pyrrole-benzophenone copolymerized silica nanocomposite as a reagent in a visual immunologic-agglutination test. <i>Talanta</i> , 2008 , 75, 1324-31	6.2	9
52	Dynamic component chemiluminescent sensor for assessing circulating polymorphonuclear leukocyte activity of peritoneal dialysis patients. <i>Analytical Chemistry</i> , 2008 , 80, 5131-8	7.8	5
51	Phage-Displayed Epitopes as Bioreceptors for Biosensors 2008 ,		1
50	Detection of sub-inhibitory antibiotic concentrations via luminescent sensing bacteria and prediction of their mode of action. <i>Sensors and Actuators B: Chemical</i> , 2008 , 129, 685-692	8.5	32
49	Characterization of thin poly(pyrrole-benzophenone) film morphologies electropolymerized on indium tin oxide coated optic fibers for electrochemical and optical biosensing. <i>Electrochimica Acta</i> , 2008 , 53, 5128-5135	6.7	18
48	Fibre-optic bacterial biosensors and their application for the analysis of bioavailable Hg and As in soils and sediments from Aznalcollar mining area in Spain. <i>Biosensors and Bioelectronics</i> , 2007 , 22, 1396-402	11.8	85
47	Chemiluminescent optical fiber immunosensor for detection of autoantibodies to ovarian and breast cancer-associated antigens. <i>Biosensors and Bioelectronics</i> , 2007 , 22, 1508-16	11.8	40
46	Electrogenerated indium tin oxide-coated glass surface with photosensitive interfaces: surface analysis. <i>Biosensors and Bioelectronics</i> , 2007 , 22, 2230-6	11.8	15

45	Amperometric immunosensor for the detection of anti-West Nile virus IgG using a photoactive copolymer. <i>Enzyme and Microbial Technology</i> , 2007 , 40, 403-408	3.8	18
44	T7 phage display of Ep15 peptide for the detection of WNV IgG. <i>Journal of Virological Methods</i> , 2007 , 141, 133-40	2.6	20
43	Optical fiber immunosensor for the detection of IgG antibody to Rift Valley fever virus in humans. <i>Journal of Virological Methods</i> , 2007 , 146, 327-34	2.6	31
42	Development of a highly sensitive, field operable biosensor for serological studies of Ebola virus in central Africa. <i>Sensors and Actuators B: Chemical</i> , 2007 , 122, 578-586	8.5	40
41	Procedure 26 Construction of amperometric immunosensors for the analysis of cholera antitoxin and comparison of the performances between three different enzyme markers. <i>Comprehensive Analytical Chemistry</i> , 2007 , e185-e194	1.9	1
40	Amperometric immunosensor for the detection of anti-West Nile virus IgG. <i>Analytical Chemistry</i> , 2007 , 79, 8662-8	7.8	55
39	Electroenzymatic polypyrrole-intercalator sensor for the determination of West Nile virus cDNA. <i>Analytical Chemistry</i> , 2006 , 78, 7054-7	7.8	30
38	Fiber-optic biosensor to assess circulating phagocyte activity by chemiluminescence. <i>Biosensors and Bioelectronics</i> , 2006 , 21, 1210-8	11.8	24
37	Luminescent yeast cells entrapped in hydrogels for estrogenic endocrine disrupting chemical biodection. <i>Biosensors and Bioelectronics</i> , 2006 , 21, 2263-9	11.8	63
36	A polypyrrole cDNA electrode for the amperometric detection of the West Nile Virus. <i>Electrochemistry Communications</i> , 2006 , 8, 1741-1748	5.1	36
35	Protease amperometric sensor. <i>Analytical Chemistry</i> , 2006 , 78, 6327-31	7.8	81
34	Manufacturing of nanochannels with controlled dimensions using protease nanolithography. <i>Nano Letters</i> , 2005 , 5, 821-7	11.5	19
33	Comparison between the performances of amperometric immunosensors for cholera antitoxin based on three enzyme markers. <i>Talanta</i> , 2005 , 66, 15-20	6.2	30
32	Chemiluminescent optical fiber immunosensor for the detection of anti-West Nile virus IgG. <i>Talanta</i> , 2005 , 66, 6-14	6.2	35
31	Optical fiber immunosensor based on a poly(pyrrole-benzophenone) film for the detection of antibodies to viral antigen. <i>Analytical Chemistry</i> , 2005 , 77, 1771-9	7.8	83
30	Synthesis and characterization of a pyrrole-alginate conjugate and its application in a biosensor construction. <i>Biomacromolecules</i> , 2005 , 6, 3313-8	6.9	78
29	Improved enzyme retention from an electropolymerized polypyrrole-alginate matrix in the development of biosensors. <i>Electrochemistry Communications</i> , 2005 , 7, 1277-1282	5.1	43
28	Physico-chemical studies of indium tin oxide-coated fiber optic biosensors. <i>Thin Solid Films</i> , 2005 , 492, 313-321	2.2	34

27	Construction of amperometric immunosensors based on the electrogeneration of a permeable biotinylated polypyrrole film. <i>Analytical Chemistry</i> , 2004 , 76, 6808-13	7.8	71
26	Photochemical attachment of biomolecules onto fibre-optics for construction of a chemiluminescent immunosensor. <i>Luminescence</i> , 2004 , 19, 69-77	2.5	45
25	Detection of bioavailable heavy metals in EILATox-Oregon samples using whole-cell luminescent bacterial sensors in suspension or immobilized onto fibre-optic tips. <i>Journal of Applied Toxicology</i> , 2004 , 24, 333-42	4.1	119
24	Synthesis and characterization of a biotin-alginate conjugate and its application in a biosensor construction. <i>Biomacromolecules</i> , 2004 , 5, 389-96	6.9	90
23	A permselective biotinylated polydicarbazole film for the fabrication of amperometric enzyme electrodes. <i>Electrochemistry Communications</i> , 2003 , 5, 973-977	5.1	30
22	Development of an "electroptode" immunosensor: indium tin oxide-coated optical fiber tips conjugated with an electropolymerized thin film with conjugated cholera toxin B subunit. <i>Analytical Chemistry</i> , 2003 , 75, 2633-9	7.8	65
21	Nanolithography Using Protease Etching of Protein Surfaces. <i>Nano Letters</i> , 2003 , 3, 1639-1642	11.5	31
20	Protein printing with an atomic force sensing nanofountainpen. <i>Applied Physics Letters</i> , 2003 , 83, 1041-1043	10.43	74
19	An innovative strategy for immobilization of receptor proteins on to an optical fiber by use of poly(pyrrole-biotin). <i>Analytical and Bioanalytical Chemistry</i> , 2002 , 374, 1056-63	4.4	27
18	Indium tin oxide-coated optical fiber tips for affinity electropolymerization. <i>Materials Science and Engineering C</i> , 2002 , 21, 189-194	8.3	28
17	A comparative study of gallstones from children and adults using FTIR spectroscopy and fluorescence microscopy. <i>BMC Gastroenterology</i> , 2002 , 2, 3	3	42
16	Biotinylated alginate immobilization matrix in the construction of an amperometric biosensor: application for the determination of glucose. <i>Analytica Chimica Acta</i> , 2002 , 453, 71-79	6.6	43
15	Fabrication of organic phase biosensors based on multilayered polyphenol oxidase protected by an alginate coating. <i>Electrochemistry Communications</i> , 2001 , 3, 727-732	5.1	27
14	Bioluminescent whole cell optical fiber sensor to genotoxigants: system optimization. <i>Sensors and Actuators B: Chemical</i> , 2001 , 74, 18-26	8.5	97
13	Mediated electrochemical detection of catechol by tyrosinase-based poly(dicarbazole) electrodes. <i>Journal of Proteomics</i> , 2001 , 50, 65-77		46
12	A comparative physical study of two different hydrophilic synthetic latex matrices for the construction of a glucose biosensor. <i>Talanta</i> , 2001 , 55, 889-97	6.2	32
11	Antibody-based immobilization of bioluminescent bacterial sensor cells. <i>Talanta</i> , 2001 , 55, 1029-38	6.2	64
10	Electrogenerated Poly(Chiral Dicarbazole) Films for the Reagentless Grafting of Enzymes. <i>Electroanalysis</i> , 2000 , 12, 1107-1112	3	19

9	Novel electro-oxidizable chiral N-substituted dicarbazoles and resulting electroactive films for covalent attachment of proteins. <i>Tetrahedron Letters</i> , 2000 , 41, 3725-3729	2	26
8	Poly(dicarbazole-N-hydroxysuccinimide) film: a new polymer for the reagentless grafting of enzymes and redox mediators. <i>Electrochemistry Communications</i> , 2000 , 2, 827-831	5.1	23
7	A rapid and easy procedure of biosensor fabrication by micro-encapsulation of enzyme in hydrophilic synthetic latex films. Application to the amperometric determination of glucose. <i>Electrochemistry Communications</i> , 2000 , 2, 851-855	5.1	32
6	Development of a chemiluminescent optical fiber immunosensor to detect <i>Streptococcus pneumoniae</i> antipolysaccharide antibodies. <i>Applied Biochemistry and Biotechnology</i> , 2000 , 89, 117-26	3.2	13
5	Local medium effects in the photochemical behavior of substituted stilbenes immobilized on quartz surfaces. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 1999 , 122, 133-142	4.7	27
4	Chemiluminescent optical fiber immunosensor for detecting cholera antitoxin. <i>Optical Engineering</i> , 1997 , 36, 3258	1.1	48
3	The single mode tapered optical fibre loop immunosensor. <i>Biosensors and Bioelectronics</i> , 1996 , 11, 137-148	1.1	43
2	Single-mode tapered optical fiber immunosensor I: characterization with model analytes 1994 , 2131, 484		3
1	Single-mode tapered optical fiber loop immunosensor II: assay of anti-cholera toxin immunoglobulins 1994 , 2131, 495		3