

# Yu-Bin Dong

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7036553/yu-bin-dong-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139  
papers

6,008  
citations

48  
h-index

72  
g-index

151  
ext. papers

7,151  
ext. citations

6.8  
avg, IF

6.22  
L-index

#	Paper	IF	Citations
139	A BINOL-phosphoric acid and metalloporphyrin derived chiral covalent organic framework for enantioselective $\alpha$ -benzylation of aldehydes.. <i>Chemical Science</i> , <b>2022</b> , 13, 1906-1911	9.4	3
138	A covalent organic framework as a photocatalyst for window ledge cross-dehydrogenative coupling reactions.. <i>Chemical Communications</i> , <b>2022</b> ,	5.8	5
137	Synthesis of Chiral Covalent Organic Frameworks via Asymmetric Organocatalysis for Heterogeneous Asymmetric Catalysis.. <i>Angewandte Chemie - International Edition</i> , <b>2022</b> , e202115044	16.4	5
136	Synthesis of covalent organic frameworks via Kabachnik-Fields reaction for water treatment.. <i>Journal of Hazardous Materials</i> , <b>2022</b> , 433, 128831	12.8	3
135	Dual-Metal $\pi$ -Heterocyclic Carbene Complex (M = Au and Pd)-Functionalized UiO-67 MOF for Alkyne Hydration-Suzuki Coupling Tandem Reaction. <i>Journal of Organic Chemistry</i> , <b>2021</b> , 86, 1818-1826	4.2	3
134	Core-Shell-Structured Covalent-Organic Framework as a Nanoagent for Single-Laser-Induced Phototherapy. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 17243-17254	9.5	12
133	Melamine-assisted synthesis of cobalt- $\mu$ -bickel coordination polymers as electrode materials for supercapacitors. <i>Journal of Materials Science</i> , <b>2021</b> , 56, 13752-13762	4.3	1
132	Recent insight into functional crystalline porous frameworks for cancer photodynamic therapy. <i>Inorganic Chemistry Frontiers</i> , <b>2021</b> , 8, 848-879	6.8	12
131	A covalent organic framework-based nanoagent for HS-activable phototherapy against colon cancer. <i>Chemical Communications</i> , <b>2021</b> , 57, 7240-7243	5.8	7
130	Ferroptosis in cancer therapeutics: a materials chemistry perspective. <i>Journal of Materials Chemistry B</i> , <b>2021</b> , 9, 8906-8936	7.3	5
129	Sulfonic Acid and Ionic Liquid Functionalized Covalent Organic Framework for Efficient Catalysis of the Biginelli Reaction. <i>Journal of Organic Chemistry</i> , <b>2021</b> , 86, 3024-3032	4.2	35
128	Synergistic Antibacterial and Anti-Inflammatory Effects of a Drug-Loaded Self-Standing Porphyrin-COF Membrane for Efficient Skin Wound Healing. <i>Advanced Healthcare Materials</i> , <b>2021</b> , 10, e2001821	10.1	17
127	A metal-organic cage-based nanoagent for enhanced photodynamic antitumor therapy. <i>Chemical Communications</i> , <b>2021</b> , 57, 7954-7957	5.8	1
126	Rational design of benzodifuran-functionalized donor-acceptor covalent organic frameworks for photocatalytic hydrogen evolution from water. <i>Chemical Communications</i> , <b>2021</b> , 57, 4464-4467	5.8	6
125	Gram-Scale Synthesis of Cu(II)@COF via Solid-State Coordination Approach for Catalysis of Alkyne-Dihalomethane-Amine Coupling. <i>Inorganic Chemistry</i> , <b>2021</b> , 60, 3393-3400	5.1	7
124	A Ferrocene-Functionalized Covalent Organic Framework for Enhancing Chemodynamic Therapy via Redox Dyshomeostasis. <i>Small</i> , <b>2021</b> , 17, e2101368	11	24
123	Metalloporphyrin and Ionic Liquid-Functionalized Covalent Organic Frameworks for Catalytic CO Cycloaddition via Visible-Light-Induced Photothermal Conversion. <i>Inorganic Chemistry</i> , <b>2021</b> , 60, 12591-12601	5.1	11

122	Single-molecular phosphorus phthalocyanine-based near-infrared-II nanoagent for photothermal antitumor therapy.. <i>RSC Advances</i> , <b>2020</b> , 10, 22656-22662	3.7	3
121	Homochiral Covalent Organic Framework for Catalytic Asymmetric Synthesis of a Drug Intermediate. <i>Journal of the American Chemical Society</i> , <b>2020</b> , 142, 12574-12578	16.4	44
120	A carbon nanomaterial derived from a nanoscale covalent organic framework for photothermal therapy in the NIR-II biowindow. <i>Chemical Communications</i> , <b>2020</b> , 56, 7793-7796	5.8	16
119	Construction of Covalent Organic Frameworks via Three-Component One-Pot Strecker and Povarov Reactions. <i>Journal of the American Chemical Society</i> , <b>2020</b> , 142, 6521-6526	16.4	66
118	Covalent organic frameworks: emerging high-performance platforms for efficient photocatalytic applications. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 6957-6983	13	91
117	A Glycosylated Covalent Organic Framework Equipped with BODIPY and CaCO <sub>3</sub> for Synergistic Tumor Therapy. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 18198-18203	3.6	7
116	A Glycosylated Covalent Organic Framework Equipped with BODIPY and CaCO for Synergistic Tumor Therapy. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 18042-18047	16.4	59
115	Pd@COF-QA: a phase transfer composite catalyst for aqueous Suzuki-Miyaura coupling reaction. <i>Green Chemistry</i> , <b>2020</b> , 22, 1150-1155	10	36
114	Homochiral Covalent Organic Frameworks for Asymmetric Catalysis. <i>Chemistry - A European Journal</i> , <b>2020</b> , 26, 13754-13770	4.8	22
113	Polydopamine-Based Multifunctional Antitumor Nanoagent for Phototherapy and Photodiagnosis by Regulating Redox Balance.. <i>ACS Applied Bio Materials</i> , <b>2020</b> , 3, 8667-8675	4.1	3
112	Covalent Organic Frameworks (COFs) for Cancer Therapeutics. <i>Chemistry - A European Journal</i> , <b>2020</b> , 26, 5583-5591	4.8	73
111	Fe <sub>3</sub> O <sub>4</sub> /Porphyrin Covalent Organic Framework Core-Shell Nanospheres as Interfacial Catalysts for Enzymatic Esterification. <i>ACS Applied Nano Materials</i> , <b>2020</b> , 3, 10360-10368	5.6	5
110	Synthesis of fulvene-containing boron complexes with aggregation-induced emission and mechanochromic luminescence. <i>Chemical Communications</i> , <b>2020</b> , 56, 14435-14438	5.8	5
109	Nanoscale covalent organic frameworks as theranostic platforms for oncotherapy: synthesis, functionalization, and applications. <i>Nanoscale Advances</i> , <b>2020</b> , 2, 3656-3733	5.1	48
108	Frontispiece: Homochiral Covalent Organic Frameworks for Asymmetric Catalysis. <i>Chemistry - A European Journal</i> , <b>2020</b> , 26,	4.8	1
107	Near-infrared and metal-free tetra(butylamino)phthalocyanine nanoparticles for dual modal cancer phototherapy.. <i>RSC Advances</i> , <b>2020</b> , 10, 25958-25965	3.7	
106	Catalytic Asymmetric Synthesis of Chiral Covalent Organic Frameworks from Prochiral Monomers for Heterogeneous Asymmetric Catalysis. <i>Journal of the American Chemical Society</i> , <b>2020</b> , 142, 16915-16920	16.4	44
105	Synthesis and Catalytic Properties of Metal-Heterocyclic-Carbene-Decorated Covalent Organic Framework. <i>Organic Letters</i> , <b>2020</b> , 22, 7363-7368	6.2	9

104	A benzothiadiazole-based covalent organic framework for highly efficient visible-light driven hydrogen evolution. <i>Chemical Communications</i> , <b>2020</b> , 56, 12612-12615	5.8	14
103	Synthesis of an MOF-based Hg-fluorescent probe via stepwise post-synthetic modification in a single-crystal-to-single-crystal fashion and its application in bioimaging. <i>Dalton Transactions</i> , <b>2019</b> , 48, 16502-16508	4.3	18
102	Ionic liquid-decorated COF and its covalent composite aerogel for selective CO <sub>2</sub> adsorption and catalytic conversion. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 4689-4698	13	89
101	A thermo-responsive polymer-tethered and Pd NP loaded UiO-66 NMOF for biphasic CB dechlorination. <i>Green Chemistry</i> , <b>2019</b> , 21, 1625-1634	10	15
100	Homochiral BINAPDA-Zr-MOF for Heterogeneous Asymmetric Cyanosilylation of Aldehydes. <i>Inorganic Chemistry</i> , <b>2019</b> , 58, 9253-9259	5.1	16
99	UiO-68-PT MOF-Based Sensor and Its Mixed Matrix Membrane for Detection of HClO in Water. <i>Inorganic Chemistry</i> , <b>2019</b> , 58, 9890-9896	5.1	18
98	BODIPY-Decorated Nanoscale Covalent Organic Frameworks for Photodynamic Therapy. <i>IScience</i> , <b>2019</b> , 14, 180-198	6.1	82
97	Visible-light triggered selective reduction of nitroarenes to azo compounds catalysed by Ag@organic molecular cages. <i>Chemical Communications</i> , <b>2019</b> , 55, 3586-3589	5.8	29
96	Porous organic polymer with generated palladium nanoparticles as a phase-transfer catalyst for Sonogashira cross-coupling reaction in water.. <i>RSC Advances</i> , <b>2019</b> , 9, 21671-21678	3.7	11
95	Photothermal conversion triggered thermal asymmetric catalysis within metal nanoparticles loaded homochiral covalent organic framework. <i>Nature Communications</i> , <b>2019</b> , 10, 3368	17.4	66
94	Nickel-metalated porous organic polymer for Suzuki-Miyaura cross-coupling reaction.. <i>RSC Advances</i> , <b>2019</b> , 9, 20266-20272	3.7	9
93	Nanoscale Covalent Organic Framework for Combinatorial Antitumor Photodynamic and Photothermal Therapy. <i>ACS Nano</i> , <b>2019</b> , 13, 13304-13316	16.7	141
92	A palladium-carbon-connected organometallic framework and its catalytic application. <i>Chemical Communications</i> , <b>2019</b> , 55, 14414-14417	5.8	4
91	A nanoscale metal-organic framework for combined photodynamic and starvation therapy in treating breast tumors. <i>Chemical Communications</i> , <b>2019</b> , 55, 14898-14901	5.8	19
90	TiO@UiO-68-CIL: A Metal-Organic-Framework-Based Bifunctional Composite Catalyst for a One-Pot Sequential Asymmetric Morita-Baylis-Hillman Reaction. <i>Inorganic Chemistry</i> , <b>2019</b> , 58, 4722-4730	5.1	17
89	One-Pot Synthetic Approach toward Porphyrinatozinc and Heavy-Atom Involved Zr-NMOF and Its Application in Photodynamic Therapy. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 3169-3176	5.1	25
88	Surface Decorated Porphyrinic Nanoscale Metal-Organic Framework for Photodynamic Therapy. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 5420-5428	5.1	55
87	Pd(II)-NHDC-Functionalized UiO-67 Type MOF for Catalyzing Heck Cross-Coupling and Intermolecular Benzyne-Benzyne-Alkene Insertion Reactions. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 4379-4386	5.1	42

86	Ru Nanoparticles-Loaded Covalent Organic Framework for Solvent-Free One-Pot Tandem Reactions in Air. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 2678-2685	5.1	48
85	Diiodo-Bodipy-Encapsulated Nanoscale Metal-Organic Framework for pH-Driven Selective and Mitochondria Targeted Photodynamic Therapy. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 10137-10145	5.1	40
84	APPT-Cd MOF: Acetylene Adsorption Mechanism and Its Highly Efficient Acetylene/Ethylene Separation at Room Temperature. <i>Chemistry of Materials</i> , <b>2018</b> , 30, 7433-7437	9.6	20
83	Photodynamic Therapy Based on Nanoscale Metal-Organic Frameworks: From Material Design to Cancer Nanotherapeutics. <i>Chemistry - an Asian Journal</i> , <b>2018</b> , 13, 3122-3149	4.5	55
82	CuL metal-organic cages for A-coupling reactions: reversible coordination interaction triggered homogeneous catalysis and heterogeneous recovery. <i>Chemical Communications</i> , <b>2018</b> , 54, 11550-11553	5.8	11
81	Visual Recognition and Removal of CH from CH/CH Mixtures by a Cu-MOF. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 6218-6221	5.1	15
80	Reusable Palladium N-Heterocyclic Tetracarbene for Aqueous SuzukiMiyaura Cross-Coupling Reaction: Homogeneous Catalysis and Heterogeneous Recovery. <i>Organometallics</i> , <b>2018</b> , 37, 1645-1648	3.8	9
79	Pd loaded and covalent-organic framework involved chitosan aerogels and their application for continuous flow-through aqueous CB decontamination. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 11140-11146	13.1	40
78	Pd NP-Loaded and Covalently Cross-Linked COF Membrane Microreactor for Aqueous CBs Dechlorination at Room Temperature. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 20448-20457	9.5	44
77	Copper(II)-Silver(I) Macrocyclic Metal-Organic Framework: A Highly Efficient Reusable Triplet Oxygen Collector and Singlet Oxygen Generator. <i>Inorganic Chemistry</i> , <b>2017</b> , 56, 1049-1052	5.1	1
76	Bifunctional Imidazolium-Based Ionic Liquid Decorated UiO-67 Type MOF for Selective CO Adsorption and Catalytic Property for CO Cycloaddition with Epoxides. <i>Inorganic Chemistry</i> , <b>2017</b> , 56, 2337-2344	5.1	170
75	Dual Heterogeneous Catalyst Pd-Au@Mn(II)-MOF for One-Pot Tandem Synthesis of Imines from Alcohols and Amines. <i>Inorganic Chemistry</i> , <b>2017</b> , 56, 654-660	5.1	55
74	UiO-68-ol NMOF-Based Fluorescent Sensor for Selective Detection of HClO and Its Application in Bioimaging. <i>Inorganic Chemistry</i> , <b>2017</b> , 56, 13241-13248	5.1	38
73	Smart pH-Responsive Polymer-Tethered and Pd NP-Loaded NMOF as the Pickering Interfacial Catalyst for One-Pot Cascade Biphasic Reaction. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 36438-36446	9.5	50
72	Chemically Cross-Linked MOF Membrane Generated from Imidazolium-Based Ionic Liquid-Decorated UiO-66 Type NMOF and Its Application toward CO Separation and Conversion. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 38919-38930	9.5	65
71	CuI@UiO-67-IM: A MOF-Based Bifunctional Composite Triphase-Transfer Catalyst for Sequential One-Pot Azide-Alkyne Cycloaddition in Water. <i>Inorganic Chemistry</i> , <b>2017</b> , 56, 8341-8347	5.1	26
70	Pd NPs-Loaded Homochiral Covalent Organic Framework for Heterogeneous Asymmetric Catalysis. <i>Chemistry of Materials</i> , <b>2017</b> , 29, 6518-6524	9.6	105
69	A drug-loaded nanoscale metal-organic framework with a tumor targeting agent for highly effective hepatoma therapy. <i>Chemical Communications</i> , <b>2016</b> , 52, 14113-14116	5.8	42

68	Synthesis, structure and multifunctional catalytic properties of a Cu(I)-coordination polymer with outer-hanging CuBr <sub>2</sub> . <i>RSC Advances</i> , <b>2016</b> , 6, 108645-108653	3.7	11
67	Au@Cu(II)-MOF: Highly Efficient Bifunctional Heterogeneous Catalyst for Successive Oxidation-Condensation Reactions. <i>Inorganic Chemistry</i> , <b>2016</b> , 55, 6685-91	5.1	85
66	Pd(0)@UiO-68-AP: chelation-directed bifunctional heterogeneous catalyst for stepwise organic transformations. <i>Chemical Communications</i> , <b>2016</b> , 52, 6517-20	5.8	49
65	Cd(ii)-MOF-IM: post-synthesis functionalization of a Cd(ii)-MOF as a triphase transfer catalyst. <i>Chemical Communications</i> , <b>2016</b> , 52, 6989-92	5.8	15
64	An in situ self-assembled Cu <sub>4</sub> I <sub>4</sub> -MOF-based mixed matrix membrane: a highly sensitive and selective naked-eye sensor for gaseous HCl. <i>Chemical Communications</i> , <b>2016</b> , 52, 5238-41	5.8	82
63	Pd@Cu(II)-MOF-Catalyzed Aerobic Oxidation of Benzylic Alcohols in Air with High Conversion and Selectivity. <i>Inorganic Chemistry</i> , <b>2016</b> , 55, 3058-64	5.1	76
62	Post-Synthetic Polymerization of UiO-66-NH <sub>2</sub> Nanoparticles and Polyurethane Oligomer toward Stand-Alone Membranes for Dye Removal and Separation. <i>Chemistry - A European Journal</i> , <b>2016</b> , 22, 10565-71	4.8	88
61	Synthesis, Structure, and Ligand-Centered Catalytic Properties of M Coordination Polymers (M=Zn, Cd, Hg) with Open Pyridyl N-Oxide Sites. <i>ChemPlusChem</i> , <b>2016</b> , 81, 743-751	2.8	1
60	Micro-CuI-MOF: reversible iodine adsorption and catalytic properties for tandem reaction of Friedel-Crafts alkylation of indoles with acetals. <i>Chemical Communications</i> , <b>2016</b> , 52, 12702-12705	5.8	39
59	A MOF-membrane based on the covalent bonding driven assembly of a NMOF with an organic oligomer and its application in membrane reactors. <i>Chemical Communications</i> , <b>2016</b> , 52, 13564-13567	5.8	39
58	Cu(ii)/Cu(0)@UiO-66-NH: base metal@MOFs as heterogeneous catalysts for olefin oxidation and reduction. <i>Chemical Communications</i> , <b>2016</b> , 52, 13116-13119	5.8	33
57	A N-heterocyclic tetracarbene Pd(ii) moiety containing a Pd(ii)-Pb(ii) bimetallic MOF for three-component cyclotrimerization via benzyne. <i>Chemical Communications</i> , <b>2016</b> , 52, 10505-8	5.8	20
56	p-Benzoquinone adsorption-separation, sensing and its photoinduced transformation within a robust Cd(II)-MOF in a SC-SC fashion. <i>Chemical Communications</i> , <b>2015</b> , 51, 7443-6	5.8	15
55	Cu(II)-Metal-Organic Framework with Open Coordination Metal Sites for Low Temperature Thermochemical Water Oxidation. <i>Chemistry of Materials</i> , <b>2015</b> , 27, 3805-3808	9.6	26
54	Reversible adsorption and separation of chlorocarbons and BTEX based on Cu(II)-metal organic framework. <i>CrystEngComm</i> , <b>2015</b> , 17, 4102-4109	3.3	18
53	Co(II)-MOF: A Highly Efficient Organic Oxidation Catalyst with Open Metal Sites. <i>Inorganic Chemistry</i> , <b>2015</b> , 54, 10865-72	5.1	59
52	Nanoscale UiO-MOF-based luminescent sensors for highly selective detection of cysteine and glutathione and their application in bioimaging. <i>Chemical Communications</i> , <b>2015</b> , 51, 17672-5	5.8	90
51	Reversible adsorption and separation of volatile aromatics based on a porous Cd(II) MOF. <i>CrystEngComm</i> , <b>2015</b> , 17, 8657-8663	3.3	8

50	Fabrication of Cd(II)-MOF-based ternary photocatalytic composite materials for H <sub>2</sub> production via a gel-to-crystal approach. <i>Chemical Communications</i> , <b>2015</b> , 51, 15906-9	5.8	48
49	A Ni(II)-MOF: reversible guest adsorption and heterogeneous catalytic properties for silylcyanation of aromatic aldehydes. <i>Chemical Communications</i> , <b>2015</b> , 51, 839-42	5.8	37
48	Copper(I) Metal-Organic Framework: Visual Sensor for Detecting Small Polar Aliphatic Volatile Organic Compounds. <i>Inorganic Chemistry</i> , <b>2015</b> , 54, 11590-2	5.1	62
47	Reversible visual thermochromic coordination polymers via single-crystal-to-single-crystal transformation. <i>CrystEngComm</i> , <b>2014</b> , 16, 304-307	3.3	20
46	Cu(I)-MOF: naked-eye colorimetric sensor for humidity and formaldehyde in single-crystal-to-single-crystal fashion. <i>Chemical Communications</i> , <b>2014</b> , 50, 1444-6	5.8	173
45	Visual synchronous exchange of metal nodes and counteranions constituting a cobalt(II) coordination polymer. <i>Inorganic Chemistry</i> , <b>2014</b> , 53, 10791-3	5.1	15
44	Cu(II) <sub>4</sub> L <sub>4</sub> coordination-driven molecular container: a reusable visual colorimetric sensor for Ag(I) ions. <i>Chemical Communications</i> , <b>2014</b> , 50, 4721-4	5.8	21
43	A porous Cd(II)-MOF-coated quartz fiber for solid-phase microextraction of BTEX. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 13868-13872	13	44
42	⊙P and ⊙Pshaped complexes generated from a nano-sized oxadiazole-containing organic ligand with CdI <sub>2</sub> and CuI. <i>Acta Crystallographica Section C, Structural Chemistry</i> , <b>2014</b> , 70, 31-6	0.8	2
41	Three one-dimensional coordination polymers based on 1,1Pbis(pyridin-4-ylmethyl)-2,2Pbi-1H-benzimidazole and HgX <sub>2</sub> (X = Cl, Br and I). <i>Acta Crystallographica Section C, Structural Chemistry</i> , <b>2014</b> , 70, 37-42	0.8	2
40	A self-assembled Pd <sub>6</sub> L <sub>8</sub> nanoball for Suzuki-Miyaura coupling reactions in both homogeneous and heterogeneous formats. <i>Green Chemistry</i> , <b>2013</b> , 15, 3150	10	36
39	Coordination polymer-templated photoinduced [2 + 2] dimerization of pyridine-based derivative. <i>CrystEngComm</i> , <b>2012</b> , 14, 8499	3.3	5
38	Photoinduced charge separation enhanced by the confinement of electron donor and acceptor at different surfaces of porous TiO <sub>2</sub> nanotubes and its application in olefin oxidation. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 11915		6
37	Encapsulation of Ln <sup>3+</sup> hydrate species for tunable luminescent materials based on a porous Cd(II)-MOF. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 9027		71
36	Luminescent humidity sensors based on porous Ln <sup>3+</sup> -MOFs. <i>CrystEngComm</i> , <b>2012</b> , 14, 7157	3.3	94
35	Coordination-driven synthesis of Ag(I) compounds based on a double emission ligand consisting of 1,3,4-oxadiazole and cyclotriphosphazene units. <i>Journal of Coordination Chemistry</i> , <b>2012</b> , 65, 3299-3307	1.6	4
34	Cd(II)-Schiff-Base Metal-Organic Frameworks: Synthesis, Structure, and Reversible Adsorption and Separation of Volatile Chlorocarbons. <i>Crystal Growth and Design</i> , <b>2011</b> , 11, 5696-5701	3.5	22
33	Reversible adsorption and complete separation of volatile chlorocarbons based on a Cd(II)-triazole MOF in a single-crystal-to-single-crystal fashion. <i>Chemical Communications</i> , <b>2011</b> , 47, 12343-5	5.8	43

32	Synthesis, structural characterization and properties of Ag(I)-complexes based on double-armed 1,3,4-oxadiazole bridging ligands. <i>CrystEngComm</i> , <b>2011</b> , 13, 6850	3.3	14
31	Adsorption and separation of reactive aromatic isomers and generation and stabilization of their radicals within cadmium(II)-triazole metal-organic confined space in a single-crystal-to-single-crystal fashion. <i>Journal of the American Chemical Society</i> , <b>2010</b> , 132, 7005-17	16.4	169
30	Co-crystallization of oxadiazole-bridged pyridyl-N-oxide building modules with R-aromatics (R = OH, NH <sub>2</sub> and OOH). <i>CrystEngComm</i> , <b>2010</b> , 12, 4287	3.3	29
29	Reversible adsorption and separation of aromatics on Cd(II)-triazole single crystals. <i>Chemistry - A European Journal</i> , <b>2009</b> , 15, 10364-8	4.8	73
28	Bird-like spiro-metallacyclic complexes based on a bent oxadiazole bridging ligand. <i>CrystEngComm</i> , <b>2009</b> , 11, 1281	3.3	15
27	[Cu(C <sub>24</sub> H <sub>22</sub> N <sub>4</sub> O <sub>3</sub> )]·CH <sub>2</sub> Cl <sub>2</sub> : a discrete breathing metallamacrocycle showing selective and reversible guest adsorption with retention of single crystallinity. <i>Journal of the American Chemical Society</i> , <b>2007</b> , 129, 1514-5	16.4	66
26	Construction of Metal-Organic Frameworks (M = Cd(II), Co(II), Zn(II), and Cu(II)) Based on Semirigid Oxadiazole Bridging Ligands by Solution and Hydrothermal Reactions. <i>Crystal Growth and Design</i> , <b>2007</b> , 7, 1058-1068	3.5	52
25	Coordination-driven nanosized lanthanide "molecular lantern" with tunable luminescent properties. <i>Journal of the American Chemical Society</i> , <b>2007</b> , 129, 4872-3	16.4	151
24	Temperature-dependent synthesis of metal-organic frameworks based on a flexible tetradentate ligand with bidirectional coordination donors. <i>Journal of the American Chemical Society</i> , <b>2007</b> , 129, 4520-1	16.4	237
23	Silver(I) coordination polymers based on a nano-sized bent bis(3-acetylenylphenyl-(4-cyanophenyl))oxadiazole ligand: the role of ligand isomerism and the templating effect of polyatomic anions and solvent intermediates. <i>Inorganic Chemistry</i> , <b>2006</b> , 45, 3325-43	5.1	83
22	Ag(I) and Cu(II) discrete and polymeric complexes based on single- and double-armed oxadiazole-bridging organic clips. <i>Inorganic Chemistry</i> , <b>2006</b> , 45, 10613-28	5.1	45
21	A novel cascade supramolecular complex with a reversible nanosized 18-component H-bonded {(C <sub>6</sub> H <sub>6</sub> ) <sub>6</sub> (SbF <sub>6</sub> ) <sub>12</sub> } <sub>12</sub> -cage unit templated by a chiral metal-organic complex. <i>Inorganic Chemistry</i> , <b>2006</b> , 45, 9157-9	5.1	10
20	Organometallic coordination polymers generated from bent Bis(acetylenylphenyl)oxadiazole ligands and Ag(I) salts. <i>Inorganic Chemistry</i> , <b>2005</b> , 44, 6591-608	5.1	40
19	Organometallic silver(I) supramolecular complexes generated from multidentate furan-containing symmetric and unsymmetric fulvene ligands and silver(I) salts. <i>Inorganic Chemistry</i> , <b>2005</b> , 44, 1693-703	5.1	46
18	Synthesis and characterization of new coordination polymers generated from bent bis(cyanophenyl)oxadiazole ligands and Ag(I) salts. <i>Inorganic Chemistry</i> , <b>2005</b> , 44, 4679-92	5.1	81
17	Self-Assembly of {Ag <sub>2</sub> N <sub>4</sub> }-Core-Containing Coordination Polymers from AgX (X = NO <sub>3</sub> <sup>-</sup> , ClO <sub>4</sub> <sup>-</sup> , and PF <sub>6</sub> <sup>-</sup> ) and Oxadiazole-Bridged 4,4'- and 3,3'-Biphenylamine Ligands. <i>Crystal Growth and Design</i> , <b>2005</b> , 5, 585-591	3.5	37
16	Syntheses and structures of Ag(I)-containing coordination polymers and Co(II)-containing supramolecular complex based on novel fulvene ligands. <i>Inorganic Chemistry</i> , <b>2004</b> , 43, 4727-39	5.1	118
15	Novel organic-inorganic composite coordination polymers generated from new multidentate Schiff-base ligand and Ag(I) salts. <i>Chemical Communications</i> , <b>2004</b> , 220-1	5.8	45



14	New Ag(I)-containing coordination polymers generated from multidentate Schiff-base ligands. <i>Inorganic Chemistry</i> , <b>2004</b> , 43, 5603-12	5.1	74
13	New Ag(I) inorganic-organic coordination polymers and M(II) (M = Co(II) and Mn(II)) molecular complexes generated from a new type of fulvene ligand. <i>Dalton Transactions</i> , <b>2003</b> , 4324-4330	4.3	17
12	New Ag(I) Organometallic Coordination Polymers and M(II) (M = Cu(I) and Co(I)) Inorganic Supramolecular Complexes Generated from New Fulvene-Type Ligands. <i>European Journal of Inorganic Chemistry</i> , <b>2003</b> , 2003, 4017-4024	2.3	17
11	Synthesis and characterization of new coordination polymers generated from oxadiazole-containing ligand and inorganic M(II) [M = Cu(II), Co(II)] salts. <i>Dalton Transactions</i> , <b>2003</b> , 14724-1479	5.2	52
10	Synthesis and characterization of new coordination polymers generated from oxadiazole-containing organic ligands and inorganic silver(I) salts. <i>Inorganic Chemistry</i> , <b>2003</b> , 42, 294-300	5.1	92
9	Self-assembly of coordination polymers from AgX (X = SbF <sub>6</sub> <sup>-</sup> , PF <sub>6</sub> <sup>-</sup> , and CF <sub>3</sub> SO <sub>3</sub> <sup>-</sup> ) and oxadiazole-containing ligands. <i>Inorganic Chemistry</i> , <b>2003</b> , 42, 5699-706	5.1	95
8	[Ag <sub>2</sub> (C <sub>33</sub> H <sub>26</sub> N <sub>2</sub> O <sub>2</sub> )(H <sub>2</sub> O) <sub>2</sub> (SO <sub>3</sub> CF <sub>3</sub> )(2)].0.5C <sub>6</sub> H <sub>6</sub> : a luminescent supramolecular silver(I) complex based on metal-carbon and metal-heteroatom interactions. <i>Inorganic Chemistry</i> , <b>2002</b> , 41, 4909-14	5.1	100
7	Two versatile N,N'-bipyridine-type ligands for preparing organic-inorganic coordination polymers: new cobalt- and nickel-containing framework materials. <i>Inorganic Chemistry</i> , <b>2001</b> , 40, 2825-34	5.1	196
6	Novel hydrogen-bonded two- and three-dimensional networks generated from the reaction of metal nitrate hydrates (M = Cd, Co) with the bidentate linear ligand 4,4'-bipyridine. <i>Dalton Transactions RSC</i> , <b>2000</b> , 775-780		81
5	Metal-containing ligands for mixed-metal polymers: novel Cu(II)-Ag(I) mixed-metal coordination polymers generated from [Cu(2-methylpyrazine-5-carboxylate) <sub>2</sub> (H <sub>2</sub> O)].3H <sub>2</sub> O and silver(I) salts. <i>Inorganic Chemistry</i> , <b>2000</b> , 39, 1943-9	5.1	87
4	Reactions of Cu(hfacac) <sub>2</sub> ·H <sub>2</sub> O (hfacac = Hexafluoroacetylacetonate) with Bidentate Ligands. Preparation, Characterization, and X-ray Structures of the Molecular Complexes Cu(hfacac) <sub>2</sub> (pyrazine) <sub>2</sub> and Cu(hfacac) <sub>2</sub> (3-cyanopyridine) <sub>2</sub> and the One-Dimensional Coordination Polymers Cu(hfacac) <sub>2</sub> (1,2-bis(4-pyridyl)ethane) and	5.1	97
3	Syntheses and Characterizations of One-Dimensional Coordination Polymers Generated from Cadmium Nitrate and Bipyridine Ligands. <i>Inorganic Chemistry</i> , <b>1999</b> , 38, 3056-3060	5.1	108
2	Construction of Nanoscale Covalent Organic Frameworks via Photocatalysis-Involved Cascade Reactions for Tumor-Selective Treatment. <i>Advanced Therapeutics</i> , 2100177	4.9	3
1	Nanoscale covalent organic framework for the low-temperature treatment of tumor growth and lung metastasis. <i>Science China Materials</i> , 1	7.1	1