

Shozo Sueda

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7037384/shozo-sueda-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74 papers	1,369 citations	20 h-index	35 g-index
78 ext. papers	1,622 ext. citations	2.1 avg, IF	4.38 L-index

#	Paper	IF	Citations
74	Intracoronary ergonovine testing among 505 consecutive Japanese patients with angina-like chest pain and unobstructed coronary artery disease.. <i>Heart and Vessels</i> , 2022 , 1	2.1	0
73	A case report: intracoronary acetylcholine testing without a pacemaker may be one option in the left coronary artery. <i>European Heart Journal - Case Reports</i> , 2021 , 5, ytab162	0.9	1
72	Coronary artery spasm-induced acute myocardial infarction in patients with myocardial infarction with non-obstructive coronary arteries. <i>Heart and Vessels</i> , 2021 , 36, 1804-1810	2.1	2
71	Coincidence between spontaneous and inducible coronary spasm: acetylcholine test is clinically valued for diagnosing coronary spasm. <i>Heart and Vessels</i> , 2021 , 36, 749-755	2.1	1
70	Sex-related Differences in Patients with Positive Coronary Spasm as Identified by Acetylcholine Testing. <i>Internal Medicine</i> , 2021 , 60, 2357-2365	1.1	1
69	Racial Differences in Patients with Coronary Vasomotion Disorders. <i>Journal of Coronary Artery Disease</i> , 2021 , 27, 7-17	0.1	2
68	Clinical Characteristics and Outcomes in Patients with Variant Angina. <i>Journal of Coronary Artery Disease</i> , 2021 , 27, 83-90	0.1	
67	Questionnaire in patients with aborted sudden cardiac death due to coronary spasm in Japan. <i>Heart and Vessels</i> , 2020 , 35, 1640-1649	2.1	1
66	Necessity of back-up pace maker support during acetylcholine testing as a safe method. <i>Coronary Artery Disease</i> , 2020 , 31, 197-198	1.4	2
65	Sequential Spasm Provocation Tests under Medications Are Indispensable in Patients with Aborted Sudden Cardiac Death due to Coronary Spasm. <i>Internal Medicine</i> , 2020 , 59, 2211-2212	1.1	0
64	Bronchial Asthma and Rest Angina: Is It Safe to Perform Acetylcholine Spasm Provocation Tests in These Patients?. <i>Internal Medicine</i> , 2020 , 59, 3117-3122	1.1	0
63	Optimal Medical or Mechanical Treatment for Patients with Aborted Sudden Cardiac Death due to Coronary Spasm. <i>Journal of Coronary Artery Disease</i> , 2020 , 26, 17-23	0.1	1
62	Transitional changes of acetylcholine spasm provocation test procedures. <i>Cardiovascular Intervention and Therapeutics</i> , 2020 , 35, 321-326	2.5	4
61	Clinical usefulness of myocardial scintigraphy in patients with vasospastic angina. <i>Journal of Cardiology</i> , 2020 , 75, 494-499	3	2
60	Pharmacological spasm provocation testing in 2500 patients: provoked spasm incidence, complications and cardiac events. <i>Heart and Vessels</i> , 2020 , 35, 1368-1377	2.1	3
59	Clinical characteristics in patients with rest angina and hypoplastic right coronary artery. <i>Heart and Vessels</i> , 2020 , 35, 443-450	2.1	1
58	Spontaneous coronary artery spasm detected by computed tomography coronary angiography: Provoked spasm site similar to intracoronary injection of ergonovine but not acetylcholine. <i>Journal of Cardiology Cases</i> , 2019 , 20, 209-212	0.6	1

57	Young Vasospastic Angina Patients Less Than 20 Years Old. <i>Circulation Journal</i> , 2019 , 83, 1925-1928	2.9	4
56	Ventricular fibrillation survivor due to painless multiple spasm including left main trunk: is the subcutaneous implantable cardioverter-defibrillator necessary?. <i>Journal of Cardiology Cases</i> , 2019 , 20, 118-121	0.6	5
55	Dose maximal acetylcholine dose into the left coronary artery affect the positive provoked spasm in the left circumflex artery?. <i>Coronary Artery Disease</i> , 2019 , 30, 547-548	1.4	1
54	Catheter-induced Spasm in the Proximal Right Coronary Artery. <i>Internal Medicine</i> , 2019 , 58, 21-30	1.1	3
53	Differential incidence and morphology of provoked spasm between intracoronary acetylcholine and ergonovine testing: recommendation of supplementary use. <i>Heart and Vessels</i> , 2019 , 34, 745-754	2.1	8
52	Acetylcholine spasm provocation test by trans-radial artery and brachial vein approach. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 94, 38-44	2.7	
51	Impact of pharmacological spasm provocation test in patients with a history of syncope. <i>Heart and Vessels</i> , 2018 , 33, 126-133	2.1	5
50	Optimal Medications and Appropriate Implantable Cardioverter-defibrillator Shocks in Aborted Sudden Cardiac Death Due to Coronary Spasm. <i>Internal Medicine</i> , 2018 , 57, 1361-1369	1.1	13
49	Cardiogenic Shock due to Pulseless Electrical Activity Arrest Associated with Severe Coronary Artery Spasm. <i>Internal Medicine</i> , 2018 , 57, 2853-2857	1.1	7
48	Relationships between more than 90% coronary luminal narrowing induced by ergonovine provocation test and ECG ischemic change as well as chest symptoms. <i>Heart and Vessels</i> , 2018 , 33, 95-101 ^{2.1}		3
47	The acetylcholine administration time plays the key role for provoked spasm in the spasm provocation test. <i>Journal of Cardiology</i> , 2017 , 70, 141-146	3	8
46	The real world in the clinic before and after the establishment of guidelines for coronary artery spasm: a questionnaire for members of the Japanese Cine-angio Association. <i>Heart and Vessels</i> , 2017 , 32, 637-643	2.1	7
45	Overview of the pharmacological spasm provocation test: Comparisons between acetylcholine and ergonovine. <i>Journal of Cardiology</i> , 2017 , 69, 57-65	3	33
44	Differential Incidence and Morphology of Spasm According to Coronary Arterial Location by Intracoronary Ergonovine Spasm Provocation Testing. <i>Circulation Journal</i> , 2017 , 81, 831-836	2.9	5
43	Safety and optimal protocol of provocation test for diagnosis of multivessel coronary spasm. <i>Heart and Vessels</i> , 2016 , 31, 137-42	2.1	13
42	Complete definite positive spasm on acetylcholine spasm provocation tests: comparison of clinical positive spasm. <i>Heart and Vessels</i> , 2016 , 31, 143-51	2.1	4
41	Gender differences in sensitivity of acetylcholine and ergonovine to coronary spasm provocation test. <i>Heart and Vessels</i> , 2016 , 31, 322-9	2.1	20
40	Differential incidence and type of spasm according to coronary arterial location. <i>Coronary Artery Disease</i> , 2016 , 27, 273-6	1.4	4

39	Overview of complications during pharmacological spasm provocation tests. <i>Journal of Cardiology</i> , 2016 , 68, 1-6	3	25
38	Approximately half of patients with coronary spastic angina had pathologic exercise tests. <i>Journal of Cardiology</i> , 2016 , 68, 13-9	3	2
37	Maximal acetylcholine dose of 200 µg into the left coronary artery as a spasm provocation test: comparison with 100 µg of acetylcholine. <i>Heart and Vessels</i> , 2015 , 30, 771-8	2.1	23
36	Silent coronary spastic angina: A report of a case. <i>Journal of Cardiology Cases</i> , 2015 , 11, 166-168	0.6	1
35	Prognostic impact of chronic nitrate therapy in patients with vasospastic angina: multicentre registry study of the Japanese coronary spasm association. <i>European Heart Journal</i> , 2015 , 36, 228-37	9.5	64
34	Overview of the Acetylcholine Spasm Provocation Test. <i>Clinical Cardiology</i> , 2015 , 38, 430-8	3.3	39
33	One of six patients with non-ischemic heart disease exhibit provoked coronary spasms: non-ischemic heart disease associated with ischemia?. <i>Internal Medicine</i> , 2015 , 54, 281-6	1.1	5
32	Sequential spasm provocation tests might overcome a limitation of the standard spasm provocation tests. <i>Coronary Artery Disease</i> , 2015 , 26, 490-4	1.4	16
31	Less Racial Difference in Coronary Artery Spasm; Caucasian versus Japanese. <i>Interventional Cardiology Journal</i> , 2015 , 01,	0	1
30	Spasm provocation tests performed under medical therapy: a new approach for treating patients with refractory coronary spastic angina on emergency admission. <i>Internal Medicine</i> , 2014 , 53, 1739-47	1.1	11
29	A Case of Urgent PCI after Diagnosis of Acute Coronary Syndrome in a Japanese Man with Unobstructed Coronary Arteries during Posted Overseas in Southeast Asia. <i>Journal of the Japanese Coronary Association</i> , 2014 , 20, 334-337		
28	Clinical implications of provocation tests for coronary artery spasm: safety, arrhythmic complications, and prognostic impact: multicentre registry study of the Japanese Coronary Spasm Association. <i>European Heart Journal</i> , 2013 , 34, 258-67	9.5	138
27	Gender differences in the clinical characteristics and outcomes of patients with vasospastic angina--a report from the Japanese Coronary Spasm Association. <i>Circulation Journal</i> , 2013 , 77, 1267-74	2.9	33
26	Vasospastic Angina is Still Prevalent in a Local Ehime Prefecture in Japan. <i>Journal of the Japanese Coronary Association</i> , 2013 , 19, 322-327		5
25	Acetylcholine Test Is Less Sensitive to Provoke Coronary Artery Spasm in Young Rest Angina Patients: Limitations of Single Pharmacological Spasm Provocation Tests. <i>Journal of the Japanese Coronary Association</i> , 2013 , 19, 347-354		1
24	Young 13 Years Old Boy with Vasospastic Angina. <i>Journal of the Japanese Coronary Association</i> , 2013 , 19, 355-360		2
23	Clinical characteristics and long-term prognosis of vasospastic angina patients who survived out-of-hospital cardiac arrest: multicenter registry study of the Japanese Coronary Spasm Association. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2011 , 4, 295-302	6.4	125
22	Coronary abnormal response has increased in Japanese patients: analysis of 17 years Tspasm provocation tests in 2093 cases. <i>Journal of Cardiology</i> , 2010 , 55, 354-61	3	16

21	Vasospastic heart failure: multiple spasm may cause transient heart failure?. <i>Journal of Cardiology</i> , 2009 , 54, 452-9	3	17
20	Dual induction tests save patients surviving out-of-hospital cardiac arrest: the revival of coronary spasm. <i>Circulation Journal</i> , 2009 , 73, 630-1	2.9	4
19	Recommendations for performing acetylcholine tests safely: STOP dangerous complications induced by acetylcholine tests (STOP DCIAT). <i>Journal of Cardiology</i> , 2008 , 51, 131-4	3	6
18	A long-acting calcium antagonist over one year did not improve BMIPP myocardial scintigraphic imagings in patients with pure coronary spastic angina. <i>Annals of Nuclear Medicine</i> , 2007 , 21, 85-92	2.5	8
17	Need for documentation of guidelines for coronary artery spasm: an investigation by questionnaire in Japan. <i>Circulation Journal</i> , 2005 , 69, 1333-7	2.9	22
16	Frequency of provoked coronary spasms in patients undergoing coronary arteriography using a spasm provocation test via intracoronary administration of ergonovine. <i>Angiology</i> , 2004 , 55, 403-11	2.1	72
15	Clinical impact of selective spasm provocation tests: comparisons between acetylcholine and ergonovine in 1508 examinations. <i>Coronary Artery Disease</i> , 2004 , 15, 491-7	1.4	60
14	Did the widespread use of long-acting calcium antagonists decrease the occurrence of variant angina?. <i>Chest</i> , 2003 , 124, 2074-8	5.3	29
13	Limitations of medical therapy in patients with pure coronary spastic angina. <i>Chest</i> , 2003 , 123, 380-6	5.3	47
12	Induction of coronary artery spasm by two pharmacological agents: comparison between intracoronary injection of acetylcholine and ergonovine. <i>Coronary Artery Disease</i> , 2003 , 14, 451-7	1.4	47
11	New protocol to detect coronary spastic angina without fixed stenosis. <i>International Heart Journal</i> , 2002 , 43, 307-17		8
10	Clinical and angiographical characteristics of acetylcholine- induced spasm: relationship to dose of intracoronary injection of acetylcholine. <i>Coronary Artery Disease</i> , 2002 , 13, 231-6	1.4	20
9	Clinical characteristics and possible mechanism of paroxysmal atrial fibrillation induced by intracoronary injection of acetylcholine. <i>American Journal of Cardiology</i> , 2001 , 88, 570-3	3	35
8	Usefulness of accelerated exercise following mild hyperventilation for the induction of coronary artery spasm : comparison with an acetylcholine Test. <i>Chest</i> , 2001 , 119, 155-62	5.3	30
7	New non-invasive protocol for detection of coronary spastic angina with significant organic stenosis. <i>Coronary Artery Disease</i> , 2001 , 12, 295-303	1.4	12
6	Clinical characteristics of female patients with coronary spastic angina: comparison with male patients. <i>Japanese Circulation Journal</i> , 2000 , 64, 416-20		20
5	New combined spasm provocation test in patients with rest angina: intracoronary injection of acetylcholine after intracoronary administration of ergonovine. <i>Japanese Circulation Journal</i> , 2000 , 64, 559-65		24
4	Major complications during spasm provocation tests with an intracoronary injection of acetylcholine. <i>American Journal of Cardiology</i> , 2000 , 85, 391-4, A10	3	70

3	Frequency of provoked coronary vasospasm in patients undergoing coronary arteriography with spasm provocation test of acetylcholine. <i>American Journal of Cardiology</i> , 1999 , 83, 1186-90	3	135
2	Investigation of the most effective provocation test for patients with coronary spastic angina: usefulness of accelerated exercise following hyperventilation. <i>Japanese Circulation Journal</i> , 1999 , 63, 85-90		21
1	Intracoronary acetylcholine testing among 746 consecutive Japanese patients with angina-like chest pain and unobstructed coronary artery disease. <i>European Heart Journal Open</i> ,		1