

Giuseppe Rengo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7037560/giuseppe-rengo-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159
papers

6,453
citations

44
h-index

76
g-index

190
ext. papers

7,688
ext. citations

5.9
avg, IF

5.72
L-index

#	Paper	IF	Citations
159	Genetic Catalytic Inactivation of GRK5 Impairs Cardiac Function in Mice Via Dysregulated P53 Levels.. <i>JACC Basic To Translational Science</i> , 2022 , 7, 366-380	8.7	0
158	Insulin-like growth factor-1 (IGF-1) as predictor of cardiovascular mortality in heart failure patients: data from the T.O.S.CA. registry.. <i>Internal and Emergency Medicine</i> , 2022 , 1	3.7	0
157	Circulating cell-free DNA levels are associated with adverse outcomes in heart failure: testing liquid biopsy in heart failure. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, e28-e31	3.9	5
156	Aging is associated with cardiac autonomic nerve fiber depletion and reduced cardiac and circulating BDNF levels. <i>Journal of Geriatric Cardiology</i> , 2021 , 18, 549-559	1.7	
155	Personal protective equipment in Covid-19: evidence-based quality and analysis of YouTube□ videos after one year of pandemic. <i>American Journal of Infection Control</i> , 2021 ,	3.8	9
154	Pharmacological treatment of type 2 diabetes in elderly patients with heart failure: randomized trials and beyond. <i>Heart Failure Reviews</i> , 2021 , 1	5	3
153	Antithrombotic therapy in patients undergoing transcatheter aortic valve replacement: the complexity of the elderly. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, 87-97	3.9	0
152	Behavioral and Psychological Symptoms in Dementia (BPSD) and the Use of Antipsychotics. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	8
151	Adiponectin and Sarcopenia: A Systematic Review With Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2021 , 12, 576619	5.7	4
150	Impact of the number of comorbidities on cardiac sympathetic derangement in patients with reduced ejection fraction heart failure. <i>European Journal of Internal Medicine</i> , 2021 , 86, 86-90	3.9	0
149	Infective Endocarditis: A Focus on Oral Microbiota. <i>Microorganisms</i> , 2021 , 9,	4.9	11
148	Renal function and cardiac adrenergic impairment in patients affected by heart failure. <i>Journal of Nuclear Cardiology</i> , 2021 , 28, 2112-2122	2.1	3
147	Targeting GRK5 for Treating Chronic Degenerative Diseases. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
146	GRK5 contributes to impaired cardiac function and immune cell recruitment in post-ischemic heart failure. <i>Cardiovascular Research</i> , 2021 ,	9.9	4
145	Multiple hormonal and metabolic deficiency syndrome predicts outcome in heart failure: the T.O.S.CA. Registry. <i>European Journal of Preventive Cardiology</i> , 2021 ,	3.9	6
144	Clinical Characteristics, Exercise Capacity and Pulmonary Function in Post-COVID-19 Competitive Athletes. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
143	Diabetes Mellitus and Parkinson's Disease: A Systematic Review and Meta-Analyses. <i>Journal of Parkinsons Disease</i> , 2021 , 11, 1585-1596	5.3	1

142	Letter by Varricchi et al Regarding Article, "Role of IgE-Fc β 1 in Pathological Cardiac Remodeling and Dysfunction". <i>Circulation</i> , 2021 , 144, e214-e215	16.7	
141	Myocardial expression of somatotrophic axis, adrenergic signalling, and calcium handling genes in heart failure with preserved ejection fraction and heart failure with reduced ejection fraction. <i>ESC Heart Failure</i> , 2021 , 8, 1681-1686	3.7	3
140	Atrial fibrillation in the elderly: a risk factor beyond stroke. <i>Ageing Research Reviews</i> , 2020 , 61, 101092	12	7
139	Elderly at time of COroNaVirus disease 2019 (COVID-19): possible role of immunosenescence and malnutrition. <i>GeroScience</i> , 2020 , 42, 1089-1092	8.9	26
138	Angiopietins, Vascular Endothelial Growth Factors and Secretory Phospholipase A in Ischemic and Non-Ischemic Heart Failure. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	7
137	Potential Bidirectional Relationship Between Periodontitis and Alzheimer's Disease. <i>Frontiers in Physiology</i> , 2020 , 11, 683	4.6	14
136	Cardioprotective Effects of Dietary Phytochemicals on Oxidative Stress in Heart Failure by a Sex-Gender-Oriented Point of View. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 2176728	6.7	7
135	The emerging role of T follicular helper (T) cells in aging: Influence on the immune frailty. <i>Ageing Research Reviews</i> , 2020 , 61, 101071	12	17
134	Agreement of a Short Form of the Self-Administered Multidimensional Prognostic Index (SELFY-MPI-SF): A Useful Tool for the Self-Assessment of Frailty in Community-Dwelling Older People. <i>Clinical Interventions in Aging</i> , 2020 , 15, 493-499	4	6
133	Impact of body mass index on cardiac adrenergic derangement in heart failure patients: a I-MIBG imaging study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 1713-1721	8.8	1
132	Impact of Galectin-3 Circulating Levels on Frailty in Elderly Patients with Systolic Heart Failure. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
131	Aldosterone Jeopardizes Myocardial Insulin and β -Adrenergic Receptor Signaling G Protein-Coupled Receptor Kinase 2. <i>Frontiers in Pharmacology</i> , 2019 , 10, 888	5.6	7
130	Impact of Malnutrition on Long-Term Mortality in Elderly Patients with Acute Myocardial Infarction. <i>Nutrients</i> , 2019 , 11,	6.7	7
129	Aldosterone and Myocardial Pathology. <i>Vitamins and Hormones</i> , 2019 , 109, 387-406	2.5	4
128	Periodontal Disease: A Risk Factor for Diabetes and Cardiovascular Disease. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	96
127	Predisposing factors to heart failure in diabetic nephropathy: a look at the sympathetic nervous system hyperactivity. <i>Ageing Clinical and Experimental Research</i> , 2019 , 31, 321-330	4.8	12
126	Statin therapy modulates thickness and inflammatory profile of human epicardial adipose tissue. <i>International Journal of Cardiology</i> , 2019 , 274, 326-330	3.2	47
125	Combined effects of growth hormone and testosterone replacement treatment in heart failure. <i>ESC Heart Failure</i> , 2019 , 6, 1216-1221	3.7	7

124	β-Adrenergic Receptor Signaling and Heart Failure: From Bench to Bedside. <i>Heart Failure Clinics</i> , 2019 , 15, 409-419	3.3	12
123	GRK5-mediated Exacerbation of Ischemic Heart Failure Involves Cardiac Immune and Inflammatory Responses. <i>FASEB Journal</i> , 2019 , 33, 676.7	0.9	
122	Inter-relationships between Gender, Frailty and 10-Year Survival in Older Italian Adults: an observational longitudinal study. <i>Scientific Reports</i> , 2019 , 9, 18416	4.9	19
121	Klinefelter syndrome, insulin resistance, metabolic syndrome, and diabetes: review of literature and clinical perspectives. <i>Endocrine</i> , 2018 , 61, 194-203	4	34
120	Long-Term Caloric Restriction Improves Cardiac Function, Remodeling, Adrenergic Responsiveness, and Sympathetic Innervation in a Model of Postischemic Heart Failure. <i>Circulation: Heart Failure</i> , 2018 , 11, e004153	7.6	27
119	Sleep-disordered breathing and epicardial adipose tissue in patients with heart failure. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 126-132	4.5	10
118	The Management of Combined Antithrombotic Therapy in Patients With Atrial Fibrillation Undergoing Percutaneous Coronary Intervention: A Particularly Complex Challenge, Especially in the Elderly. <i>Frontiers in Physiology</i> , 2018 , 9, 876	4.6	6
117	Aging: from Demography to Epidemiology 2018 , 3-8		1
116	GRK2 as a therapeutic target for heart failure. <i>Expert Opinion on Therapeutic Targets</i> , 2018 , 22, 75-83	6.4	32
115	Elimination of Senescent Cells: Prospects According to the Subtelomere-Telomere Theory. <i>Biochemistry (Moscow)</i> , 2018 , 83, 1477-1488	2.9	7
114	New trends in drug treatment of heart failure in old age. <i>Geriatric Care</i> , 2018 , 4,	1.1	1
113	Imaging and Molecular Mechanisms of Alzheimer's Disease: A Review. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	25
112	Aldosterone and Mineralocorticoid Receptor System in Cardiovascular Physiology and Pathophysiology. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 1204598	6.7	21
111	Polypharmacy 2017 , 63-70		1
110	GRK2 Regulates β-Adrenergic Receptor-Dependent Catecholamine Release in Human Adrenal Chromaffin Cells. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1515-1517	15.1	9
109	β-Blockade Prevents Post-Ischemic Myocardial Decompensation Via β-AR-Dependent Protective Sphingosine-1 Phosphate Signaling. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 182-192	15.1	22
108	The anti-ageing molecule sirt1 mediates beneficial effects of cardiac rehabilitation. <i>Immunity and Ageing</i> , 2017 , 14, 7	9.7	28
107	Sphingosine Kinases and Sphingosine 1-Phosphate Receptors: Signaling and Actions in the Cardiovascular System. <i>Frontiers in Pharmacology</i> , 2017 , 8, 556	5.6	52

106	Pressure injuries in elderly with acute myocardial infarction. <i>Clinical Interventions in Aging</i> , 2017 , 12, 1495-1501	4.1	10
105	microRNA in Cardiovascular Aging and Age-Related Cardiovascular Diseases. <i>Frontiers in Medicine</i> , 2017 , 4, 74	4.9	52
104	Antidiabetic Drugs in Alzheimer's Disease: Mechanisms of Action and Future Perspectives. <i>Journal of Diabetes Research</i> , 2017 , 2017, 7420796	3.9	28
103	Management and Treatment of Cardiovascular Diseases in the Elderly. <i>Current Pharmacogenomics and Personalized Medicine</i> , 2017 , 15,	0.4	3
102	Does comprehensive geriatric assessment improve the estimate of surgical risk in elderly patients? An Italian multicenter observational study. <i>American Journal of Surgery</i> , 2016 , 211, 76-83.e2	2.7	10
101	Impact of aging on cardiac sympathetic innervation measured by I-MIBG imaging in patients with systolic heart failure. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016 , 43, 2392-2400	8.8	25
100	β-Adrenergic Receptor Kinase C-Terminal Peptide Gene-Therapy Improves β-Adrenergic Receptor-Dependent Neoangiogenesis after Hindlimb Ischemia. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 356, 503-13	4.7	10
99	Structure-activity relationship study of angiotensin II analogs in terms of β-arrestin-dependent signaling to aldosterone production. <i>Pharmacology Research and Perspectives</i> , 2016 , 4, e00226	3.1	22
98	Prognostic Value of Lymphocyte G Protein-Coupled Receptor Kinase-2 Protein Levels in Patients With Heart Failure. <i>Circulation Research</i> , 2016 , 118, 1116-24	15.7	29
97	Increased Epicardial Adipose Tissue Volume Correlates With Cardiac Sympathetic Denervation in Patients With Heart Failure. <i>Circulation Research</i> , 2016 , 118, 1244-53	15.7	47
96	Adrenergic Drugs Blockers or Enhancers for Cognitive Decline ? What to Choose for Alzheimer's Disease Patients?. <i>CNS and Neurological Disorders - Drug Targets</i> , 2016 , 15, 665-71	2.6	6
95	Myocardial pathology induced by aldosterone is dependent on non-canonical activities of G protein-coupled receptor kinases. <i>Nature Communications</i> , 2016 , 7, 10877	17.4	36
94	Sleep-disordered breathing, impaired cardiac adrenergic innervation and prognosis in heart failure. <i>Heart</i> , 2016 , 102, 1813-1819	5.1	9
93	The emerging role of microRNAs in Alzheimer's disease. <i>Frontiers in Physiology</i> , 2015 , 6, 40	4.6	148
92	Epicardial adipose tissue has an increased thickness and is a source of inflammatory mediators in patients with calcific aortic stenosis. <i>International Journal of Cardiology</i> , 2015 , 186, 167-9	3.2	35
91	Insulin resistance is associated with impaired cardiac sympathetic innervation in patients with heart failure. <i>European Heart Journal Cardiovascular Imaging</i> , 2015 , 16, 1148-53	4.1	24
90	The lipid theory in the pathogenesis of calcific aortic stenosis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 519-25	4.5	34
89	Retraction. Breast cancer surgery in elderly patients: postoperative complications and survival. <i>BMC Surgery</i> , 2015 , 15, 2	2.3	

88	Subclinical Hypothyroidism and Cognitive Impairment: Systematic Review and Meta-Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 4240-8	5.6	88
87	Prognostic value of combined target-organ damage in patients with essential hypertension. <i>American Journal of Hypertension</i> , 2015 , 28, 127-34	2.3	13
86	Cholinesterase inhibitors for Parkinson's disease: a systematic review and meta-analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015 , 86, 767-73	5.5	72
85	Ankylosing spondylitis and posture control: the role of visual input. <i>BioMed Research International</i> , 2015 , 2015, 948674	3	3
84	Alterations of left ventricular deformation and cardiac sympathetic derangement in patients with systolic heart failure: a 3D speckle tracking echocardiography and cardiac ^{123}I -MIBG study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015 , 42, 1601-11	8.8	4
83	Impact of an Innovative Educational Strategy on Medication Appropriate Use and Length of Stay in Elderly Patients. <i>Medicine (United States)</i> , 2015 , 94, e918	1.8	23
82	Impact of diabetes mellitus on lymphocyte GRK2 protein levels in patients with heart failure. <i>European Journal of Clinical Investigation</i> , 2015 , 45, 187-95	4.6	19
81	The Adrenergic System of the Myocardium 2015 , 13-24		
80	Reduction of lymphocyte G protein-coupled receptor kinase-2 (GRK2) after exercise training predicts survival in patients with heart failure. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 4-11	3.9	62
79	Changes of natriuretic peptides predict hospital admissions in patients with chronic heart failure: a meta-analysis. <i>JACC: Heart Failure</i> , 2014 , 2, 148-58	7.9	59
78	Autonomic dysfunction in Alzheimer's disease: tools for assessment and review of the literature. <i>Journal of Alzheimer's Disease</i> , 2014 , 42, 369-77	4.3	72
77	Tailoring therapy for heart failure: the pharmacogenomics of adrenergic receptor signaling. <i>Pharmacogenomics and Personalized Medicine</i> , 2014 , 7, 267-73	2.1	3
76	Different potencies of angiotensin receptor blockers at suppressing adrenal β -Arrestin1-dependent post-myocardial infarction hyperaldosteronism. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 2805-6	15.1	30
75	The adrenergic system in cardiovascular pathophysiology: a translational science point of view. <i>Frontiers in Physiology</i> , 2014 , 5, 356	4.6	1
74	Adrenal adrenoceptors in heart failure. <i>Frontiers in Physiology</i> , 2014 , 5, 246	4.6	29
73	Hypoglycemia is independently associated with multidimensional impairment in elderly diabetic patients. <i>BioMed Research International</i> , 2014 , 2014, 906103	3	29
72	Negative impact of β -arrestin-1 on post-myocardial infarction heart failure via cardiac and adrenal-dependent neurohormonal mechanisms. <i>Hypertension</i> , 2014 , 63, 404-12	8.5	80
71	Determinants of left ventricular hypertrophy in patients with recent diagnosis of essential hypertension. <i>Journal of Hypertension</i> , 2014 , 32, 166-73	1.9	23

70	Changes of plasma norepinephrine and serum N-terminal pro-brain natriuretic peptide after exercise training predict survival in patients with heart failure. <i>International Journal of Cardiology</i> , 2014 , 171, 384-9	3.2	15
69	Sudden onset of coma in a 70-year-old woman with cryoglobulinemia. <i>American Journal of Case Reports</i> , 2014 , 15, 56-9	1.3	2
68	Gene Therapy Using G Protein-Coupled Receptors for the Treatment of Cardiovascular Disease. <i>Methods in Pharmacology and Toxicology</i> , 2014 , 333-345	1.1	1
67	Adrenal-Specific G Protein-Coupled Receptor Kinase (GRK)-2 Deficiency Reduces Circulating Catecholamine Levels and Improves Cardiac Function after Myocardial Infarction 2014 , 207		
66	Prothymosin alpha protects cardiomyocytes against ischemia-induced apoptosis via preservation of Akt activation. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2013 , 18, 1252-61	5.4	19
65	Molecular aspects of the cardioprotective effect of exercise in the elderly. <i>Aging Clinical and Experimental Research</i> , 2013 , 25, 487-97	4.8	23
64	Prevalence and severity of asymptomatic coronary and carotid artery disease in patients with lower limbs arterial disease. <i>Atherosclerosis</i> , 2013 , 228, 386-9	3.1	11
63	β-adrenergic receptors and G protein-coupled receptor kinase-2 in Alzheimer's disease: a new paradigm for prognosis and therapy?. <i>Journal of Alzheimer's Disease</i> , 2013 , 34, 341-7	4.3	25
62	Adrenergic nervous system in heart failure: pathophysiology and therapy. <i>Circulation Research</i> , 2013 , 113, 739-53	15.7	358
61	Risk of acute myocardial infarction after transurethral resection of prostate in elderly. <i>BMC Surgery</i> , 2013 , 13 Suppl 2, S35	2.3	13
60	Breast cancer surgery in elderly patients: postoperative complications and survival. <i>BMC Surgery</i> , 2013 , 13 Suppl 2, S25	2.3	26
59	GRK2 blockade with βARKct is essential for cardiac β ₂ -adrenergic receptor signaling towards increased contractility. <i>Cell Communication and Signaling</i> , 2013 , 11, 64	7.5	54
58	Vascular endothelial growth factor blockade prevents the beneficial effects of β-blocker therapy on cardiac function, angiogenesis, and remodeling in heart failure. <i>Circulation: Heart Failure</i> , 2013 , 6, 1259-67	7.6	39
57	Left ventricular hypertrophy reduction and clinical events. A meta-regression analysis of 14 studies in 12,809 hypertensive patients. <i>International Journal of Cardiology</i> , 2013 , 167, 2757-64	3.2	17
56	Changes in serum uric acid levels and cardiovascular events: a meta-analysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 707-14	4.5	34
55	Cardiovascular involvement in patients affected by acromegaly: an appraisal. <i>International Journal of Cardiology</i> , 2013 , 167, 1712-8	3.2	65
54	S100A1 deficiency impairs postischemic angiogenesis via compromised proangiogenic endothelial cell function and nitric oxide synthase regulation. <i>Circulation Research</i> , 2013 , 112, 66-78	15.7	24
53	Exercise training early after acute myocardial infarction reduces stress-induced hypoperfusion and improves left ventricular function. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013 , 40, 315-24	8.8	46

52	Lymphocyte G-protein coupled receptor kinase 2 and cardiac mortality in heart failure. <i>European Heart Journal</i> , 2013 , 34, P1486-P1486	9.5	
51	Benefits of statins in elderly subjects without established cardiovascular disease. a meta-analysis. <i>European Heart Journal</i> , 2013 , 34, 834-834	9.5	1
50	Reduction of lymphocyte G-protein coupled receptor kinase-2 (GRK2) after exercise training predicts survival in patients with heart failure. <i>European Heart Journal</i> , 2013 , 34, P4193-P4193	9.5	
49	Natriuretic peptide-guided therapy in chronic heart failure: a meta-analysis of 2,686 patients in 12 randomized trials. <i>European Heart Journal</i> , 2013 , 34, P3326-P3326	9.5	
48	Neuro-hormonal effects of physical activity in the elderly. <i>Frontiers in Physiology</i> , 2013 , 4, 378	4.6	7
47	β 1-adrenergic receptor and sphingosine-1-phosphate receptor 1 (S1PR1) reciprocal downregulation influences cardiac hypertrophic response and progression to heart failure: protective role of S1PR1 cardiac gene therapy. <i>Circulation</i> , 2013 , 128, 1612-22	16.7	45
46	Impact of diabetes on cardiac sympathetic innervation in patients with heart failure: a 123I meta-iodobenzylguanidine (123I MIBG) scintigraphic study. <i>Diabetes Care</i> , 2013 , 36, 2395-401	14.6	54
45	Haemodynamics, exercise capacity and clinical events in pulmonary arterial hypertension. <i>European Respiratory Journal</i> , 2013 , 42, 414-24	13.6	29
44	Insulin resistance is associated with impaired cardiac sympathetic innervation in patients with heart failure. <i>European Heart Journal</i> , 2013 , 34, P5728-P5728	9.5	
43	Natriuretic peptide-guided therapy in chronic heart failure: a meta-analysis of 2,686 patients in 12 randomized trials. <i>PLoS ONE</i> , 2013 , 8, e58287	3.7	118
42	Oral anticoagulation therapy in heart failure patients in sinus rhythm: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e52952	3.7	25
41	Myocardial β (2) -adrenoceptor gene delivery promotes coordinated cardiac adaptive remodelling and angiogenesis in heart failure. <i>British Journal of Pharmacology</i> , 2012 , 166, 2348-61	8.6	41
40	Blockade of β -adrenoceptors restores the GRK2-mediated adrenal β 2 -adrenoceptor-catecholamine production axis in heart failure. <i>British Journal of Pharmacology</i> , 2012 , 166, 2430-40	8.6	52
39	Is physical activity able to modify oxidative damage in cardiovascular aging?. <i>Oxidative Medicine and Cellular Longevity</i> , 2012 , 2012, 728547	6.7	57
38	Effects of type 2 diabetes mellitus on coronary microvascular function and myocardial perfusion in patients without obstructive coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 1199-206	8.8	44
37	Targeting the β -adrenergic receptor system through G-protein-coupled receptor kinase 2: a new paradigm for therapy and prognostic evaluation in heart failure: from bench to bedside. <i>Circulation: Heart Failure</i> , 2012 , 5, 385-91	7.6	59
36	Coronary computed tomography: current role and future perspectives for cardiovascular risk stratification. <i>European Heart Journal Cardiovascular Imaging</i> , 2012 , 13, 453-8	4.1	8
35	Instruments for geriatric assessment: new multidimensional assessment approaches. <i>Journal of Nephrology</i> , 2012 , 25 Suppl 19, S73-8	4.8	13

34	GRK2 inhibition in heart failure: something old, something new. <i>Current Pharmaceutical Design</i> , 2012 , 18, 186-91	3.3	58
33	Adrenal beta-arrestin 1 inhibition in vivo attenuates post-myocardial infarction progression to heart failure and adverse remodeling via reduction of circulating aldosterone levels. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 356-65	15.1	71
32	GRK2 as a novel gene therapy target in heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2011 , 50, 785-92	5.8	97
31	G protein-coupled receptor kinase 2 activity impairs cardiac glucose uptake and promotes insulin resistance after myocardial ischemia. <i>Circulation</i> , 2011 , 123, 1953-62	16.7	123
30	Caveolin-1 deficiency exacerbates cardiac dysfunction and reduces survival in mice with myocardial infarction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 300, H1274-81	5.2	34
29	Multidimensional Prognostic Index based on a comprehensive geriatric assessment predicts short-term mortality in older patients with heart failure. <i>Circulation: Heart Failure</i> , 2010 , 3, 14-20	7.6	115
28	Reduction of sympathetic activity via adrenal-targeted GRK2 gene deletion attenuates heart failure progression and improves cardiac function after myocardial infarction. <i>Journal of Biological Chemistry</i> , 2010 , 285, 16378-86	5.4	89
27	An active lifestyle prior to coronary surgery is associated with improved survival in elderly patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010 , 65, 758-63	6.4	12
26	Adrenal GRK2 lowering is an underlying mechanism for the beneficial sympathetic effects of exercise training in heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 298, H2032-8	5.2	60
25	Comparative cardiac gene delivery of adeno-associated virus serotypes 1-9 reveals that AAV6 mediates the most efficient transduction in mouse heart. <i>Clinical and Translational Science</i> , 2010 , 3, 81-94	9.9	81
24	An adrenal beta-arrestin 1-mediated signaling pathway underlies angiotensin II-induced aldosterone production in vitro and in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 5825-30	11.5	94
23	Myocardial adeno-associated virus serotype 6-betaARKct gene therapy improves cardiac function and normalizes the neurohormonal axis in chronic heart failure. <i>Circulation</i> , 2009 , 119, 89-98	16.7	173
22	Future g protein-coupled receptor targets for treatment of heart failure. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2009 , 11, 328-38	2.1	37
21	Heart rate variability and drawing impairment in hypoxemic COPD. <i>Brain and Cognition</i> , 2009 , 70, 163-70	2.7	22
20	Binge drinking among U.S. active-duty military personnel. <i>American Journal of Preventive Medicine</i> , 2009 , 36, 208-17	6.1	111
19	Exercise training promotes SIRT1 activity in aged rats. <i>Rejuvenation Research</i> , 2008 , 11, 139-50	2.6	187
18	Hearts lacking caveolin-1 develop hypertrophy with normal cardiac substrate metabolism. <i>Cell Cycle</i> , 2008 , 7, 2509-18	4.7	16
17	Exercise promotes angiogenesis and improves beta-adrenergic receptor signalling in the post-ischaemic failing rat heart. <i>Cardiovascular Research</i> , 2008 , 78, 385-94	9.9	99

16	Substrate uptake and metabolism are preserved in hypertrophic caveolin-3 knockout hearts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 295, H657-66	5.2	16
15	G protein-coupled receptor kinase 2 ablation in cardiac myocytes before or after myocardial infarction prevents heart failure. <i>Circulation Research</i> , 2008 , 103, 413-22	15.7	186
14	Modulation of adrenal catecholamine secretion by in vivo gene transfer and manipulation of G protein-coupled receptor kinase-2 activity. <i>Molecular Therapy</i> , 2008 , 16, 302-7	11.7	72
13	Analysis of AAV serotypes 1-9 mediated gene expression and tropism in mice after systemic injection. <i>Molecular Therapy</i> , 2008 , 16, 1073-80	11.7	873
12	Hypermagnesemia predicts mortality in elderly with congestive heart disease: relationship with laxative and antacid use. <i>Rejuvenation Research</i> , 2008 , 11, 129-38	2.6	30
11	Adrenal GRK2 upregulation mediates sympathetic overdrive in heart failure. <i>Nature Medicine</i> , 2007 , 13, 315-23	50.5	198
10	Exercise training and beta-blocker treatment ameliorate age-dependent impairment of beta-adrenergic receptor signaling and enhance cardiac responsiveness to adrenergic stimulation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 293, H1596-603	5.2	50
9	Stable myocardial-specific AAV6-S100A1 gene therapy results in chronic functional heart failure rescue. <i>Circulation</i> , 2007 , 115, 2506-15	16.7	143
8	Prior exercise improves age-dependent vascular endothelial growth factor downregulation and angiogenesis responses to hind-limb ischemia in old rats. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 471-80	6.4	15
7	An active lifestyle improves outcome of primary angioplasty in elderly patients with acute myocardial infarction. <i>American Heart Journal</i> , 2007 , 154, 352-60	4.9	10
6	Adrenal adrenoceptors in heart failure: fine-tuning cardiac stimulation. <i>Trends in Molecular Medicine</i> , 2007 , 13, 503-11	11.5	106
5	Lymphocyte G-protein-coupled receptor kinase-2 is upregulated in patients with Alzheimer's disease. <i>Neuroscience Letters</i> , 2007 , 415, 279-82	3.3	28
4	Exercise training affects age-induced changes in SOD and heat shock protein expression in rat heart. <i>Experimental Gerontology</i> , 2006 , 41, 764-70	4.5	74
3	Tandem action of exercise training and food restriction completely preserves ischemic preconditioning in the aging heart. <i>Experimental Gerontology</i> , 2005 , 40, 43-50	4.5	52
2	Acute dose-response, double-blind, placebo-controlled pilot study of lercanidipine in patients with angina pectoris. <i>Current Therapeutic Research</i> , 2000 , 61, 255-265	2.4	7
1	Randomized, placebo-controlled, crossover, double-blind comparison of immediate- and sustained-release formulations of Gallopamil in elderly patients with stable effort angina. <i>Current Therapeutic Research</i> , 2000 , 61, 723-741	2.4	