## Paloma Almeda-Valdes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7037825/publications.pdf

Version: 2024-02-01

42 papers

1,222 citations

430754 18 h-index 33 g-index

45 all docs

45 docs citations

45 times ranked

 $\begin{array}{c} 2032 \\ \text{citing authors} \end{array}$ 

#	Article	IF	Citations
1	METS-IR, a novel score to evaluate insulin sensitivity, is predictive of visceral adiposity and incident type 2 diabetes. European Journal of Endocrinology, 2018, 178, 533-544.	1.9	173
2	Exercise Increases Serum Fibroblast Growth Factor 21 (FGF21) Levels. PLoS ONE, 2012, 7, e38022.	1.1	133
3	The role of bariatric surgery in the management of nonalcoholic fatty liver disease and metabolic syndrome. Metabolism: Clinical and Experimental, 2016, 65, 1196-1207.	1.5	83
4	Effects of the Non-Nutritive Sweeteners on Glucose Metabolism and Appetite Regulating Hormones: Systematic Review of Observational Prospective Studies and Clinical Trials. PLoS ONE, 2016, 11, e0161264.	1.1	80
5	Sucralose decreases insulin sensitivity in healthy subjects: a randomized controlled trial. American Journal of Clinical Nutrition, 2018, 108, 485-491.	2.2	59
6	Estimated incidence of cardiovascular complications related to type 2 diabetes in Mexico using the UKPDS outcome model and a population-based survey. Cardiovascular Diabetology, 2011, 10, 1.	2.7	57
7	Total and high molecular weight adiponectin have similar utility for the identification of insulin resistance. Cardiovascular Diabetology, 2010, 9, 26.	2.7	50
8	Diurnal Variation in Insulin Sensitivity of Glucose Metabolism Is Associated With Diurnal Variations in Whole-Body and Cellular Fatty Acid Metabolism in Metabolically Normal Women. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E1666-E1670.	1.8	49
9	Daily physical activity, fasting glucose, uric acid, and body mass index are independent factors associated with serum fibroblast growth factor 21 levels. European Journal of Endocrinology, 2010, 163, 469-477.	1.9	47
10	Spanish Version of the System Usability Scale for the Assessment of Electronic Tools: Development and Validation. JMIR Human Factors, 2020, 7, e21161.	1.0	47
11	HbA1c for the Diagnosis of Diabetes Mellitus in a Developing Country. A Position Article. Archives of Medical Research, 2010, 41, 302-308.	1.5	44
12	<p>Empowerment of patients with type 2 diabetes: current perspectives</p> . Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2019, Volume 12, 1311-1321.	1.1	40
13	Effect of tomato consumption on high-density lipoprotein cholesterol level: a randomized, single-blinded, controlled clinical trial. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2013, 6, 263.	1.1	30
14	The Role of Dendritic Cells in Fibrosis Progression in Nonalcoholic Fatty Liver Disease. BioMed Research International, 2015, 2015, 1-7.	0.9	29
15	Insulin Adherence in Type 2 Diabetes in Mexico: Behaviors and Barriers. Journal of Diabetes Research, 2018, 2018, 1-7.	1.0	24
16	Insights in non-alcoholic fatty liver disease pathophysiology with lipidomic analyses. Annals of Hepatology, 2015, 14, 567-569.	0.6	23
17	Treatment of Metabolic Syndrome Slows Progression of Diabetic Nephropathy. Metabolic Syndrome and Related Disorders, 2011, 9, 483-489.	0.5	22
18	Determinants of VLDL composition and apo B-containing particles in familial combined hyperlipidemia. Clinica Chimica Acta, 2015, 438, 160-165.	0.5	20

#	Article	IF	CITATIONS
19	The SLC16A11 risk haplotype is associated with decreased insulin action, higher transaminases and large-size adipocytes. European Journal of Endocrinology, 2019, 180, 99-107.	1.9	19
20	Topical Administration of Pirfenidone Increases Healing of Chronic Diabetic Foot Ulcers: A Randomized Crossover Study. Journal of Diabetes Research, 2016, 2016, 1-7.	1.0	17
21	UKPDS Risk Engine, Decode and Diabetes PHD Models for the Estimation of Cardiovascular Risk in Patients with Diabetes. Current Diabetes Reviews, 2010, 6, 1-8.	0.6	15
22	Mexican Carriers of the <i>HNF1A</i> p.E508K Variant Do Not Experience an Enhanced Response to Sulfonylureas. Diabetes Care, 2018, 41, 1726-1731.	4.3	14
23	Dyslipidemia in Mexico, a Call for Action. Revista De Investigacion Clinica, 2018, 70, 211-216.	0.2	14
24	Prevalence of Hepatitis C Infection in a Population of Asymptomatic People in a Checkup Unit in Mexico City. Digestive Diseases and Sciences, 2005, 50, 733-737.	1.1	13
25	Association of the Metabolic Syndrome and Long-Term Renal Function in Kidney Donors. Transplantation Proceedings, 2011, 43, 1601-1606.	0.3	13
26	Non-Nutritive Sweeteners: Evidence on their Association with Metabolic Diseases and Potential Effects on Glucose Metabolism and Appetite. Revista De Investigacion Clinica, 2017, 69, 129-138.	0.2	13
27	The Management of Incidental Fatty Liver Found on Imaging. What Do We Need to do?. American Journal of Gastroenterology, 2018, 113, 1274-1276.	0.2	12
28	Impact of anthropometric cutâ€off values in determining the prevalence of metabolic alterations. European Journal of Clinical Investigation, 2016, 46, 940-946.	1.7	11
29	Epicardial adipose tissue thickness is associated with increased COVID-19 severity and mortality. International Journal of Obesity, 2022, 46, 866-873.	1.6	11
30	Factors associated with postprandial lipemia and apolipoprotein A-V levels in individuals with familial combined hyperlipidemia. BMC Endocrine Disorders, 2014, 14, 90.	0.9	10
31	Identification of a threshold to discriminate fasting hypertriglyceridemia with postprandial values. Lipids in Health and Disease, 2018, 17, 156.	1.2	9
32	Elevated serum uric acid is a facilitating mechanism for insulin resistance mediated accumulation of visceral adipose tissue. Clinical Endocrinology, 2022, 96, 707-718.	1.2	8
33	Factors Associated with Insulin Nonadherence in Type 1 Diabetes Mellitus Patients in Mexico. International Journal of Diabetes and Metabolism, 2019, 25, 139-147.	0.7	7
34	Association of estimated glucose disposal rate and chronic diabetic complications in patients with type 1 diabetes. Endocrinology, Diabetes and Metabolism, 2021, 4, e00288.	1.0	6
35	Percutaneous muscle biopsy-induced tissue injury causes local endoplasmic reticulum stress. Physiological Reports, 2018, 6, e13679.	0.7	4
36	Metabolic Features of Alcoholic Liver Disease. Reviews on Recent Clinical Trials, 2016, 11, 220-226.	0.4	4

#	Article	IF	CITATIONS
37	A Higher Fructose Intake Is Associated with Greater Albuminuria in Subjects with Type 2 Diabetes Mellitus. International Journal of Nephrology, 2018, 2018, 1-10.	0.7	2
38	Biochemical and Hematological Relationship with the Evaluation of Autonomic Dysfunction by Heart Rate Recovery in Patients with Asthma and Type 2 Diabetes. Diagnostics, 2021, 11, 2187.	1.3	2
39	Use of an electronic integral monitoring system for patients with diabetes to identify factors associated with an adequate glycemic goal and to measure quality of care. Primary Care Diabetes, 2021, 15, 162-168.	0.9	O
40	Development and Validation of a Software Linked to an Internet Portal That Facilitates the Medical Treatment and Empowerment of Patients with Type 2 Diabetes, Interaction with Medical Personnel, and the Generation of a Real-Time Registry. Journal of Diabetes Science and Technology, 2021, 15, 525-527.	1.3	0
41	Comparison of Two Electronic Systems for Obtaining Diabetes Care Indicators in Clinical Practice. Clinical Diabetes, 2021, 39, 167-172.	1.2	O
42	Lipid Disorders: Advances in Research and Challenges in Clinical Practice. Revista De Investigacion Clinica, 2022, 70, 209-210.	0.2	0