

Paloma Almeda-Valdes

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7037825/paloma-almeda-valdes-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

39
papers

760
citations

15
h-index

26
g-index

45
ext. papers

975
ext. citations

3.9
avg, IF

3.85
L-index

#	Paper	IF	Citations
39	Epicardial adipose tissue thickness is associated with increased COVID-19 severity and mortality.. <i>International Journal of Obesity</i> , 2022 ,	5.5	2
38	Association of estimated glucose disposal rate and chronic diabetic complications in patients with type 1 diabetes. <i>Endocrinology, Diabetes and Metabolism</i> , 2021 , 4, e00288	2.7	3
37	Use of an electronic integral monitoring system for patients with diabetes to identify factors associated with an adequate glycemic goal and to measure quality of care. <i>Primary Care Diabetes</i> , 2021 , 15, 162-168	2.4	
36	Development and Validation of a Software Linked to an Internet Portal That Facilitates the Medical Treatment and Empowerment of Patients with Type 2 Diabetes, Interaction with Medical Personnel, and the Generation of a Real-Time Registry. <i>Journal of Diabetes Science and Technology</i> , 2021 , 15, 525-527	4.1	
35	Comparison of Two Electronic Systems for Obtaining Diabetes Care Indicators in Clinical Practice. <i>Clinical Diabetes</i> , 2021 , 39, 167-172	2.9	
34	Spanish Version of the System Usability Scale for the Assessment of Electronic Tools: Development and Validation. <i>JMIR Human Factors</i> , 2020 , 7, e21161	2.5	7
33	Empowerment of patients with type 2 diabetes: current perspectives. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019 , 12, 1311-1321	3.4	15
32	Factors Associated with Insulin Nonadherence in Type 1 Diabetes Mellitus Patients in Mexico. <i>International Journal of Diabetes and Metabolism</i> , 2019 , 25, 139-147	0.5	3
31	The SLC16A11 risk haplotype is associated with decreased insulin action, higher transaminases and large-size adipocytes. <i>European Journal of Endocrinology</i> , 2019 , 180, 99-107	6.5	10
30	Percutaneous muscle biopsy-induced tissue injury causes local endoplasmic reticulum stress. <i>Physiological Reports</i> , 2018 , 6, e13679	2.6	2
29	METS-IR, a novel score to evaluate insulin sensitivity, is predictive of visceral adiposity and incident type 2 diabetes. <i>European Journal of Endocrinology</i> , 2018 , 178, 533-544	6.5	43
28	The management of incidental fatty liver found on imaging. What do we need to do?. <i>American Journal of Gastroenterology</i> , 2018 , 113, 1274-1276	0.7	9
27	Identification of a threshold to discriminate fasting hypertriglyceridemia with postprandial values. <i>Lipids in Health and Disease</i> , 2018 , 17, 156	4.4	7
26	DYSLIPIDEMIA IN MEXICO, A CALL FOR ACTION. <i>Revista De Investigacion Clinica</i> , 2018 , 70, 211-216	1.6	9
25	LIPID DISORDERS: ADVANCES IN RESEARCH AND CHALLENGES IN CLINICAL PRACTICE. <i>Revista De Investigacion Clinica</i> , 2018 , 70, 209-210	1.6	
24	A Higher Fructose Intake Is Associated with Greater Albuminuria in Subjects with Type 2 Diabetes Mellitus. <i>International Journal of Nephrology</i> , 2018 , 2018, 5459439	1.7	2
23	Sucralose decreases insulin sensitivity in healthy subjects: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 485-491	7	34

22	Insulin Adherence in Type 2 Diabetes in Mexico: Behaviors and Barriers. <i>Journal of Diabetes Research</i> , 2018 , 2018, 3190849	3.9	11
21	Mexican Carriers of the p.E508K Variant Do Not Experience an Enhanced Response to Sulfonylureas. <i>Diabetes Care</i> , 2018 , 41, 1726-1731	14.6	8
20	Non-Nutritive Sweeteners: Evidence on their Association with Metabolic Diseases and Potential Effects on Glucose Metabolism and Appetite. <i>Revista De Investigacion Clinica</i> , 2017 , 69, 129-138	1.6	8
19	The role of bariatric surgery in the management of nonalcoholic fatty liver disease and metabolic syndrome. <i>Metabolism: Clinical and Experimental</i> , 2016 , 65, 1196-207	12.7	62
18	Metabolic Features of Alcoholic Liver Disease. <i>Reviews on Recent Clinical Trials</i> , 2016 , 11, 220-6	1.2	4
17	Topical Administration of Pirfenidone Increases Healing of Chronic Diabetic Foot Ulcers: A Randomized Crossover Study. <i>Journal of Diabetes Research</i> , 2016 , 2016, 7340641	3.9	12
16	Effects of the Non-Nutritive Sweeteners on Glucose Metabolism and Appetite Regulating Hormones: Systematic Review of Observational Prospective Studies and Clinical Trials. <i>PLoS ONE</i> , 2016 , 11, e0161264	3.7	64
15	Impact of anthropometric cut-off values in determining the prevalence of metabolic alterations. <i>European Journal of Clinical Investigation</i> , 2016 , 46, 940-946	4.6	10
14	Determinants of VLDL composition and apo B-containing particles in familial combined hyperlipidemia. <i>Clinica Chimica Acta</i> , 2015 , 438, 160-5	6.2	12
13	The Role of Dendritic Cells in Fibrosis Progression in Nonalcoholic Fatty Liver Disease. <i>BioMed Research International</i> , 2015 , 2015, 768071	3	19
12	Factors associated with postprandial lipemia and apolipoprotein A-V levels in individuals with familial combined hyperlipidemia. <i>BMC Endocrine Disorders</i> , 2014 , 14, 90	3.3	8
11	Diurnal variation in insulin sensitivity of glucose metabolism is associated with diurnal variations in whole-body and cellular fatty acid metabolism in metabolically normal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E1666-70	5.6	35
10	Effect of tomato consumption on high-density lipoprotein cholesterol level: a randomized, single-blinded, controlled clinical trial. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2013 , 6, 263-73	3.4	22
9	Exercise increases serum fibroblast growth factor 21 (FGF21) levels. <i>PLoS ONE</i> , 2012 , 7, e38022	3.7	109
8	Association of the metabolic syndrome and long-term renal function in kidney donors. <i>Transplantation Proceedings</i> , 2011 , 43, 1601-6	1.1	11
7	Estimated incidence of cardiovascular complications related to type 2 diabetes in Mexico using the UKPDS outcome model and a population-based survey. <i>Cardiovascular Diabetology</i> , 2011 , 10, 1	8.7	35
6	Treatment of metabolic syndrome slows progression of diabetic nephropathy. <i>Metabolic Syndrome and Related Disorders</i> , 2011 , 9, 483-9	2.6	17
5	UKPDS Risk Engine, decode and diabetes PHD models for the estimation of cardiovascular risk in patients with diabetes. <i>Current Diabetes Reviews</i> , 2010 , 6, 1-8	2.7	14

4	Daily physical activity, fasting glucose, uric acid, and body mass index are independent factors associated with serum fibroblast growth factor 21 levels. <i>European Journal of Endocrinology</i> , 2010 , 163, 469-77	6.5	39
3	HbA1c for the diagnosis of diabetes mellitus in a developing country. A position article. <i>Archives of Medical Research</i> , 2010 , 41, 302-8	6.6	32
2	Total and high molecular weight adiponectin have similar utility for the identification of insulin resistance. <i>Cardiovascular Diabetology</i> , 2010 , 9, 26	8.7	49
1	Prevalence of hepatitis C infection in a population of asymptomatic people in a checkup unit in Mexico city. <i>Digestive Diseases and Sciences</i> , 2005 , 50, 733-7	4	11