Denis Fouque

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7040767/denis-fouque-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 321
 14,668
 60
 110

 papers
 citations
 h-index
 g-index

 404
 18,253
 5
 6.5

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
321	Assessing Global Kidney Nutrition Care Clinical Journal of the American Society of Nephrology: CJASN, 2022 , 17, 38-52	6.9	O
320	Therapeutic strategies to limit tryptophan metabolites toxicity during chronic kidney disease 2022 , 28	31-295	
319	Dietary interventions to slow the progression of chronic kidney disease and improve metabolic control of uremia 2022 , 249-270		О
318	Curcumin supplementation improves oxidative stress and inflammation biomarkers in patients undergoing hemodialysis: a secondary analysis of a randomized controlled trial <i>International Urology and Nephrology</i> , 2022 , 1	2.3	1
317	Probiotic Intake and Inflammation in Patients With Chronic Kidney Disease: An Analysis of the CKD-REIN Cohort <i>Frontiers in Nutrition</i> , 2022 , 9, 772596	6.2	1
316	Using a generic definition of cachexia in patients with kidney disease receiving haemodialysis: a longitudinal (pilot) study. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 1919-1926	4.3	2
315	A prospective observational study for justification, safety, and efficacy of a third dose of mRNA vaccine in patients receiving maintenance hemodialysis. <i>Kidney International</i> , 2021 ,	9.9	17
314	Evolution of body composition and wasting indicators by time of day of haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 346-354	4.3	1
313	Myostatin and muscle atrophy during chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 1986-1993	4.3	10
312	COVID-19 vaccine acceptance among haemodialysis patients: a French survey. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 1985-1986	4.5	0
311	Urgent-start dialysis in patients referred early to a nephrologist-the CKD-REIN prospective cohort study. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 1500-1510	4.3	O
310	Is a treat-to-target approach to lipid-lowering therapy appropriate in patients with chronic kidney disease? A prospective French cohort study. <i>Journal of Nephrology</i> , 2021 , 34, 1467-1477	4.8	1
309	Consequences of oral antithrombotic use in patients with chronic kidney disease. <i>Clinical and Translational Science</i> , 2021 , 14, 2242-2253	4.9	1
308	Higher mortality risk among kidney transplant recipients than among estimated glomerular filtration rate-matched patients with CKD-preliminary results. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 176-184	4.3	3
307	Evolution of renal function in patients with severe intestinal failure on home parenteral nutrition. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 925-932	4.5	2
306	Chronic kidney disease is a key risk factor for severe COVID-19: a call to action by the ERA-EDTA. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 87-94	4.3	109
305	The effect of natriuretic C-type peptide and its change over time on mortality in patients on haemodialysis or haemodiafiltration. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 375-381	4.5	1

(2020-2021)

304	Acidosis, cognitive dysfunction and motor impairments in patients with kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	4	
303	Chronic kidney disease and neurological disorders: are uraemic toxins the missing piece of the puzzle?. <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	7	
302	Water intake and progression of chronic kidney disease: the CKD-REIN cohort study. <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	6	
301	Real-world safety and effectiveness of sucroferric oxyhydroxide for treatment of hyperphosphataemia in dialysis patients: a prospective observational study. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 1770-1779	4.5	2	
300	Biologically plausible trends suggesting that a low-protein diet may enhance the effect of flozination caused by the sodium-glucose cotransporter-2 inhibitor dapagliflozin on albuminuria. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 2825-2826	6.7	1	
299	Reply letter- critical comments on the impact of curcumin supplementation on expression of inflammatory transcription factors in hemodialysis patients: A pilot randomized, double-blind, controlled study. <i>Clinical Nutrition</i> , 2021 , 40, 5521-5522	5.9		
298	A low aromatic amino-acid diet improves renal function and prevent kidney fibrosis in mice with chronic kidney disease. <i>Scientific Reports</i> , 2021 , 11, 19184	4.9	2	
297	New Insights into Acute-on-Chronic Kidney Disease in Nephrology Patients: The CKD-REIN Study. <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	1	
296	The ROMANOV study found impaired humoral and cellular immune responses to SARS-CoV-2 mRNA vaccine in virus-unexposed patients receiving maintenance hemodialysis. <i>Kidney International</i> , 2021 , 100, 928-936	9.9	18	
295	The protein-bound uremic toxin p-cresyl-sulfate promotes intracellular ROS production and lipid peroxidation in 3T3-L1 adipose cells. <i>Biochimie</i> , 2021 , 189, 137-143	4.6	2	
294	Can curcumin supplementation reduce plasma levels of gut-derived uremic toxins in hemodialysis patients? A pilot randomized, double-blind, controlled study. <i>International Urology and Nephrology</i> , 2021 , 53, 1231-1238	2.3	8	
293	Adverse outcomes of proton pump inhibitors in patients with chronic kidney disease: The CKD-REIN cohort study. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 2967-2976	3.8	6	
292	Cognitive disorders in patients with chronic kidney disease: specificities of clinical assessment. <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	4	
291	Brain dysfunction in tubular and tubulointerstitial kidney diseases. <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	2	
2 90	Mild cognitive impairment and kidney disease: clinical aspects. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 10-17	4.3	21	
289	P0922A LOW AROMATIC AMINO-ACID DIET IMPROVES RENAL FUNCTION AND PREVENTS KIDNEY FIBROSIS IN MICE WITH CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35,	4.3	1	
288	Chronic Kidney Disease-Associated Immune Dysfunctions: Impact of Protein-Bound Uremic Retention Solutes on Immune Cells. <i>Toxins</i> , 2020 , 12,	4.9	23	
287	Quantitative histomorphometric analysis of halved iliac crest bone biopsies yield comparable ROD diagnosis as full 7.5mm wide samples. <i>Bone</i> , 2020 , 138, 115460	4.7	6	

286	Can nutritional interventions modulate the activation of the NLRP3 inflammasome in chronic kidney disease?. <i>Food Research International</i> , 2020 , 136, 109306	7	7
285	Plant-based diets to manage the risks and complications of chronic kidney disease. <i>Nature Reviews Nephrology</i> , 2020 , 16, 525-542	14.9	47
284	Nomenclature for kidney function and disease: report of a Kidney Disease: Improving Global Outcomes (KDIGO) Consensus Conference. <i>Kidney International</i> , 2020 , 97, 1117-1129	9.9	176
283	Adverse Drug Reactions in Patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 1090-1102	6.9	13
282	Perceived Health and Quality of Life in Patients With CKD, Including Those With Kidney Failure: Findings From National Surveys in France. <i>American Journal of Kidney Diseases</i> , 2020 , 75, 868-878	7.4	15
281	Prediction of all-cause mortality in haemodialysis patients using a Bayesian network. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1420-1425	4.3	6
280	Impact of curcumin supplementation on expression of inflammatory transcription factors in hemodialysis patients: A pilot randomized, double-blind, controlled study. <i>Clinical Nutrition</i> , 2020 , 39, 3594-3600	5.9	32
279	The nephrology crystal ball: the medium-term future. Nephrology Dialysis Transplantation, 2020, 35, 222	2-22.36	2
278	High-protein diet is bad for kidney health: unleashing the taboo. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1-4	4.3	17
277	Situation of the Covid-19 epidemic in patients on peritoneal dialysis on 2020/05/15 in France : RDPLF data-base. <i>Bulletin De La Dialyse</i> [Domicile, 2020 , 3, 73-81	1	1
276	Prevalence of atheromatous and non-atheromatous cardiovascular disease by age in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 827-836	4.3	12
275	Estimating the Prevalence of Muscle Wasting, Weakness, and Sarcopenia in Hemodialysis Patients. Journal of Renal Nutrition, 2020 , 30, 313-321	3	20
274	KDOQI Clinical Practice Guideline for Nutrition in CKD: 2020 Update. <i>American Journal of Kidney Diseases</i> , 2020 , 76, S1-S107	7.4	264
273	Effects of Fecal Microbiota Transplantation on Composition in Mice with CKD. <i>Toxins</i> , 2020 , 12,	4.9	19
272	Accumulation of natriuretic peptides is associated with protein energy wasting and activation of browning in white adipose tissue in chronic kidney disease. <i>Kidney International</i> , 2020 , 98, 663-672	9.9	2
271	Urinary Sodium-to-Potassium Ratio and Blood Pressure in CKD. <i>Kidney International Reports</i> , 2020 , 5, 1240-1250	4.1	5
270	Serum Uric Acid and Mortality Risk Among Hemodialysis Patients. <i>Kidney International Reports</i> , 2020 , 5, 1196-1206	4.1	6
269	Low protein diets for non-diabetic adults with chronic kidney disease. <i>The Cochrane Library</i> , 2020 , 10, CD001892	5.2	8

(2019-2020)

268	Source and Composition in Amino Acid of Dietary Proteins in the Primary Prevention and Treatment of CKD. <i>Nutrients</i> , 2020 , 12,	6.7	3
267	Metformin misuse in chronic kidney disease. <i>Diabetes and Metabolism</i> , 2020 , 46, 337-339	5.4	
266	Impact of age on cardiovascular drug use in patients with chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2020 , 13, 199-207	4.5	3
265	Anemia and iron deficiency among chronic kidney disease Stages 3-5ND patients in the Chronic Kidney Disease Outcomes and Practice Patterns Study: often unmeasured, variably treated. <i>CKJ: Clinical Kidney Journal</i> , 2020 , 13, 613-624	4.5	32
264	Ketoacid Analogues Supplementation in Chronic Kidney Disease and Future Perspectives. <i>Nutrients</i> , 2019 , 11,	6.7	31
263	Choosing end-stage kidney disease treatment with elderly patients: are data available?. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1432-1435	4.3	3
262	The Effect of Sevelamer on Serum Levels of Gut-Derived Uremic Toxins: Results from In Vitro Experiments and A Multicenter, Double-Blind, Placebo-Controlled, Randomized Clinical Trial. <i>Toxins</i> , 2019 , 11,	4.9	10
261	Nephrology and Public Policy Committee propositions to stimulate research collaboration in adults and children in Europe. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1469-1480	4.3	5
260	Summary of the International Conference on Onco-Nephrology: an emerging field in medicine. <i>Kidney International</i> , 2019 , 96, 555-567	9.9	25
259	Acute Renal Colic Due to Immunoglobulin Free Light Chain Kidney Stones: A Case Report of an Unusual Complication of Multiple Myeloma. <i>American Journal of Kidney Diseases</i> , 2019 , 74, 700-702	7.4	3
258	Children of a lesser god: exclusion of chronic kidney disease patients from clinical trials. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1112-1114	4.3	19
257	SGLT-2 inhibitors and GLP-1 receptor agonists for nephroprotection and cardioprotection in patients with diabetes mellitus and chronic kidney disease. A consensus statement by the EURECA-m and the DIABESITY working groups of the ERA-EDTA. <i>Nephrology Dialysis</i>	4.3	88
256	The Role for Protein Restriction in Addition to Renin-Angiotensin-Aldosterone System Inhibitors in the Management of CKD. <i>American Journal of Kidney Diseases</i> , 2019 , 73, 248-257	7.4	36
255	Achievement of Low-Density Lipoprotein Cholesterol Targets in CKD. <i>Kidney International Reports</i> , 2019 , 4, 1546-1554	4.1	5
254	A possible link between polyunsaturated fatty acids and uremic toxins from the gut microbiota in hemodialysis patients: A hypothesis. <i>Hemodialysis International</i> , 2019 , 23, 189-197	1.7	1
253	Relative prognostic impact of nutrition, anaemia, bone metabolism and cardiovascular comorbidities in elderly haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 848-858	4.3	6
252	Bicarbonate Supplement Restores Urinary Klotho Excretion in Chronic Kidney Disease: A Pilot Study. <i>Journal of Renal Nutrition</i> , 2019 , 29, 285-288	3	4
251	Predictive factors of renal involvement in cryoglobulinaemia: a retrospective study of 153 patients. <i>CKJ: Clinical Kidney Journal</i> , 2019 , 12, 365-372	4.5	9

250	Lancet Countdown paper: what does it mean for nephrology?. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 4-6	4.3	2	
249	Aminoglycoside exposure and renal function before lung transplantation in adult cystic fibrosis patients. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 118-122	4.3	5	
248	Risk profile, quality of life and care of patients with moderate and advanced CKD: The French CKD-REIN Cohort Study. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 277-286	4.3	26	
247	Pro: The rationale for dietary therapy for patients with advanced chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 373-378	4.3	14	
246	Opponent's comments. Nephrology Dialysis Transplantation, 2018, 33, 384-387	4.3	1	
245	Very low-protein diet to postpone renal failure: Pathophysiology and clinical applications in chronic kidney disease. <i>Chronic Diseases and Translational Medicine</i> , 2018 , 4, 45-50	3.9	9	
244	Achievement of Kidney Disease: Improving Global Outcomes mineral and bone targets between 2010 and 2014 in incident dialysis patients in France: the Photo-Graphe3 study. <i>CKJ: Clinical Kidney Journal</i> , 2018 , 11, 73-79	4.5	6	
243	Could Low-Protein Diet Modulate Nrf2 Pathway in Chronic Kidney Disease?. <i>Journal of Renal Nutrition</i> , 2018 , 28, 229-234	3	7	
242	Nutritional Management of Chronic Kidney Disease. New England Journal of Medicine, 2018, 378, 584-5	85 9.2	17	
241	The effect of high-volume online haemodiafiltration on nutritional status and body composition: the ProtEin Stores prEservaTion (PESET) study. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 1223-123	35 ^{4.3}	38	
240	Establishing a clinical phenotype for cachexia in end stage kidney disease - study protocol. <i>BMC Nephrology</i> , 2018 , 19, 38	2.7	7	
239	Achievement of 2009 and 2017 Kidney Disease: Improving Global Outcomes mineral and bone targets and survival in a French cohort of chronic kidney disease Stages 4 and 5 non-dialysis patients. <i>CKJ: Clinical Kidney Journal</i> , 2018 , 11, 710-719	4.5	4	
238	Mediterranean diet as the diet of choice for patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 725-735	4.3	63	
237	Association of a Low-Protein Diet With Slower Progression of CKD. <i>Kidney International Reports</i> , 2018 , 3, 105-114	4.1	26	
236	Probiotic Supplementation in Chronic Kidney Disease: A Double-blind, Randomized, Placebo-controlled Trial. <i>Journal of Renal Nutrition</i> , 2018 , 28, 28-36	3	60	
235	SP660HIGH-VOLUME ON-LINE HEMODIAFILTRATION MAY PREVENT PROTEIN-ENERGY WASTING IN HEMODIALYSIS PATIENTS: A 1-YEAR PROSPECTIVE CONTROLLED STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i568-i569	4.3		
234	The ERA-EDTA today and tomorrow: a progress document by the ERA-EDTA Council. <i>CKJ: Clinical Kidney Journal</i> , 2018 , 11, 437-442	4.5	О	
233	Is 3-Carboxy-4-methyl-5-propyl-2-furanpropionate (CMPF) a Clinically Relevant Uremic Toxin in Haemodialysis Patients?. <i>Toxins</i> , 2018 , 10,	4.9	8	

(2017-2018)

232	Precision Medicine for Nutritional Management in End-Stage Kidney Disease and Transition to Dialysis. <i>Seminars in Nephrology</i> , 2018 , 38, 383-396	4.8	11
231	Severe tubulointerstitial nephritis: tracking tuberculosis even in the absence of renal granuloma. <i>CKJ: Clinical Kidney Journal</i> , 2018 , 11, 667-669	4.5	4
230	Fibroblast Growth Factor-23 Is Not a Single Bystander in Chronic Kidney Disease Mortality. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 2601	12.7	2
229	The Role of Gut Microbiota and Diet on Uremic Retention Solutes Production in the Context of Chronic Kidney Disease. <i>Toxins</i> , 2018 , 10,	4.9	34
228	Targeting Gastrointestinal Transport Proteins to Control Hyperphosphatemia in Chronic Kidney Disease. <i>Drugs</i> , 2018 , 78, 1171-1186	12.1	19
227	Evaluation of the adequacy of drug prescriptions in patients with chronic kidney disease: results from the CKD-REIN cohort. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 2811-2823	3.8	36
226	ERA-EDTA invests in transformation to greener health care. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 901-903	4.3	14
225	Eating During Hemodialysis Treatment: A´Consensus Statement From the International Society of Renal Nutrition and Metabolism. <i>Journal of Renal Nutrition</i> , 2018 , 28, 4-12	3	43
224	From bench to the hemodialysis clinic: protein-bound uremic toxins modulate NF-B/Nrf2 expression. <i>International Urology and Nephrology</i> , 2018 , 50, 347-354	2.3	29
223	Low protein diets for non-diabetic adults with chronic kidney disease. <i>The Cochrane Library</i> , 2018 , 10, CD001892	5.2	48
222	SaO045ACTIVATION OF BROWNING IN WHITE ADIPOSE TISSUE DURING CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i334-i334	4.3	
221	Serum levels of the adipokine zinc-alpha2-glycoprotein (ZAG) predict mortality in hemodialysis patients. <i>Kidney International</i> , 2018 , 94, 983-992	9.9	8
220	Metabolic Abnormalities in Diabetes and Kidney Disease: Role of Uremic Toxins. <i>Current Diabetes Reports</i> , 2018 , 18, 97	5.6	20
219	The Authors Reply. <i>Kidney International</i> , 2017 , 91, 756	9.9	
218	Chronic kidney disease progression: a retrospective analysis of 3-year adherence to a low protein diet. <i>Renal Failure</i> , 2017 , 39, 357-362	2.9	10
217	Adjunction of a MEK inhibitor to Vemurafenib in the treatment of metastatic melanoma results in a 60% reduction of acute kidney injury. <i>Cancer Chemotherapy and Pharmacology</i> , 2017 , 79, 1043-1049	3.5	14
216	Circulating Klotho Associates With Cardiovascular Morbidity and Mortality During Hemodialysis. Journal of Clinical Endocrinology and Metabolism, 2017 , 102, 3154-3161	5.6	36
215	The systemic nature of CKD. <i>Nature Reviews Nephrology</i> , 2017 , 13, 344-358	14.9	152

214	Clinical Practice Guideline on management of older patients with chronic kidney disease stage 3b or higher (eGFR. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 9-16	4.3	58
213	Welcome Editorial by the new NDT Editor-in-Chief. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 744-74	45 .3	
212	Randomized Clinical Trial of Sevelamer Carbonate on Serum Klotho and Fibroblast Growth Factor 23 in CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 1930-1940	6.9	27
211	Nutritional Management of Chronic Kidney Disease. <i>New England Journal of Medicine</i> , 2017 , 377, 1765-1	1336	230
210	Short-chain fatty acids: a link between prebiotics and microbiota in chronic kidney disease. <i>Future Microbiology</i> , 2017 , 12, 1413-1425	2.9	30
209	Validity and reproducibility of a short food frequency questionnaire among patients with chronic kidney disease. <i>BMC Nephrology</i> , 2017 , 18, 297	2.7	8
208	Composing a new song for trials: the Standardized Outcomes in Nephrology (SONG) initiative. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 1963-1966	4.3	30
207	SP351INTEREST OF FREE VITAMIN D IN CKD. Nephrology Dialysis Transplantation, 2017 , 32, iii228-iii228	4.3	O
206	The Relationship Between Body Composition and Bone Quality Measured with HR-pQCT in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2017 , 37, 548-555	2.8	3
205	NDT Digest: rapid revelations in renal disease. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 1282	4.3	6
204	p-Cresyl glucuronide is a major metabolite of p-cresol in mouse: in contrast to p-cresyl sulphate, p-cresyl glucuronide fails to promote insulin resistance. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 2000-2009	4.3	11
203	Towards a multidisciplinary approach to understand and manage obesity and related diseases. <i>Clinical Nutrition</i> , 2017 , 36, 917-938	5.9	98
202	The role of phosphate in kidney disease. <i>Nature Reviews Nephrology</i> , 2017 , 13, 27-38	14.9	107
201	Microbiota and prebiotics modulation of uremic toxin generation. <i>Panminerva Medica</i> , 2017 , 59, 173-18	7 ₂	17
200	Serum sclerostin: relation with mortality and impact of hemodiafiltration. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 1217-1223	4.3	15
199	As we grow old: nutritional considerations for older patients on dialysis. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 1127-1136	4.3	15
198	The changing trends and outcomes in renal replacement therapy: data from the ERA-EDTA Registry. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 831-41	4.3	92
197	Multiphasic effects of blood pressure on survival in hemodialysis patients. <i>Kidney International</i> , 2016 , 90, 674-84	9.9	27

(2016-2016)

196	Protein-Bound Uremic Toxins from Gut Microbiota and Inflammatory Markers in Chronic Kidney Disease. <i>Journal of Renal Nutrition</i> , 2016 , 26, 396-400	3	55
195	Clinical Practice Guideline on management of older patients with chronic kidney disease stage 3b or higher (eGFR . <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, ii1-ii66	4.3	61
194	The uremic toxin indoxyl sulfate exacerbates reactive oxygen species production and inflammation in 3T3-L1 adipose cells. <i>Free Radical Research</i> , 2016 , 50, 337-44	4	40
193	Determination of the binding properties of the uremic toxin phenylacetic acid to human serum albumin. <i>Biochimie</i> , 2016 , 125, 53-8	4.6	9
192	Low parathyroid hormone status induced by high dialysate calcium is an independent risk factor for cardiovascular death in hemodialysis patients. <i>Kidney International</i> , 2016 , 89, 666-74	9.9	27
191	Does pre-emptive transplantation versus post start of dialysis transplantation with a kidney from a living donor improve outcomes after transplantation? A systematic literature review and position statement by the Descartes Working Group and ERBP. <i>Nephrology Dialysis Transplantation</i> , 2016 ,	4.3	48
190	Membranous glomerulonephritis as a novel paraneoplastic syndrome in a young man with chronic myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2016 , 57, 483-485	1.9	
189	Synbiotic supplementation promotes improvement of chronic diarrhea of unknown etiology in patient with chronic kidney disease and provides better outcomes in dialysis. <i>Nutricion Hospitalaria</i> , 2016 , 33, 182-4	1	3
188	Nutritional Aspects of On-Line Hemodiafiltration 2016 , 233-238		1
187	Retarding Chronic Kidney Disease (CKD) Progression: A Practical Nutritional Approach for Non-Dialysis CKD. <i>Nephrology @ Point of Care</i> , 2016 , 2, pocj.5000207	0.5	5
186	French law: what about a reasoned reimbursement of serum vitamin D assays?. <i>Psychologie & Neuropsychiatrie Du Vieillissement</i> , 2016 , 14, 377-382	0.3	5
185	Prognostic Value of Serum Albumin Changes Over Time in Elderly Adults Undergoing Hemodialysis. Journal of the American Geriatrics Society, 2016 , 64, 1353-4	5.6	3
184	New insights into renal toxicity of the B-RAF inhibitor, vemurafenib, in patients with metastatic melanoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2016 , 78, 419-26	3.5	21
183	Exercise Training Alters the Bone Mineral Density of Hemodialysis Patients. <i>Journal of Strength and Conditioning Research</i> , 2016 , 30, 2918-23	3.2	17
182	Adherence to ketoacids/essential amino acids-supplemented low protein diets and new indications for patients with chronic kidney disease. <i>BMC Nephrology</i> , 2016 , 17, 63	2.7	16
181	No apparent link between serum Klotho and phosphate in human chronic kidney disease. <i>Kidney International</i> , 2016 , 89, 1399-400	9.9	O
180	Clinical management of the uraemic syndrome in chronic kidney disease. <i>Lancet Diabetes and Endocrinology,the</i> , 2016 , 4, 360-73	18.1	57
179	Association Between Protein Intake and Mortality in Hypertensive Patients Without Chronic Kidney Disease in the OLD-HTA Cohort. <i>Hypertension</i> , 2016 , 67, 1142-9	8.5	14

178	In Hemodialysis Patients, Intradialytic Resistance Exercise Improves Osteoblast Function: A Pilot Study. <i>Journal of Renal Nutrition</i> , 2016 , 26, 341-5	3	15
177	NF- B expression and its association with nutritional status in hemodialysis patients. <i>International Urology and Nephrology</i> , 2016 , 48, 2089-2094	2.3	4
176	Impact of BMI Variations on Survival in Elderly Hemodialysis Patients. <i>Journal of Renal Nutrition</i> , 2015 , 25, 488-93	3	12
175	Trimethylamine N-Oxide From Gut Microbiota in Chronic Kidney Disease Patients: Focus on Diet. <i>Journal of Renal Nutrition</i> , 2015 , 25, 459-65	3	35
174	Mutation Update of the CLCN5 Gene Responsible for Dent Disease 1. Human Mutation, 2015, 36, 743-52	24.7	44
173	Serum sclerostin: the missing link in the bone-vessel cross-talk in hemodialysis patients?. <i>Osteoporosis International</i> , 2015 , 26, 2165-74	5.3	41
172	The double challenge of resistant hypertension and chronic kidney disease. <i>Lancet, The</i> , 2015 , 386, 1588	3 - ₽8	108
171	Gut microbiota and inflammation in chronic kidney disease patients. <i>CKJ: Clinical Kidney Journal</i> , 2015 , 8, 332-4	4.5	51
170	Probiotics and chronic kidney disease. <i>Kidney International</i> , 2015 , 88, 958-66	9.9	118
169	Low-protein diets in chronic kidney disease: are we finally reaching a consensus?. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 6-8	4.3	48
168	Resistance training in hemodialysis patients: a review. <i>Rehabilitation Nursing</i> , 2015 , 40, 111-26	1.3	14
167	FP439LEAN BODY MASS AND OSTEOPROTEGERIN CORRELATE WITH BONE MINERAL DENSITY IN HEMODIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, iii217-iii217	4.3	
166	Is there interaction between gut microbial profile and cardiovascular risk in chronic kidney disease patients?. <i>Future Microbiology</i> , 2015 , 10, 517-26	2.9	36
165	Using a web-based nutrition algorithm in hemodialysis patients. <i>Journal of Renal Nutrition</i> , 2015 , 25, 6-16	3	3
164	Phenotypes influencing low physical activity in maintenance dialysis. <i>Journal of Renal Nutrition</i> , 2015 , 25, 31-9	3	30
163	Mortality from infections and malignancies in patients treated with renal replacement therapy: data from the ERA-EDTA registry. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1028-37	4.3	59
162	Nephrologists' perspectives on dialysis treatment: results of an international survey. <i>BMC Nephrology</i> , 2014 , 15, 16	2.7	21
161	Nutrition: Intradialytic oral nutritionthe ultimate conviction. <i>Nature Reviews Nephrology</i> , 2014 , 10, 11-7	214.9	1

160	Immune, metabolic and epidemiological aspects of vitamin D in chronic kidney disease and transplant patients. <i>Clinical Biochemistry</i> , 2014 , 47, 509-15	3.5	4
159	Role of altered intestinal microbiota in systemic inflammation and cardiovascular disease in chronic kidney disease. <i>Future Microbiology</i> , 2014 , 9, 399-410	2.9	100
158	Use of a standard urine assay for measuring the phosphate content of beverages. <i>Journal of Renal Nutrition</i> , 2014 , 24, 353-6	3	7
157	A simple protein-energy wasting score predicts survival in maintenance hemodialysis patients. Journal of Renal Nutrition, 2014 , 24, 395-400	3	41
156	In chronic kidney disease, serum Eklotho is related to serum bicarbonate and proteinuria. <i>Journal of Renal Nutrition</i> , 2014 , 24, 390-4	3	11
155	Management of hyperphosphataemia: practices and perspectives amongst the renal care community. <i>Journal of Renal Care</i> , 2014 , 40, 230-8	1.6	2
154	Economic effects of treatment of chronic kidney disease with low-protein diet. <i>Journal of Renal Nutrition</i> , 2014 , 24, 313-21	3	20
153	Insulin resistance in chronic kidney disease: new lessons from experimental models. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 1666-74	4.3	50
152	Indoxyl sulfate and p-cresyl sulfate in chronic kidney disease. Could these toxins modulate the antioxidant Nrf2-Keap1 pathway?. <i>Journal of Renal Nutrition</i> , 2014 , 24, 286-91	3	11
151	Epidemiology, contributors to, and clinical trials of mortality risk in chronic kidney failure. <i>Lancet, The,</i> 2014 , 383, 1831-43	40	250
150	The relationship between renal function and plasma concentration of the cachectic factor zinc-alpha2-glycoprotein (ZAG) in adult patients with chronic kidney disease. <i>PLoS ONE</i> , 2014 , 9, e10347	7 <i>3</i> ·7	17
149	The French Chronic Kidney Disease-Renal Epidemiology and Information Network (CKD-REIN) cohort study. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 1500-7	4.3	53
148	European Renal Best Practice (ERBP) Guideline development methodology: towards the best possible guidelines. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 731-8	4.3	25
147	A European Renal Best Practice (ERBP) position statement on the Kidney Disease: Improving Global Outcomes (KDIGO) clinical practice guideline for the management of blood pressure in non-dialysis-dependent chronic kidney disease: an endorsement with some caveats for real-life	4.3	63
146	Dietary trends and management of hyperphosphatemia among patients with chronic kidney disease: an international survey of renal care professionals. <i>Journal of Renal Nutrition</i> , 2014 , 24, 110-5	3	10
145	Acyl-ghrelin and obestatin plasma levels in different stages of chronic kidney disease. <i>Journal of Renal Nutrition</i> , 2014 , 24, 100-4	3	4
144	Balancing nutrition and serum phosphorus in maintenance dialysis. <i>American Journal of Kidney Diseases</i> , 2014 , 64, 143-50	7.4	46
143	The Aging Adult 2014 , 333-344		

kidney Diseases Improving Global Outcomes guidelines on anaemia management in chronic kidney disease a European Renal Best Practice position statement. Nephrology Dialysis Transplantation, 2013, 28, 1346-59 1449 Vegetarianism: advantages and drawbacks in patients with chronic kidney diseases. Journal of Renal Nutrition, 2013, 23, 399-405 139 Protein-bound uremic toxins/lew targets to prevent insulin resistance and dysmetabolism in patients with chronic kidney disease. Journal of Renal Nutrition, 2013, 23, 464-6 138 Ectopic lipid accumulation: A potential cause for metabolic disturbances and a contributor to the alteration of kidney function. Biochimie, 2013, 95, 1971-9 137 Differential dose effect of fish oil on inflammation and adipose tissue gene expression in chronic kidney disease patients. Natrition, 2013, 29, 730-6 136 White adipose tissue overproduces the lipid-mobilizing factor zinc B-glycoprotein in chronic kidney disease. Kidney international, 2013, 83, 878-86 137 Prevention and treatment of protein energy wasting in chronic kidney disease patients: a consensus statement by the International Society of Renal Nutrition and Metabolism. Kidney International, 2013, 84, 1096-107 138 Control of mineral metabolism and bone disease in haemodialysis patients: which optimal targets?. An Nephrology Dialysis Transplantation, 2013, 28, 393-5 137 The phosphorus proteininal interaction in chronic kidney disease. Nephrology Dialysis Transplantation, 2013, 28, 493-5 139 Comparison of a Bayesian network with a logistic regression model to forecast IgA nephropathy. BioMed Research International, 2013, 2013, 686150 131 Acute renal infarction: a case series. Clinical Journal of the American Society of Nephrology: JASN, 2013, 24, 88-99 Serum phosphorus reduction in dialysis patients treated with CKD. Journal of the American Society of Nephrology: CIASN, 2013, 8, 819-23 1420 De Vetoanalogues still have a role in delaying dialysis initiation in CKD predialysis patients? 25 36 26 26 27 27 26 27 28 26 27 29 26	142	Low Protein, Amino Acid and Ketoacid Diets to Slow the Progression of Chronic Kidney Disease and Improve Metabolic Control of Uremia 2013 , 209-231		
Protein-bound uremic toxinsBew targets to prevent insulin resistance and dysmetabolism in patients with chronic kidney disease. <i>Journal of Renal Nutrition</i> , 2013, 23, 464-6 138 Ectopic lipid accumulation: A potential cause for metabolic disturbances and a contributor to the alteration of kidney function. <i>Biochimie</i> , 2013, 95, 1971-9 139 Differential dose effect of fish oil on inflammation and adipose tissue gene expression in chronic kidney disease patients. <i>Nutrition</i> , 2013, 29, 730-6 130 White adipose tissue overproduces the lipid-mobilizing factor zinc R-glycoprotein in chronic kidney disease. <i>Kidney International</i> , 2013, 83, 878-86 130 Prevention and treatment of protein energy wasting in chronic kidney disease patients: a consensus statement by the International Society of Renal Nutrition and Metabolism. <i>Kidney International</i> , 2013, 84, 1096-107 130 Control of mineral metabolism and bone disease in haemodialysis patients: which optimal targets?. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 360-7 131 The phosphorus-proteinuria interaction in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 493-5 132 Comparison of a Bayesian network with a logistic regression model to forecast IgA nephropathy. <i>Biomed Research International</i> , 2013, 2013, 686150 133 Acute renal infarction: a case series. <i>Clinical Journal of the American Society of Nephrology: CIASN</i> , 2013, 8, 392-8 134 2013, 8, 392-8 135 Procesyl sulfate promotes insulin resistance associated with CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 88-99 136 Procesyl sulfate promotes insulin resistance associated with CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 88-99 136 Procesyl sulfate promotes insulin resistance associated with CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 88-99 137 Do ketoanalogues still have a role in delaying dialysis initiation in CKD predialysis patients?. Senimars in <i>Dialysis</i> , 2013, 26, 714-9 138 Dietary protein metab	141	disease: a European Renal Best Practice position statement. Nephrology Dialysis Transplantation,	4.3	479
Ectopic lipid accumulation: A potential cause for metabolic disturbances and a contributor to the alteration of kidney function. <i>Biochimie</i> , 2013, 95, 1971-9 138 Ectopic lipid accumulation: A potential cause for metabolic disturbances and a contributor to the alteration of kidney function. <i>Biochimie</i> , 2013, 95, 1971-9 139 Differential dose effect of fish oil on inflammation and adipose tissue gene expression in chronic kidney disease patients. <i>Nutrition</i> , 2013, 29, 730-6 130 White adipose tissue overproduces the lipid-mobilizing factor zinc B-glycoprotein in chronic kidney disease. <i>Kidney International</i> , 2013, 83, 878-86 130 Prevention and treatment of protein energy wasting in chronic kidney disease patients: a consensus statement by the International Society of Renal Nutrition and Metabolism. <i>Kidney International</i> , 2013, 84, 1096-107 130 Control of mineral metabolism and bone disease in haemodialysis patients: which optimal targets?. As Nephrology Dialysis Transplantation, 2013, 28, 493-5 131 Phe phosphorus-proteinuria interaction in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 493-5 132 Comparison of a Bayesian network with a logistic regression model to forecast IgA nephropathy. 3 11 133 Acute renal infarction: a case series. <i>Clinical Journal of the American Society of Nephrology: CASN</i> , 2013, 8, 392-8 134 Acute renal infarction: a case series. <i>Clinical Journal of the American Society of Nephrology: LASN</i> , 2013, 24, 88-99 135 Po-Cresyl sulfate promotes insulin resistance associated with CKD. <i>Journal of the American Society of Nephrology: LASN</i> , 2013, 6, 287-294 136 Preprintars in Dialysis, 2013, 26, 714-9 137 Do Retoanalogues still have a role in delaying dialysis initiation in CKD predialysis patients? 138 Dietary protein metabolism by gut microbiota and its consequences for chronic kidney disease patients. <i>Future Microbiology</i> , 2013, 8, 1317-23	140		3	27
alteration of kidney function. <i>Biochimie</i> , 2013 , 95, 1971-9 137 Differential dose effect of fish oil on inflammation and adipose tissue gene expression in chronic kidney disease patients. <i>Nutrition</i> , 2013 , 29, 730-6 138 White adipose tissue overproduces the lipid-mobilizing factor zinc B-glycoprotein in chronic kidney disease. <i>Kidney International</i> , 2013 , 83, 878-86 139 Prevention and treatment of protein neargy wasting in chronic kidney disease patients: a consensus statement by the International Society of Renal Nutrition and Metabolism. <i>Kidney International</i> , 2013 , 84, 1096-107 134 Control of mineral metabolism and bone disease in haemodialysis patients: which optimal targets?. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 360-7 135 The phosphorus-proteinuria interaction in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 493-5 130 Comparison of a Bayesian network with a logistic regression model to forecast IgA nephropathy. <i>BioMed Research International</i> , 2013 , 2013, 686150 131 Acute renal infarction: a case series. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 392-8 132 P-Cresyl sulfate promotes insulin resistance associated with CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 88-99 133 Serum phosphorus reduction in dialysis patients treated with cinacalcet for secondary hyperparathyroidsm results mainly from parathyroid hormone reduction. <i>CKJ: Clinical Kidney Journal of the American Society of Nephrology: JASN</i> , 2013 , 6, 287-294 128 The relation between renal function and serum sclerostin in adult patients with CKD. <i>Clinical Seminars in Dialysis</i> , 2013 , 26, 714-9 129 Do ketoanalogues still have a role in delaying dialysis initiation in CKD predialysis patients? 25 36 126 Dietary protein metabolism by gut microbiota and its consequences for chronic kidney disease patients. <i>Future Microbiology</i> , 2013 , 8, 1317-23	139		3	23
White adipose tissue overproduces the lipid-mobilizing factor zinc 2-glycoprotein in chronic kidney disease. <i>Kidney International</i> , 2013, 83, 878-86 Prevention and treatment of protein energy wasting in chronic kidney disease patients: a consensus statement by the International Society of Renal Nutrition and Metabolism. <i>Kidney International</i> , 2013, 84, 1096-107 Control of mineral metabolism and bone disease in haemodialysis patients: which optimal targets?. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 360-7 The phosphorus-proteinuria interaction in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 493-5 Comparison of a Bayesian network with a logistic regression model to forecast IgA nephropathy. <i>BioMed Research International</i> , 2013, 2013, 686150 Acute renal infarction: a case series. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 392-8 p-Cresyl sulfate promotes insulin resistance associated with CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 88-99 Serum phosphorus reduction in dialysis patients treated with cinacalcet for secondary hyperparathyroidism results mainly from parathyroid hormone reduction. <i>CKJ: Clinical Kidney Journal</i> , 2013, 6, 287-294 The relation between renal function and serum sclerostin in adult patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 819-23 Do ketoanalogues still have a role in delaying dialysis initiation in CKD predialysis patients? <i>Seminars in Dialysis</i> , 2013, 26, 714-9 Dietary protein metabolism by gut microbiota and its consequences for chronic kidney disease patients. <i>Future Microbiology</i> , 2013, 8, 1317-23	138		4.6	85
Prevention and treatment of protein energy wasting in chronic kidney disease patients: a consensus statement by the International Society of Renal Nutrition and Metabolism. Kidney International, 2013, 84, 1096-107 Control of mineral metabolism and bone disease in haemodialysis patients: which optimal targets?. Nephrology Dialysis Transplantation, 2013, 28, 360-7 The phosphorus-proteinuria interaction in chronic kidney disease. Nephrology Dialysis Transplantation, 2013, 28, 360-7 The phosphorus-proteinuria interaction in chronic kidney disease. Nephrology Dialysis Transplantation, 2013, 28, 493-5 Comparison of a Bayesian network with a logistic regression model to forecast IgA nephropathy. BioMed Research International, 2013, 2013, 686150 3 11 Acute renal infarction: a case series. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 392-8 p-Cresyl sulfate promotes insulin resistance associated with CKD. Journal of the American Society of Nephrology: Agr. 2013, 24, 88-99 Serum phosphorus reduction in dialysis patients treated with cinacalcet for secondary hyperparathyroidism results mainly from parathyroid hormone reduction. CKJ: Clinical Kidney Journal of the American Society of Nephrology: CJASN, 2013, 24, 88-99 The relation between renal function and serum sclerostin in adult patients with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 819-23 Do ketoanalogues still have a role in delaying dialysis initiation in CKD predialysis patients?. Seminars in Dialysis, 2013, 26, 714-9 Dietary protein metabolism by gut microbiota and its consequences for chronic kidney disease patients. Future Microbiology, 2013, 8, 1317-23 Terminal complement inhibitor eculizumab in atypical hemolytic-uremic syndrome. New England	137		4.8	29
consensus statement by the International Society of Renal Nutrition and Metabolism. <i>Kidney International</i> , 2013, 84, 1096-107 Control of mineral metabolism and bone disease in haemodialysis patients: which optimal targets?. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 360-7 The phosphorus-proteinuria interaction in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 493-5 Comparison of a Bayesian network with a logistic regression model to forecast IgA nephropathy. <i>BioMed Research International</i> , 2013, 2013, 686150 3 11 Acute renal infarction: a case series. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 392-8 p-Cresyl sulfate promotes insulin resistance associated with CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 88-99 Serum phosphorus reduction in dialysis patients treated with cinacalcet for secondary hyperparathyroidism results mainly from parathyroid hormone reduction. <i>CKJ: Clinical Kidney Journal of the American Society of Nephrology: CJASN</i> , 2013, 6, 287-294 The relation between renal function and serum sclerostin in adult patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 819-23 Do ketoanalogues still have a role in delaying dialysis initiation in CKD predialysis patients?. <i>Seminars in Dialysis</i> , 2013, 26, 714-9 Dietary protein metabolism by gut microbiota and its consequences for chronic kidney disease patients. <i>Future Microbiology</i> , 2013, 8, 1317-23 Terminal complement inhibitor eculizumab in atypical hemolytic-uremic syndrome. <i>New England</i>	136		9.9	35
The phosphorus-proteinuria interaction in chronic kidney disease. Nephrology Dialysis Transplantation, 2013, 28, 493-5 Comparison of a Bayesian network with a logistic regression model to forecast IgA nephropathy. BioMed Research International, 2013, 2013, 686150 Acute renal infarction: a case series. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 392-8 p-Cresyl sulfate promotes insulin resistance associated with CKD. Journal of the American Society of Nephrology: JASN, 2013, 24, 88-99 Serum phosphorus reduction in dialysis patients treated with cinacalcet for secondary hyperparathyroidism results mainly from parathyroid hormone reduction. CKJ: Clinical Kidney Journal, 2013, 6, 287-294 The relation between renal function and serum sclerostin in adult patients with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 819-23 Do ketoanalogues still have a role in delaying dialysis initiation in CKD predialysis patients?. Seminars in Dialysis, 2013, 26, 714-9 Do ketoanalogues still have a role in delaying dialysis initiation in CKD predialysis patients?. Seminars in Dialysis, 2013, 26, 714-9 Terminal complement inhibitor eculizumab in atypical hemolytic-uremic syndrome. New England	135	consensus statement by the International Society of Renal Nutrition and Metabolism. Kidney	9.9	348
Comparison of a Bayesian network with a logistic regression model to forecast IgA nephropathy. BioMed Research International, 2013, 2013, 686150 131 Acute renal infarction: a case series. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 392-8 130 P-Cresyl sulfate promotes insulin resistance associated with CKD. Journal of the American Society of Nephrology: JASN, 2013, 24, 88-99 127 161 129 Serum phosphorus reduction in dialysis patients treated with cinacalcet for secondary hyperparathyroidism results mainly from parathyroid hormone reduction. CKJ: Clinical Kidney Journal, 2013, 6, 287-294 128 The relation between renal function and serum sclerostin in adult patients with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 819-23 129 Do ketoanalogues still have a role in delaying dialysis initiation in CKD predialysis patients?. Seminars in Dialysis, 2013, 26, 714-9 120 Dietary protein metabolism by gut microbiota and its consequences for chronic kidney disease patients. Future Microbiology, 2013, 8, 1317-23 131 Terminal complement inhibitor eculizumab in atypical hemolytic-uremic syndrome. New England	134		4.3	57
Acute renal infarction: a case series. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 392-8 130 P-Cresyl sulfate promotes insulin resistance associated with CKD. Journal of the American Society of Nephrology: JASN, 2013, 24, 88-99 127 161 Serum phosphorus reduction in dialysis patients treated with cinacalcet for secondary hyperparathyroidism results mainly from parathyroid hormone reduction. CKJ: Clinical Kidney Journal, 2013, 6, 287-294 The relation between renal function and serum sclerostin in adult patients with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 819-23 Do ketoanalogues still have a role in delaying dialysis initiation in CKD predialysis patients? Seminars in Dialysis, 2013, 26, 714-9 Dietary protein metabolism by gut microbiota and its consequences for chronic kidney disease patients. Future Microbiology, 2013, 8, 1317-23 Terminal complement inhibitor eculizumab in atypical hemolytic-uremic syndrome. New England	133		4.3	2
p-Cresyl sulfate promotes insulin resistance associated with CKD. Journal of the American Society of Nephrology: JASN, 2013, 24, 88-99 Serum phosphorus reduction in dialysis patients treated with cinacalcet for secondary hyperparathyroidism results mainly from parathyroid hormone reduction. CKJ: Clinical Kidney Journal, 2013, 6, 287-294 The relation between renal function and serum sclerostin in adult patients with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 819-23 Do ketoanalogues still have a role in delaying dialysis initiation in CKD predialysis patients?. Seminars in Dialysis, 2013, 26, 714-9 Dietary protein metabolism by gut microbiota and its consequences for chronic kidney disease patients. Future Microbiology, 2013, 8, 1317-23 Terminal complement inhibitor eculizumab in atypical hemolytic-uremic syndrome. New England	132		3	11
Serum phosphorus reduction in dialysis patients treated with cinacalcet for secondary hyperparathyroidism results mainly from parathyroid hormone reduction. CKJ: Clinical Kidney Journal, 2013, 6, 287-294 128 The relation between renal function and serum sclerostin in adult patients with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 819-23 127 Do ketoanalogues still have a role in delaying dialysis initiation in CKD predialysis patients?. Seminars in Dialysis, 2013, 26, 714-9 Dietary protein metabolism by gut microbiota and its consequences for chronic kidney disease patients. Future Microbiology, 2013, 8, 1317-23 Terminal complement inhibitor eculizumab in atypical hemolytic-uremic syndrome. New England	131		6.9	94
hyperparathyroidism results mainly from parathyroid hormone reduction. CKJ: Clinical Kidney Journal, 2013, 6, 287-294 The relation between renal function and serum sclerostin in adult patients with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 819-23 Do ketoanalogues still have a role in delaying dialysis initiation in CKD predialysis patients?. Seminars in Dialysis, 2013, 26, 714-9 Dietary protein metabolism by gut microbiota and its consequences for chronic kidney disease patients. Future Microbiology, 2013, 8, 1317-23 Terminal complement inhibitor eculizumab in atypical hemolytic-uremic syndrome. New England	130		12.7	161
Journal of the American Society of Nephrology: CJASN, 2013, 8, 819-23 Do ketoanalogues still have a role in delaying dialysis initiation in CKD predialysis patients?. Seminars in Dialysis, 2013, 26, 714-9 Dietary protein metabolism by gut microbiota and its consequences for chronic kidney disease patients. Future Microbiology, 2013, 8, 1317-23 Terminal complement inhibitor eculizumab in atypical hemolytic-uremic syndrome. New England	129	hyperparathyroidism results mainly from parathyroid hormone reduction. CKJ: Clinical Kidney	4.5	19
Dietary protein metabolism by gut microbiota and its consequences for chronic kidney disease patients. Future Microbiology, 2013, 8, 1317-23 Terminal complement inhibitor eculizumab in atypical hemolytic-uremic syndrome. New England	128	·	6.9	145
patients. Future Microbiology, 2013 , 8, 1317-23 2.9 53 Terminal complement inhibitor eculizumab in atypical hemolytic-uremic syndrome. New England	127		2.5	36
	126		2.9	53
	125		59.2	967

(2011-2013)

124	What guidelines should or should not be: implications for guideline production. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 1980-4	4.3	9
123	Underreporting of energy intake in maintenance hemodialysis patients: a cross-sectional study. <i>Journal of Renal Nutrition</i> , 2012 , 22, 578-83	3	14
122	A European Renal Best Practice (ERBP) position statement on the Kidney Disease Improving Global Outcomes (KDIGO) clinical practice guidelines on acute kidney injury: part 1: definitions, conservative management and contrast-induced nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 4263-72	4.3	349
121	Zinc-Q-glycoprotein: is there association between this new adipokine and body composition in hemodialysis patients?. <i>Renal Failure</i> , 2012 , 34, 1062-7	2.9	9
120	Protein-restricted diets plus keto/amino acidsa valid therapeutic approach for chronic kidney disease patients. <i>Journal of Renal Nutrition</i> , 2012 , 22, S1-21	3	30
119	Is a body mass index of 23 kg/m[]a reliable marker of protein-energy wasting in hemodialysis patients?. <i>Nutrition</i> , 2012 , 28, 973-7	4.8	22
118	Keto acid therapy in predialysis chronic kidney disease patients: final consensus. <i>Journal of Renal Nutrition</i> , 2012 , 22, S22-4	3	40
117	Bone microarchitecture is more severely affected in patients on hemodialysis than in those receiving peritoneal dialysis. <i>Kidney International</i> , 2012 , 82, 581-8	9.9	24
116	Relative Change in NT-proBNP Level: An Important Risk Predictor of Cardiovascular Congestion in Haemodialysis Patients. <i>Nephron Extra</i> , 2012 , 2, 311-8		7
115	Physical activity and energy expenditure in haemodialysis patients: an international survey. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 2430-4	4.3	101
114	Influence of inflammation on total energy expenditure in hemodialysis patients. <i>Journal of Renal Nutrition</i> , 2011 , 21, 387-93	3	26
113	Have recommended protein and phosphate intake recently changed in maintenance hemodialysis?. <i>Journal of Renal Nutrition</i> , 2011 , 21, 35-8	3	7
112	Nutrition and chronic kidney disease. Kidney International, 2011, 80, 348-57	9.9	117
111	Serum creatinine improves body mass index survival prediction in hemodialysis patients: a 1-year prospective cohort analysis from the ARNOS study. <i>Journal of Renal Nutrition</i> , 2011 , 21, 369-75	3	23
110	Effectiveness of cinacalcet in patients with recurrent/persistent secondary hyperparathyroidism following parathyroidectomy: results of the ECHO study. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 1956-61	4.3	14
109	Calcium carbonate, but not sevelamer, is associated with better outcomes in hemodialysis patients: results from the French ARNOS study. <i>Hemodialysis International</i> , 2011 , 15, 485-92	1.7	17
108	Handgrip strength and its dialysis determinants in hemodialysis patients. <i>Nutrition</i> , 2011 , 27, 1125-9	4.8	44
107	Human uremic plasma and not urea induces exuberant secretion of leptin in 3T3-L1 adipocytes. Journal of Renal Nutrition, 2011, 21, 72-5	3	15

106	Renal perfusion: noninvasive measurement with multidetector CT versus fluorescent microspheres in a pig model. <i>Radiology</i> , 2011 , 260, 414-20	20.5	23
105	Use of handgrip strength in the assessment of the muscle function of chronic kidney disease patients on dialysis: a systematic review. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 1354-60	4.3	88
104	Mineral and bone metabolism in dialysis: towards unified patient care?. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 7-9	4.3	7
103	Dog walk: a simple way to improve chronic kidney disease patients' inactivity. <i>CKJ: Clinical Kidney Journal</i> , 2011 , 4, 362-3	4.5	1
102	Dietary Approaches to Kidney Diseases 2011 , 2170-2204		2
101	Endorsement of the Kidney Disease Improving Global Outcomes (KDIGO) Chronic Kidney Disease-Mineral and Bone Disorder (CKD-MBD) Guidelines: a European Renal Best Practice (ERBP) commentary statement. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 3823-31	4.3	74
100	Educating end-stage renal disease patients on dialysis modality selection. <i>CKJ: Clinical Kidney Journal</i> , 2010 , 3, 225-233	4.5	12
99	Mineral and bone disease pattern in elderly haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 3062-70	4.3	31
98	Are ghrelin and leptin involved in food intake and body mass index in maintenance hemodialysis?. <i>Journal of Renal Nutrition</i> , 2010 , 20, 151-7	3	15
97	Dietary phosphate assessment in dialysis patients. <i>Journal of Renal Nutrition</i> , 2010 , 20, 351-8	3	16
96	Endocrine role of stomach in appetite regulation in chronic kidney disease: about ghrelin and obestatin. <i>Journal of Renal Nutrition</i> , 2010 , 20, 68-73	3	7
95	Parathyroid hormone measurement in CKD. <i>Kidney International</i> , 2010 , 77, 93-100	9.9	81
94	Early impairment of trabecular microarchitecture assessed with HR-pQCT in patients with stage II-IV chronic kidney disease. <i>Journal of Bone and Mineral Research</i> , 2010 , 25, 849-57	6.3	65
93	Assessment of bone microarchitecture in chronic kidney disease: a comparison of 2D bone texture analysis and high-resolution peripheral quantitative computed tomography at the radius and tibia. <i>Calcified Tissue International</i> , 2010 , 87, 385-91	3.9	11
92	Zinc deficiency in chronic kidney disease: is there a relationship with adipose tissue and atherosclerosis?. <i>Biological Trace Element Research</i> , 2010 , 135, 16-21	4.5	28
91	Obestatin and ghrelin interplay in hemodialysis patients. <i>Nutrition</i> , 2010 , 26, 1100-4	4.8	26
90	Prolonged hemodialysis for acute kidney injury in myeloma patients. <i>Clinical Nephrology</i> , 2010 , 74, 319-	-22 .1	4
89	Preserved residual renal function is associated with lower oxidative stress in peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 1685-9	4.3	17

(2007-2009)

88	Short-term administration of a combination of recombinant growth hormone and insulin-like growth factor-I induces anabolism in maintenance hemodialysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2299-305	5.6	21
87	The relationship between adipokines, osteocalcin and bone quality in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 3120-5	4.3	47
86	The future of European Nephrology 'Guidelines'-a declaration of intent by European Renal Best Practice (ERBP). <i>CKJ: Clinical Kidney Journal</i> , 2009 , 2, 213-21	4.5	6
85	Cinacalcet and achievement of the NKF/K-DOQI recommended target values for bone and mineral metabolism in real-world clinical practicethe ECHO observational study. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 2852-9	4.3	74
84	Long-term outcome on renal replacement therapy in patients who previously received a keto acid-supplemented very-low-protein diet. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 969-74	7	36
83	ESPEN Guidelines on Parenteral Nutrition: adult renal failure. Clinical Nutrition, 2009, 28, 401-14	5.9	197
82	The ubiquitous nature and elusive role of phosphorus and vascular calcification. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 363-5	7.4	3
81	Effect of a very low-protein diet on long-term outcomes. <i>American Journal of Kidney Diseases</i> , 2009 , 54, 183	7.4	11
80	Keto-acid therapy in predialysis chronic kidney disease patients: consensus statements. <i>Journal of Renal Nutrition</i> , 2009 , 19, S33-5	3	14
79	Low protein diets for chronic kidney disease in non diabetic adults. <i>The Cochrane Library</i> , 2009 , CD001	89 3 .2	106
78	New measurements of energy expenditure and physical activity in chronic kidney disease. <i>Journal of Renal Nutrition</i> , 2009 , 19, 16-9	3	14
77	Bone imaging and chronic kidney disease: will high-resolution peripheral tomography improve bone evaluation and therapeutic management?. <i>Journal of Renal Nutrition</i> , 2009 , 19, 44-9	3	22
76	Do low-protein diets work in chronic kidney disease patients?. Seminars in Nephrology, 2009, 29, 30-8	4.8	8
75	Use of a renal-specific oral supplement by haemodialysis patients with low protein intake does not increase the need for phosphate binders and may prevent a decline in nutritional status and quality of life. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 2902-10	4.3	70
74	EBPG on Vascular Access. Nephrology Dialysis Transplantation, 2007, 22 Suppl 2, ii88-117	4.3	330
73	Adiponectin and chronic kidney disease. <i>Journal of Renal Nutrition</i> , 2007 , 17, 9-12	3	12
72	The Role of Growth Factors in the Treatment of Renal Failure. Seminars in Dialysis, 2007, 10, 100-107	2.5	1
71	An update on nutrition in chronic kidney disease. <i>International Urology and Nephrology</i> , 2007 , 39, 239-4	162.3	19

70	Impact of serum albumin and body-mass index on survival in hemodialysis patients. <i>International Urology and Nephrology</i> , 2007 , 39, 619-24	2.3	25
69	EBPG guideline on haemodynamic instability. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22 Suppl 2, ii22	- 4 :5	127
68	EBPG guideline on dialysis strategies. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22 Suppl 2, ii5-21	4.3	118
67	Good evidence evaluation for good risk assessment. <i>Archives of Internal Medicine</i> , 2007 , 167, 2146-7		
66	Intradialytic parenteral nutrition does not improve survival in malnourished hemodialysis patients: a 2-year multicenter, prospective, randomized study. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 2583-91	12.7	197
65	Eleven reasons to control the protein intake of patients with chronic kidney disease. <i>Nature Clinical Practice Nephrology</i> , 2007 , 3, 383-92		93
64	EBPG guideline on nutrition. Nephrology Dialysis Transplantation, 2007, 22 Suppl 2, ii45-87	4.3	293
63	Authors' response to The two best reasons NOT to focus on protein restriction in chronic kidney disease [Nature Clinical Practice Nephrology, 2007, 3, E2-E2		O
62	Chronic dehydration may impair renal function in patients with chronic intestinal failure on long-term parenteral nutrition. <i>Clinical Nutrition</i> , 2006 , 25, 75-81	5.9	60
61	Recurrent idiopathic thrombotic thrombocytopenic purpura: a role for vaccination in disease relapse?. <i>American Journal of Kidney Diseases</i> , 2006 , 48, e31-4	7.4	14
60	Relationship between serum carnitine, acylcarnitines, and renal function in patients with chronic renal disease. <i>Journal of Renal Nutrition</i> , 2006 , 16, 125-31	3	51
59	Effect of a high-fat meal on the postprandial ghrelin response. <i>American Journal of Clinical Nutrition</i> , 2006 , 84, 664-5; author reply 665-6	7	1
58	Associations of body fat and its changes over time with quality of life and prospective mortality in hemodialysis patients. <i>American Journal of Clinical Nutrition</i> , 2006 , 83, 202-10	7	235
57	Application of branched-chain amino acids in human pathological states: renal failure. <i>Journal of Nutrition</i> , 2006 , 136, 299S-307S	4.1	43
56	Low protein diets for chronic kidney disease in non diabetic adults. <i>Cochrane Database of Systematic Reviews</i> , 2006 , CD001892		51
55	Growth hormone induces anabolism in malnourished maintenance haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 952-8	4.3	25
54	Leptin, adiponectin, and ghrelin dysregulation in chronic kidney disease. <i>Journal of Renal Nutrition</i> , 2005 , 15, 116-20	3	22
53	Dialyzer membrane permeability and survival in hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2005 , 45, 565-71	7.4	96

(2002-2005)

52	Multinutrient oral supplements and tube feeding in maintenance dialysis: a systematic review and meta-analysis. <i>American Journal of Kidney Diseases</i> , 2005 , 46, 387-405	7.4	125
51	Adiponectin in chronic kidney disease is related more to metabolic disturbances than to decline in renal function. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 129-34	4.3	117
50	Percutaneous ethanol injection treatment of severe hyperparathyroidism in maintenance dialysis: risks and benefits. <i>Hemodialysis International</i> , 2004 , 8, 214-8	1.7	
49	Phosphate intake and the CARE study. <i>Kidney International</i> , 2004 , 66, 2088; author reply 2088-9	9.9	1
48	Metabolic acidosis and malnutrition-inflammation complex syndrome in chronic renal failure. <i>Seminars in Dialysis</i> , 2004 , 17, 455-65	2.5	122
47	AltEations mEaboliques au cours de linsuffisance rEiale chronique. <i>Nutrition Clinique Et Metabolisme</i> , 2004 , 18, 3-6	0.8	
46	Outcome research, nutrition, and reverse epidemiology in maintenance dialysis patients. <i>Journal of Renal Nutrition</i> , 2004 , 14, 64-71	3	33
45	Malnutrition and dialysis 2004 , 1013-1039		5
44	Advances in anabolic interventions for malnourished dialysis patients 2003 , 13, 161-5		14
43	Nutritional requirements in maintenance hemodialysis. <i>Advances in Chronic Kidney Disease</i> , 2003 , 10, 183-93		12
42	Efficacy of mycophenolate mofetil on recurrent glomerulonephritis after renal transplantation. <i>Clinical Nephrology</i> , 2003 , 59, 212-6	2.1	11
41	Albumin loss in on-line hemodiafiltration. International Journal of Artificial Organs, 2002, 25, 203-9	1.9	27
40	Dynamic renal blood flow measurement by positron emission tomography in patients with CRF. <i>American Journal of Kidney Diseases</i> , 2002 , 40, 947-54	7.4	20
39	Malnutrition in hemodialysis diabetic patients: evaluation and prognostic influence. <i>Kidney International</i> , 2002 , 62, 593-601	9.9	79
38	Nutritional status in dialysis patients: a European consensus. <i>Nephrology Dialysis Transplantation</i> , 2002 , 17, 563-72	4.3	180
37	Management of disturbances of calcium and phosphate metabolism in chronic renal insufficiency, with emphasis on the control of hyperphosphataemia. <i>Nephrology Dialysis Transplantation</i> , 2002 , 17, 723-31	4.3	132
36	Effects of L-carnitine supplementation in maintenance hemodialysis patients: a systematic review. <i>Journal of the American Society of Nephrology: JASN</i> , 2002 , 13, 708-714	12.7	127
35	Intermediate-dose (25mg/m2) IV melphalan for multiple myeloma with renal failure. <i>Journal of Nephrology</i> , 2002 , 15, 684-9	4.8	11

34	Short daily hemodialysis rapidly improves nutritional status in hemodialysis patients. <i>Kidney International</i> , 2001 , 60, 1555-60	9.9	100
33	Factors influencing survival in hemodialysis patients aged older than 75 years: 2.5-year outcome study. <i>American Journal of Kidney Diseases</i> , 2001 , 37, 997-1003	7.4	58
32	Influence of nutritional factors and hemodialysis adequacy on the survival of 1,610 French patients. <i>American Journal of Kidney Diseases</i> , 2001 , 37, S81-8	7.4	131
31	Short daily hemodialysis and nutritional status. <i>American Journal of Kidney Diseases</i> , 2001 , 37, S95-8	7.4	56
30	Myofibroblast: a prognostic marker and target cell in progressive renal disease. <i>Renal Failure</i> , 2001 , 23, 543-9	2.9	28
29	Renal thrombotic microangiopathy induced by interferon-alpha. <i>Nephrology Dialysis Transplantation</i> , 2001 , 16, 846-8	4.3	23
28	Haemodialysis with the biocompatible high permeability AN-69 membrane does not alter plasma insulin-like growth factor-I and insulin-like growth factor binding protein-3. <i>Nephrology Dialysis Transplantation</i> , 2001 , 16, 590-4	4.3	8
27	Adaptive response to a low-protein diet in predialysis chronic renal failure patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2001 , 12, 1249-1254	12.7	54
26	Acidosis and nutritional status in hemodialyzed patients. French Study Group for Nutrition in Dialysis. <i>Seminars in Dialysis</i> , 2000 , 13, 241-6	2.5	46
25	Renal blood flow measurement by positron emission tomography using 15O-labeled water. <i>Kidney International</i> , 2000 , 57, 2511-8	9.9	33
24	Recombinant human insulin-like growth factor-1 induces an anabolic response in malnourished CAPD patients. <i>Kidney International</i> , 2000 , 57, 646-54	9.9	61
23	Nutritional aspects in hemodialysis. <i>Kidney International</i> , 2000 , 76, S133-9	9.9	48
22	Low protein diets delay end-stage renal disease in non-diabetic adults with chronic renal failure. <i>Nephrology Dialysis Transplantation</i> , 2000 , 15, 1986-92	4.3	79
21	Renal function and urinary excretion of electrolytes in patients receiving cyclic parenteral nutrition. <i>Journal of Parenteral and Enteral Nutrition</i> , 2000 , 24, 234-9	4.2	31
20	Expert Working Group report on nutrition in adult patients with renal insufficiency (part 1 of 2). <i>Clinical Nutrition</i> , 2000 , 19, 197-207	5.9	66
19	Heparins and blood polymorphonuclear stimulation in haemodialysis: an expansion of the biocompatibility concept. <i>Nephrology Dialysis Transplantation</i> , 2000 , 15, 1631-7	4.3	18
18	Recombinant human insulin-like growth factor-1 induces an anabolic response in malnourished CAPD patients. <i>Kidney International</i> , 2000 , 57, 646-654	9.9	2
17	Twenty-five years of experience with out-center hemodialysis. <i>Kidney International</i> , 1999 , 56, 2269-75	9.9	35

LIST OF PUBLICATIONS

16	Peritoneal clearance of leptin in continuous ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 1999 , 34, 839-44	7.4	11
15	Producing systematic reviews of best quality: a prerequisite for evidence-based nephrology. <i>Journal of Nephrology</i> , 1999 , 12, 314-7	4.8	3
14	Acute leptin regulation in end-stage renal failure: the role of growth hormone and IGF-1. <i>Kidney International</i> , 1998 , 54, 932-7	9.9	37
13	Growth factors: future prospects in renal failure. <i>Mineral and Electrolyte Metabolism</i> , 1998 , 24, 27-33		5
12	Effects of recombinant growth factors on energy expenditure in maintenance hemodialysis patients. <i>Mineral and Electrolyte Metabolism</i> , 1998 , 24, 273-8		6
11	Causes and interventions for malnutrition in patients undergoing maintenance dialysis. <i>Blood Purification</i> , 1997 , 15, 112-20	3.1	9
10	Place des facteurs de croissance dans le traitement de la dflutrition des patients dialyss. <i>Nutrition Clinique Et Metabolisme</i> , 1997 , 11, 481-489	0.8	
9	Systematic reviews and their roles in promoting evidence-based medicine in renal disease. <i>Nephrology Dialysis Transplantation</i> , 1996 , 11, 2398-401	4.3	17
8	Alanine metabolism in isolated human kidney tubulesUse of a mathematical model. <i>FEBS Journal</i> , 1996 , 236, 128-37		7
7	Malnutrition and Dialysis 1996, 1271-1289		1
6	Pharmacokinetics of recombinant human insulin-like growth factor-1 in dialysis patients. <i>Kidney International</i> , 1995 , 47, 869-75	9.9	33
5	Impaired metabolic response to recombinant insulin-like growth factor-1 in dialysis patients. <i>Kidney International</i> , 1995 , 47, 876-83	9.9	65
4	Altered mental function during intravenous infusion of recombinant human insulin-like growth factor 1. <i>Journal of Parenteral and Enteral Nutrition</i> , 1995 , 19, 231-3	4.2	7
3	Dietary protein and blood pressure intervention failed to slow renal disease progression. <i>ACP Journal Club</i> , 1994 , 121, 84		
2	Wegener's granulomatosis with antiproteinase-3 antibodies occurring after Hodgkin's disease. <i>Nephron</i> , 1993 , 64, 456-61	3.3	11
1	Sleep apnea syndrome and end-stage renal disease. Cure after renal transplantation. <i>Chest</i> , 1993 , 103, 1330-5	5.3	96