Christopher R Shubert,, Mha

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/704362/publications.pdf

Version: 2024-02-01

567144 839398 18 684 15 18 citations h-index g-index papers 18 18 18 1356 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Carbohydrate Antigen 19-9 Elevation in Anatomically Resectable, Early Stage Pancreatic Cancer Is Independently Associated with Decreased Overall Survival and an Indication for Neoadjuvant Therapy: A National Cancer Database Study. Journal of the American College of Surgeons, 2016, 223, 52-65.	0.2	129
2	Clinical Risk Score to Predict Pancreatic Fistula after Pancreatoduodenectomy: Independent External Validation for Open and Laparoscopic Approaches. Journal of the American College of Surgeons, 2015, 221, 689-698.	0.2	100
3	A NSQIP Review of Major Morbidity and Mortality of Synchronous Liver Resection for Colorectal Metastasis Stratified by Extent of Liver Resection and Type of Colorectal Resection. Journal of Gastrointestinal Surgery, 2015, 19, 1982-1994.	0.9	73
4	Overall survival is increased among stage III pancreatic adenocarcinoma patients receiving neoadjuvant chemotherapy compared to surgery first and adjuvant chemotherapy: An intention to treat analysis of the National Cancer Database. Surgery, 2016, 160, 1080-1096.	1.0	67
5	Prognostic factors and benefits of adjuvant therapy after pancreatoduodenectomy for ampullary adenocarcinoma: Mayo Clinic experience. European Journal of Surgical Oncology, 2018, 44, 677-683.	0.5	44
6	Mixed hepatocellular and cholangiocarcinoma: a rare tumor with a mix of parent phenotypic characteristics. Hpb, 2016, 18, 886-892.	0.1	40
7	Defining Perioperative Risk after Hepatectomy Based on Diagnosis and Extent of Resection. Journal of Gastrointestinal Surgery, 2014, 18, 1917-1928.	0.9	36
8	Laparoscopic pancreatoduodenectomy does not completely mitigate increased perioperative risks in elderly patients. Hpb, 2015, 17, 909-918.	0.1	36
9	Identification of risk categories for in pancreaticoduodenectomy based on diagnosis. Hpb, 2015, 17, 428-437.	0.1	23
10	Benefit of Postresection Adjuvant Chemotherapy for Stage III Colon Cancer in Octogenarians: Analysis of the National Cancer Database. Diseases of the Colon and Rectum, 2016, 59, 1142-1149.	0.7	23
11	Risk by indication for pancreaticoduodenectomy in patients 80 years and older: a study from the American College of Surgeons National Surgical Quality Improvement Program. Hpb, 2016, 18, 900-907.	0.1	20
12	Type of Resection (Whipple vs. Distal) Does Not Affect the National Failure to Provide Post-resection Adjuvant Chemotherapy in Localized Pancreatic Cancer. Annals of Surgical Oncology, 2017, 24, 1731-1738.	0.7	20
13	Preoperative anemia is associated withÂincreased use of hospital resources in patients undergoing elective hepatectomy. Surgery, 2015, 158, 1027-1038.	1.0	19
14	A multicenter randomized controlled trial comparing pancreatic leaks after TissueLink versus SEAMGUARD after distal pancreatectomy (PLATS) NCT01051856. Journal of Surgical Research, 2016, 206, 32-40.	0.8	16
15	Implementation of prospective, surgeon-driven, risk-based pathway for pancreatoduodenectomy results in improved clinical outcomes and first year cost savings of \$1 million. Surgery, 2018, 163, 495-502.	1.0	15
16	Isolated Congenital Agenesis of the Gallbladder and Cystic Duct: Report of a Case. Journal of Surgical Education, 2013, 70, 117-120.	1.2	14
17	Small Cell Carcinoma of the Pancreas. Pancreas, 2016, 45, 1461-1466.	0.5	6
18	Perception versus reality: A National Cohort Analysis of the surgeryâ€first approach for resectable pancreatic cancer. Cancer Medicine, 2021, 10, 5925-5935.	1.3	3