

Eric Kalkhoven

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7043686/publications.pdf>

Version: 2024-02-01

55
papers

6,852
citations

172207

29
h-index

189595

50
g-index

58
all docs

58
docs citations

58
times ranked

9814
citing authors

#	ARTICLE	IF	CITATIONS
1	A signature motif in transcriptional co-activators mediates binding to nuclear receptors. <i>Nature</i> , 1997, 387, 733-736.	13.7	1,949
2	Fatty Acids, Eicosanoids, and Hypolipidemic Agents Identified as Ligands of Peroxisome Proliferator-Activated Receptors by Coactivator-Dependent Receptor Ligand Assay. <i>Molecular Endocrinology</i> , 1997, 11, 779-791.	3.7	1,070
3	CBP and p300: HATs for different occasions. <i>Biochemical Pharmacology</i> , 2004, 68, 1145-1155.	2.0	435
4	Adipose tissue-resident immune cells: key players in immunometabolism. <i>Trends in Endocrinology and Metabolism</i> , 2012, 23, 407-415.	3.1	244
5	Paneth cell extrusion and release of antimicrobial products is directly controlled by immune cell-derived IFN- γ . <i>Journal of Experimental Medicine</i> , 2014, 211, 1393-1405.	4.2	225
6	Prospective functional classification of all possible missense variants in PPAR γ . <i>Nature Genetics</i> , 2016, 48, 1570-1575.	9.4	210
7	Natural killer T cells in adipose tissue prevent insulin resistance. <i>Journal of Clinical Investigation</i> , 2012, 122, 3343-3354.	3.9	185
8	PPAR γ in Metabolism, Immunity, and Cancer: Unified and Diverse Mechanisms of Action. <i>Frontiers in Endocrinology</i> , 2021, 12, 624112.	1.5	167
9	Human adipocyte extracellular vesicles in reciprocal signaling between adipocytes and macrophages. <i>Obesity</i> , 2014, 22, 1296-1308.	1.5	142
10	Posttranslational Modifications of PPAR γ : Fine-tuning the Metabolic Master Regulator. <i>Obesity</i> , 2009, 17, 213-219.	1.5	131
11	Effect of extracellular vesicles of human adipose tissue on insulin signaling in liver and muscle cells. <i>Obesity</i> , 2014, 22, 2216-2223.	1.5	128
12	Loss of CBP acetyltransferase activity by PHD finger mutations in Rubinstein-Taybi syndrome. <i>Human Molecular Genetics</i> , 2003, 12, 441-450.	1.4	115
13	Nuclear Receptor Nur77 Limits the Macrophage Inflammatory Response through Transcriptional Reprogramming of Mitochondrial Metabolism. <i>Cell Reports</i> , 2018, 24, 2127-2140.e7.	2.9	110
14	Extracellular vesicle markers in relation to obesity and metabolic complications in patients with manifest cardiovascular disease. <i>Cardiovascular Diabetology</i> , 2014, 13, 37.	2.7	98
15	Brown vs white adipocytes: The PPAR γ coregulator story. <i>FEBS Letters</i> , 2010, 584, 3250-3259.	1.3	95
16	The PHD Type Zinc Finger Is an Integral Part of the CBP Acetyltransferase Domain. <i>Molecular and Cellular Biology</i> , 2002, 22, 1961-1970.	1.1	94
17	Functional implications of genetic variation in human PPAR γ . <i>Trends in Endocrinology and Metabolism</i> , 2009, 20, 380-387.	3.1	88
18	Peroxisome Proliferator-activated Receptor γ Regulates Expression of the Anti-lipolytic G-protein-coupled Receptor 81 (GPR81/Gpr81). <i>Journal of Biological Chemistry</i> , 2009, 284, 26385-26393.	1.6	76

#	ARTICLE	IF	CITATIONS
19	Nuclear Receptor-Coregulator Interaction Profiling Identifies TRIP3 as a Novel Peroxisome Proliferator-activated Receptor β Cofactor. <i>Molecular and Cellular Proteomics</i> , 2009, 8, 2212-2226.	2.5	66
20	Inflammatory characteristics of distinct abdominal adipose tissue depots relate differently to metabolic risk factors for cardiovascular disease. <i>Atherosclerosis</i> , 2015, 239, 419-427.	0.4	66
21	The Adipogenic Acetyltransferase Tip60 Targets Activation Function 1 of Peroxisome Proliferator-Activated Receptor β . <i>Endocrinology</i> , 2008, 149, 1840-1849.	1.4	60
22	Early adipogenesis is regulated through USP7-mediated deubiquitination of the histone acetyltransferase TIP60. <i>Nature Communications</i> , 2013, 4, 2656.	5.8	56
23	The Multiple Endocrine Neoplasia Type 1 (MEN1) Tumor Suppressor Regulates Peroxisome Proliferator-Activated Receptor β -Dependent Adipocyte Differentiation. <i>Molecular and Cellular Biology</i> , 2009, 29, 5060-5069.	1.1	54
24	Familial Partial Lipodystrophy Phenotype Resulting from a Single-Base Mutation in Deoxyribonucleic Acid-Binding Domain of Peroxisome Proliferator-Activated Receptor- β . <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1606-1612.	1.8	53
25	FXR Isoforms Control Different Metabolic Functions in Liver Cells via Binding to Specific DNA Motifs. <i>Gastroenterology</i> , 2020, 159, 1853-1865.e10.	0.6	47
26	A Multiplex Immunoassay for Human Adipokine Profiling. <i>Clinical Chemistry</i> , 2010, 56, 1320-1328.	1.5	46
27	Electric Pulse Stimulation of Myotubes as an In Vitro Exercise Model: Cell-Mediated and Non-Cell-Mediated Effects. <i>Scientific Reports</i> , 2015, 5, 10944.	1.6	43
28	Impaired Peroxisome Proliferator-Activated Receptor β Function through Mutation of a Conserved Salt Bridge (R425C) in Familial Partial Lipodystrophy. <i>Molecular Endocrinology</i> , 2007, 21, 1049-1065.	3.7	42
29	The serine/threonine phosphatase PPM1B (PP2C β) selectively modulates PPAR β activity. <i>Biochemical Journal</i> , 2013, 451, 45-53.	1.7	33
30	CD1d-mediated Presentation of Endogenous Lipid Antigens by Adipocytes Requires Microsomal Triglyceride Transfer Protein. <i>Journal of Biological Chemistry</i> , 2014, 289, 22128-22139.	1.6	30
31	Muscle-specific inflammation induced by MCP-1 overexpression does not affect whole-body insulin sensitivity in mice. <i>Diabetologia</i> , 2016, 59, 624-633.	2.9	29
32	Endogenous lipid antigens for invariant natural killer T cells hold the reins in adipose tissue homeostasis. <i>Immunology</i> , 2018, 153, 179-189.	2.0	28
33	MOZ-TIF2 Alters Cofactor Recruitment and Histone Modification at the RAR β Promoter. <i>Journal of Biological Chemistry</i> , 2006, 281, 17124-17133.	1.6	27
34	Profiling of 3696 Nuclear Receptor-Coregulator Interactions: A Resource for Biological and Clinical Discovery. <i>Endocrinology</i> , 2018, 159, 2397-2407.	1.4	27
35	PPAR β as a therapeutic target in cystic fibrosis. <i>Trends in Molecular Medicine</i> , 2012, 18, 283-291.	3.5	26
36	Hypoxia-Inducible Lipid Droplet-Associated Is Not a Direct Physiological Regulator of Lipolysis in Adipose Tissue. <i>Endocrinology</i> , 2017, 158, 1231-1251.	1.4	24

#	ARTICLE	IF	CITATIONS
37	Adipocytes harbor a glucosylceramide biosynthesis pathway involved in iNKT cell activation. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 1157-1167.	1.2	21
38	Immunometabolic Activation of Invariant Natural Killer T Cells. <i>Frontiers in Immunology</i> , 2018, 9, 1192.	2.2	20
39	Differential adipokine receptor expression on circulating leukocyte subsets in lean and obese children. <i>PLoS ONE</i> , 2017, 12, e0187068.	1.1	17
40	A Novel RNAi Lethality Rescue Screen to Identify Regulators of Adipogenesis. <i>PLoS ONE</i> , 2012, 7, e37680.	1.1	13
41	Natural helix 9 mutants of PPAR β differently affect its transcriptional activity. <i>Molecular Metabolism</i> , 2019, 20, 115-127.	3.0	12
42	Cytokine Output of Adipocyte-iNKT Cell Interplay Is Skewed by a Lipid-Rich Microenvironment. <i>Frontiers in Endocrinology</i> , 2020, 11, 479.	1.5	11
43	PPAR β Regulates Expression of Carbohydrate Sulfotransferase 11 (CHST11/C4ST1), a Regulator of LPL Cell Surface Binding. <i>PLoS ONE</i> , 2013, 8, e64284.	1.1	10
44	Splice variants of metabolic nuclear receptors: Relevance for metabolic disease and therapeutic targeting. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2021, 1867, 166183.	1.8	10
45	TIPping the balance in adipogenesis. <i>Adipocyte</i> , 2014, 3, 160-165.	1.3	7
46	A Single Complex Agpat2 Allele in a Patient With Partial Lipodystrophy. <i>Frontiers in Physiology</i> , 2018, 9, 1363.	1.3	7
47	Comprehensive Profiling of Mammalian Tribbles Interactomes Implicates TRIB3 in Gene Repression. <i>Cancers</i> , 2021, 13, 6318.	1.7	7
48	Pref-1 preferentially inhibits heat production in brown adipose tissue. <i>Biochemical Journal</i> , 2012, 443, e3-e5.	1.7	6
49	Function of estrogen receptors in breast cancer. <i>Breast Cancer</i> , 1997, 4, 204-208.	1.3	5
50	Allele Compensation in Tip60+/ Δ^{Δ} Mice Rescues White Adipose Tissue Function In Vivo. <i>PLoS ONE</i> , 2014, 9, e98343.	1.1	3
51	PS3 - 14. The effect of the exercise-induced muscle secretome on liver gene expression. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2012, 10, 108-109.	0.0	0
52	PS15 - 73. Identification and characterization of microvesicles secreted by human SGBS-adipocytes. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2012, 10, 150-151.	0.0	0
53	PS15 - 74. CD1d-restricted NKT cell function prevents insulin resistance in lean mice, and is regulated by adipocytes. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2012, 10, 151-151.	0.0	0
54	PS18 - 87. A novel FPLD-associated PPAR γ mutant (E379K) displays a selective defect in target gene transcription. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2012, 10, 161-161.	0.0	0

#	ARTICLE	IF	CITATIONS
55	PS10 - 1. Fatty acid inducible myokine ANGPTL4 governs the lipid metabolic response to acute exercise. Nederlands Tijdschrift Voor Diabetologie, 2013, 11, 159-160.	0.0	0