

Emmanuelle Kesse-Guyot

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7044428/emmanuelle-kesse-guyot-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

349
papers

13,858
citations

62
h-index

102
g-index

388
ext. papers

17,240
ext. citations

5.2
avg, IF

6.44
L-index

#	Paper	IF	Citations
349	The potential effects of meat substitution on diet quality could be high if meat substitutes are optimized for nutritional composition-a modeling study in French adults (INCA3).. <i>European Journal of Nutrition</i> , 2022 , 1	5.2	0
348	Abstract P1-09-01: Breast and prostate cancer risk associated with nitrites and nitrates from food additives: Results from the NutriNet-Santé cohort. <i>Cancer Research</i> , 2022 , 82, P1-09-01-P1-09-01	10.1	
347	Abstract P1-09-02: Risk of breast and other cancers associated with the consumption of artificial sweeteners: Results from the prospective NutriNet-Santé cohort. <i>Cancer Research</i> , 2022 , 82, P1-09-02-P1-09-02	10.1	0
346	Nitrites and nitrates from food additives and natural sources and cancer risk: results from the NutriNet-Santé cohort.. <i>International Journal of Epidemiology</i> , 2022 ,	7.8	2
345	Behavioural risk patterns in adolescents with excess weight participating in the PRALIMAP-INS trial.. <i>Public Health Nutrition</i> , 2022 , 1-25	3.3	
344	Artificial sweeteners and cancer risk: Results from the NutriNet-Santé population-based cohort study.. <i>PLoS Medicine</i> , 2022 , 19, e1003950	11.6	9
343	Nutri-Score in tug-of-war between public health and economic interests in the European Union. <i>Nature Food</i> , 2022 , 3, 181-181	14.4	0
342	Ultra-processed foods and cancer risk: from global food systems to individual exposures and mechanisms.. <i>British Journal of Cancer</i> , 2022 ,	8.7	1
341	Do individual sustainable food purchase motives translate into an individual shift towards a more sustainable diet? A longitudinal analysis in the NutriNet-Santé cohort. <i>Cleaner and Responsible Consumption</i> , 2022 , 100062	1.6	
340	Comment on Muzzioli et al. Are Front-of-Pack Labels a Health Policy Tool? <i>Nutrients</i> 2022 , 14, 771. <i>Nutrients</i> , 2022 , 14, 2165	6.7	1
339	Characteristics associated with feeding organic foods during complementary feeding: the nationwide Étude Longitudinale Française depuis l'Enfance (ELFE) birth cohort. <i>British Journal of Nutrition</i> , 2021 , 126, 1215-1224	3.6	1
338	Associations between untargeted plasma metabolomic signatures and gut microbiota composition in the population of healthy adults. <i>British Journal of Nutrition</i> , 2021 , 126, 982-992	3.6	0
337	Nutritional risk factors for SARS-CoV-2 infection: a prospective study within the NutriNet-Santé cohort. <i>BMC Medicine</i> , 2021 , 19, 290	11.4	5
336	Food biodiversity and total and cause-specific mortality in 9 European countries: An analysis of a prospective cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003834	11.6	2
335	Exposure to food additive mixtures in 106,000 French adults from the NutriNet-Santé cohort. <i>Scientific Reports</i> , 2021 , 11, 19680	4.9	8
334	Co-benefits from sustainable dietary shifts for population and environmental health: an assessment from a large European cohort study. <i>Lancet Planetary Health</i> , 2021 , 5, e786-e796	9.8	7
333	Development and evaluation of a new dietary index assessing nutrient security by aggregating probabilistic estimates of the risk of nutrient deficiency in two French adult populations. <i>British Journal of Nutrition</i> , 2021 , 126, 1225-1236	3.6	2

332	Diet and physical activity during the coronavirus disease 2019 (COVID-19) lockdown (March-May 2020): results from the French NutriNet-Santé cohort study. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 924-938	7	123
331	The inflammatory potential of the diet is prospectively associated with subjective hearing loss. <i>European Journal of Nutrition</i> , 2021 , 60, 3669-3678	5.2	1
330	NMR metabolomic profiles associated with long-term risk of prostate cancer. <i>Metabolomics</i> , 2021 , 17, 32	4.7	2
329	Conservative to disruptive diets for optimizing nutrition, environmental impacts and cost in French adults from the NutriNet-Santé cohort. <i>Nature Food</i> , 2021 , 2, 174-182	14.4	1
328	Consumption of dairy products and CVD risk: results from the French prospective cohort NutriNet-Santé. <i>British Journal of Nutrition</i> , 2021 , 1-11	3.6	2
327	Substituting Meat or Dairy Products with Plant-Based Substitutes Has Small and Heterogeneous Effects on Diet Quality and Nutrient Security: A Simulation Study in French Adults (INCA3). <i>Journal of Nutrition</i> , 2021 , 151, 2435-2445	4.1	10
326	Are foods 'healthy' or 'healthier'? Front-of-pack labelling and the concept of healthiness applied to foods. <i>British Journal of Nutrition</i> , 2021 , 1-5	3.6	5
325	Environmental and nutritional analysis of the EAT-Lancet diet at the individual level: insights from the NutriNet-Santé study. <i>Journal of Cleaner Production</i> , 2021 , 296, 126555	10.3	5
324	Prospective association between adherence to the 2017 French dietary guidelines and risk of death, CVD and cancer in the NutriNet-Santé cohort. <i>British Journal of Nutrition</i> , 2021 , 1-11	3.6	0
323	Optimizing the Nutritional Composition of a Meat Substitute Intended to Replace Meat in Observed Diet Results in Marked Improvement of the Diet Quality of French Adults. <i>Current Developments in Nutrition</i> , 2021 , 5, 1089-1089	0.4	78
322	The Health Value of Modelled Healthy Eating Patterns Is Largely Constrained by the Current Reference Values for Bioavailable Iron and Zinc. <i>Current Developments in Nutrition</i> , 2021 , 5, 119-119	0.4	78
321	Estimated dietary exposure to pesticide residues based on organic and conventional data in omnivores, pesco-vegetarians, vegetarians and vegans. <i>Food and Chemical Toxicology</i> , 2021 , 153, 112179 ^{4.7}	4.7	3
320	Are recent dietary changes observed in the NutriNet-Santé participants healthier and more sustainable?. <i>European Journal of Nutrition</i> , 2021 , 1	5.2	0
319	Depressive symptoms, fruit and vegetables consumption and urinary 3-indoxylsulfate concentration: a nested case-control study in the French Nutrinet-Sante cohort. <i>European Journal of Nutrition</i> , 2021 , 60, 1059-1069	5.2	3
318	Estimated dietary pesticide exposure from plant-based foods using NMF-derived profiles in a large sample of French adults. <i>European Journal of Nutrition</i> , 2021 , 60, 1475-1488	5.2	4
317	Consumption of Ultra-Processed Foods by Pesco-Vegetarians, Vegetarians, and Vegans: Associations with Duration and Age at Diet Initiation. <i>Journal of Nutrition</i> , 2021 , 151, 120-131	4.1	33
316	Association between adherence to the French dietary guidelines and the risk of type 2 diabetes. <i>Nutrition</i> , 2021 , 84, 111107	4.8	1
315	Prospective associations of the original Food Standards Agency nutrient profiling system and three variants with weight gain, overweight and obesity risk: results from the French NutriNet-Santé cohort. <i>British Journal of Nutrition</i> , 2021 , 125, 902-914	3.6	4

314	Organic food consumption and gluten-free diet, is there a link? Results in French adults without coeliac disease. <i>British Journal of Nutrition</i> , 2021 , 125, 1067-1078	3.6	3
313	Key Findings of the French BioNutriNet Project on Organic Food-Based Diets: Description, Determinants, and Relationships to Health and the Environment. <i>Advances in Nutrition</i> , 2021 ,	10	2
312	Osmolality-based normalization enhances statistical discrimination of untargeted metabolomic urine analysis: results from a comparative study. <i>Metabolomics</i> , 2021 , 17, 2	4.7	4
311	Randomised controlled trial in an experimental online supermarket testing the effects of front-of-pack nutrition labelling on food purchasing intentions in a low-income population. <i>BMJ Open</i> , 2021 , 11, e041196	3	5
310	Consumption of Ultra-Processed Food and Its Association with Sociodemographic Characteristics and Diet Quality in a Representative Sample of French Adults. <i>Nutrients</i> , 2021 , 13,	6.7	12
309	Prospective association between dietary pesticide exposure profiles and postmenopausal breast-cancer risk in the NutriNet-Santé cohort. <i>International Journal of Epidemiology</i> , 2021 , 50, 1184-1198	7.8	1
308	The impact of the Nutri-Score front-of-pack nutrition label on purchasing intentions of unprocessed and processed foods: post-hoc analyses from three randomized controlled trials. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 38	8.4	3
307	Relation between Mood and the Host-Microbiome Co-Metabolite 3-Indoxylsulfate: Results from the Observational Prospective NutriNet-Santé Study. <i>Microorganisms</i> , 2021 , 9,	4.9	2
306	Public health potential of guidelines-based dietary scores for non-communicable diseases mortality prevention: simulation study using the Preventable Risk Integrated ModEl (PRIME) model. <i>Public Health Nutrition</i> , 2021 , 24, 5539-5549	3.3	2
305	Evaluation of a risk score based on dietary and lifestyle factors to target a population at risk in colorectal cancer screening. <i>Digestive and Liver Disease</i> , 2021 , 53, 900-907	3.3	1
304	Produits d'origine végétale, pesticides et contaminants dans l'alimentation : quel rôle de l'agriculture biologique ?. <i>Cahiers De Nutrition Et De Dietetique</i> , 2021 , 56, 368-368	0.2	
303	Glycaemic index, glycaemic load and cancer risk: results from the prospective NutriNet-Santé cohort. <i>International Journal of Epidemiology</i> , 2021 ,	7.8	1
302	Halving food-related greenhouse gas emissions can be achieved by redistributing meat consumption: Progressive optimization results of the NutriNet-Santé cohort. <i>Science of the Total Environment</i> , 2021 , 789, 147901	10.2	1
301	Impact of the Front-of-Pack Label Nutri-Score on the Nutritional Quality of Food Choices in a Quasi-Experimental Trial in Catering.. <i>Nutrients</i> , 2021 , 13,	6.7	1
300	Organic Food Consumption During the Complementary Feeding Period and Respiratory or Allergic Diseases Up to Age 5.5 Years in the ELFE Cohort.. <i>Frontiers in Nutrition</i> , 2021 , 8, 791430	6.2	0
299	Performance of the Front-of-Pack Nutrition Label Nutri-Score to Discriminate the Nutritional Quality of Foods Products: A Comparative Study across 8 European Countries. <i>Nutrients</i> , 2020 , 12,	6.7	24
298	Associations between consumption of dietary fibers and the risk of cardiovascular diseases, cancers, type 2 diabetes, and mortality in the prospective NutriNet-Santé cohort. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 195-207	7	21
297	Consumption of ultra-processed foods and the risk of overweight and obesity, and weight trajectories in the French cohort NutriNet-Santé. <i>Proceedings of the Nutrition Society</i> , 2020 , 79,	2.9	1

296	Greenhouse gas emissions, energy demand and land use associated with omnivorous, pesco-vegetarian, vegetarian, and vegan diets accounting for farming practices. <i>Sustainable Production and Consumption</i> , 2020 , 22, 138-146	8.2	15
295	Sustainability analysis of French dietary guidelines using multiple criteria. <i>Nature Sustainability</i> , 2020 , 3, 377-385	22.1	15
294	Food additives: distribution and co-occurrence in 126,000 food products of the French market. <i>Scientific Reports</i> , 2020 , 10, 3980	4.9	33
293	Prospective associations between sustainable dietary pattern assessed with the Sustainable Diet Index (SDI) and risk of cancer and cardiovascular diseases in the French NutriNet-Santé cohort. <i>European Journal of Epidemiology</i> , 2020 , 35, 471-481	12.1	4
292	Untargeted plasma metabolomic profiles associated with overall diet in women from the SU.VI.MAX cohort. <i>European Journal of Nutrition</i> , 2020 , 59, 3425-3439	5.2	6
291	Optimism is associated with diet quality, food group consumption and snacking behavior in a general population. <i>Nutrition Journal</i> , 2020 , 19, 6	4.3	6
290	Association between sustainable dietary patterns and body weight, overweight, and obesity risk in the NutriNet-Santé prospective cohort. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 138-149	7	8
289	Ultraprocessed Food Consumption and Risk of Type 2 Diabetes Among Participants of the NutriNet-Santé Prospective Cohort. <i>JAMA Internal Medicine</i> , 2020 , 180, 283-291	11.5	127
288	The consumption of ultra-processed foods by fish-eaters, vegetarians and vegans is associated with the duration and commencing age of diet. <i>Proceedings of the Nutrition Society</i> , 2020 , 79,	2.9	3
287	Prospective association between organic food consumption and the risk of type 2 diabetes: findings from the NutriNet-Santé cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 136	8.4	10
286	Absence of association between inflammatory dietary pattern and low trauma fractures: Results of the French cohort NutriNet-Santé. <i>Joint Bone Spine</i> , 2020 , 87, 632-639	2.9	2
285	Ultra-processed food intake in association with BMI change and risk of overweight and obesity: A prospective analysis of the French NutriNet-Santé cohort. <i>PLoS Medicine</i> , 2020 , 17, e1003256	11.6	46
284	Dietary Restrictions and Depressive Symptoms: Longitudinal Results from the Constances Cohort. <i>Nutrients</i> , 2020 , 12,	6.7	2
283	Total and added sugar intakes, sugar types, and cancer risk: results from the prospective NutriNet-Santé cohort. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 1267-1279	7	23
282	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ, The</i> , 2020 , 370, m3173	5.9	23
281	Association between processed meat intake and asthma symptoms in the French NutriNet-Santé cohort. <i>European Journal of Nutrition</i> , 2020 , 59, 1553-1562	5.2	3
280	Diet-Related Metabolomic Signature of Long-Term Breast Cancer Risk Using Penalized Regression: An Exploratory Study in the SU.VI.MAX Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 396-405	4	8
279	Ultra-processed food intake in association with BMI change and risk of overweight and obesity: A prospective analysis of the French NutriNet-Santé cohort 2020 , 17, e1003256		

278	Ultra-processed food intake in association with BMI change and risk of overweight and obesity: A prospective analysis of the French NutriNet-Santé cohort 2020 , 17, e1003256		
277	Ultra-processed food intake in association with BMI change and risk of overweight and obesity: A prospective analysis of the French NutriNet-Santé cohort 2020 , 17, e1003256		
276	Ultra-processed food intake in association with BMI change and risk of overweight and obesity: A prospective analysis of the French NutriNet-Santé cohort 2020 , 17, e1003256		
275	Ultra-processed food intake in association with BMI change and risk of overweight and obesity: A prospective analysis of the French NutriNet-Santé cohort 2020 , 17, e1003256		
274	Ultra-processed food intake in association with BMI change and risk of overweight and obesity: A prospective analysis of the French NutriNet-Santé cohort 2020 , 17, e1003256		
273	Prospective association between several dietary scores and risk of cardiovascular diseases: Is the Mediterranean diet equally associated to cardiovascular diseases compared to National Nutritional Scores?. <i>American Heart Journal</i> , 2019 , 217, 1-12	4.9	10
272	Prospective association between adherence to the MIND diet and subjective memory complaints in the French NutriNet-Santé cohort. <i>Journal of Neurology</i> , 2019 , 266, 942-952	5.5	12
271	Gluten-free diet in French adults without coeliac disease: sociodemographic characteristics, motives and dietary profile. <i>British Journal of Nutrition</i> , 2019 , 122, 231-239	3.6	10
270	Association of diet quality and physical activity with healthy ageing in the French NutriNet-Santé cohort. <i>British Journal of Nutrition</i> , 2019 , 122, 93-102	3.6	2
269	Plasma Metabolomic Signatures Associated with Long-term Breast Cancer Risk in the SU.VI.MAX Prospective Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1300-1307	4	15
268	Ultra-processed food intake and risk of cardiovascular disease: prospective cohort study (NutriNet-Santé). <i>BMJ, The</i> , 2019 , 365, l1451	5.9	240
267	The Inflammatory Potential of the Diet is Directly Associated with Incident Depressive Symptoms Among French Adults. <i>Journal of Nutrition</i> , 2019 , 149, 1198-1207	4.1	11
266	Prospective association between ultra-processed food consumption and incident depressive symptoms in the French NutriNet-Santé cohort. <i>BMC Medicine</i> , 2019 , 17, 78	11.4	59
265	Estimating sodium intake from spot urine samples at population level: a validation and application study in French adults. <i>British Journal of Nutrition</i> , 2019 , 122, 186-194	3.6	1
264	Associations between usual diet and gut microbiota composition: results from the Milieu Intérieur cross-sectional study. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1472-1483	7	41
263	Improvement of diet sustainability with increased level of organic food in the diet: findings from the BioNutriNet cohort. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1173-1188	7	25
262	Development and validation of an individual sustainable diet index in the NutriNet-Santé study cohort. <i>British Journal of Nutrition</i> , 2019 , 121, 1166-1177	3.6	14
261	Association between an individual dietary index based on the British Food Standard Agency Nutrient Profiling System and asthma symptoms. <i>British Journal of Nutrition</i> , 2019 , 122, 63-70	3.6	3

260	Poverty does not modify the association between perceived diet healthiness and adherence to nutritional guidelines in the Constances cohort (France). <i>Appetite</i> , 2019 , 138, 190-197	4.5	3
259	Association Between Ultraprocessed Food Consumption and Risk of Mortality Among Middle-aged Adults in France. <i>JAMA Internal Medicine</i> , 2019 , 179, 490-498	11.5	142
258	Individual characteristics associated with changes in the contribution of plant foods to dietary intake in a French prospective cohort. <i>European Journal of Nutrition</i> , 2019 , 58, 1991-2002	5.2	4
257	Modelling the impact of different front-of-package nutrition labels on mortality from non-communicable chronic disease. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 56	8.4	23
256	Sugary drink consumption and risk of cancer: results from NutriNet-Santé prospective cohort. <i>BMJ, The</i> , 2019 , 366, l2408	5.9	77
255	Programme National Nutrition Santé- guidelines score 2 (PNNS-GS2): development and validation of a diet quality score reflecting the 2017 French dietary guidelines. <i>British Journal of Nutrition</i> , 2019 , 122, 331-342	3.6	28
254	Association between dietary fibre intake and asthma (symptoms and control): results from the French national e-cohort NutriNet-Santé. <i>British Journal of Nutrition</i> , 2019 , 122, 1040-1051	3.6	10
253	Combination of Healthy Lifestyle Factors on the Risk of Hypertension in a Large Cohort of French Adults. <i>Nutrients</i> , 2019 , 11,	6.7	12
252	Front-of-Pack Labeling and the Nutritional Quality of Students' Food Purchases: A 3-Arm Randomized Controlled Trial. <i>American Journal of Public Health</i> , 2019 , 109, 1122-1129	5.1	11
251	Cognitive Restraint and History of Dieting Are Negatively Associated with Organic Food Consumption in a Large Population-Based Sample of Organic Food Consumers. <i>Nutrients</i> , 2019 , 11,	6.7	5
250	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. <i>PLoS Medicine</i> , 2019 , 16, e1003007	11.6	6
249	Association Between Adherence To The French Dietary Guidelines And Lower Resting Heart Rate, Longer Diastole Duration, And Lower Myocardial Oxygen Consumption. The NUTRIVASC Study. <i>Vascular Health and Risk Management</i> , 2019 , 15, 463-475	4.4	2
248	Urinary pesticide concentrations in French adults with low and high organic food consumption: results from the general population-based NutriNet-Santé. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2019 , 29, 366-378	6.7	26
247	Impulsivity is associated with food intake, snacking, and eating disorders in a general population. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 117-126	7	21
246	Some Differences in Nutritional Biomarkers are Detected Between Consumers and Nonconsumers of Organic Foods: Findings from the BioNutriNet Project. <i>Current Developments in Nutrition</i> , 2019 , 3, nzy090	0.4	6
245	Quantitative assessment of dietary supplement intake in 77,000 French adults: impact on nutritional intake inadequacy and excessive intake. <i>European Journal of Nutrition</i> , 2019 , 58, 2679-2692	5.2	6
244	Diet and physical activity in the association between depression and metabolic syndrome: Constances study. <i>Journal of Affective Disorders</i> , 2019 , 244, 25-32	6.6	29
243	High expression of CPT1b in skeletal muscle in metabolically healthy older subjects. <i>Diabetes and Metabolism</i> , 2019 , 45, 152-159	5.4	6

242	Saturated, mono- and polyunsaturated fatty acid intake and cancer risk: results from the French prospective cohort NutriNet-Sant ^e . <i>European Journal of Nutrition</i> , 2019 , 58, 1515-1527	5.2	18
241	A systematic literature review of observational studies of the bidirectional association between metabolic syndrome and migraine. <i>Diabetes and Metabolism</i> , 2019 , 45, 11-18	5.4	7
240	Comparing nutritional, economic, and environmental performances of diets according to their levels of greenhouse gas emissions. <i>Climatic Change</i> , 2018 , 148, 155-172	4.5	31
239	NMR metabolomic signatures reveal predictive plasma metabolites associated with long-term risk of developing breast cancer. <i>International Journal of Epidemiology</i> , 2018 , 47, 484-494	7.8	28
238	Consumption of ultra-processed foods and cancer risk: results from NutriNet-Sant ^e prospective cohort. <i>BMJ, The</i> , 2018 , 360, k322	5.9	353
237	A massive geographically weighted regression model of walking-environment relationships. <i>Journal of Transport Geography</i> , 2018 , 68, 118-129	5.2	19
236	The Inflammatory Potential of the Diet at Midlife Is Associated with Later Healthy Aging in French Adults. <i>Journal of Nutrition</i> , 2018 , 148, 437-444	4.1	14
235	Association Between Adherence to the Mediterranean Diet at Midlife and Healthy Aging in a Cohort of French Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 347-354	6.4	24
234	Prospective association between adherence to the Mediterranean diet and risk of depressive symptoms in the French SU.VI.MAX cohort. <i>European Journal of Nutrition</i> , 2018 , 57, 1225-1235	5.2	24
233	D ^e terminants et corr ^e lats de la consommation d ^e l ^e iments issus de l ^e griculture biologique. R ^e sultats du projet BioNutriNet. <i>Cahiers De Nutrition Et De Dietetique</i> , 2018 , 53, 43-52	0.2	4
232	Contribution of ultra-processed foods in the diet of adults from the French NutriNet-Sant ^e study. <i>Public Health Nutrition</i> , 2018 , 21, 27-37	3.3	102
231	Total and specific dietary polyphenol intakes and 6-year anthropometric changes in a middle-aged general population cohort. <i>International Journal of Obesity</i> , 2018 , 42, 310-317	5.5	13
230	Cancer-Specific and General Nutritional Scores and Cancer Risk: Results from the Prospective NutriNet-Sant ^e Cohort. <i>Cancer Research</i> , 2018 , 78, 4427-4435	10.1	35
229	Association Between Mediterranean Anti-inflammatory Dietary Profile and Severity of Psoriasis: Results From the NutriNet-Sant ^e Cohort. <i>JAMA Dermatology</i> , 2018 , 154, 1017-1024	5.1	42
228	Environmental Impacts of Plant-Based Diets: How Does Organic Food Consumption Contribute to Environmental Sustainability?. <i>Frontiers in Nutrition</i> , 2018 , 5, 8	6.2	36
227	A "Fork-to-Farm" Multi-Scale Approach to Promote Sustainable Food Systems for Nutrition and Health: A Perspective for the Mediterranean Region. <i>Frontiers in Nutrition</i> , 2018 , 5, 30	6.2	14
226	Mindfulness Is Associated with the Metabolic Syndrome among Individuals with a Depressive Symptomatology. <i>Nutrients</i> , 2018 , 10,	6.7	1
225	The Mediating Role of Overweight and Obesity in the Prospective Association between Overall Dietary Quality and Healthy Aging. <i>Nutrients</i> , 2018 , 10,	6.7	3

224	Adherence to National Dietary Guidelines in Association with Oral Health Impact on Quality of Life. <i>Nutrients</i> , 2018 , 10,	6.7	9
223	Associations between dietary scores with asthma symptoms and asthma control in adults. <i>European Respiratory Journal</i> , 2018 , 52,	13.6	25
222	Association between a pro plant-based dietary score and cancer risk in the prospective NutriNet-sant ^e cohort. <i>International Journal of Cancer</i> , 2018 , 143, 2168-2176	7.5	14
221	Association between time perspective and organic food consumption in a large sample of adults. <i>Nutrition Journal</i> , 2018 , 17, 1	4.3	30
220	Association Between Alexithymia and Risk of Incident Cardiovascular Diseases in the SUplplmentation en Vitamines et Minfaux AntioXydants (SU.VI.MAX) Cohort. <i>Psychosomatic Medicine</i> , 2018 , 80, 460-467	3.7	2
219	Association Between Ultra-Processed Food Consumption and Functional Gastrointestinal Disorders: Results From the French NutriNet-Sant ^e Cohort. <i>American Journal of Gastroenterology</i> , 2018 , 113, 1217-1228	0.7	65
218	Identification of sustainable dietary patterns by a multicriteria approach in the NutriNet-Sant ^e cohort. <i>Journal of Cleaner Production</i> , 2018 , 196, 1256-1265	10.3	7
217	Prospective association between combined healthy lifestyles and risk of depressive symptoms in the French NutriNet-Sant ^e cohort. <i>Journal of Affective Disorders</i> , 2018 , 238, 554-562	6.6	15
216	Association between organic food consumption and metabolic syndrome: cross-sectional results from the NutriNet-Sant ^e study. <i>European Journal of Nutrition</i> , 2018 , 57, 2477-2488	5.2	28
215	Depressive Symptoms and Vegetarian Diets: Results from the Constances Cohort. <i>Nutrients</i> , 2018 , 10,	6.7	35
214	Unsaturated Fatty Acid Intakes During Midlife Are Positively Associated with Later Cognitive Function in Older Adults with Modulating Effects of Antioxidant Supplementation. <i>Journal of Nutrition</i> , 2018 , 148, 1938-1945	4.1	14
213	Prospective Association between Total and Specific Dietary Polyphenol Intakes and Cardiovascular Disease Risk in the Nutrinet-Sant ^e French Cohort. <i>Nutrients</i> , 2018 , 10,	6.7	25
212	Association of Frequency of Organic Food Consumption With Cancer Risk: Findings From the NutriNet-Sant ^e Prospective Cohort Study. <i>JAMA Internal Medicine</i> , 2018 , 178, 1597-1606	11.5	74
211	Impact of Front-of-Pack Nutrition Labels on Portion Size Selection: An Experimental Study in a French Cohort. <i>Nutrients</i> , 2018 , 10,	6.7	17
210	Nutritional quality of food as represented by the FSAM-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. <i>PLoS Medicine</i> , 2018 , 15, e1002651	11.6	26
209	How Healthy Lifestyle Factors at Midlife Relate to Healthy Aging. <i>Nutrients</i> , 2018 , 10,	6.7	25
208	Impulsivity and consideration of future consequences as moderators of the association between emotional eating and body weight status. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 84	8.4	13
207	Objective understanding of Nutri-Score Front-Of-Package nutrition label according to individual characteristics of subjects: Comparisons with other format labels. <i>PLoS ONE</i> , 2018 , 13, e0202095	3.7	47

206	Prospective association between adherence to dietary recommendations and incident depressive symptoms in the French NutriNet-Santé cohort. <i>British Journal of Nutrition</i> , 2018 , 120, 290-300	3.6	12
205	Long-term association between the dietary inflammatory index and cognitive functioning: findings from the SU.VI.MAX study. <i>European Journal of Nutrition</i> , 2017 , 56, 1647-1655	5.2	49
204	Long-term associations between inflammatory dietary scores in relation to long-term C-reactive protein status measured 12 years later: findings from the Supplémentation en Vitamines et Minéraux Antioxydants (SU.VI.MAX) cohort. <i>British Journal of Nutrition</i> , 2017 , 117, 306-314	3.6	29
203	Prospective association between consumption frequency of organic food and body weight change, risk of overweight or obesity: results from the NutriNet-Santé Study. <i>British Journal of Nutrition</i> , 2017 , 117, 325-334	3.6	32
202	Association between a dietary quality index based on the food standard agency nutrient profiling system and cardiovascular disease risk among French adults. <i>International Journal of Cardiology</i> , 2017 , 234, 22-27	3.2	24
201	Prospective association between body mass index at midlife and healthy aging among French adults. <i>Obesity</i> , 2017 , 25, 1254-1262	8	5
200	Are self-reported unhealthy food choices associated with an increased risk of breast cancer? Prospective cohort study using the British Food Standards Agency nutrient profiling system. <i>BMJ Open</i> , 2017 , 7, e013718	3	15
199	Dyslipidemia as a Potential Moderator of the Association between Hearing Loss and Depressive Symptoms. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 1291-1298	5.2	4
198	Meal planning is associated with food variety, diet quality and body weight status in a large sample of French adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 12	8.4	29
197	Modifications in dietary and alcohol intakes between before and after cancer diagnosis: Results from the prospective population-based NutriNet-Santé cohort. <i>International Journal of Cancer</i> , 2017 , 141, 457-470	7.5	15
196	Longitudinal study of diet quality and change in asthma symptoms in adults, according to smoking status. <i>British Journal of Nutrition</i> , 2017 , 117, 562-571	3.6	18
195	The Inflammatory Potential of the Diet Is Associated with Depressive Symptoms in Different Subgroups of the General Population. <i>Journal of Nutrition</i> , 2017 , 147, 879-887	4.1	37
194	Dietary intakes and diet quality according to levels of organic food consumption by French adults: cross-sectional findings from the NutriNet-Santé Cohort Study. <i>Public Health Nutrition</i> , 2017 , 20, 638-648	3.3	32
193	Perception of different formats of front-of-pack nutrition labels according to sociodemographic, lifestyle and dietary factors in a French population: cross-sectional study among the NutriNet-Santé cohort participants. <i>BMJ Open</i> , 2017 , 7, e016108	3	41
192	Human health implications of organic food and organic agriculture: a comprehensive review. <i>Environmental Health</i> , 2017 , 16, 111	6	136
191	Exposure to contaminants and nutritional intakes in a French vegetarian population. <i>Food and Chemical Toxicology</i> , 2017 , 109, 218-229	4.7	11
190	Individual and Combined Effects of Dietary Factors on Risk of Incident Hypertension: Prospective Analysis From the NutriNet-Santé Cohort. <i>Hypertension</i> , 2017 , 70, 712-720	8.5	43
189	Is organic food consumption associated with life satisfaction? A cross-sectional analysis from the NutriNet-Santé study. <i>Preventive Medicine Reports</i> , 2017 , 8, 190-196	2.6	4

188	Intuitive Eating Dimensions Were Differently Associated with Food Intake in the General Population-Based NutriNet-Santé Study. <i>Journal of Nutrition</i> , 2017 , 147, 61-69	4.1	26
187	Plasma vitamin D status and recurrent depressive symptoms in the French SU.VI.MAX cohort. <i>European Journal of Nutrition</i> , 2017 , 56, 2289-2298	5.2	5
186	Dilemma between health and environmental motives when purchasing animal food products: sociodemographic and nutritional characteristics of consumers. <i>BMC Public Health</i> , 2017 , 17, 876	4.1	10
185	Assessment of the Sustainability of the Mediterranean Diet Combined with Organic Food Consumption: An Individual Behaviour Approach. <i>Nutrients</i> , 2017 , 9,	6.7	26
184	Food Choice Motives When Purchasing in Organic and Conventional Consumer Clusters: Focus on Sustainable Concerns (The NutriNet-Santé Cohort Study). <i>Nutrients</i> , 2017 , 9,	6.7	57
183	Compliance with Nutritional and Lifestyle Recommendations in 13,000 Patients with a Cardiometabolic Disease from the NutriNet-Santé Study. <i>Nutrients</i> , 2017 , 9,	6.7	13
182	Western Dietary Pattern Is Associated with Irritable Bowel Syndrome in the French NutriNet Cohort. <i>Nutrients</i> , 2017 , 9,	6.7	23
181	Comparison of Sociodemographic and Nutritional Characteristics between Self-Reported Vegetarians, Vegans, and Meat-Eaters from the NutriNet-Santé Study. <i>Nutrients</i> , 2017 , 9,	6.7	115
180	Leisure-Time Physical Activity and Sedentary Behavior and Their Cross-Sectional Associations with Excessive Daytime Sleepiness in the French SU.VI.MAX-2 Study. <i>International Journal of Behavioral Medicine</i> , 2016 , 23, 143-52	2.6	7
179	Consumption of Dairy Products and Cognitive Functioning: Findings from the SU.VI.MAX 2 Study. <i>Journal of Nutrition, Health and Aging</i> , 2016 , 20, 128-37	5.2	18
178	Validation of the FSA nutrient profiling system dietary index in French adults-findings from SUVIMAX study. <i>European Journal of Nutrition</i> , 2016 , 55, 1901-10	5.2	26
177	Adherence to dietary guidelines as a protective factor against chronic or recurrent depressive symptoms in the French SU.VI.MAX cohort. <i>Preventive Medicine</i> , 2016 , 91, 335-343	4.3	8
176	Comparison of Dietary Intakes Between a Large Online Cohort Study (Etude NutriNet-Santé) and a Nationally Representative Cross-Sectional Study (Etude Nationale Nutrition Santé) in France: Addressing the Issue of Generalizability in E-Epidemiology. <i>American Journal of Epidemiology</i> , 2016 , 184, 660-669	3.8	56
175	Association between dietary polyphenols intake and an oxidative stress biomarker: interest of multiple imputation for handling missing covariates and outcomes. <i>BMC Nutrition</i> , 2016 , 2,	2.5	2
174	Cluster analysis of polyphenol intake in a French middle-aged population (aged 35-64 years). <i>Journal of Nutritional Science</i> , 2016 , 5, e28	2.7	5
173	Prospective association between a dietary quality index based on a nutrient profiling system and cardiovascular disease risk. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1669-76	3.9	33
172	Impact of Different Front-of-Pack Nutrition Labels on Consumer Purchasing Intentions: A Randomized Controlled Trial. <i>American Journal of Preventive Medicine</i> , 2016 , 50, 627-636	6.1	89
171	Association Between Blood Pressure and Adherence to French Dietary Guidelines. <i>American Journal of Hypertension</i> , 2016 , 29, 948-58	2.3	11

170	Prospective association between the Dietary Inflammatory Index and mortality: modulation by antioxidant supplementation in the SU.VI.MAX randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 878-85	7	30
169	Weight Status and Alcohol Intake Modify the Association between Vitamin D and Breast Cancer Risk. <i>Journal of Nutrition</i> , 2016 , 146, 576-85	4.1	15
168	Built environment in local relation with walking: Why here and not there?. <i>Journal of Transport and Health</i> , 2016 , 3, 500-512	3	26
167	Correlations between Fruit, Vegetables, Fish, Vitamins, and Fatty Acids Estimated by Web-Based Nonconsecutive Dietary Records and Respective Biomarkers of Nutritional Status. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2016 , 116, 427-438.e5	3.9	94
166	The Dietary Inflammatory Index Is Associated with Prostate Cancer Risk in French Middle-Aged Adults in a Prospective Study. <i>Journal of Nutrition</i> , 2016 , 146, 785-791	4.1	35
165	Effect of Multimorbidity on Health-Related Quality of Life in Adults Aged 55 Years or Older: Results from the SU.VI.MAX 2 Cohort. <i>PLoS ONE</i> , 2016 , 11, e0169282	3.7	31
164	Comparison Between a Self-Administered and Supervised Version of a Web-Based Cognitive Test Battery: Results From the NutriNet-Santé Cohort Study. <i>Journal of Medical Internet Research</i> , 2016 , 18, e68	7.6	11
163	Lessons Learned From Methodological Validation Research in E-Epidemiology. <i>JMIR Public Health and Surveillance</i> , 2016 , 2, e160	11.4	9
162	What Do People Know and Believe about Vitamin D?. <i>Nutrients</i> , 2016 , 8,	6.7	21
161	The 5-CNL Front-of-Pack Nutrition Label Appears an Effective Tool to Achieve Food Substitutions towards Healthier Diets across Dietary Profiles. <i>PLoS ONE</i> , 2016 , 11, e0157545	3.7	11
160	Intuitive eating is inversely associated with body weight status in the general population-based NutriNet-Santé study. <i>Obesity</i> , 2016 , 24, 1154-61	8	41
159	Typology of eaters based on conventional and organic food consumption: results from the NutriNet-Santé cohort study. <i>British Journal of Nutrition</i> , 2016 , 116, 700-9	3.6	26
158	Dietary scores at midlife and healthy ageing in a French prospective cohort. <i>British Journal of Nutrition</i> , 2016 , 116, 666-76	3.6	17
157	Impact of the front-of-pack 5-colour nutrition label (5-CNL) on the nutritional quality of purchases: an experimental study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 101	8.4	41
156	Prospective Association Between the Dietary Inflammatory Index and Cardiovascular Diseases in the SUPplmentation en Vitamines et Minéraux Antioxydants (SU.VI.MAX) Cohort. <i>Journal of the American Heart Association</i> , 2016 , 5, e002735	6	42
155	Determining the association between types of sedentary behaviours and cardiometabolic risk factors: A 6-year longitudinal study of French adults. <i>Diabetes and Metabolism</i> , 2016 , 42, 112-21	5.4	6
154	A prospective study of plasma 25-hydroxyvitamin D concentration and prostate cancer risk. <i>British Journal of Nutrition</i> , 2016 , 115, 305-14	3.6	26
153	Quick and Easy Screening for Vitamin D Insufficiency in Adults: A Scoring System to Be Implemented in Daily Clinical Practice. <i>Medicine (United States)</i> , 2016 , 95, e2783	1.8	19

152	10-year cumulative and bidirectional associations of domain-specific physical activity and sedentary behaviour with health-related quality of life in French adults: Results from the SU.VI.MAX studies. <i>Preventive Medicine</i> , 2016 , 88, 66-72	4.3	18
151	Application aux produits disponibles sur le march� fran�ais du profil nutritionnel associ� au syst�me 5 couleurs (5-C) : coh�rence avec les rep�res de consommation du PNNS. <i>Cahiers De Nutrition Et De Dietetique</i> , 2015 , 50, 189-201	0.2	3
150	Operative definition of active and healthy ageing (AHA): Meeting report. Montpellier October 20�1, 2014. <i>European Geriatric Medicine</i> , 2015 , 6, 196-200	3	12
149	Evidence of a cumulative effect of cardiometabolic disorders at midlife and subsequent cognitive function. <i>Age and Ageing</i> , 2015 , 44, 648-54	3	17
148	Associations between weight status and liking scores for sweet, salt and fat according to the gender in adults (The Nutrinet-Sant� study). <i>European Journal of Clinical Nutrition</i> , 2015 , 69, 40-6	5.2	52
147	Performance of a five category front-of-pack labelling system - the 5-colour nutrition label - to differentiate nutritional quality of breakfast cereals in France. <i>BMC Public Health</i> , 2015 , 15, 179	4.1	35
146	Descriptive study of sedentary behaviours in 35,444 French working adults: cross-sectional findings from the ACTI-Cit�s study. <i>BMC Public Health</i> , 2015 , 15, 379	4.1	55
145	Healthy Aging 5 Years After a Period of Daily Supplementation With Antioxidant Nutrients: A Post Hoc Analysis of the French Randomized Trial SU.VI.MAX. <i>American Journal of Epidemiology</i> , 2015 , 182, 694-704	3.8	19
144	Validation of a Web-based, self-administered, non-consecutive-day dietary record tool against urinary biomarkers. <i>British Journal of Nutrition</i> , 2015 , 113, 953-62	3.6	105
143	Operational Definition of Active and Healthy Aging (AHA): The European Innovation Partnership (EIP) on AHA Reference Site Questionnaire: Montpellier October 20-21, 2014, Lisbon July 2, 2015. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 1020-6	5.9	25
142	Are different vascular risk scores calculated at midlife uniformly associated with subsequent poor cognitive performance?. <i>Atherosclerosis</i> , 2015 , 243, 286-92	3.1	5
141	Prospective association between the dietary inflammatory index and metabolic syndrome: findings from the SU.VI.MAX study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 988-96	4.5	86
140	A Healthy Dietary Pattern at Midlife, Combined with a Regulated Energy Intake, Is Related to Increased Odds for Healthy Aging. <i>Journal of Nutrition</i> , 2015 , 145, 2139-45	4.1	25
139	The Nutrient Profile of Foods Consumed Using the British Food Standards Agency Nutrient Profiling System Is Associated with Metabolic Syndrome in the SU.VI.MAX Cohort. <i>Journal of Nutrition</i> , 2015 , 145, 2355-61	4.1	28
138	Prospective associations between a dietary index based on the British Food Standard Agency nutrient profiling system and 13-year weight gain in the SU.VI.MAX cohort. <i>Preventive Medicine</i> , 2015 , 81, 189-94	4.3	36
137	Prospective associations between vitamin D status, vitamin D-related gene polymorphisms, and risk of tobacco-related cancers. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1207-15	7	9
136	Relationship between nutrition and blood pressure: a cross-sectional analysis from the NutriNet-Sant� Study, a French web-based cohort study. <i>American Journal of Hypertension</i> , 2015 , 28, 362-71	2.3	32
135	Overall and abdominal adiposity in midlife and subsequent cognitive function. <i>Journal of Nutrition, Health and Aging</i> , 2015 , 19, 183-9	5.2	18

134	Midlife plasma vitamin D concentrations and performance in different cognitive domains assessed 13 years later. <i>British Journal of Nutrition</i> , 2015 , 113, 1628-37	3.6	10
133	Association between sustainable food choice motives during purchasing and dietary patterns in French adults. <i>Proceedings of the Nutrition Society</i> , 2015 , 74,	2.9	2
132	Prospective association between cancer risk and an individual dietary index based on the British Food Standards Agency Nutrient Profiling System. <i>British Journal of Nutrition</i> , 2015 , 114, 1702-10	3.6	31
131	Health and dietary traits of organic food consumers: results from the NutriNet-Santé study. <i>British Journal of Nutrition</i> , 2015 , 114, 2064-73	3.6	30
130	Discriminating nutritional quality of foods using the 5-Color nutrition label in the French food market: consistency with nutritional recommendations. <i>Nutrition Journal</i> , 2015 , 14, 100	4.3	29
129	Objective Understanding of Front-of-Package Nutrition Labels among Nutritionally At-Risk Individuals. <i>Nutrients</i> , 2015 , 7, 7106-25	6.7	50
128	Contribution of Organic Food to the Diet in a Large Sample of French Adults (the NutriNet-Santé Cohort Study). <i>Nutrients</i> , 2015 , 7, 8615-32	6.7	56
127	How the Organic Food System Supports Sustainable Diets and Translates These into Practice. <i>Frontiers in Nutrition</i> , 2015 , 2, 19	6.2	23
126	Effectiveness of Front-Of-Pack Nutrition Labels in French Adults: Results from the NutriNet-Santé Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0140898	3.7	52
125	Comparison of the sociodemographic characteristics of the large NutriNet-Santé-cohort with French Census data: the issue of volunteer bias revisited. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 893-8	5.1	96
124	Operational Definition of Active and Healthy Ageing (AHA): A Conceptual Framework. <i>Journal of Nutrition, Health and Aging</i> , 2015 , 19, 955-60	5.2	54
123	Determinants of vitamin D status in Caucasian adults: influence of sun exposure, dietary intake, sociodemographic, lifestyle, anthropometric, and genetic factors. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 378-388	4.3	95
122	Unemployment is associated with high cardiovascular event rate and increased all-cause mortality in middle-aged socially privileged individuals. <i>International Archives of Occupational and Environmental Health</i> , 2015 , 88, 707-16	3.2	33
121	Nutrition and Cognition in the Context of Ageing: Role of Dietary Patterns 2015 , 11-40		1
120	How computer literacy and socioeconomic status affect attitudes toward a Web-based cohort: results from the NutriNet-Santé study. <i>Journal of Medical Internet Research</i> , 2015 , 17, e34	7.6	10
119	Prospective associations between serum biomarkers of lipid metabolism and overall, breast and prostate cancer risk. <i>European Journal of Epidemiology</i> , 2014 , 29, 119-32	12.1	79
118	Interpretation of plasma PTH concentrations according to 25OHD status, gender, age, weight status, and calcium intake: importance of the reference values. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 1196-203	5.6	53
117	Association between melanocortin-4 receptor mutations and eating behaviors in obese patients: a case-control study. <i>International Journal of Obesity</i> , 2014 , 38, 883-5	5.5	10

116	Midlife dietary vitamin D intake and subsequent performance in different cognitive domains. <i>Annals of Nutrition and Metabolism</i> , 2014 , 65, 81-9	4.5	10
115	Association between intake of nutrients and food groups and liking for fat (The Nutrinet-Santé Study). <i>Appetite</i> , 2014 , 78, 147-55	4.5	25
114	The associations between emotional eating and consumption of energy-dense snack foods are modified by sex and depressive symptomatology. <i>Journal of Nutrition</i> , 2014 , 144, 1264-73	4.1	80
113	Clustering of midlife lifestyle behaviors and subsequent cognitive function: a longitudinal study. <i>American Journal of Public Health</i> , 2014 , 104, e170-7	5.1	32
112	B vitamin and/or n-3 fatty acid supplementation and health-related quality of life: ancillary findings from the SU.FOL.OM3 randomized trial. <i>PLoS ONE</i> , 2014 , 9, e84844	3.7	13
111	Dietary quality and 6-year anthropometric changes in a sample of French middle-aged overweight and obese adults. <i>PLoS ONE</i> , 2014 , 9, e87083	3.7	13
110	Prospective associations between plasma saturated, monounsaturated and polyunsaturated fatty acids and overall and breast cancer risk - modulation by antioxidants: a nested case-control study. <i>PLoS ONE</i> , 2014 , 9, e90442	3.7	26
109	Application of the British Food Standards Agency nutrient profiling system in a French food composition database. <i>British Journal of Nutrition</i> , 2014 , 112, 1699-705	3.6	48
108	Associations between dietary patterns and skin microcirculation in healthy subjects. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 463-9	9.4	10
107	Demographic, socioeconomic, disease history, dietary and lifestyle cancer risk factors associated with alcohol consumption. <i>International Journal of Cancer</i> , 2014 , 134, 445-59	7.5	21
106	Antioxidant status and the risk of elevated C-reactive protein 12 years later. <i>Annals of Nutrition and Metabolism</i> , 2014 , 65, 289-98	4.5	4
105	Development and validation of an individual dietary index based on the British Food Standard Agency nutrient profiling system in a French context. <i>Journal of Nutrition</i> , 2014 , 144, 2009-17	4.1	43
104	Carotenoid-rich dietary patterns during midlife and subsequent cognitive function. <i>British Journal of Nutrition</i> , 2014 , 111, 915-23	3.6	59
103	Assessment of response consistency and respective participant profiles in the Internet-based NutriNet-Santé Cohort. <i>American Journal of Epidemiology</i> , 2014 , 179, 910-6	3.8	11
102	Starchy food consumption in French adults: a cross-sectional analysis of the profile of consumers and contribution to nutritional intake in a web-based prospective cohort. <i>Annals of Nutrition and Metabolism</i> , 2014 , 64, 28-37	4.5	0
101	Baseline plasma fatty acids profile and incident cardiovascular events in the SU.FOL.OM3 trial: the evidence revisited. <i>PLoS ONE</i> , 2014 , 9, e92548	3.7	14
100	Changes in sedentary behaviours and associations with physical activity through retirement: a 6-year longitudinal study. <i>PLoS ONE</i> , 2014 , 9, e106850	3.7	20
99	Motives for participating in a web-based nutrition cohort according to sociodemographic, lifestyle, and health characteristics: the NutriNet-Santé cohort study. <i>Journal of Medical Internet Research</i> , 2014 , 16, e189	7.6	26

98	The K-T cancellation test in the older adults: Normative data and construct validity. <i>Aging, Neuropsychology, and Cognition</i> , 2013 , 20, 429-42	2.1	5
97	Does compliance with nutrition guidelines lead to healthy aging? A quality-of-life approach. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2013 , 113, 228-40.e1-2	3.9	15
96	Intakes of PUFAs were inversely associated with plasma C-reactive protein 12 years later in a middle-aged population with vitamin E intake as an effect modifier. <i>Journal of Nutrition</i> , 2013 , 143, 1760-6	4.1	24
95	Dual association between polyphenol intake and breast cancer risk according to alcohol consumption level: a prospective cohort study. <i>Breast Cancer Research and Treatment</i> , 2013 , 137, 225-36	4.4	40
94	Adherence to Mediterranean diet reduces the risk of metabolic syndrome: a 6-year prospective study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 677-83	4.5	136
93	Sociodemographic profiles regarding bitter food consumption: cross-sectional evidence from a general French population. <i>Appetite</i> , 2013 , 67, 53-60	4.5	10
92	Association between dietary intake of n-3 polyunsaturated fatty acids and severity of skin photoaging in a middle-aged Caucasian population. <i>Journal of Dermatological Science</i> , 2013 , 72, 233-9	4.3	18
91	Differential association between adherence to nutritional recommendations and body weight status across educational levels: a cross-sectional study. <i>Preventive Medicine</i> , 2013 , 57, 488-93	4.3	14
90	Dietary patterns, inflammation and the metabolic syndrome. <i>Diabetes and Metabolism</i> , 2013 , 39, 99-110	5.4	170
89	Sociodemographic, lifestyle and dietary correlates of dietary supplement use in a large sample of French adults: results from the NutriNet-Santé cohort study. <i>British Journal of Nutrition</i> , 2013 , 110, 1480-91	3.6	46
88	Dietary patterns and risk of elevated C-reactive protein concentrations 12 years later. <i>British Journal of Nutrition</i> , 2013 , 110, 747-54	3.6	36
87	Distinctive unhealthy eating pattern in free-living middle-aged hypertensives when compared with dyslipidemic or overweight patients. <i>Journal of Hypertension</i> , 2013 , 31, 1554-63	1.9	3
86	Reply to T Aalbers et al. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 1412-3	7	3
85	Midlife iron status is inversely associated with subsequent cognitive performance, particularly in perimenopausal women. <i>Journal of Nutrition</i> , 2013 , 143, 1974-81	4.1	8
84	Mediterranean diet and cognitive function: a French study. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 369-76	7	109
83	CD36 and SR-BI are involved in cellular uptake of provitamin A carotenoids by Caco-2 and HEK cells, and some of their genetic variants are associated with plasma concentrations of these micronutrients in humans. <i>Journal of Nutrition</i> , 2013 , 143, 448-56	4.1	85
82	Effect of type of TAG fatty acids on lutein and zeaxanthin bioavailability. <i>British Journal of Nutrition</i> , 2013 , 110, 1-10	3.6	104
81	Intake of specific nutrients and foods and hearing level measured 13 years later. <i>British Journal of Nutrition</i> , 2013 , 109, 2079-88	3.6	26

80	Profiles of organic food consumers in a large sample of French adults: results from the Nutrinet-Santé cohort study. <i>PLoS ONE</i> , 2013 , 8, e76998	3.7	91
79	Association between adherence to nutritional guidelines, the metabolic syndrome and adiposity markers in a French adult general population. <i>PLoS ONE</i> , 2013 , 8, e76349	3.7	29
78	Participant profiles according to recruitment source in a large Web-based prospective study: experience from the Nutrinet-Santé study. <i>Journal of Medical Internet Research</i> , 2013 , 15, e205	7.6	35
77	Validity of web-based self-reported weight and height: results of the Nutrinet-Santé study. <i>Journal of Medical Internet Research</i> , 2013 , 15, e152	7.6	142
76	Cross-sectional but not longitudinal association between n-3 fatty acid intake and depressive symptoms: results from the SU.VI.MAX 2 study. <i>American Journal of Epidemiology</i> , 2012 , 175, 979-87	3.8	25
75	Dietary fat, abdominal obesity and smoking modulate the relationship between plasma complement component 3 concentrations and metabolic syndrome risk. <i>Atherosclerosis</i> , 2012 , 220, 513-9 ¹	3.1	36
74	High dietary saturated fat intake accentuates obesity risk associated with the fat mass and obesity-associated gene in adults. <i>Journal of Nutrition</i> , 2012 , 142, 824-31	4.1	88
73	Development of a questionnaire to assay recalled liking for salt, sweet and fat. <i>Food Quality and Preference</i> , 2012 , 23, 110-124	5.8	33
72	Identifying built environmental patterns using cluster analysis and GIS: relationships with walking, cycling and body mass index in French adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012 , 9, 59	8.4	40
71	B vitamin and/or n-3 fatty acid supplementation and cancer: ancillary findings from the supplementation with folate, vitamins B6 and B12, and/or omega-3 fatty acids (SU.FOL.OM3) randomized trial. <i>Archives of Internal Medicine</i> , 2012 , 172, 540-7		28
70	Association between dietary scores and 13-year weight change and obesity risk in a French prospective cohort. <i>International Journal of Obesity</i> , 2012 , 36, 1455-62	5.5	64
69	Alcohol consumption in midlife and cognitive performance assessed 13 years later in the SU.VI.MAX 2 cohort. <i>PLoS ONE</i> , 2012 , 7, e52311	3.7	15
68	Modulation of the association between plasma intercellular adhesion molecule-1 and cancer risk by n-3 PUFA intake: a nested case-control study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 944-50	7	7
67	Supplementation with B vitamins or n-3 fatty acids and depressive symptoms in cardiovascular disease survivors: ancillary findings from the SUPPLEMENTATION WITH FOLATE, VITAMINS B-6 AND B-12 AND/OR OMEGA-3 FATTY ACIDS (SU.FOL.OM3) randomized trial. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 208-14	7	35
66	Total and specific polyphenol intakes in midlife are associated with cognitive function measured 13 years later. <i>Journal of Nutrition</i> , 2012 , 142, 76-83	4.1	104
65	A healthy dietary pattern at midlife is associated with subsequent cognitive performance. <i>Journal of Nutrition</i> , 2012 , 142, 909-15	4.1	80
64	Dietary monounsaturated fatty acids intake and risk of skin photoaging. <i>PLoS ONE</i> , 2012 , 7, e44490	3.7	25
63	Cross-sectional and longitudinal associations of different sedentary behaviors with cognitive performance in older adults. <i>PLoS ONE</i> , 2012 , 7, e47831	3.7	98

62	Association between dietary patterns and depressive symptoms over time: a 10-year follow-up study of the GAZEL cohort. <i>PLoS ONE</i> , 2012 , 7, e51593	3.7	114
61	Socio-economic, demographic, lifestyle and health characteristics associated with consumption of fatty-sweetened and fatty-salted foods in middle-aged French adults. <i>British Journal of Nutrition</i> , 2011 , 105, 776-86	3.6	19
60	Sociodemographic and economic characteristics associated with dairy intake vary across genders. <i>Journal of Human Nutrition and Dietetics</i> , 2011 , 24, 74-85	3.1	8
59	Higher adherence to French dietary guidelines and chronic diseases in the prospective SU.VI.MAX cohort. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 887-94	5.2	22
58	Agreement between web-based and paper versions of a socio-demographic questionnaire in the NutriNet-Santé study. <i>International Journal of Public Health</i> , 2011 , 56, 407-17	4	109
57	Thirteen-year prospective study between fish consumption, long-chain n-3 fatty acids intakes and cognitive function. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 115-20	5.2	32
56	Comparison between an interactive web-based self-administered 24 h dietary record and an interview by a dietitian for large-scale epidemiological studies. <i>British Journal of Nutrition</i> , 2011 , 105, 1055-64	3.6	193
55	Associations between dietary patterns, physical activity (leisure-time and occupational) and television viewing in middle-aged French adults. <i>British Journal of Nutrition</i> , 2011 , 105, 902-10	3.6	64
54	Adherence to nutritional recommendations and subsequent cognitive performance: findings from the prospective Supplementation with Antioxidant Vitamins and Minerals 2 (SU.VI.MAX 2) study. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 200-10	7	53
53	French adults' cognitive performance after daily supplementation with antioxidant vitamins and minerals at nutritional doses: a post hoc analysis of the Supplementation in Vitamins and Mineral Antioxidants (SU.VI.MAX) trial. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 892-9	7	75
52	Cognitive function after supplementation with B vitamins and long-chain omega-3 fatty acids: ancillary findings from the SU.FOL.OM3 randomized trial. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 278-86	7	68
51	Adherence to French nutritional guidelines is associated with lower risk of metabolic syndrome. <i>Journal of Nutrition</i> , 2011 , 141, 1134-9	4.1	14
50	Fruit and vegetable intake and cognitive function in the SU.VI.MAX 2 prospective study. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1295-303	7	53
49	Leisure-time physical activity and sedentary behavior clusters and their associations with overweight in middle-aged French adults. <i>International Journal of Obesity</i> , 2010 , 34, 1293-301	5.5	15
48	Variations in compliance with recommendations and types of meat/seafood/eggs according to sociodemographic and socioeconomic categories. <i>Annals of Nutrition and Metabolism</i> , 2010 , 56, 65-73	4.5	12
47	Relative validity and reproducibility of a food frequency questionnaire designed for French adults. <i>Annals of Nutrition and Metabolism</i> , 2010 , 57, 153-62	4.5	62
46	Physical activity does not influence the effect of antioxidant supplementation at nutritional doses on the incidence of impaired fasting glucose: a 7.5 year post-hoc analysis from the SU.VI.MAX study. <i>Hormone and Metabolic Research</i> , 2010 , 42, 826-7	3.1	1
45	Effects of B vitamins and omega 3 fatty acids on cardiovascular diseases: a randomised placebo controlled trial. <i>BMJ, The</i> , 2010 , 341, c6273	5.9	315

44	Incidence of skin cancers during 5-year follow-up after stopping antioxidant vitamins and mineral supplementation. <i>European Journal of Cancer</i> , 2010 , 46, 3316-22	7.5	35
43	Associations between dietary patterns and arterial stiffness, carotid artery intima-media thickness and atherosclerosis. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010 , 17, 718-24		52
42	Impact of 6-year body weight change on cardiac geometry and function in ageing adults: the SUPplimentation en Vitamines et Minéraux AntioXydants -2 (SU.VI.MAX-2) cardiovascular ultrasound substudy. <i>Journal of Hypertension</i> , 2010 , 28, 2309-15	1.9	3
41	Variations in compliance with starchy food recommendations and consumption of types of starchy foods according to sociodemographic and socioeconomic characteristics. <i>British Journal of Nutrition</i> , 2010 , 103, 1485-92	3.6	9
40	Comparison between web-based and paper versions of a self-administered anthropometric questionnaire. <i>European Journal of Epidemiology</i> , 2010 , 25, 287-96	12.1	162
39	The Nutrinet-Santé Study: a web-based prospective study on the relationship between nutrition and health and determinants of dietary patterns and nutritional status. <i>BMC Public Health</i> , 2010 , 10, 242	4.1	276
38	Compliance with French nutrition and health program recommendations is strongly associated with socioeconomic characteristics in the general adult population. <i>Journal of the American Dietetic Association</i> , 2010 , 110, 848-56		47
37	Incidence of cancers, ischemic cardiovascular diseases and mortality during 5-year follow-up after stopping antioxidant vitamins and minerals supplements: a postintervention follow-up in the SU.VI.MAX Study. <i>International Journal of Cancer</i> , 2010 , 127, 1875-81	7.5	70
36	Association between the French nutritional guideline-based score and 6-year anthropometric changes in a French middle-aged adult cohort. <i>American Journal of Epidemiology</i> , 2009 , 170, 757-65	3.8	22
35	Adherence to the French Programme National Nutrition Santé Guideline Score is associated with better nutrient intake and nutritional status. <i>Journal of the American Dietetic Association</i> , 2009 , 109, 1031-41		130
34	Dietary patterns and their sociodemographic and behavioural correlates in French middle-aged adults from the SU.VI.MAX cohort. <i>European Journal of Clinical Nutrition</i> , 2009 , 63, 521-8	5.2	70
33	Long-chain n-3 fatty acid levels in baseline serum phospholipids do not predict later occurrence of depressive episodes: a nested case-control study within a cohort of middle-aged French men and women. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2009 , 81, 265-71	2.8	19
32	Differential associations of dietary sodium and potassium intake with blood pressure: a focus on pulse pressure. <i>Journal of Hypertension</i> , 2009 , 27, 1158-64	1.9	16
31	Relationships between different types of fruit and vegetable consumption and serum concentrations of antioxidant vitamins. <i>British Journal of Nutrition</i> , 2008 , 100, 633-41	3.6	23
30	Relationship between iron status and dietary fruit and vegetables based on their vitamin C and fiber content. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 1298-305	7	30
29	The French National Nutrition and Health Program score is associated with nutritional status and risk of major chronic diseases. <i>Journal of Nutrition</i> , 2008 , 138, 946-53	4.1	35
28	Proteins, dietary acid load, and calcium and risk of postmenopausal fractures in the E3N French women prospective study. <i>Journal of Bone and Mineral Research</i> , 2008 , 23, 1915-22	6.3	62
27	Dairy consumption and 6-y changes in body weight and waist circumference in middle-aged French adults. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1248-55	7	49

26	Dietary patterns and survival of older Europeans: the EPIC-Elderly Study (European Prospective Investigation into Cancer and Nutrition). <i>Public Health Nutrition</i> , 2007 , 10, 590-8	3.3	111
25	Dairy products, calcium and the risk of breast cancer: results of the French SU.VI.MAX prospective study. <i>Annals of Nutrition and Metabolism</i> , 2007 , 51, 139-45	4.5	39
24	Dietary patterns and blood pressure change over 5-y follow-up in the SU.VI.MAX cohort. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 1650-6	7	105
23	Dietary patterns and risk of colorectal tumors: a cohort of French women of the National Education System (E3N). <i>American Journal of Epidemiology</i> , 2006 , 164, 1085-93	3.8	78
22	Dairy products, calcium and phosphorus intake, and the risk of prostate cancer: results of the French prospective SU.VI.MAX (Supplmentation en Vitamines et Minéraux Antioxydants) study. <i>British Journal of Nutrition</i> , 2006 , 95, 539-45	3.6	56
21	Dietary intake of different types and characteristics of processed meat which might be associated with cancer risk--results from the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2006 , 9, 449-64	3.3	50
20	Dietary and cancer-related behaviors of vitamin/mineral dietary supplement users in a large cohort of French women. <i>European Journal of Nutrition</i> , 2006 , 45, 205-14	5.2	29
19	Regional dietary habits of French women born between 1925 and 1950. <i>European Journal of Nutrition</i> , 2005 , 44, 285-92	5.2	20
18	Dietary patterns among older Europeans: the EPIC-Elderly study. <i>British Journal of Nutrition</i> , 2005 , 94, 100-13	3.6	121
17	Plasma carotenoids as biomarkers of intake of fruits and vegetables: individual-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 1387-96	5.2	149
16	Plasma carotenoids as biomarkers of intake of fruits and vegetables: ecological-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 1397-408	5.2	69
15	Dietary calcium, phosphorus, vitamin D, dairy products and the risk of colorectal adenoma and cancer among French women of the E3N-EPIC prospective study. <i>International Journal of Cancer</i> , 2005 , 117, 137-44	7.5	117
14	C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2005 , 16, 561-72	2.8	79
13	Meat, fish, and colorectal cancer risk: the European Prospective Investigation into cancer and nutrition. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 906-16	9.7	603
12	Dual Association of beta-carotene with risk of tobacco-related cancers in a cohort of French women. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 1338-44	9.7	83
11	Is the association with fiber from foods in colorectal cancer confounded by folate intake?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 1552-6	4	101
10	Consumption of vegetables and fruits and risk of breast cancer. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 183-93	27.4	190
9	Dietary fibre in food and protection against colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC): an observational study. <i>Lancet, The</i> , 2003 , 361, 1496-501	4 ⁰	809

8	Cooking of meat and fish in Europe--results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 1216-30	5.2	40
7	Meat consumption in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts: results from 24-hour dietary recalls. <i>Public Health Nutrition</i> , 2002 , 5, 1243-58	3.3	110
6	Patterns of alcohol consumption in 10 European countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) project. <i>Public Health Nutrition</i> , 2002 , 5, 1287-96	3.3	102
5	Diversity of dietary patterns observed in the European Prospective Investigation into Cancer and Nutrition (EPIC) project. <i>Public Health Nutrition</i> , 2002 , 5, 1311-28	3.3	186
4	Consumption of added fats and oils in the European Prospective Investigation into Cancer and Nutrition (EPIC) centres across 10 European countries as assessed by 24-hour dietary recalls. <i>Public Health Nutrition</i> , 2002 , 5, 1227-42	3.3	49
3	Do eating habits differ according to alcohol consumption? Results of a study of the French cohort of the European Prospective Investigation into Cancer and Nutrition (E3N-EPIC). <i>American Journal of Clinical Nutrition</i> , 2001 , 74, 322-7	7	106
2	Ultra-processed food consumption and NCD-related dietary nutrient profile in a national sample of French children and adolescents. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 1	1.4	
1	Diet and physical activity during the COVID-19 lockdown period (March-May 2020): results from the French NutriNet-Santé cohort study		44