

Gerardo Prez-Ponce de Len

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/704500/gerardo-perez-ponce-de-leon-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

207
papers

3,213
citations

29
h-index

43
g-index

215
ext. papers

3,646
ext. citations

1.6
avg, IF

5.79
L-index

#	Paper	IF	Citations
207	Parasites with zoonotic potential found in commercially important fish in Tamaulipas, Northeastern Mexico.. <i>Parasitology International</i> , 2022 , 102550	2.1	0
206	Assessing the genetic diversity of the metacercariae of (Trematoda: Diplostomidae) in Middle American freshwater fishes: one species or more?. <i>Parasitology</i> , 2022 , 149, 239-252	2.7	0
205	Filling the knowledge gap of Middle American freshwater fish parasite biodiversity: metazoan parasite fauna of Nicaragua.. <i>Journal of Helminthology</i> , 2022 , 96, e24	1.6	0
204	Alchichica Silverside 2022 , 261-272		1
203	The macroparasite fauna of cichlid fish from Nicaraguan lakes, a model system for understanding host-parasite diversification and speciation.. <i>Scientific Reports</i> , 2022 , 12, 3944	4.9	2
202	Molecular link between the metacercariae and adults of four species Haematoloechus (Digenea: Plagiorchioidea), including scanning electron microscopy characterization.. <i>Parasitology International</i> , 2022 , 89, 102578	2.1	0
201	Co-structure analysis and genetic associations reveal insights into pinworms (Trypanoxyuris) and primates (<i>Alouatta palliata</i>) microevolutionary dynamics. <i>Bmc Ecology and Evolution</i> , 2021 , 21, 190	2.1	0
200	Integrative taxonomy reveals an even greater diversity within the speciose genus <i>Phyllodistomum</i> (Platyhelminthes:Trematoda:Gorgoderidae), parasitic in the urinary bladder of Middle American freshwater fishes, with descriptions of five new species. <i>Invertebrate Systematics</i> , 2021 , 35, 754	1.2	2
199	Molecular and morphological evidence of a new species of <i>Crassicutis</i> Manter 1936 (Digenea), a parasite of cichlids in South America. <i>Parasitology Research</i> , 2021 , 120, 2429-2443	2.4	0
198	Taxonomic assessment of the genus <i>Procamallanus</i> (Nematoda) in Middle American cichlids (Osteichthyes) with molecular data, and the description of a new species from Nicaragua and Costa Rica. <i>Parasitology Research</i> , 2021 , 120, 1965-1977	2.4	2
197	Phylogenetic relationships and ecological niche conservatism in killifish (Profundulidae) in Mesoamerica. <i>Journal of Fish Biology</i> , 2021 , 99, 396-410	1.9	2
196	Molecular data reveal hidden diversity of the genus <i>Clinostomum</i> (Digenea, Clinostomidae) in Argentina, with the description of a new species from <i>Ardea cocoi</i> (Ardeidae). <i>Parasitology Research</i> , 2021 , 120, 2779-2791	2.4	0
195	Morphological and molecular assessment of the diversity of trematode communities in freshwater gastropods and bivalves in Los Tuxtlas tropical rainforest. <i>Journal of Helminthology</i> , 2021 , 95,	1.6	1
194	Description of a new species of (Digenea: Allocreadiidae) from (Characiformes: Crenuchidae) from Argentina, using morphological and molecular data. <i>Journal of Helminthology</i> , 2021 , 95, e19	1.6	2
193	Caryophyllidean tapeworms (Cestoda), Nearctic parasites of fish in Mexico, including description of a new species of and the first report of , an invasive parasite of common carp (<i>Cyprinus carpio</i>). <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2021 , 15, 70-78	2.6	1
192	A new species of <i>Gorgoderina</i> (Digenea: Gorgoderidae) from <i>Rana berlandieri</i> in Los Tuxtlas tropical rainforest, Mexico, with the elucidation of its life cycle. <i>Parasitology International</i> , 2021 , 83, 102352	2.1	5
191	A new species of (Trematoda: Allocreadiidae) from characid fishes of Brazil: morphological and molecular data. <i>Journal of Helminthology</i> , 2020 , 94, e163	1.6	4

190	Acusicola margulisiae n. sp. (Copepoda: Ergasilidae) from freshwater fishes in a Nicaraguan crater lake based on morphological and molecular evidence. <i>Systematic Parasitology</i> , 2020 , 97, 165-177	1	4
189	Molecular and Morphological Elucidation of the Life Cycle of the Frog Trematode Langeronia macrocirra (Digenea: Pleurogenidae) in Los Tuxtlas, Veracruz, Mexico. <i>Journal of Parasitology</i> , 2020 , 106, 537-545	0.9	3
188	Batracholandros salamandrae (Oxyuroidea: Pharyngodonidae) in Endemic Salamanders (Amphibia: Plethodontidae) of the Trans-Mexican Volcanic Belt: Host Range Wide Distribution or Cryptic Species Complex?. <i>Journal of Parasitology</i> , 2020 , 106, 633-643	0.9	1
187	Pinworms of the red howler monkey () in Colombia: Gathering the pieces of the pinworm-primate puzzle. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2020 , 11, 17-28	2.6	1
186	Disentangling the evolutionary and biogeographical history of the freshwater fish trematode genus (Digenea: Allocreadiidae) using an integrative taxonomy approach: the case of in Middle American mountain mullets. <i>Journal of Helminthology</i> , 2020 , 94, e171	1.6	5
185	New records of helminth parasites of nine species of waterfowl in Mexico, and a checklist of the helminth fauna of Anatidae occurring in Mexican wetlands. <i>Journal of Helminthology</i> , 2020 , 94, e176	1.6	1
184	A new species of Lecithostaphylus Odhner, 1911 (Trematoda: Zoogonidae) from the Pacific needlefish, Tylosurus pacificus, off the Pacific coast of Mexico, with a molecular assessment of the phylogenetic position of this genus within the family. <i>Marine Biodiversity</i> , 2020 , 50, 1	1.4	2
183	Incipient genetic divergence or cryptic speciation? Procammallanus (Nematoda) in freshwater fishes (Astyanax). <i>Zoologica Scripta</i> , 2020 , 49, 768-778	2.5	1
182	Helminth Community Structure of Some Freshwater Fishes of the Cuatro Ciñegas Basin: Patterns and Processes. <i>Cuatro Ciénegas Basin: an Endangered Hyperdiverse Oasis</i> , 2019 , 11-27	0.3	1
181	Molecular and morphological characterization of the metacercariae of two species of diplostomid trematodes (Platyhelminthes, Digenea) in freshwater fishes of the Batalha River, Brazil. <i>Parasitology Research</i> , 2019 , 118, 2169-2182	2.4	4
180	Integrative taxonomy reveals a new species of Dollfusentis (Acanthocephala: Illiosentidae), in Orthopristis ruber (Osteichthyes: Haemulidae) from Rio de Janeiro, Brazil. <i>Parasitology International</i> , 2019 , 71, 132-142	2.1	2
179	Morphological and molecular characterisation of a new species of Gyrodactylus von Nordmann, 1832 (Monogeneoidea: Gyrodactylidae) of cichlid fishes (Perciformes) from Mexico. <i>Parasitology International</i> , 2019 , 70, 102-111	2.1	6
178	Testing the higher-level phylogenetic classification of Digenea (Platyhelminthes, Trematoda) based on nuclear rDNA sequences before entering the age of the Next-generation Tree of Life. <i>Journal of Helminthology</i> , 2019 , 93, 260-276	1.6	72
177	Morphological and molecular characterization of an enigmatic clinostomid trematode (Digenea: Clinostomidae) parasitic as metacercariae in the body cavity of freshwater fishes (Cichlidae) across Middle America. <i>Journal of Helminthology</i> , 2019 , 93, 461-474	1.6	9
176	Assessing the Taxonomic Validity of Austrodiplostomum spp. (Digenea: Diplostomidae) through Nuclear and Mitochondrial Data. <i>Journal of Parasitology</i> , 2019 , 105, 102	0.9	9
175	Molecular data reveal a new species of Stiles & Hassall, 1898 (Digenea, Echinostomatidae) in the Common opossum, L. (Mammalia, Didelphidae) in the Yucatán Peninsula, Mexico. <i>ZooKeys</i> , 2019 , 854, 145-163	1.2	2
174	Exploring the genetic diversity of Tylodelphys (Diesing, 1850) metacercariae in the cranial and body cavities of Mexican freshwater fishes using nuclear and mitochondrial DNA sequences, with the description of a new species. <i>Parasitology Research</i> , 2019 , 118, 203-217	2.4	6
173	Taxonomic status of Rhabdochona ictaluri (Nematoda: Rhabdochonidae) based on molecular and morphological evidence. <i>Parasitology Research</i> , 2019 , 118, 441-452	2.4	2

172	Unveiling patterns of genetic variation in parasite-host associations: an example with pinworms and Neotropical primates. <i>Parasitology</i> , 2019 , 146, 356-362	2.7	6
171	Description of two new species of allocreadiid trematodes (Digenea: Allocreadiidae) in middle American freshwater fishes using an integrative taxonomy approach. <i>Parasitology Research</i> , 2019 , 118, 421-432	2.4	10
170	Diversity of (Nematoda: Rhabdochoniidae), a parasite of spp. (Characidae) in Mexico and Guatemala, using mitochondrial and nuclear genes, with the description of a new species. <i>Journal of Helminthology</i> , 2019 , 94, e34	1.6	2
169	Assessing the Taxonomic Validity of Austrodiplostomum SPP. (Digenea: Diplostomidae) Through Nuclear and Mitochondrial Data. <i>Journal of Parasitology</i> , 2019 , 105, 102-112	0.9	5
168	Parasites of Neotropical Primates: A Review. <i>International Journal of Primatology</i> , 2018 , 39, 155-182	2	18
167	A new species of Steringotrema Odhner, 1911 (Trematoda: Fellodistomidae) from the New Zealand sole <i>Peltorhamphus novaezeelandiae</i> GÜther off Kaka point in the Catlins, South Island, New Zealand. <i>Systematic Parasitology</i> , 2018 , 95, 213-222	1	5
166	Three new species of Clinostomum Leidy, 1856 (Trematoda) from Middle American fish-eating birds. <i>Parasitology Research</i> , 2018 , 117, 2171-2185	2.4	13
165	An updated look at the uneven distribution of cryptic diversity among parasitic helminths. <i>Journal of Helminthology</i> , 2018 , 92, 197-202	1.6	30
164	Update on the distribution of the co-invasive <i>Schyzocotyle acheilognathi</i> (= <i>Bothriocephalus acheilognathi</i>), the Asian fish tapeworm, in freshwater fishes of Mexico. <i>Journal of Helminthology</i> , 2018 , 92, 279-290	1.6	8
163	Multilocus phylogenetic analysis and morphological data reveal a new species composition of the genus <i>Drepanocephalus</i> Dietz, 1909 (Digenea: Echinostomatidae), parasites of fish-eating birds in the Americas. <i>Journal of Helminthology</i> , 2018 , 92, 572-595	1.6	7
162	Molecular data reveal high diversity of <i>Uvulifer</i> (Trematoda: Diplostomidae) in Middle America, with the description of a new species. <i>Journal of Helminthology</i> , 2018 , 92, 725-739	1.6	15
161	Phylogenetic Position of <i>Pseudosellacotyla lutzi</i> (Freitas, 1941) (Digenea: Cryptogonimidae), A Parasite of <i>Hoplias malabaricus</i> (Bloch) in South America, through 28S rDNA Sequences, and New Observations of the Ultrastructure of Their Tegument. <i>Journal of Parasitology</i> , 2018 , 104, 530-538	0.9	4
160	A new species of <i>Wallinia</i> Pearse, 1920 (Digenea: Allocreadiidae) collected from <i>Astyanax fasciatus</i> (Cuvier, 1819) and <i>A. lacustris</i> Lucena and Soares, 2016 (Characiformes: Characidae) in Brazil based on morphology and DNA sequences. <i>Parasitology Research</i> , 2018 , 117, 2847-2854	2.4	10
159	Link Between the Adult and the Metacercaria of <i>Clinostomum heluans</i> Braun, 1899 (Trematoda: Clinostomidae) Through DNA Sequences, and its Phylogenetic Position Within the Genus <i>Clinostomum</i> Leidy, 1856. <i>Journal of Parasitology</i> , 2018 , 104, 292-296	0.9	12
158	Prevalence and intensity of <i>Allocreadium isoporum</i> (Digenea: Allocreadiidae) in three endemic species of cyprinids (<i>Capoeta</i> spp.) in Turkey, in relation to season, host size and sex. <i>Journal of Applied Ichthyology</i> , 2018 , 34, 129-135	0.9	2
157	A closer look at the morphological and molecular diversity of (Acanthocephala) in Middle American cichlids (Osteichthyes: Cichlidae), with the description of a new species from Costa Rica. <i>Journal of Helminthology</i> , 2018 , 94, e23	1.6	3
156	Checklist of the Acanthocephala in wildlife vertebrates of Mexico. <i>Zootaxa</i> , 2018 , 2419, 1	0.5	30
155	A hyper-diverse genus of acanthocephalans revealed by tree-based and non-tree-based species delimitation methods: Ten cryptic species of <i>Neoechinorhynchus</i> in Middle American freshwater fishes. <i>Molecular Phylogenetics and Evolution</i> , 2018 , 127, 30-45	4.1	32

154	Parasciadiclithrum octofasciatum n. gen., n. sp. (Monogenea: Dactylogyridae), parasite of Rocio octofasciata (Regan) (Cichlidae: Perciformes) from Mexico characterised by morphological and molecular evidence. <i>Parasitology International</i> , 2017 , 66, 152-162	2.1	12
153	Mayarhynchus karlae n. g., n. sp. (Acanthocephala: Neoechinorhynchidae), a parasite of cichlids (Perciformes: Cichlidae) in southeastern Mexico, with comments on the paraphyly of Neoechinorhynchus Stiles & Hassall, 1905. <i>Systematic Parasitology</i> , 2017 , 94, 351-365	1	13
152	Helminth Fauna Associated with Three Neotropical Bat Species (Chiroptera: Mormoopidae) in Veracruz, Mexico. <i>Journal of Parasitology</i> , 2017 , 103, 338-342	0.9	3
151	Helminth parasites of howler and spider monkeys in Mexico: Insights into molecular diagnostic methods and their importance for zoonotic diseases and host conservation. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2017 , 6, 76-84	2.6	17
150	The Missing Fellow: First Description of the Trypanoxyuris pigrae Male (Nematoda: Oxyuridae), a Parasite of the Black Howler Monkey (Alouatta pigra) in Mexico. <i>Journal of Parasitology</i> , 2017 , 103, 404-406	0.9	2
149	Global analysis reveals that cryptic diversity is linked with habitat but not mode of life. <i>Journal of Evolutionary Biology</i> , 2017 , 30, 641-649	2.3	21
148	Morphological and molecular data for a new species of Pomphorhynchus Monticelli, 1905 (Acanthocephala: Pomphorhynchidae) in the Mexican redhorse Moxostoma austrinum Bean (Cypriniformes: Catostomidae) in central Mexico. <i>Systematic Parasitology</i> , 2017 , 94, 989-1006	1	10
147	Filling the gaps in the classification of the Digenea Carus, 1863: systematic position of the Proterodiplostomidae Dubois, 1936 within the superfamily Diplostomoidea Poirier, 1886, inferred from nuclear and mitochondrial DNA sequences. <i>Systematic Parasitology</i> , 2017 , 94, 833-848	1	42
146	Lack of genetic structure in pinworm populations from New World primates in forest fragments. <i>International Journal for Parasitology</i> , 2017 , 47, 941-950	4.3	4
145	Parasites of freshwater fishes and the Great American Biotic Interchange: a bridge too far?. <i>Journal of Helminthology</i> , 2017 , 91, 174-196	1.6	30
144	Checklist of the monogenea (Platyhelminthes) parasitic in mexican aquatic vertebrates. <i>Zoosystema</i> , 2017 , 39, 501-598	0.7	23
143	Molecular and morphological characterization of Austrodiplostomum ostrowskiae Dronen, 2009 (Digenea: Diplostomatidae), a parasite of cormorants in the Americas. <i>Journal of Helminthology</i> , 2016 , 90, 174-85	1.6	24
142	Taxonomic distribution of cryptic diversity among metazoans: not so homogeneous after all. <i>Biology Letters</i> , 2016 , 12,	3.6	41
141	A new species of Auriculostoma (Trematoda: Allocreadiidae) from the intestine of Brycon guatemalensis (Characiformes: Bryconidae) from the Usumacinta River Basin, Mexico, based on morphology and 28S rDNA sequences, with a key to species of the genus. <i>Zootaxa</i> , 2016 , 4196, zootaxa.4196.2.5	0.5	10
140	Phylogenetic position of Magnivittellinum Kloss, 1966 and Perezitrema Baru& Moravec, 1967 (Trematoda: Plagiorchioidea: Macroderoididae) inferred from partial 28S rDNA sequences, with the establishment of Alloglossidiidae n. fam. <i>Systematic Parasitology</i> , 2016 , 93, 525-38	1	11
139	Pinworm diversity in free-ranging howler monkeys (Alouatta spp.) in Mexico: Morphological and molecular evidence for two new Trypanoxyuris species (Nematoda: Oxyuridae). <i>Parasitology International</i> , 2016 , 65, 401-11	2.1	14
138	The historical biogeography of the southern group of the sucker genus Moxostoma (Teleostei: Catostomidae) and the colonization of central Mexico. <i>Zoological Journal of the Linnean Society</i> , 2016 , 177, 633-647	2.4	9
137	Phylogenetic Analysis Using the 28S rRNA Gene Reveals That the Genus Paracreptotrema (Digenea: Allocreadiidae) Is Not Monophyletic; Description of Two New Genera and One New Species. <i>Journal of Parasitology</i> , 2016 , 102, 131-42	0.9	17

136	Trematode diversity in freshwater fishes of the Globe II: New World. <i>Systematic Parasitology</i> , 2016 , 93, 271-82	1	25
135	The importance of recognising parasite cryptic diversity for research programmes on foodborne trematodiasis. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2016 , 110, 4-5	2	2
134	Diversidad y afinidades biogeográficas de los tiburones, rayas y quimeras (Chondrichthyes: Elasmobranchii, Holocephali) de México. <i>Revista De Biología Tropical</i> , 2016 , 64,	1.3	7
133	Species delimitation in trematodes using DNA sequences: Middle-American Clinostomum as a case study. <i>Parasitology</i> , 2016 , 143, 1773-1789	2.7	35
132	Endohelminths of some species of fishes from Lake Xochimilco, Mexico. <i>Revista Mexicana De Biodiversidad</i> , 2016 , 87, 1360-1364	0.8	5
131	An integrative taxonomic study reveals a new species of Tyloodelphys Diesing, 1950 (Digenea: Diplostomidae) in central and northern Mexico. <i>Journal of Helminthology</i> , 2016 , 90, 668-679	1.6	17
130	Helminth Communities of Cyprinodon atrorus in the Natural Protected Area of Cuatro Ciénegas, Coahuila, Northern Mexico. <i>Western North American Naturalist</i> , 2015 , 75, 226-231	0.4	4
129	Genetic Divergence of Oligacanthorhynchus microcephalus (Acanthocephala: Archiacanthocephala: Oligacanthorhynchidae), Parasite of Three Species of Opossum (Mammalia: Didelphidae) across Central and Southeastern Mexico. <i>Comparative Parasitology</i> , 2015 , 82, 175-186	0.3	5
128	The use of mitochondrial and nuclear sequences in prospecting for cryptic species in Tabascotrema verai (Digenea: Cryptogonimidae), a parasite of Petenia splendida (Cichlidae) in Middle America. <i>Parasitology International</i> , 2015 , 64, 173-81	2.1	15
127	Haliotrematoides spp. (Monogenea: Dactylogyridae) parasitizing Lutjanus guttatus (Lutjanidae) in two localities of the Pacific coast of Mexico, and their phylogenetic position within the Ancyrocephalinae through sequences of the 28S rRNA. <i>Revista Mexicana De Biodiversidad</i> , 2015 , 86, 298-305	0.8	5
126	Two new species of Phyllodistomum Braun, 1899 (Digenea: Gorgoderidae), from freshwater fishes (Cyprinodontiformes: Goodeidae: Goodeinae) in central Mexico: An integrative taxonomy approach using morphology, ultrastructure and molecular phylogenetics. <i>Zootaxa</i> , 2015 , 4013, 87-99	0.5	9
125	Checklist of the species of Neoechinorhynchus (Acanthocephala: Neoechinorhynchidae) in fishes and turtles in Middle-America, and their delimitation based on sequences of the 28S rDNA. <i>Zootaxa</i> , 2015 , 3985, 98-116	0.5	17
124	Checklist of the helminth parasites of the genus Profundulus Hubbs, 1924 (Cyprinodontiformes, Profundulidae), an endemic family of freshwater fishes in Middle-America. <i>ZooKeys</i> , 2015 , 1-30	1.2	16
123	Phyllodistomum spinopapillatum sp. nov. (Digenea: Gorgoderidae), from the Oaxaca killifish Profundulus balsanus (Osteichthyes: Profundulidae) in Mexico, with new host and locality records of P. inecoli: Morphology, ultrastructure and molecular evidence. <i>Acta Parasitologica</i> , 2015 , 60, 298-307	1.7	12
122	Population dynamics of Cichlidogyrus spp. and Scutogyrus sp. (Monogenea) infecting farmed tilapia in Veracruz, México. <i>Aquaculture</i> , 2015 , 443, 11-15	4.4	13
121	Trypanoxyuris atelis and T. atelopora (Nematoda: Oxyuridae) in wild spider monkeys (Ateles geoffroyi) in tropical rain forest in Mexico: Morphological and molecular evidence. <i>Parasitology International</i> , 2015 , 64, 229-35	2.1	10
120	Ginglymostoma unami sp. nov. (Chondrichthyes: Orectolobiformes: Ginglymostomatidae): una especie nueva de tiburón gata del Pacífico oriental tropical. <i>Revista Mexicana De Biodiversidad</i> , 2015 , 86, 48-58	0.8	8
119	Comparative historical biogeography of three groups of Nearctic freshwater fishes across central Mexico. <i>Journal of Fish Biology</i> , 2015 , 86, 993-1015	1.9	11

118	A new species of <i>Wallinia</i> Pearse, 1920 (Digenea: Allocreadiidae) in <i>Astyanax mexicanus</i> (Characidae) from Mexico revealed by morphology and sequences of the 28S ribosomal RNA gene. <i>Folia Parasitologica</i> , 2015 , 62,	1.8	6
117	A new species of <i>Auriculostoma</i> (Digenea: Allocreadiidae) in the Mexican tetra <i>Astyanax mexicanus</i> (Actinopterygii: Characidae) from Central Veracruz, Mexico, described with the use of morphological and molecular data. <i>Journal of Parasitology</i> , 2014 , 100, 331-7	0.9	24
116	Checklist of helminth parasites of Goodeinae (Osteichthyes: Cyprinodontiformes: Goodeidae), an endemic subfamily of freshwater fishes from Mexico. <i>Zootaxa</i> , 2014 , 3856, 151-91	0.5	17
115	Description of a new leech species of <i>Helobdella</i> (Clitellata: Glossiphoniidae) from Mexico with a review of Mexican congeners and a taxonomic key. <i>Zootaxa</i> , 2014 , 3900, 77-94	0.5	12
114	Testing the systematic position and relationships of <i>Paracreptotrema heterandriae</i> within the Allocreadiidae through partial 28s rRNA gene sequences. <i>Journal of Parasitology</i> , 2014 , 100, 537-41	0.9	14
113	Biodiversidad de Platyhelminthes parásitos en México. <i>Revista Mexicana De Biodiversidad</i> , 2014 , 85, 164-170.8	13	
112	Diversity of sea lice (Copepoda: Caligidae) parasitic on marine fishes with commercial and aquaculture importance in Chamela Bay, Pacific coast of Mexico by using morphology and DNA barcoding, with description of a new species of <i>Caligus</i> . <i>Parasitology International</i> , 2014 , 63, 69-79	2.1	21
111	Helminth parasites of freshwater fishes from Cuatro Ciénegas, Coahuila, in the Chihuahuan Desert of Mexico: inventory and biogeographical implications. <i>Integrative Zoology</i> , 2014 , 9, 328-39	1.9	15
110	Do the historical biogeography and evolutionary history of the digenean <i>Margotrema</i> spp. across central Mexico mirror those of their freshwater fish hosts (Goodeinae)? <i>PLoS ONE</i> , 2014 , 9, e101700	3.7	12
109	Using mitochondrial and ribosomal DNA sequences to test the taxonomic validity of <i>Clinostomum complanatum</i> Rudolphi, 1814 in fish-eating birds and freshwater fishes in Mexico, with the description of a new species. <i>Parasitology Research</i> , 2013 , 112, 2855-70	2.4	44
108	Redescription of <i>Caligus serratus</i> Shiino, 1965 (Copepoda: Caligidae) parasitic on eleven fish species from Chamela Bay in the Mexican Pacific. <i>Acta Parasitologica</i> , 2013 , 58, 367-75	1.7	6
107	Helminth parasites of <i>Pseudacris hypochondriaca</i> (Anura: Hylidae) from Baja California, Mexico, with the description of two new species of nematodes. <i>Journal of Parasitology</i> , 2013 , 99, 1077-85	0.9	13
106	Using DNA barcoding to link cystacanths and adults of the acanthocephalan <i>Polymorphus brevis</i> in central Mexico. <i>Molecular Ecology Resources</i> , 2013 , 13, 1116-24	8.4	26
105	Phylogenetic relationship among genera of Polymorphidae (Acanthocephala), inferred from nuclear and mitochondrial gene sequences. <i>Molecular Phylogenetics and Evolution</i> , 2013 , 68, 176-84	4.1	50
104	Molecular phylogeny of the genus <i>Margotrema</i> (Digenea: Allocreadiidae), parasitic flatworms of goodeid freshwater fishes across central Mexico: species boundaries, host-specificity, and geographical congruence. <i>Zoological Journal of the Linnean Society</i> , 2013 , 168, 1-16	2.4	14
103	Integrative taxonomy identifies a new species of <i>Phyllodistomum</i> (Digenea: Gorgoderidae) from the twospot livebearer, <i>Heterandria bimaculata</i> (Teleostei: Poeciliidae), in Central Veracruz, Mexico. <i>Parasitology Research</i> , 2013 , 112, 4137-50	2.4	17
102	Discordant genetic diversity and geographic patterns between <i>Crassicutis cichlasomae</i> (Digenea: Apocreadiidae) and its cichlid host, " <i>Cichlasoma</i> " <i>urophthalmus</i> (Osteichthyes: Cichlidae), in Middle-America. <i>Journal of Parasitology</i> , 2013 , 99, 978-88	0.9	9
101	New host and locality records of freshwater fish helminth parasites in river basins north of the Transmexican Volcanic Belt: another look at biogeographical patterns. <i>Revista Mexicana De Biodiversidad</i> , 2013 , 84, 556-562	0.8	8

100	The invasive Asian fish tapeworm, <i>Bothriocephalus acheilognathi</i> Yamaguti, 1934, in the Chagres River/Panama Canal drainage, Panama. <i>BioInvasions Records</i> , 2013 , 2, 99-104	1.8	10
99	The influence of host ecology and biogeography on the helminth species richness of freshwater fishes in Mexico. <i>Parasitology</i> , 2012 , 139, 1652-65	2.7	10
98	Description of a new species of <i>Neoechinorhynchus</i> (Acanthocephala: Neoechinorhynchidae) a parasite of <i>Dormitator latifrons</i> from Southwestern Mexico based on morphological and molecular characters. <i>Parasitology International</i> , 2012 , 61, 634-44	2.1	24
97	Genetic and Morphological Characterization of <i>Southwellina hispida</i> Van Cleave, 1925 (Acanthocephala: Polymorphidae), a Parasite of Fish-Eating Birds. <i>Comparative Parasitology</i> , 2012 , 79, 192-201	0.3	15
96	Morphological and molecular evidences for the existence of two new species of <i>Homalometron</i> (Digenea: Apocreadiidae), parasites of cichlids (Osteichthyes: Cichlidae). <i>Zootaxa</i> , 2012 , 3407, 37	0.5	5
95	Parasitic copepods reported from Mexico. <i>Zootaxa</i> , 2012 , 3234, 43	0.5	17
94	Integrating molecular and morphological approaches for characterizing parasite cryptic species: implications for parasitology. <i>Parasitology</i> , 2011 , 138, 1688-709	2.7	164
93	Describing Parasite Biodiversity: The Case of the Helminth Fauna of Wildlife Vertebrates in Mexico 2011 ,		7
92	Helminths of the white ibis, <i>Eudocimus albus</i> (Aves: Therskiornithidae) in Mexico.. <i>Zootaxa</i> , 2011 , 3088, 15	0.5	7
91	Molecular prospecting for cryptic species in <i>Phyllodistomum lacustri</i> (Platyhelminthes, Gorgoderidae). <i>Zoologica Scripta</i> , 2011 , 40, 296-305	2.5	30
90	Erection of <i>Ibirhynchus</i> gen. nov. (Acanthocephala: Polymorphidae), based on molecular and morphological data. <i>Journal of Parasitology</i> , 2011 , 97, 97-105	0.9	26
89	A new genus and species of <i>Brachycoeliidae</i> (Digenea) from <i>Chiropterotriton</i> sp. (Caudata: Plethodontidae) in Mexico and its phylogenetic position within the <i>Plagiorchiida</i> based on partial sequences of the 28S ribosomal RNA gene. <i>Journal of Parasitology</i> , 2011 , 97, 128-34	0.9	9
88	Helminth parasites of the blue-footed booby on Isla Isabel, México. <i>Journal of Parasitology</i> , 2011 , 97, 636-41	0.9	3
87	Patterns of host specificity among the helminth parasite fauna of freshwater siluriforms: testing the biogeographical core parasite fauna hypothesis. <i>Journal of Parasitology</i> , 2011 , 97, 361-3	0.9	12
86	Testing the evolutionary and biogeographical history of <i>Glythelmins</i> (Digenea: <i>Plagiorchiida</i>), a parasite of anurans, through a simultaneous analysis of molecular and morphological data. <i>Molecular Phylogenetics and Evolution</i> , 2011 , 59, 331-41	4.1	20
85	Endohelminth parasites of the freshwater fish <i>Zoogoneticus purhepechus</i> (Cyprinodontiformes: Goodeidae) from two springs in the Lower Lerma River, Mexico. <i>Revista Mexicana De Biodiversidad</i> , 2011 , 82,	0.8	6
84	Cestoda, <i>Bothriocephalidae</i> , <i>Bothriocephalus ácheilognathi</i> Yamaguti, 1934; Nematoda, <i>Rhabdochonidae</i> , <i>Rhabdochona canadensis</i> Moravec and Arai, 1971: new records for the state of Puebla, México, and a new fish host. <i>Check List</i> , 2010 , 6, 437	1	2
83	Helminth parasites of freshwater fishes, Nazas River basin, northern Mexico. <i>Check List</i> , 2010 , 6, 026	1	29

82	What we don't recognize can hurt us: a plea for awareness about cryptic species. <i>Journal of Parasitology</i> , 2010 , 96, 453-64	0.9	153
81	Parasite inventories and DNA-based taxonomy: lessons from helminths of freshwater fishes in a megadiverse country. <i>Journal of Parasitology</i> , 2010 , 96, 236-44	0.9	50
80	<i>Rhabdochona ictaluri</i> sp. nov. (Nematoda, Rhabdochonidae) from ictalurid catfishes in Mexico. <i>Acta Parasitologica</i> , 2010 , 55,	1.7	7
79	Helminth fauna of two cyprinid fish (<i>Campostoma ornatum</i> and <i>Codoma ornata</i>) from the upper Piaxtla River, Northwestern Mexico. <i>Helminthologia</i> , 2010 , 47, 251-256	1.1	9
78	Phylogenetic analysis of nuclear and mitochondrial DNA reveals a complex of cryptic species in <i>Crassicutis cichlasomae</i> (Digenea: Apocreadiidae), a parasite of Middle-American cichlids. <i>International Journal for Parasitology</i> , 2010 , 40, 471-86	4.3	51
77	Phylogenetic relationships and biogeography of the genus <i>Algansea</i> Girard (Cypriniiformes: Cyprinidae) of central Mexico inferred from molecular data. <i>BMC Evolutionary Biology</i> , 2009 , 9, 223	3	19
76	Detecting a complex of cryptic species within <i>Neoechinorhynchus golvani</i> (Acanthocephala: Neoechinorhynchidae) inferred from ITSs and LSU rDNA gene sequences. <i>Journal of Parasitology</i> , 2009 , 95, 1040-7	0.9	60
75	Systematic position of <i>Pseudocorynosoma</i> and <i>Andracantha</i> (Acanthocephala, Polymorphidae) based on nuclear and mitochondrial gene sequences. <i>Journal of Parasitology</i> , 2009 , 95, 178-85	0.9	27
74	Helminth parasites of <i>Xenotaenia resolanae</i> (Osteichthyes: Cyprinodontiformes: Goodeidae) from the Cuzalapa hydrological system, Jalisco, Mexico. <i>Journal of Parasitology</i> , 2009 , 95, 1221-3	0.9	8
73	Survey of the endohelminth parasites of freshwater fishes in the upper Mezquital River Basin, Durango State, Mexico. <i>Zootaxa</i> , 2009 , 2164, 1-20	0.5	16
72	¿La mesa central de México es una provincia biogeográfica? Análisis descriptivo basado en componentes biológicos dulceacuáticos. <i>Revista Mexicana De Biodiversidad</i> , 2009 , 80,	0.8	10
71	Evolutionary history of the endangered fish <i>Zoogoneticus quitzeoensis</i> (Bean, 1898) (Cyprinodontiformes: Goodeidae) using a sequential approach to phylogeography based on mitochondrial and nuclear DNA data. <i>BMC Evolutionary Biology</i> , 2008 , 8, 161	3	27
70	Validating the systematic position of <i>Proflicollis</i> Meyer, 1931 and <i>Hexaglandula</i> Petrochenko, 1950 (Acanthocephala: Polymorphidae) using cytochrome c oxidase (Cox 1). <i>Journal of Parasitology</i> , 2008 , 94, 212-7	0.9	38
69	Estimation of the endohelminth parasite species richness in freshwater fishes from La Mintzita Reservoir, Michoacán, Mexico. <i>Journal of Parasitology</i> , 2008 , 94, 288-92	0.9	6
68	Description of a new species of <i>Crassicutis</i> Manter, 1936, parasite of <i>Cichlasoma beani</i> Jordan (Osteichthyes: Cichlidae) in Mexico, based on morphology and sequences of the ITS1 and 28S ribosomal RNA genes. <i>Journal of Parasitology</i> , 2008 , 94, 257-63	0.9	14
67	A new cryptogonimid (Digenea) from the Mayan cichlid, <i>Cichlasoma urophthalmus</i> (Osteichthyes: Cichlidae), in several localities of the Yucatán Peninsula, Mexico. <i>Journal of Parasitology</i> , 2008 , 94, 1371-8	0.9	31
66	First record of <i>Hexaglandula corynosoma</i> (Travassos, 1915) Petrochenko, 1958 (Acanthocephala: Polymorphidae) in intermediate and definitive hosts in Mexico. <i>Zootaxa</i> , 2008 , 1873, 61	0.5	18
65	Taxonomic revision of the genus <i>Glypthelmins</i> Stafford, 1905 (Platyhelminthes: Digenea: Plagiorchiida), parasites of anurans in the Americas. <i>Zootaxa</i> , 2008 , 1882, 1	0.5	7

64	Angiostoma lamotheargumedei n. sp. (Nematoda: Angiostomatidae) del intestino de Pseudoeurycea mixteca (Caudata: Plethodontidae) en la región central de México. <i>Revista Mexicana De Biodiversidad</i> , 2008 , 79,	0.8	9
63	A new rhabdochonid from the blue striped chub <i>Sectator ocyurus</i> (Osteichthyes: Kyphosidae) in Chamela Bay, Mexico. <i>Journal of Parasitology</i> , 2007 , 93, 166-70	0.9	3
62	Helminth Parasites of the Balsas Catfish <i>Ictalurus balsanus</i> (Siluriformes: Ictaluridae) in Several Localities of the Balsas River Drainage, Mexico: Species Composition and Biogeographical Affinities. <i>Comparative Parasitology</i> , 2007 , 74, 204-210	0.3	4
61	Trematode parasites (Platyhelminthes) of wildlife vertebrates in Mexico. <i>Zootaxa</i> , 2007 , 1534, 1-247	0.5	66
60	Phylogeography and freshwater basins in central Mexico: recent history as revealed by the fish parasite <i>Rhabdochona lichtenfelsi</i> (Nematoda). <i>Journal of Biogeography</i> , 2007 , 34, 787-801	4.1	20
59	Human impacts on drainages of the Mesa Central, Mexico, and its genetic effects on an endangered fish, <i>Zoogoneticus quitzeoensis</i> . <i>Conservation Biology</i> , 2007 , 21, 168-80	6	22
58	Phylogeny and biogeography of <i>Rhabdochona</i> Railliet, 1916 (Nematoda: Rhabdochonidae) species from the Americas. <i>Systematic Parasitology</i> , 2007 , 67, 1-18	1	16
57	The systematic position of <i>Wallinia</i> spp. and <i>Margotrema</i> spp. (Digenea), parasites of Middle-American and Neotropical freshwater fishes, based on the 28S ribosomal RNA gene. <i>Systematic Parasitology</i> , 2007 , 68, 49-55	1	13
56	The phylogenetic position of Allocreadiidae (Trematoda: Digenea) from partial sequences of the 18S and 28S ribosomal RNA genes. <i>Journal of Parasitology</i> , 2007 , 93, 192-6	0.9	29
55	<i>Cosmocerca acanthurum</i> n. sp. (Nematoda: Cosmocercidae) in <i>Pseudoeurycea leprosa</i> and <i>Chiropterotriton orculus</i> from the Transmexican Volcanic Belt, Central Mexico, with a checklist of the helminth parasites of plethodontid salamanders. <i>Zootaxa</i> , 2007 , 1434, 27	0.5	6
54	<i>Paracreptotrema blancoi</i> n. gen., n. sp. (Digenea: Plagiorchiiformes: Allocreadiidae) in the <i>Olomina</i> , <i>Priapichthys annectens</i> (Osteichthyes: poeciliidae), from the Area de Conservación Guanacaste, Costa Rica. <i>Journal of Parasitology</i> , 2006 , 92, 565-8	0.9	9
53	Status of <i>Corynosoma</i> (Acanthocephala: Polymorphidae) based on anatomical, ecological, and phylogenetic evidence, with the erection of <i>Pseudocorynosoma</i> n. gen. <i>Journal of Parasitology</i> , 2006 , 92, 548-64	0.9	53
52	Monophyly and systematic position of Glypthelmins (Digenea), based on partial <i>lsrDNA</i> sequences and morphological evidence. <i>Organisms Diversity and Evolution</i> , 2006 , 6, 308-320	1.7	14
51	Checklist of the adult nematode parasites of fishes in freshwater localities from Mexico. <i>Zootaxa</i> , 2006 , 1201, 1	0.5	25
50	Using ecological-niche modeling as a conservation tool for freshwater species: live-bearing fishes in central Mexico. <i>Conservation Biology</i> , 2006 , 20, 1730-9	6	54
49	Historical biogeography of some river basins in central Mexico evidenced by their goodeine freshwater fishes: a preliminary hypothesis using secondary Brooks parsimony analysis. <i>Journal of Biogeography</i> , 2006 , 33, 1437-1447	4.1	31
48	Molecular phylogeny of <i>Corynosoma</i> Léve, 1904 (Acanthocephala), based on 5.8S and internal transcribed spacer sequences. <i>Journal of Parasitology</i> , 2005 , 91, 345-52	0.9	19
47	Adult Endohelminth Parasites of Goodeinae (Cyprinodontiformes: Goodeidae) from México with Biogeographical Considerations. <i>Comparative Parasitology</i> , 2005 , 72, 200-211	0.3	11

46	Biogeography of helminth parasites of freshwater fishes in Mexico: the search for patterns and processes. <i>Journal of Biogeography</i> , 2005 , 32, 645-659	4.1	72
45	Forecasting Climate Change Effects on Salamander Distribution in the Highlands of Central Mexico1. <i>Biotropica</i> , 2005 , 37, 202-208	2.3	38
44	Phyllodistomum centropomi sp. n. (Digenea: Gorgoderidae), a parasite of the fat snook, Centropomus parallelus (Osteichthyes: Centropomidae), in the Papaloapan River at Tlacotalpan, Veracruz State, Mexico. <i>Zootaxa</i> , 2005 , 1056, 43	0.5	10
43	Description of two new species of Glythelmins Stafford, 1905 (Digenea: Macroderoididae) in Rana spp. from Mexico, based on morphology and mtDNA and rDNA sequences. <i>Systematic Parasitology</i> , 2004 , 59, 199-210	1	18
42	Phylogenetic analysis on genera of Corallobothriinae (Cestoda: Proteocephalidea) from North American ictalurid fishes, using partial sequences of the 28s ribosomal gene. <i>Journal of Parasitology</i> , 2004 , 90, 1123-7	0.9	12
41	Checklist of the helminth parasites of vertebrates in Costa Rica. <i>Revista De Biología Tropical</i> , 2004 , 52, 313-53	1.3	13
40	Addendum to the checklist of the helminth parasites of vertebrates in Costa Rica. <i>Revista De Biología Tropical</i> , 2004 , 52, 355-61	1.3	4
39	Rhabdochona ahuehuellensis n. sp. (Nematoda: Rhabdochonidae) from the Balsas goodeid, Ilyodon whitei (Osteichthyes: Goodeidae), in Mexico. <i>Journal of Parasitology</i> , 2003 , 89, 356-61	0.9	8
38	Parasites of Tadarida brasiliensis mexicana (Chiroptera: Molossidae) from Arid Regions of Mexico. <i>Comparative Parasitology</i> , 2003 , 70, 11-25	0.3	19
37	Taxonomic status of Choanoscolex lamothei Garcá-Prieto, 1990 (Cestoda: Proteocephalidea) using morphological and molecular evidence. <i>Journal of Parasitology</i> , 2003 , 89, 1212-9	0.9	12
36	Acarine infracommunities associated with the Mexican free-tailed bat, Tadarida brasiliensis mexicana (Chiroptera: Molossidae) in arid regions of Mexico. <i>Journal of Medical Entomology</i> , 2003 , 40, 996-9	2.2	4
35	Phylogenetic analysis based on 18S ribosomal RNA gene sequences supports the existence of class polyacanthocephala (acanthocephala). <i>Molecular Phylogenetics and Evolution</i> , 2002 , 23, 288-92	4.1	53
34	Species richness of helminth parasites in Mexican amphibians and reptiles. <i>Diversity and Distributions</i> , 2002 , 8, 211-218	5	17
33	Helminth infracommunity structure of the sympatric garter snakes Thamnophis eques and Thamnophis melanogaster from the Mesa Central of Mexico. <i>Journal of Parasitology</i> , 2002 , 88, 454-60	0.9	14
32	Helminth Infracommunity Structure of the Sympatric Garter Snakes Thamnophis eques and Thamnophis melanogaster from the Mesa Central of Mexico. <i>Journal of Parasitology</i> , 2002 , 88, 454	0.9	
31	Yungasicola travassosi gen. n., sp. n. (Digenea: Dicrocoeliidae: Eurytrematinae) from Two Species of Grass Mice of the Genus Akodon Meyen (Rodentia: Muridae) from the Yungas of Bolivia. <i>Comparative Parasitology</i> , 2002 , 69, 51-57	0.3	6
30	Adult Endohelminth Parasites of Ictalurid Fishes (Osteichthyes: Ictaluridae) in Mexico: Empirical Evidence for Biogeographical Patterns. <i>Comparative Parasitology</i> , 2002 , 69, 10-19	0.3	28
29	Vexillata liomyos n. sp. (Nemata: Ornithostrongylidae) from Liomys pictus (Rodentia: Heteromyidae) from Mexico, with comments on the synlophe of Vexillata armandae. <i>Journal of Parasitology</i> , 2001 , 87, 656-9	0.9	3

28	Margotrema guillerminae n. sp. (Trematoda: Macroderoididae) from two species of freshwater fishes in Lake Zacapu, Michoacan State, Mexico, and new records of Margotrema bravoae Lamothe, 1970. <i>Journal of Parasitology</i> , 2001 , 87, 1112-4	0.9	7
27	Spinitectus osorioi n. sp. (Nematoda: Cystidicolidae) from Chirostoma spp. (Osteichthyes: Atherinidae) in Lake PÉzcuaro, Michoacán, México. <i>Journal of Parasitology</i> , 2001 , 87, 648-55	0.9	7
26	Spinitectus osorioi n. sp. (Nematoda: Cystidicolidae) from Chirostoma spp. (Osteichthyes: Atherinidae) in Lake Patzcuaro, Michoacan, Mexico. <i>Journal of Parasitology</i> , 2001 , 87, 648	0.9	8
25	Phylogenetic analysis of the Eneverinae (Digenea, Lepocreadiidae) and discussion of the evolution of the digenean fauna of kyphosid fishes. <i>Zoologica Scripta</i> , 2000 , 29, 237-246	2.5	10
24	Phylogenetic relationships of Acanthocephala based on analysis of 18S ribosomal RNA gene sequences. <i>Journal of Molecular Evolution</i> , 2000 , 50, 532-40	3.1	91
23	A new species of Sprostoniella Bychowsky and Nagibina, 1967 (Monogenea: Capsalidae) from Chaetodipterus zonatus (Osteichthyes: Ehippidae) in Chamela Bay, Mexico. <i>Journal of Parasitology</i> , 2000 , 86, 811-4	0.9	5
22	Phylogenetic Relationships among Species of Stilestrongylus Freitas, Lent and Almeida, 1937 (Trichostrongyloidea: Heligmonellidae: Nippostrongylinae), Parasites of Myomorph Rodents (Rodentia: Muridae) in the Neotropics. <i>Journal of Parasitology</i> , 2000 , 86, 1326	0.9	
21	A New Species of Sprostoniella Bychowsky and Nagibina, 1967 (Monogenea: Capsalidae) from Chaetodipterus zonatus (Osteichthyes: Ehippidae) in Chamela Bay, Mexico. <i>Journal of Parasitology</i> , 2000 , 86, 811	0.9	
20	Phylogenetic relationships among species of Stilestrongylus Freitas, Lent and Almeida, 1937 (Trichostrongyloidea: Heligmonellidae: Nippostrongylinae), parasites of myomorph rodents (Rodentia: Muridae) in the Neotropics. <i>Journal of Parasitology</i> , 2000 , 86, 1326-35	0.9	5
19	Two New Species of Oochoristica Luhe, 1898 (Eucestoda: Cyclophyllidae: Anoplocephalidae: Linstowiinae) Parasitic in Ctenosaura spp. (Iguanidae) from Costa Rica and Mexico. <i>Journal of Parasitology</i> , 1999 , 85, 893	0.9	8
18	Differentiation of Mexican Species of Haematoloechus Looss, 1899 (Digenea: Plagiorchiformes): Molecular and Morphological Evidence. <i>Journal of Parasitology</i> , 1999 , 85, 935	0.9	40
17	Cicesetrema unami n. gen., n. sp. (Digenea: Cryptogonimidae: Cryptogoniminae) from Paralichthys californicus (Ayres, 1859) (Osteichthyes: Pleuronectiformes: Paralichthyidae) in San Quintin Bay, Baja California, Mexico. <i>Journal of Parasitology</i> , 1999 , 85, 1160	0.9	2
16	Differentiation of Mexican species of Haematoloechus looss, 1899 (Digenea: Plagiorchiformes): molecular and morphological evidence. <i>Journal of Parasitology</i> , 1999 , 85, 935-46	0.9	13
15	Phylogenetic Analysis of the Bunocotylineae Dollfus, 1950 (Digenea: Hemiuridae). <i>Journal of Parasitology</i> , 1998 , 84, 147	0.9	7
14	A New Species of Rhabdochona Railliet, 1916 (Nematoda: Rhabdochonidae) from Endemic Goodeids (Cyprinodontiformes) from Two Mexican Lakes. <i>Journal of Parasitology</i> , 1998 , 84, 840	0.9	8
13	Helmentos parvitos de Paralichthys californicus (osteichthyes: paralichthyidae) en el estero de punta banda, bahía de todos santos y bahía de San Quintín, Baja California, México. <i>Ciencias Marinas</i> , 1998 , 24, 443-462	1.7	10
12	Theletrum lamothei sp. nov. (Digenea), parasite of Echidna nocturna from Cuajiniquil, Guanacaste, and other digenes of marine fishes from Costa Rica. <i>Revista De Biología Tropical</i> , 1998 , 46, 345-54	1.3	7
11	Koronacantha pectinaria n. comb. (Acanthocephala: Illiosentidae) from Microlepidotus brevipinnis (Haemulidae) and Redescription of Tegorhynchus brevis. <i>Journal of Parasitology</i> , 1997 , 83, 485	0.9	6

10	A New Species of <i>Acanthobothrium</i> Van Beneden, 1849 (Eucestoda: Tetracystidae: Onchobothriidae) in <i>Dasyatis longus</i> Garman (Chondrichthyes: Myliobatiformes: Dasyatidae) from Chamela Bay, Jalisco, Mexico. <i>Journal of Parasitology</i> , 1996 , 82, 484	0.9	11
9	<i>Koronacantha mexicana</i> n. gen., n. sp. (Acanthocephala: Illiosentidae) from Marine Fishes in Chamela Bay, Jalisco, Mexico. <i>Journal of Parasitology</i> , 1996 , 82, 788	0.9	3
8	<i>Proteocephalus brooksi</i> n. sp. (Cestoda: Proteocephalidae) in the Neotropical Freshwater Fish <i>Rhamdia guatemalensis</i> (Siluriformes: Pimelodidae) from Lake Catemaco, Veracruz, Mexico. <i>Journal of Parasitology</i> , 1996 , 82, 992	0.9	6
7	Phylogenetic Analysis of <i>Opisthadenia</i> (Digenea: Hemiuridae). <i>Journal of Parasitology</i> , 1996 , 82, 1005	0.9	5
6	Phylogenetic Relationships of the Genera of the Pronocephalidae Looss, 1902 (Digenea: Paramphistomiformes). <i>Journal of Parasitology</i> , 1995 , 81, 267	0.9	13
5	<i>Proteocephalus chamelensis</i> n. sp. (Cestoda: Proteocephalidae) from the "Guavina" <i>Gobiomorus maculatus</i> (Osteichthyes: Eleotrididae) in Chamela Bay, Jalisco, Mexico. <i>Journal of Parasitology</i> , 1995 , 81, 773	0.9	6
4	Host-Induced Morphological Variability in Adult <i>Posthodiplostomum minimum</i> (Digenea: Neodiplostomidae). <i>Journal of Parasitology</i> , 1995 , 81, 818	0.9	29
3	Phylogenetic Relationships among the Species of <i>Pyelosomum</i> Looss, 1899 (Digenea: Pronocephalidae). <i>Journal of Parasitology</i> , 1995 , 81, 278	0.9	5
2	Advances in the classification of acanthocephalans: evolutionary history and evolution of the parasitism 182-2017		
1	Other foodborne helminthes 329-351		