

Guido Parodi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7046082/guido-parodi-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

209
papers

7,269
citations

40
h-index

79
g-index

234
ext. papers

8,523
ext. citations

4.9
avg, IF

5.51
L-index

#	Paper	IF	Citations
209	Left atrial remodeling in heart failure: the role of sphericity index (the SPHERICAT-HF study).. <i>International Journal of Cardiovascular Imaging</i> , 2022 , 1	2.5	
208	Dual Antiplatelet Therapy with 3 Generation P2Y Inhibitors in STEMI Patients: Impact of Body Mass Index on Loading Dose-Response.. <i>Cardiovascular Drugs and Therapy</i> , 2022 , 1	3.9	3
207	Beta-blockers are associated with better long-term survival in patients with Takotsubo syndrome.. <i>Heart</i> , 2022 ,	5.1	1
206	Pathophysiology of Takotsubo syndrome – a joint scientific statement from the Heart Failure Association Takotsubo Syndrome Study Group and Myocardial Function Working Group of the European Society of Cardiology – Part 2: vascular pathophysiology, gender and sex hormones, genetics, chronic cardiovascular problems and clinical implications. <i>European Journal of Heart</i>	12.3	6
205	COVID-19 pandemic, mechanical reperfusion and 30-day mortality in ST elevation myocardial infarction. <i>Heart</i> , 2021 ,	5.1	6
204	Atrial Myopathy in Amyloidosis: Should We Ignore Simple Surface ECG and Basic Echocardiographic Indexes?. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 2268	8.4	1
203	Acute pulmonary embolism in COVID-19 patient: a case report of free-floating right heart thrombus successfully treated with fibrinolysis. <i>European Heart Journal - Case Reports</i> , 2021 , 5, ytaa388	0.9	2
202	The Controversial Role of Glucose-6-Phosphate Dehydrogenase Deficiency on Cardiovascular Disease: A Narrative Review. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 5529256	6.7	5
201	Not-high before-treatment platelet reactivity in patients with STEMI: prevalence, clinical characteristics, response to therapy and outcomes. <i>Platelets</i> , 2021 , 1-8	3.6	1
200	Chronic Oral Anticoagulation and Clinical Outcome in Hospitalized COVID-19 Patients. <i>Cardiovascular Drugs and Therapy</i> , 2021 , 1	3.9	6
199	Relationship between electrocardiographic interatrial blocks and echocardiographic indices of left atrial function in acute heart failure. <i>Heart and Vessels</i> , 2021 , 1	2.1	2
198	Preadmission Statin Therapy and Clinical Outcome in Hospitalized Patients With COVID-19: An Italian Multicenter Observational Study. <i>Journal of Cardiovascular Pharmacology</i> , 2021 , 78, e94-e100	3.1	0
197	Orodispersible Ticagrelor in Acute Coronary Syndromes: The TASTER Study. <i>Journal of the American College of Cardiology</i> , 2021 , 78, 292-294	15.1	3
196	Clinical conditions and echocardiographic parameters associated with mortality in COVID-19. <i>European Journal of Clinical Investigation</i> , 2021 , 51, e13638	4.6	6
195	Aspirin adherence in subjects with glucose-6-phosphate-dehydrogenase deficiency having an acute coronary syndrome. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, e41-w44	6.4	3
194	Pulmonary embolism in COVID-19 patients: prevalence, predictors and clinical outcome. <i>Thrombosis Research</i> , 2021 , 198, 34-39	8.2	33
193	Outcomes of single-lead VDD pacemakers in atrioventricular blocks: The OSCAR study. <i>International Journal of Cardiology</i> , 2021 , 325, 62-68	3.2	3

192	Incidental finding and conservative management of left main coronary atresia in an adult patient: a case report. <i>European Heart Journal - Case Reports</i> , 2021 , 5, ytab052	0.9	
191	Safety, efficacy and impact on frailty of mini-invasive radial balloon aortic valvuloplasty. <i>Heart</i> , 2021 , 107, 874-880	5.1	6
190	Impact of glucose-6-phosphate dehydrogenase deficiency on the severity of coronary atherosclerosis in patients with acute coronary syndromes. <i>Journal of Cardiovascular Medicine</i> , 2021 , 22, 813-817	1.9	
189	Water Quality and Mortality from Coronary Artery Disease in Sardinia: A Geospatial Analysis. <i>Nutrients</i> , 2021 , 13,	6.7	3
188	Echocardiographic Longitudinal Strain Analysis in Heart Failure: Real Usefulness for Clinical Management Beyond Diagnostic Value and Prognostic Correlations? A Comprehensive Review. <i>Current Heart Failure Reports</i> , 2021 , 18, 290-303	2.8	3
187	Updated antithrombotic strategies to reduce the burden of cardiovascular recurrences in patients with chronic coronary syndrome. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 140, 111783	7.5	
186	Prevalence, clinical and instrumental features of left bundle branch block-induced cardiomyopathy: the CLIMB registry. <i>ESC Heart Failure</i> , 2021 ,	3.7	3
185	Impact of SARS-CoV-2 positivity on clinical outcome among STEMI patients undergoing mechanical reperfusion: Insights from the ISACS STEMI COVID 19 registry. <i>Atherosclerosis</i> , 2021 , 332, 48-54	3.1	12
184	Predictors of Recurrent Ischemic Events in Patients With ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2021 , 159, 44-51	3	3
183	Pathophysiology of Takotsubo Syndrome - a joint scientific statement from the Heart Failure Association Takotsubo Syndrome Study Group and Myocardial Function Working Group of the European Society of Cardiology - Part 1: Overview and the central role for catecholamines and sympathetic nervous system. <i>European Journal of Heart Failure</i> , 2021 ,	12.3	3
182	Impact of COVID-19 Pandemic on Mechanical Reperfusion for Patients With STEMI. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2321-2330	15.1	61
181	The tug-of-war between coagulopathy and anticoagulant agents in patients with COVID-19. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 262-264	6.4	12
180	Takotsubo syndrome in Heart Failure and World Congress on Acute Heart Failure 2019: highlights from the experts. <i>ESC Heart Failure</i> , 2020 , 7, 400-406	3.7	9
179	Impact of COVID-19 pandemic and diabetes on mechanical reperfusion in patients with STEMI: insights from the ISACS STEMI COVID 19 Registry. <i>Cardiovascular Diabetology</i> , 2020 , 19, 215	8.7	14
178	Anterior Mitral Leaflet Perforation and Infective Endocarditis Following Transcatheter Aortic Valve Replacement in a Patient Presenting with Heart Failure. <i>Journal of Cardiovascular Echography</i> , 2020 , 30, 44-46	0.6	1
177	Distal embolic protection device transit through a left internal mammary artery for safely treating a saphenous vein graft anastomosed with a Y-configuration. <i>Journal of Cardiovascular Medicine</i> , 2020 , 21, 333-334	1.9	
176	Beneficial Effects of Listening to Classical Music in Patients With Heart Failure: A Randomized Controlled Trial. <i>Journal of Cardiac Failure</i> , 2020 , 26, 541-549	3.3	9
175	Cangrelor-supported primary percutaneous coronary intervention in a patient with cardiogenic shock due to left main acute occlusion. <i>Journal of Cardiovascular Medicine</i> , 2020 , 21, 616-617	1.9	

174	Hemoglobin Trajectories and Blood Transfusions Associated With Percutaneous Left Atrial Appendage Occlusion. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 397-399	5	
173	Platelet Reactivity in Hepatitis C Virus-Infected Patients on Dual Antiplatelet Therapy for Acute Coronary Syndrome. <i>Journal of the American Heart Association</i> , 2020 , 9, e016441	6	3
172	Clinical characteristics and prognosis of hospitalized COVID-19 patients with incident sustained tachyarrhythmias: A multicenter observational study. <i>European Journal of Clinical Investigation</i> , 2020 , 50, e13387	4.6	30
171	Sudden floating thrombus formation on the delivery cable before Amplatzer-Amulet device deployment during left atrial appendage occlusion: The need for a standardized anticoagulation. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 95, 408-410	2.7	
170	Left bundle branch block-induced cardiomyopathy: a diagnostic proposal for a poorly explored pathological entity. <i>International Journal of Cardiology</i> , 2020 , 299, 199-205	3.2	9
169	Prognostic relevance of GRACE risk score in Takotsubo syndrome. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 721-728	4.3	10
168	Predictors of thromboembolic events in Takotsubo syndrome: reply. <i>European Journal of Heart Failure</i> , 2019 , 21, 1482-1483	12.3	
167	Ticagrelor or Prasugrel in Patients with Acute Coronary Syndromes. <i>New England Journal of Medicine</i> , 2019 , 381, 1524-1534	59.2	327
166	Cardiac Abnormalities in Alzheimer Disease: Clinical Relevance Beyond Pathophysiological Rationale and Instrumental Findings?. <i>JACC: Heart Failure</i> , 2019 , 7, 121-128	7.9	13
165	Comparison of mortality in primary and secondary Takotsubo cardiomyopathy with severe left ventricular dysfunction: reply. <i>European Journal of Heart Failure</i> , 2019 , 21, 1046-1047	12.3	
164	Interpretation of Studies on the Occurrence of Atrial Fibrillation in Elite Athletes. <i>JAMA Cardiology</i> , 2019 , 4, 392-393	16.2	
163	Efficacy and safety of alternative oral administrations of P2Y12-receptor inhibitors: Systematic review and meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2019 , 17, 944-950	15.4	9
162	Glucose-6-phosphate dehydrogenase deficiency and risk of cardiovascular disease: A propensity score-matched study. <i>Atherosclerosis</i> , 2019 , 282, 148-153	3.1	14
161	Transient left bundle branch block and intraventricular dyssynchrony as a cause of reversible left ventricular dysfunction: The "in vivo" documentation of spontaneous electrical remodeling. <i>Annals of Noninvasive Electrocardiology</i> , 2019 , 24, e12667	1.5	2
160	Traumatic mitral valve regurgitation: a case report and state-of-the-art review. <i>Journal of Cardiovascular Medicine</i> , 2019 , 20, 709-717	1.9	3
159	Combination of transfemoral balloon-assisted tracking and the knuckle wire technique as a solution in a challenging urgent percutaneous coronary intervention. <i>Journal of Cardiovascular Medicine</i> , 2019 , 20, 493-494	1.9	
158	Long-term outcome in patients with Takotsubo syndrome presenting with severely reduced left ventricular ejection fraction. <i>European Journal of Heart Failure</i> , 2019 , 21, 781-789	12.3	41
157	Takotsubo: One, no one and one hundred thousand diseases. <i>International Journal of Cardiology</i> , 2018 , 261, 35	3.2	2

156	Relationship between CHADS-VASc score, coronary artery disease severity, residual platelet reactivity and long-term clinical outcomes in patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2018 , 262, 9-13	3.2	14
155	Consensus Document ANMCO/ANCE/ARCA/GICR-IACPR/GISE/SICOA: Long-term Antiplatelet Therapy in Patients with Coronary Artery Disease. <i>European Heart Journal Supplements</i> , 2018 , 20, F1-F74 ¹⁻⁵		17
154	Takotsubo is not a cardiomyopathy. <i>International Journal of Cardiology</i> , 2018 , 254, 250-253	3.2	23
153	Conservative Management and 1-Year Follow-Up of a Huge Left Atrial Intramural Hematoma Related to an Epicardial Collateral Perforation During a Chronic Total Occlusion Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, e207-e208	5	2
152	Atrial fibrillation in athletes: From epidemiology to treatment in the novel oral anticoagulants era. <i>Journal of Cardiology</i> , 2018 , 72, 269-276	3	7
151	Early changes of left ventricular filling pattern after reperfused ST-elevation myocardial infarction and doxycycline therapy: Insights from the TIPTOP trial. <i>International Journal of Cardiology</i> , 2017 , 240, 43-48	3.2	7
150	Impact of anticoagulation strategy with bivalirudin or heparin on nonaccess site bleeding in percutaneous coronary interventions: A meta-analysis of randomized trials. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 90, 553-565	2.7	
149	Long-Term Primary Patency Rate After Nitinol Self-Expandable Stents Implantation in Long, Totally Occluded Femoropopliteal (TASC II C & D) Lesions. <i>Heart Lung and Circulation</i> , 2017 , 26, 604-611	1.8	6
148	Percutaneous Intervention for Concurrent Chronic Total Occlusions in Patients With STEMI: We Should EXPLORE More!. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1757-1758	15.1	
147	The DESolve novolimus bioresorbable Scaffold: from bench to bedside. <i>Journal of Thoracic Disease</i> , 2017 , 9, S950-S958	2.6	15
146	Risk Stratification Using the CHADS-VASc Score in Takotsubo Syndrome: Data From the Takotsubo Italian Network. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	18
145	Appropriateness Assessment in Antiplatelet Therapy (APATHY) registry: Insight from current clinical practice. <i>International Journal of Cardiology</i> , 2017 , 244, 13-16	3.2	5
144	Clinical events beyond one year after an acute coronary syndrome: insights from the RECLOSE 2-ACS study. <i>EuroIntervention</i> , 2017 , 12, 2018-2024	3.1	9
143	Incidence and outcome of switching of oral platelet P2Y12 receptor inhibitors in patients with acute coronary syndromes undergoing percutaneous coronary intervention: the SCOPE registry. <i>EuroIntervention</i> , 2017 , 13, 459-466	3.1	65
142	Independent Impact of RV Involvement on In-Hospital Outcome of Patients With Takotsubo Syndrome. <i>JACC: Cardiovascular Imaging</i> , 2016 , 9, 894-895	8.4	23
141	Rheolytic thrombectomy in acute myocardial infarction: Effect on microvascular obstruction, infarct size, and left ventricular remodeling. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, E1-8	2.7	3
140	Crushed Versus Integral Tablets of Ticagrelor in ST-Segment Elevation Myocardial Infarction Patients: A Randomized Pharmacokinetic/Pharmacodynamic Study. <i>Clinical Pharmacokinetics</i> , 2016 , 55, 359-67	6.2	40
139	Editor's Choice-Chest pain relief in patients with acute myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016 , 5, 277-81	4.3	18

138	High on-aspirin platelet reactivity predicts cardiac death in acute coronary syndrome patients undergoing PCI. <i>European Journal of Internal Medicine</i> , 2016 , 30, 49-54	3.9	16
137	Switching of platelet P2Y12 receptor inhibitors in patients with acute coronary syndromes undergoing percutaneous coronary intervention: Review of the literature and practical considerations. <i>American Heart Journal</i> , 2016 , 176, 44-52	4.9	17
136	Dyspnea related to reversibly-binding P2Y12 inhibitors: A review of the pathophysiology, clinical presentation and diagnostics. <i>International Journal of Cardiology</i> , 2016 , 202, 167-73	3.2	13
135	Clinical profile and in-hospital outcome of Caucasian patients with takotsubo syndrome and right ventricular involvement. <i>International Journal of Cardiology</i> , 2016 , 219, 455-61	3.2	29
134	TCT-145 Rheolytic Thrombectomy for Acute Myocardial Infarction Complicated by Cardiogenic Shock. <i>Journal of the American College of Cardiology</i> , 2016 , 68, B59-B60	15.1	2
133	Bleeding events and maintenance dose of prasugrel: BLESS pilot study. <i>Open Heart</i> , 2016 , 3, e000460	3	4
132	Prevalence of thrombophilic disorders in takotsubo patients: the (ThROmbophilia in TAKotsubo cardiomyopathy) TROTA study. <i>Clinical Research in Cardiology</i> , 2016 , 105, 717-26	6.1	12
131	Angiographic and Clinical Outcomes After Everolimus-Eluting Stenting for Unprotected Left Main Disease and High Anatomic Coronary Complexity. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1001-7	5	12
130	Morphine use and myocardial reperfusion in patients with acute myocardial infarction treated with primary PCI. <i>International Journal of Cardiology</i> , 2016 , 221, 567-71	3.2	32
129	Current state of knowledge on Takotsubo syndrome: a Position Statement from the Taskforce on Takotsubo Syndrome of the Heart Failure Association of the European Society of Cardiology. <i>European Journal of Heart Failure</i> , 2016 , 18, 8-27	12.3	586
128	Morphine is associated with a delayed activity of oral antiplatelet agents in patients with ST-elevation acute myocardial infarction undergoing primary percutaneous coronary intervention. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8,	6	125
127	Residual platelet reactivity to predict long-term clinical outcomes after clopidogrel loading in patients with acute coronary syndromes: comparison of different cutoff values by light transmission aggregometry from the responsiveness to clopidogrel and stent thrombosis 2-acute coronary syndrome (RECLOSE-2 ACS) study. <i>Journal of Thrombosis and Thrombolysis</i> , 2015 , 19, 74-82	5.1	23
126	The reply. <i>American Journal of Medicine</i> , 2015 , 128, e21	2.4	
125	Prognostic impact of high residual platelet reactivity after chronic total occlusion percutaneous coronary intervention in patients with diabetes mellitus. <i>International Journal of Cardiology</i> , 2015 , 201, 561-7	3.2	6
124	Impact on Left Ventricular Function and Remodeling and on 1-Year Outcome in Patients With Left Bundle Branch Block After Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2015 , 116, 125-31	3	47
123	Prasugrel in Clopidogrel Nonresponders Undergoing Percutaneous Coronary Intervention: The RECLOSE-3 Study (REsponsiveness to CLOpidogrel and StEnt Thrombosis). <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 1563-70	5	22
122	Dyspnoea management in acute coronary syndrome patients treated with ticagrelor. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2015 , 4, 555-60	4.3	33
121	The Reply. <i>American Journal of Medicine</i> , 2015 , 128, e47	2.4	

120	Effect of diabetes on scintigraphic infarct size in STEMI patients undergoing primary angioplasty. <i>Diabetes/Metabolism Research and Reviews</i> , 2015 , 31, 322-8	7.5	6
119	Inflammatory and antioxidant pattern unbalance in "clopidogrel-resistant" patients during acute coronary syndrome. <i>Mediators of Inflammation</i> , 2015 , 2015, 710123	4.3	14
118	Management of antithrombotic therapy in patients undergoing electrophysiological device surgery. <i>Europace</i> , 2015 , 17, 840-54	3.9	25
117	Comorbidities frequency in Takotsubo syndrome: an international collaborative systematic review including 1109 patients. <i>American Journal of Medicine</i> , 2015 , 128, 654.e11-9	2.4	110
116	Diagnosis and Evaluation of Stent Thrombosis with Optical Coherence Tomography. <i>Interventional Cardiology Clinics</i> , 2015 , 4, 295-307	1.4	
115	Variable underlying morphology of culprit plaques associated with ST-elevation myocardial infarction: an optical coherence tomography analysis from the SMART trial. <i>European Heart Journal Cardiovascular Imaging</i> , 2015 , 16, 1381-9	4.1	35
114	Standard and advanced echocardiography in takotsubo (stress) cardiomyopathy: clinical and prognostic implications. <i>Journal of the American Society of Echocardiography</i> , 2015 , 28, 57-74	5.8	75
113	Ticagrelor crushed tablets administration in STEMI patients: the MOJITO study. <i>Journal of the American College of Cardiology</i> , 2015 , 65, 511-2	15.1	138
112	Suboptimal stent deployment is associated with subacute stent thrombosis: optical coherence tomography insights from a multicenter matched study. From the CLI Foundation investigators: the CLI-THRO study. <i>American Heart Journal</i> , 2015 , 169, 249-56	4.9	62
111	Preprocedural TIMI flow and infarct size in STEMI undergoing primary angioplasty. <i>Journal of Thrombosis and Thrombolysis</i> , 2014 , 38, 81-6	5.1	7
110	Relationship between changes in platelet reactivity and ischemic events following percutaneous coronary intervention: a meta-regression analysis of 30 randomized trials. <i>Atherosclerosis</i> , 2014 , 234, 176-84	3.1	15
109	Comparison of double (360 mg) ticagrelor loading dose with standard (60 mg) prasugrel loading dose in ST-elevation myocardial infarction patients: the Rapid Activity of Platelet Inhibitor Drugs (RAPID) primary PCI 2 study. <i>American Heart Journal</i> , 2014 , 167, 909-14	4.9	43
108	Takotsubo cardiomyopathy: an integrated multi-imaging approach. <i>European Heart Journal Cardiovascular Imaging</i> , 2014 , 15, 366-77	4.1	51
107	Switching from ticagrelor to prasugrel: a warning. <i>International Journal of Cardiology</i> , 2014 , 176, 1089-90	3.2	2
106	Reply: what truly causes the adverse outcome in tako-tsubo cardiomyopathy?. <i>JACC: Cardiovascular Imaging</i> , 2014 , 7, 743-4	8.4	
105	Reply: complexity of assessment and management of Tako-Tsubo cardiomyopathy. <i>JACC: Cardiovascular Imaging</i> , 2014 , 7, 741-2	8.4	1
104	Effects of a timely therapy with doxycycline on the left ventricular remodeling according to the pre-procedural TIMI flow grade in patients with ST-elevation acute myocardial infarction. <i>Basic Research in Cardiology</i> , 2014 , 109, 412	11.8	11
103	Switching from high-dose clopidogrel to prasugrel in ACS patients undergoing PCI: a single-center experience. <i>Journal of Thrombosis and Thrombolysis</i> , 2014 , 38, 388-94	5.1	13

102	Switching from clopidogrel to prasugrel in patients having coronary stent implantation. <i>Journal of Thrombosis and Thrombolysis</i> , 2014 , 38, 395-401	5.1	7
101	Residual platelet reactivity and outcomes with 5 mg prasugrel therapy in elderly patients undergoing percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2014 , 176, 874-7	3.2	7
100	Revised clinical diagnostic criteria for Tako-tsubo syndrome: the Tako-tsubo Italian Network proposal. <i>International Journal of Cardiology</i> , 2014 , 172, 282-3	3.2	68
99	Impact of baseline hemorrhagic risk on the benefit of bivalirudin versus unfractionated heparin in patients treated with coronary angioplasty: a meta-regression analysis of randomized trials. <i>American Heart Journal</i> , 2014 , 167, 401-412.e6	4.9	19
98	Prognostic indicators for recurrent thrombotic events in HIV-infected patients with acute coronary syndromes: use of registry data from 12 sites in Europe, South Africa and the United States. <i>Thrombosis Research</i> , 2014 , 134, 558-64	8.2	36
97	Thrombus aspiration during myocardial infarction. <i>New England Journal of Medicine</i> , 2014 , 370, 675-6	59.2	11
96	Long-term follow-up of elective chronic total coronary occlusion angioplasty. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 2709	15.1	3
95	Impact of chronic total occlusion revascularization in patients with acute myocardial infarction treated by primary percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2014 , 114, 1794-800	3.800	19
94	Smoking and infarct size among STEMI patients undergoing primary angioplasty. <i>Atherosclerosis</i> , 2014 , 233, 145-8	3.1	4
93	Impact of multivessel disease on infarct size among STEMI patients undergoing primary angioplasty. <i>Atherosclerosis</i> , 2014 , 234, 244-8	3.1	6
92	Echocardiographic correlates of acute heart failure, cardiogenic shock, and in-hospital mortality in tako-tsubo cardiomyopathy. <i>JACC: Cardiovascular Imaging</i> , 2014 , 7, 119-29	8.4	155
91	Drug-eluting stent implantation in patients with acute coronary syndrome - the Activity of Platelets after Inhibition and Cardiovascular Events: Optical Coherence Tomography (APICE OCT) study. <i>EuroIntervention</i> , 2014 , 10, 916-23	3.1	8
90	Predictors of reocclusion after successful drug-eluting stent-supported percutaneous coronary intervention of chronic total occlusion. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 545-50	15.1	137
89	Percutaneous coronary intervention for multiple chronic total occlusions. <i>American Journal of Cardiology</i> , 2013 , 112, 1849-53	3	15
88	Preinfarction angina does not affect infarct size in STEMI patients undergoing primary angioplasty. <i>Atherosclerosis</i> , 2013 , 226, 153-6	3.1	9
87	Role of echocardiography in takotsubo cardiomyopathy. <i>Heart Failure Clinics</i> , 2013 , 9, 157-66, viii	3.3	30
86	Time-to-treatment and infarct size in STEMI patients undergoing primary angioplasty. <i>International Journal of Cardiology</i> , 2013 , 167, 1508-13	3.2	14
85	Prognostic value of myocardial injury following transcatheter aortic valve implantation. <i>American Journal of Cardiology</i> , 2013 , 111, 1475-81	3	38

84	Reply: Mechanisms affecting platelet response to antiplatelet therapy in patients with ST-segment elevation myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 1637	15.1	
83	Stress-induced hyperviscosity in the pathophysiology of takotsubo cardiomyopathy. <i>American Journal of Cardiology</i> , 2013 , 111, 1523-9	3	27
82	Comparison of the degree of platelet aggregation inhibition with prasugrel versus clopidogrel and clinical outcomes in patients with unprotected left main disease treated with everolimus-eluting stents. <i>American Journal of Cardiology</i> , 2013 , 112, 1843-8	3	7
81	Comparison of prasugrel and ticagrelor loading doses in ST-segment elevation myocardial infarction patients: RAPID (Rapid Activity of Platelet Inhibitor Drugs) primary PCI study. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 1601-6	15.1	347
80	Relation of gender to infarct size in patients with ST-segment elevation myocardial infarction undergoing primary angioplasty. <i>American Journal of Cardiology</i> , 2013 , 111, 936-40	3	19
79	Impact of hypertension on infarct size in ST elevation myocardial infarction patients undergoing primary angioplasty. <i>Journal of Hypertension</i> , 2013 , 31, 2433-7	1.9	4
78	Tako-tsubo cardiomyopathy and coronary artery disease: a possible association. <i>Coronary Artery Disease</i> , 2013 , 24, 527-33	1.4	43
77	Comparison of manual thrombus aspiration with rheolytic thrombectomy in acute myocardial infarction. <i>Circulation: Cardiovascular Interventions</i> , 2013 , 6, 224-30	6	34
76	Stent-related defects in patients presenting with stent thrombosis: differences at optical coherence tomography between subacute and late/very late thrombosis in the Mechanism Of Stent Thrombosis (MOST) study. <i>EuroIntervention</i> , 2013 , 9, 936-44	3.1	43
75	Prognostic value of reverse left ventricular remodeling after primary angioplasty for STEMI. <i>Atherosclerosis</i> , 2012 , 222, 123-8	3.1	17
74	High on-treatment platelet reactivity by ADP and increased risk of MACE in good clopidogrel metabolizers. <i>Platelets</i> , 2012 , 23, 586-93	3.6	14
73	Meta-analysis comparing bivalirudin versus heparin monotherapy on ischemic and bleeding outcomes after percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2012 , 110, 599-606 ³		3 ¹
72	Fatal Tako-Tsubo cardiomyopathy recurrence after β -agonist administration. <i>International Journal of Cardiology</i> , 2012 , 161, e10-1	3.2	9
71	Clinical and angiographic outcomes of patients treated with everolimus-eluting stents or first-generation Paclitaxel-eluting stents for unprotected left main disease. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 1217-22	15.1	35
70	Residual platelet reactivity, bleedings, and adherence to treatment in patients having coronary stent implantation treated with prasugrel. <i>American Journal of Cardiology</i> , 2012 , 109, 214-8	3	65
69	The impact of right coronary artery chronic total occlusion on clinical outcome of patients undergoing percutaneous coronary intervention for unprotected left main disease. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 125-30	15.1	25
68	Natural history of tako-tsubo cardiomyopathy. <i>Chest</i> , 2011 , 139, 887-892	5.3	110
67	Comparison of everolimus-eluting stent with paclitaxel-eluting stent in long chronic total occlusions. <i>American Journal of Cardiology</i> , 2011 , 107, 1768-71	3	27

66	Anxiety trait in patients with stress-induced cardiomyopathy: a case-control study. <i>Clinical Research in Cardiology</i> , 2011 , 100, 523-9	6.1	42
65	High residual platelet reactivity after clopidogrel loading and long-term cardiovascular events among patients with acute coronary syndromes undergoing PCI. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 306, 1215-23	27.4	304
64	Tako-Tsubo Cardiomyopathy: Response. <i>Chest</i> , 2011 , 140, 1101-1102	5.3	3
63	Predictor of stent thrombosis in patients treated with turbostratic carbon-coated stent implantation for acute myocardial infarction. <i>Journal of Interventional Cardiology</i> , 2010 , 23, 554-9	1.8	3
62	Comparison of AngioJet rheolytic thrombectomy before direct infarct artery stenting with direct stenting alone in patients with acute myocardial infarction. The JETSTENT trial. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 1298-306	15.1	136
61	Left ventricular remodeling after primary percutaneous coronary intervention. <i>American Heart Journal</i> , 2010 , 160, S11-5	4.9	13
60	Abnormal response to mental stress in patients with Takotsubo cardiomyopathy detected by gated single photon emission computed tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010 , 37, 765-72	8.8	9
59	Heart rate as an independent prognostic risk factor in patients with acute myocardial infarction undergoing primary percutaneous coronary intervention. <i>Atherosclerosis</i> , 2010 , 211, 255-9	3.1	32
58	Evaluation of the influence of age and gender on the relationships between infarct size, infarct severity, and left ventricular ejection fraction in patients successfully treated with primary percutaneous coronary intervention. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 444-9	2.1	4
57	Diagnostic accuracy of 64-slice computed tomography coronary angiography for the detection of in-stent restenosis: a meta-analysis. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 470-8	2.1	46
56	Safety of immediate reversal of anticoagulation by protamine to reduce bleeding complications after infarct artery stenting for acute myocardial infarction and adjunctive abciximab therapy. <i>Journal of Thrombosis and Thrombolysis</i> , 2010 , 30, 446-51	5.1	11
55	Safety and benefits of protamine administration to revert anticoagulation soon after coronary angioplasty. A meta-analysis. <i>Journal of Thrombosis and Thrombolysis</i> , 2010 , 30, 452-8	5.1	13
54	Comparison of bivalirudin and unfractionated heparin plus protamine in patients with coronary heart disease undergoing percutaneous coronary intervention (from the Antithrombotic Regimens aNd Outcome [ARNO] trial). <i>American Journal of Cardiology</i> , 2010 , 105, 1053-9	3	32
53	Impact of bivalirudin therapy in high-risk patients with acute myocardial infarction: 1-year results from the HORIZONS-AMI (Harmonizing Outcomes with RevascularizatiON and Stents in Acute Myocardial Infarction) trial. <i>JACC: Cardiovascular Interventions</i> , 2010 , 3, 796-802	5	18
52	Long-term follow-up (four years) of unprotected left main coronary artery disease treated with paclitaxel-eluting stents (from the TRUE Registry). <i>EuroIntervention</i> , 2010 , 5, 906-916	3.1	13
51	Optical coherence tomography in unprotected left main coronary artery stenting. <i>EuroIntervention</i> , 2010 , 6, 94-99	3.1	31
50	High residual platelet reactivity after clopidogrel loading and long-term clinical outcome after drug-eluting stenting for unprotected left main coronary disease. <i>Circulation</i> , 2009 , 120, 2214-21	16.7	99
49	Time course of serum collagen types I and III metabolism products after reperfused acute myocardial infarction in patients with and without systemic hypertension. <i>Journal of Human Hypertension</i> , 2009 , 23, 40-7	2.6	5

48	Effectiveness of primary percutaneous coronary interventions for stent thrombosis. <i>American Journal of Cardiology</i> , 2009 , 103, 913-6	3	21
47	Comparison of effects of primary coronary angioplasty on left ventricular remodeling and heart failure in patients or =70 years with acute myocardial infarction. <i>American Journal of Cardiology</i> , 2009 , 104, 926-31	3	7
46	Left bundle branch block as an electrocardiographic pattern at presentation of patients with Tako-tsubo cardiomyopathy. <i>Journal of Cardiovascular Medicine</i> , 2009 , 10, 100-3	1.9	14
45	Pathophysiology Basics of Acute Myocardial Infarction 2009 , 1-14		
44	Pathophysiology Basics of Acute Myocardial Infarction 2009 , 3-14		
43	Platelet Glycoprotein IIb-IIIa Inhibitors 2009 , 67-76		
42	Transient left ventricular apical ballooning syndrome after inadvertent epidural administration of potassium chloride. <i>International Journal of Cardiology</i> , 2008 , 124, e14-5	3.2	20
41	Transient left ventricular apical ballooning syndrome □The need for a common terminology. <i>International Journal of Cardiology</i> , 2008 , 131, 140	3.2	
40	Clinical implications of early mitral regurgitation in patients with reperfused acute myocardial infarction. <i>Journal of Cardiac Failure</i> , 2008 , 14, 48-54	3.3	16
39	Impact of complete revascularization with percutaneous coronary intervention on survival in patients with at least one chronic total occlusion. <i>European Heart Journal</i> , 2008 , 29, 2336-42	9.5	172
38	Acute heart failure in patients with acute myocardial infarction treated with primary percutaneous coronary intervention. <i>European Journal of Heart Failure</i> , 2008 , 10, 780-5	12.3	25
37	Cardiogenic shock developing in the coronary care unit in patients with ST-elevation myocardial infarction. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 1023-9	1.9	16
36	Estimate of myocardial salvage in late presentation acute myocardial infarction by comparing functional and perfusion abnormalities in predischage gated SPECT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008 , 35, 906-11	8.8	8
35	Determinants of final infarct size and incidence of aborted infarction in patients treated with primary coronary intervention and adjunctive abciximab therapy. <i>Nuklearmedizin - NuclearMedicine</i> , 2008 , 47, 56-61	1.8	4
34	Significance of additional ST segment elevation in patients with no reflow after angioplasty for acute myocardial infarction. <i>Journal of the American Society of Echocardiography</i> , 2007 , 20, 262-9	5.8	1
33	Left ventricular apical ballooning syndrome as a novel cause of acute mitral regurgitation. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 647-9	15.1	84
32	Plasma cysteine and glutathione are independent markers of postmethionine load endothelial dysfunction. <i>Clinical Biochemistry</i> , 2007 , 40, 188-93	3.5	14
31	Incidence, clinical findings, and outcome of women with left ventricular apical ballooning syndrome. <i>American Journal of Cardiology</i> , 2007 , 99, 182-5	3	133

30	Prevalence, predictors, time course, and long-term clinical implications of left ventricular functional recovery after mechanical reperfusion for acute myocardial infarction. <i>American Journal of Cardiology</i> , 2007 , 100, 1718-22	3	47
29	Usefulness of 64-slice multidetector computed tomography for detecting drug eluting in-stent restenosis. <i>American Journal of Cardiology</i> , 2007 , 100, 1754-8	3	33
28	Transient left ventricular apical ballooning--the need for a common terminology. <i>International Journal of Cardiology</i> , 2007 , 116, 405	3.2	6
27	ST-segment analysis to predict infarct size and functional outcome in acute myocardial infarction treated with primary coronary intervention and adjunctive abciximab therapy. <i>American Journal of Cardiology</i> , 2006 , 97, 48-54	3	25
26	Drug-eluting stent-supported percutaneous coronary intervention for chronic total coronary occlusion. <i>Catheterization and Cardiovascular Interventions</i> , 2006 , 67, 344-8	2.7	55
25	Long-term prognostic implications of nonoptimal primary angioplasty for acute myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2006 , 68, 50-5	2.7	20
24	Drug-eluting stent supported percutaneous coronary intervention for unprotected left main disease. <i>Catheterization and Cardiovascular Interventions</i> , 2006 , 68, 225-30	2.7	30
23	Heart failure and left ventricular remodeling after reperfused acute myocardial infarction in patients with hypertension. <i>Hypertension</i> , 2006 , 47, 706-10	8.5	27
22	Ability of mechanical reperfusion to salvage myocardium in patients with acute myocardial infarction presenting beyond 12 hours after onset of symptoms. <i>American Heart Journal</i> , 2006 , 152, 1133-9	4.9	23
21	Routine percutaneous coronary intervention in elderly patients with cardiogenic shock complicating acute myocardial infarction. <i>American Heart Journal</i> , 2006 , 152, 903-8	4.9	19
20	A randomized trial comparing clopidogrel versus ticlopidine therapy in patients undergoing infarct artery stenting for acute myocardial infarction with abciximab as adjunctive therapy. <i>American Heart Journal</i> , 2005 , 150, 220	4.9	17
19	Comparison of the usefulness of Doppler-derived deceleration time versus plasma brain natriuretic peptide to predict left ventricular remodeling after mechanical revascularization in patients with ST-elevation acute myocardial infarction and left ventricular systolic dysfunction. <i>American Journal of Cardiology</i> , 2005 , 95, 220-4	3	13
18	Predictors of outcome after sirolimus-eluting stent implantation for complex in-stent restenosis. <i>American Journal of Cardiology</i> , 2005 , 96, 1110-2	3	15
17	Five year outcome after primary coronary intervention for acute ST elevation myocardial infarction: results from a single centre experience. <i>Heart</i> , 2005 , 91, 1541-4	5.1	40
16	Gated SPECT evaluation of outcome after abciximab-supported primary infarct artery stenting for acute myocardial infarction: the scintigraphic data of the abciximab and carbostent evaluation (ACE) randomized trial. <i>Journal of Nuclear Medicine</i> , 2005 , 46, 722-7	8.9	10
15	Abciximab-supported infarct artery stent implantation for acute myocardial infarction and long-term survival: a prospective, multicenter, randomized trial comparing infarct artery stenting plus abciximab with stenting alone. <i>Circulation</i> , 2004 , 109, 1704-6	16.7	126
14	Left ventricular remodeling and heart failure in diabetic patients treated with primary angioplasty for acute myocardial infarction. <i>Circulation</i> , 2004 , 110, 1974-9	16.7	60
13	Impact of microvascular dysfunction on left ventricular remodeling and long-term clinical outcome after primary coronary angioplasty for acute myocardial infarction. <i>Circulation</i> , 2004 , 109, 1121-6	16.7	339

12	Comparison of rheolytic thrombectomy before direct infarct artery stenting versus direct stenting alone in patients undergoing percutaneous coronary intervention for acute myocardial infarction. <i>American Journal of Cardiology</i> , 2004 , 93, 1033-5	3	136
11	Impact of insulin-requiring diabetes mellitus on effectiveness of reperfusion and outcome of patients undergoing primary percutaneous coronary intervention for acute myocardial infarction. <i>American Journal of Cardiology</i> , 2004 , 93, 1170-2	3	24
10	Relationship of infarct size and severity versus left ventricular ejection fraction and volumes obtained from 99mTc-sestamibi gated single-photon emission computed tomography in patients treated with primary percutaneous coronary intervention. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004 , 31, 969-74	8.8	32
9	Late coronary stent thrombosis associated with exercise testing. <i>Catheterization and Cardiovascular Interventions</i> , 2004 , 61, 515-7	2.7	12
8	Pathophysiological basics of acute myocardial infarction 2004 , 3-14		
7	Comparison of impact of emergency percutaneous revascularization on outcome of patients > or =75 to those American Journal of Cardiology, 2003 , 91, 1458-61, A6	3	33
6	Does gender affect the clinical outcome of patients with acute myocardial infarction complicated by cardiogenic shock who undergo percutaneous coronary intervention?. <i>Catheterization and Cardiovascular Interventions</i> , 2003 , 59, 423-8	2.7	14
5	A randomized trial comparing primary infarct artery stenting with or without abciximab in acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 1879-85	15.1	214
4	Left ventricular remodeling after primary coronary angioplasty: patterns of left ventricular dilation and long-term prognostic implications. <i>Circulation</i> , 2002 , 106, 2351-7	16.7	438
3	High dose dipyridamole myocardial imaging: simultaneous sestamibi scintigraphy and two-dimensional echocardiography in the detection and evaluation of coronary artery disease. Italian Group of Nuclear Cardiology. <i>Coronary Artery Disease</i> , 1999 , 10, 177-84	1.4	16
2	Homogeneously reduced versus regionally impaired myocardial blood flow in hypertensive patients: two different patterns of myocardial perfusion associated with degree of hypertrophy. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 366-73	15.1	65
1	Flow-function relation in patients with chronic coronary artery disease and reduced regional function. A positron emission tomographic and two-dimensional echocardiographic study with coronary vasodilator stress. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 65-70	15.1	25