

Xiaowei Li

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7046211/xiaowei-li-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

9,874
citations

53
h-index

99
g-index

112
ext. papers

10,953
ext. citations

7.2
avg, IF

6.25
L-index

#	Paper	IF	Citations
111	Fabrication of multiple heterojunctions with tunable visible-light-active photocatalytic reactivity in BiOBr-BiOI full-range composites based on microstructure modulation and band structures. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 482-92	9.5	606
110	Anionic Group Self-Doping as a Promising Strategy: Band-Gap Engineering and Multi-Functional Applications of High-Performance CO ₂ -Doped Bi ₂ O ₂ CO ₃ . <i>ACS Catalysis</i> , 2015 , 5, 4094-4103	13.1	596
109	Electrospun nanofibers of p-type NiO/n-type ZnO heterojunctions with enhanced photocatalytic activity. <i>ACS Applied Materials & Interfaces</i> , 2010 , 2, 2915-23	9.5	504
108	In situ assembly of well-dispersed Ag nanoparticles (AgNPs) on electrospun carbon nanofibers (CNFs) for catalytic reduction of 4-nitrophenol. <i>Nanoscale</i> , 2011 , 3, 3357-63	7.7	501
107	High photocatalytic activity of ZnO-carbon nanofiber heteroarchitectures. <i>ACS Applied Materials & Interfaces</i> , 2011 , 3, 590-6	9.5	359
106	Electrospun Nanofibers of ZnO/Bi ₂ O ₃ Heterojunction with High Photocatalytic Activity. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 7920-7925	3.8	318
105	Hierarchical assembly of ultrathin hexagonal SnS ₂ nanosheets onto electrospun TiO ₂ nanofibers: enhanced photocatalytic activity based on photoinduced interfacial charge transfer. <i>Nanoscale</i> , 2013 , 5, 606-18	7.7	312
104	Enhancement of the visible-light photocatalytic activity of In ₂ O ₃ -TiO ₂ nanofiber heteroarchitectures. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 424-30	9.5	268
103	Design of Superior Ethanol Gas Sensor Based on Al-Doped NiO Nanorod-Flowers. <i>ACS Sensors</i> , 2016 , 1, 131-136	9.2	245
102	Tubular nanocomposite catalysts based on size-controlled and highly dispersed silver nanoparticles assembled on electrospun silica nanotubes for catalytic reduction of 4-nitrophenol. <i>Journal of Materials Chemistry</i> , 2012 , 22, 1387-1395		225
101	One-dimensional Bi ₂ MoO ₆ /TiO ₂ hierarchical heterostructures with enhanced photocatalytic activity. <i>CrystEngComm</i> , 2012 , 14, 605-612	3.3	213
100	Nanosheet-assembled ZnFe ₂ O ₄ hollow microspheres for high-sensitive acetone sensor. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 15414-21	9.5	197
99	Design of Au@ZnO yolk-shell nanospheres with enhanced gas sensing properties. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 18661-7	9.5	190
98	Hierarchical heterostructures of Bi ₂ MoO ₆ on carbon nanofibers: controllable solvothermal fabrication and enhanced visible photocatalytic properties. <i>Journal of Materials Chemistry</i> , 2012 , 22, 577-584		185
97	Facile in situ synthesis of plasmonic nanoparticles-decorated g-C ₃ N ₄ /TiO ₂ heterojunction nanofibers and comparison study of their photosynergistic effects for efficient photocatalytic H ₂ evolution. <i>Nanoscale</i> , 2016 , 8, 11034-43	7.7	184
96	Hierarchical nanostructures of copper(II) phthalocyanine on electrospun TiO ₂ nanofibers: controllable solvothermal-fabrication and enhanced visible photocatalytic properties. <i>ACS Applied Materials & Interfaces</i> , 2011 , 3, 369-77	9.5	173
95	TiO ₂ @carbon core/shell nanofibers: controllable preparation and enhanced visible photocatalytic properties. <i>Nanoscale</i> , 2011 , 3, 2943-9	7.7	172

94	Flexible solid-state supercapacitors based on freestanding nitrogen-doped porous carbon nanofibers derived from electrospun polyacrylonitrile@polyaniline nanofibers. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 4180-4187	13	170
93	Highly sensitive acetone gas sensor based on porous ZnFe ₂ O ₄ nanospheres. <i>Sensors and Actuators B: Chemical</i> , 2015 , 206, 577-583	8.5	160
92	Porous ZnO/ZnCo ₂ O ₄ hollow spheres: synthesis, characterization, and applications in gas sensing. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 17683-17690	13	148
91	Humidity-sensing properties of urchinlike CuO nanostructures modified by reduced graphene oxide. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 3888-95	9.5	142
90	p-MoO ₃ nanostructures/n-TiO ₂ nanofiber heterojunctions: controlled fabrication and enhanced photocatalytic properties. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 9004-12	9.5	125
89	Bi ₂ MoO ₆ microtubes: Controlled fabrication by using electrospun polyacrylonitrile microfibers as template and their enhanced visible light photocatalytic activity. <i>Journal of Hazardous Materials</i> , 2012 , 225-226, 155-63	12.8	123
88	Enhancement of NO ₂ gas sensing response based on ordered mesoporous Fe-doped In ₂ O ₃ . <i>Sensors and Actuators B: Chemical</i> , 2014 , 191, 806-812	8.5	118
87	Preparation of NiO nanoparticles in microemulsion and its gas sensing performance. <i>Materials Letters</i> , 2012 , 68, 168-170	3.3	116
86	Highly sensitive humidity sensor based on high surface area mesoporous LaFeO ₃ prepared by a nanocasting route. <i>Sensors and Actuators B: Chemical</i> , 2013 , 181, 802-809	8.5	114
85	Double-Shell Architectures of ZnFe ₂ O ₄ Nanosheets on ZnO Hollow Spheres for High-Performance Gas Sensors. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 17811-8	9.5	106
84	Polyacrylonitrile and Carbon Nanofibers with Controllable Nanoporous Structures by Electrospinning. <i>Macromolecular Materials and Engineering</i> , 2009 , 294, 673-678	3.9	104
83	Template-free synthesis of hierarchical ZnFe ₂ O ₄ yolk-shell microspheres for high-sensitivity acetone sensors. <i>Nanoscale</i> , 2016 , 8, 5446-53	7.7	101
82	In situ assembly of well-dispersed Au nanoparticles on TiO ₂ /ZnO nanofibers: a three-way synergistic heterostructure with enhanced photocatalytic activity. <i>Journal of Hazardous Materials</i> , 2012 , 237-238, 331-8	12.8	99
81	Heterojunction of g-C ₃ N ₄ /BiOI Immobilized on Flexible Electrospun Polyacrylonitrile Nanofibers: Facile Preparation and Enhanced Visible Photocatalytic Activity for Floating Photocatalysis. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 2316-2323	8.3	98
80	Polyaniline-coated electrospun carbon nanofibers with high mass loading and enhanced capacitive performance as freestanding electrodes for flexible solid-state supercapacitors. <i>Energy</i> , 2016 , 95, 233-241	7.9	97
79	One-dimensional hierarchical heterostructures of In ₂ S ₃ nanosheets on electrospun TiO ₂ nanofibers with enhanced visible photocatalytic activity. <i>Journal of Hazardous Materials</i> , 2013 , 260, 892-900	12.8	92
78	Three dimensional hierarchical heterostructures of g-CN nanosheets/TiO nanofibers: Controllable growth via gas-solid reaction and enhanced photocatalytic activity under visible light. <i>Journal of Hazardous Materials</i> , 2018 , 344, 113-122	12.8	90
77	Electrospun nanofibers of TiO ₂ /CdS heteroarchitectures with enhanced photocatalytic activity by visible light. <i>Journal of Colloid and Interface Science</i> , 2011 , 359, 220-7	9.3	83

76	Hierarchical Assembly of Fe_3O_4 Nanosheets on SnO_2 Hollow Nanospheres with Enhanced Ethanol Sensing Properties. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 19119-25	9.5	79
75	Carbon-modified BiVO_4 microtubes embedded with Ag nanoparticles have high photocatalytic activity under visible light. <i>Nanoscale</i> , 2012 , 4, 7501-8	7.7	75
74	Ordered mesoporous Pd/ SnO_2 synthesized by a nanocasting route for high hydrogen sensing performance. <i>Sensors and Actuators B: Chemical</i> , 2011 , 160, 604-608	8.5	75
73	Template-free microwave-assisted synthesis of ZnO hollow microspheres and their application in gas sensing. <i>CrystEngComm</i> , 2013 , 15, 2949	3.3	73
72	Three-dimensional freestanding hierarchically porous carbon materials as binder-free electrodes for supercapacitors: high capacitive property and long-term cycling stability. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 5623-5631	13	70
71	Highly efficient decomposition of organic dye by aqueous-solid phase transfer and in situ photocatalysis using hierarchical copper phthalocyanine hollow spheres. <i>ACS Applied Materials & Interfaces</i> , 2011 , 3, 2573-8	9.5	69
70	Flower-like WO_3 architectures synthesized via a microwave-assisted method and their gas sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2013 , 186, 734-740	8.5	66
69	In_2O_3 nanocubes/carbon nanofibers heterostructures with high visible light photocatalytic activity. <i>Journal of Materials Chemistry</i> , 2012 , 22, 1786-1793		66
68	Hierarchical heterostructures of p-type BiOCl nanosheets on electrospun n-type TiO_2 nanofibers with enhanced photocatalytic activity. <i>Catalysis Communications</i> , 2015 , 67, 6-10	3.2	65
67	An electron-rich free-standing carbon@Au core-shell nanofiber network as a highly active and recyclable catalyst for the reduction of 4-nitrophenol. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 10453-8	3.6	65
66	BiMoO / BiFeO heterojunction nanofibers: Enhanced photocatalytic activity, charge separation mechanism and magnetic separability. <i>Journal of Colloid and Interface Science</i> , 2018 , 529, 404-414	9.3	62
65	BiOCl nanosheets immobilized on electrospun polyacrylonitrile nanofibers with high photocatalytic activity and reusable property. <i>Applied Surface Science</i> , 2013 , 285, 509-516	6.7	61
64	Electrospinning of magnetical bismuth ferrite nanofibers with photocatalytic activity. <i>Ceramics International</i> , 2013 , 39, 3511-3518	5.1	57
63	Highly Enhanced Sensing Properties for ZnO Nanoparticle-Decorated Round-Edged Fe_3O_4 Hexahedrons. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 8743-9	9.5	56
62	3D MoS_2 nanosheet/ TiO_2 nanofiber heterostructures with enhanced photocatalytic activity under UV irradiation. <i>Journal of Alloys and Compounds</i> , 2016 , 686, 137-144	5.7	55
61	In situ generation of well-dispersed ZnO quantum dots on electrospun silica nanotubes with high photocatalytic activity. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 785-90	9.5	54
60	Composition-controllable p-CuO/n-ZnO hollow nanofibers for high-performance H_2S detection. <i>Sensors and Actuators B: Chemical</i> , 2019 , 285, 495-503	8.5	53
59	CuO nanoparticles/nitrogen-doped carbon nanofibers modified glassy carbon electrodes for non-enzymatic glucose sensors with improved sensitivity. <i>Ceramics International</i> , 2016 , 42, 11285-11293	5.1	53

58	Au@In ₂ O ₃ core-shell composites: a metal-semiconductor heterostructure for gas sensing applications. <i>RSC Advances</i> , 2015 , 5, 545-551	3.7	50
57	Nature-Derived Approach to Oxygen and Chlorine Dual-Vacancies for Efficient Photocatalysis and Photoelectrochemistry. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 2395-2406	8.3	50
56	TiO/SrTiO/g-CN ternary heterojunction nanofibers: gradient energy band, cascade charge transfer, enhanced photocatalytic hydrogen evolution, and nitrogen fixation. <i>Nanoscale</i> , 2020 , 12, 8320-8329	7.7	49
55	Hollow CuFe ₂ O ₄ /Fe ₂ O ₃ composite with ultrathin porous shell for acetone detection at ppb levels. <i>Sensors and Actuators B: Chemical</i> , 2018 , 258, 436-446	8.5	47
54	Direct Z-scheme heterostructure of p-CuAlO/n-BiWO composite nanofibers for efficient overall water splitting and photodegradation. <i>Journal of Colloid and Interface Science</i> , 2019 , 550, 170-179	9.3	45
53	Flexible solid-state supercapacitors based on freestanding electrodes of electrospun polyacrylonitrile@polyaniline core-shell nanofibers. <i>Electrochimica Acta</i> , 2015 , 176, 293-300	6.7	39
52	Vitamin C-assisted synthesis and gas sensing properties of coaxial In ₂ O ₃ nanorod bundles. <i>Sensors and Actuators B: Chemical</i> , 2015 , 220, 68-74	8.5	39
51	Controllable fabrication of cadmium phthalocyanine nanostructures immobilized on electrospun polyacrylonitrile nanofibers with high photocatalytic properties under visible light. <i>Catalysis Communications</i> , 2011 , 12, 880-885	3.2	39
50	Octahedral-Like CuO/InO Mesocages with Double-Shell Architectures: Rational Preparation and Application in Hydrogen Sulfide Detection. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 44632-44640	9.5	38
49	Freestanding hierarchically porous carbon framework decorated by polyaniline as binder-free electrodes for high performance supercapacitors. <i>Journal of Power Sources</i> , 2016 , 329, 516-524	8.9	38
48	Assembling n-Bi ₂ MoO ₆ Nanosheets on Electrospun p-CuAl ₂ O ₄ Hollow Nanofibers: Enhanced Photocatalytic Activity Based on Highly Efficient Charge Separation and Transfer. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 10714-10723	8.3	37
47	Magnetically separable Bi ₂ MoO ₆ /ZnFe ₂ O ₄ heterostructure nanofibers: Controllable synthesis and enhanced visible light photocatalytic activity. <i>Journal of Alloys and Compounds</i> , 2018 , 747, 916-925	5.7	35
46	Hollow Fe ₂ O ₃ quasi-cubic structures: Hydrothermal synthesis and gas sensing properties. <i>Materials Letters</i> , 2014 , 120, 5-8	3.3	35
45	Microwave hydrothermal synthesis and gas sensing application of porous ZnO core-shell microstructures. <i>RSC Advances</i> , 2014 , 4, 32538	3.7	34
44	Construction of InO/ZnO yolk-shell nanofibers for room-temperature NO detection under UV illumination. <i>Journal of Hazardous Materials</i> , 2021 , 403, 124093	12.8	34
43	Reusable and Flexible g-C ₃ N ₄ /Ag ₃ PO ₄ /Polyacrylonitrile Heterojunction Nanofibers for Photocatalytic Dye Degradation and Oxygen Evolution. <i>ACS Applied Nano Materials</i> , 2019 , 2, 3081-3090	5.6	33
42	In ₂ S ₃ /carbon nanofibers/Au ternary synergetic system: hierarchical assembly and enhanced visible-light photocatalytic activity. <i>Journal of Hazardous Materials</i> , 2015 , 283, 599-607	12.8	33
41	Hollow zinc oxide microspheres functionalized by Au nanoparticles for gas sensors. <i>RSC Advances</i> , 2014 , 4, 28005	3.7	30

40	Heterojunctions of p-BiOI Nanosheets/n-TiO ₂ Nanofibers: Preparation and Enhanced Visible-Light Photocatalytic Activity. <i>Materials</i> , 2016 , 9,	3.5	30
39	Graphitic carbon nitride/BiOI loaded on electrospun silica nanofibers with enhanced photocatalytic activity. <i>Applied Surface Science</i> , 2018 , 455, 952-962	6.7	29
38	A facile fabrication of nitrogen-doped electrospun In ₂ O ₃ nanofibers with improved visible-light photocatalytic activity. <i>Applied Surface Science</i> , 2017 , 391, 668-676	6.7	29
37	Sn-doping induced oxygen vacancies on the surface of the In ₂ O ₃ nanofibers and their promoting effect on sensitive NO ₂ detection at low temperature. <i>Sensors and Actuators B: Chemical</i> , 2020 , 317, 128194	8.5	28
36	Facile synthesis and gas-sensing properties of monodisperse α -Fe ₂ O ₃ discoid crystals. <i>RSC Advances</i> , 2012 , 2, 9824	3.7	28
35	Bismuth oxychloride (BiOCl)/copper phthalocyanine (CuTNPc) heterostructures immobilized on electrospun polyacrylonitrile nanofibers with enhanced activity for floating photocatalysis. <i>Journal of Colloid and Interface Science</i> , 2018 , 525, 187-195	9.3	26
34	Immobilization of ZnO/polyaniline heterojunction on electrospun polyacrylonitrile nanofibers and enhanced photocatalytic activity. <i>Materials Chemistry and Physics</i> , 2018 , 214, 507-515	4.4	26
33	Hydrothermal synthesis of Au@SnO ₂ hierarchical hollow microspheres for ethanol detection. <i>Sensors and Actuators B: Chemical</i> , 2020 , 319, 128299	8.5	25
32	Discrete heterojunction nanofibers of BiFeO/BiWO: Novel architecture for effective charge separation and enhanced photocatalytic performance. <i>Journal of Colloid and Interface Science</i> , 2020 , 572, 257-268	9.3	25
31	Bi ₂ WO ₆ /ZnFe ₂ O ₄ heterostructures nanofibers: Enhanced visible-light photocatalytic activity and magnetically separable property. <i>Materials Research Bulletin</i> , 2018 , 104, 124-133	5.1	24
30	Hierarchical heterostructures of p-type bismuth oxychloride nanosheets on n-type zinc ferrite electrospun nanofibers with enhanced visible-light photocatalytic activities and magnetic separation properties. <i>Journal of Colloid and Interface Science</i> , 2018 , 516, 110-120	9.3	22
29	Ordered ZnO nanorod array film driven by ultrasonic spray pyrolysis and its optical properties. <i>Materials Letters</i> , 2013 , 112, 36-38	3.3	22
28	Fabrication of g-C ₃ N ₄ /SiO ₂ -Au composite nanofibers with enhanced visible photocatalytic activity. <i>Ceramics International</i> , 2017 , 43, 15699-15707	5.1	22
27	Molybdenum diselenide nanosheet/carbon nanofiber heterojunctions: Controllable fabrication and enhanced photocatalytic properties with a broad-spectrum response from visible to infrared light. <i>Journal of Colloid and Interface Science</i> , 2018 , 518, 1-10	9.3	21
26	Highly electron-depleted ZnO/ZnFe ₂ O ₄ /Au hollow meshes as an advanced material for gas sensing application. <i>Sensors and Actuators B: Chemical</i> , 2019 , 297, 126769	8.5	21
25	Synthesis of hierarchical ZnO/ZnFe ₂ O ₄ nanoforests with enhanced gas-sensing performance toward ethanol. <i>CrystEngComm</i> , 2015 , 17, 8683-8688	3.3	19
24	MoSe ₂ /TiO ₂ Nanofibers for Cycling Photocatalytic Removing Water Pollutants under UV-Vis-NIR Light. <i>ACS Applied Nano Materials</i> , 2020 , 3, 2278-2287	5.6	19
23	Controlled synthesis of hierarchical Sn-doped α -Fe ₂ O ₃ with novel sheaf-like architectures and their gas sensing properties. <i>RSC Advances</i> , 2013 , 3, 7112	3.7	19

22	Controlled synthesis of PAN/Ag ₂ S composites nanofibers via electrospinning-assisted hydro(solvo)thermal method. <i>Journal of Non-Crystalline Solids</i> , 2011 , 357, 1488-1493	3.9	19
21	Hollow cylinder ZnO/SnO ₂ nanostructures synthesized by ultrasonic spray pyrolysis and their gas-sensing performance. <i>CrystEngComm</i> , 2014 , 16, 6135	3.3	18
20	Nitrogen doping polyvinylpyrrolidone-based carbon nanofibers via pyrolysis of g-C ₃ N ₄ with tunable chemical states and capacitive energy storage. <i>Electrochimica Acta</i> , 2020 , 330, 135212	6.7	18
19	ZnO/ZnFe ₂ O ₄ Janus Hollow Nanofibers with Magnetic Separability for Photocatalytic Degradation of Water-Soluble Organic Dyes. <i>ACS Applied Nano Materials</i> , 2019 , 2, 4879-4890	5.6	17
18	Monodisperse TiO ₂ mesoporous spheres with core-shell structure: candidate photoanode materials for enhanced efficiency dye sensitized solar cells. <i>RSC Advances</i> , 2014 , 4, 23396	3.7	17
17	Monodisperse WO ₃ hierarchical spheres synthesized via a microwave assisted hydrothermal method: time dependent morphologies and gas sensing characterization. <i>RSC Advances</i> , 2014 , 4, 23281	3.7	17
16	Gas sensing properties of flower-like ZnO prepared by a microwave-assisted technique. <i>RSC Advances</i> , 2014 , 4, 47319-47324	3.7	16
15	Three-dimensional flake-flower Co/Sn oxide composite and its excellent ethanol sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2016 , 230, 17-24	8.5	15
14	Immobilization of ultrafine Ag nanoparticles on well-designed hierarchically porous silica for high-performance catalysis. <i>Journal of Colloid and Interface Science</i> , 2018 , 530, 345-352	9.3	15
13	Facile synthesis of hollow In ₂ O ₃ microspheres and their gas sensing performances. <i>RSC Advances</i> , 2015 , 5, 4609-4614	3.7	14
12	Hierarchically Porous In ₂ O ₃ /In ₂ S ₃ Heterostructures as Micronano Photocatalytic Reactors Prepared by a Novel Polymer-Assisted Sol-Gel Freeze-Drying Method. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 14106-14114	3.9	14
11	Enhanced Full-Spectrum-Response Photocatalysis and Reusability of MoSe ₂ via Hierarchical N-Doped Carbon Nanofibers as Heterostructural Supports. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 14314-14322	8.3	14
10	Room temperature immobilized BiOI nanosheets on flexible electrospun polyacrylonitrile nanofibers with high visible-light photocatalytic activity. <i>Journal of Sol-Gel Science and Technology</i> , 2016 , 80, 783-792	2.3	12
9	Electrospun CuAl ₂ O ₄ hollow nanofibers as visible light photocatalyst with enhanced activity and excellent stability under acid and alkali conditions. <i>CrystEngComm</i> , 2018 , 20, 312-322	3.3	11
8	Gas Sensing Properties of Nano-Tungsten Oxide (WO ₃) Prepared by a Microwave-Assisted Decomposition. <i>Sensor Letters</i> , 2013 , 11, 423-427	0.9	8
7	Flexible All-Inorganic Room-Temperature Chemiresistors Based on Fibrous Ceramic Substrate and Visible-Light-Powered Semiconductor Sensing Layer. <i>Advanced Science</i> , 2021 , 8, e2102471	13.6	6
6	TNPU 2019 ,		5
5	Facile preparation of flexible polyacrylonitrile/BiOCl/BiOI nanofibers via SILAR method for effective floating photocatalysis. <i>Journal of Sol-Gel Science and Technology</i> , 2021 , 97, 610-621	2.3	4

4	Controllable preparation of three-dimensional porous WO ₃ with enhanced visible light photocatalytic activity via a freeze-drying method. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 9605-9612	2.1	3
3	Anchoring bismuth oxybromo-iodide solid solutions on flexible electrospun polyacrylonitrile nanofiber mats for floating photocatalysis. <i>Journal of Colloid and Interface Science</i> , 2021 , 608, 3178-3178 ^{9,3}		2
2	Ternary NiTiO ₃ @g-C ₃ N ₄ /Au nanofibers with a synergistic Z-scheme core@shell interface and dispersive Schottky contact surface for enhanced solar photocatalytic activity. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 2730-2741	7.8	1
1	Influence of interlayer interactions on the relaxation dynamics of excitons in ultrathin MoS ₂ . <i>Nanoscale Advances</i> , 2019 , 1, 1186-1192	5.1	0