# Milind A Phadnis

List of Publications by Year
in descending order

| | | | |
|---|---|---|---|
| 42 papers | 476 citations | 687363<br>13 h-index | 752698<br>20 g-index |
| 47 all docs | 47 docs citations | 47 times ranked | 676 citing authors |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1 | Randomized Phase II Trial of Anthracycline-free and Anthracycline-containing Neoadjuvant Carboplatin Chemotherapy Regimens in Stage I–III Triple-negative Breast Cancer (NeoSTOP). Clinical Cancer Research, 2021, 27, 975-982. | 7.0 | 51 |
| 2 | Retrospective data suggests that the higher prevalence of benign paroxysmal positional vertigo in individuals with type 2 diabetes is mediated by hypertension. Journal of Vestibular Research: Equilibrium and Orientation, 2016, 25, 233-239. | 2.0 | 41 |
| 3 | Clinical and Biomarker Results from Phase I/II Study of PI3K Inhibitor Alpelisib plus Nab-paclitaxel in HER2-Negative Metastatic Breast Cancer. Clinical Cancer Research, 2021, 27, 3896-3904. | 7.0 | 36 |
| 4 | Clinical and biomarker results of neoadjuvant phase II study of pembrolizumab and carboplatin plus docetaxel in triple-negative breast cancer (TNBC) (NeoPACT).. Journal of Clinical Oncology, 2022, 40, 513-513. | 1.6 | 36 |
| 5 | Stroke and the "Stroke Belt" in Dialysis: Contribution of Patient Characteristics to Ischemic Stroke Rate and Its Geographic Variation. Journal of the American Society of Nephrology: JASN, 2013, 24, 2053-2061. | 6.1 | 30 |
| 6 | Association Between Gestational Diabetes and Incident Maternal CKD: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. American Journal of Kidney Diseases, 2018, 71, 112-122. | 1.9 | 25 |
| 7 | Retrospective Analysis of Intrathecal Drug Delivery: Outcomes, Efficacy, and Risk for Cancer-Related Pain at a High Volume Academic Medical Center. Neuromodulation, 2018, 21, 660-664. | 0.8 | 24 |
| 8 | Effect of Long-term Nicotine Replacement Therapy vs Standard Smoking Cessation for Smokers With Chronic Lung Disease. JAMA Network Open, 2018, 1, e181843. | 5.9 | 21 |
| 9 | The effects of cognitive behavioral therapy for insomnia in people with type 2 diabetes mellitus, pilot RCT part II: diabetes health outcomes. BMC Endocrine Disorders, 2020, 20, 136. | 2.2 | 20 |
| 10 | Effectiveness comparison of cardio-selective to non-selective β-blockers and their association with mortality and morbidity in end-stage renal disease: a retrospective cohort study. BMC Cardiovascular Disorders, 2016, 16, 60. | 1.7 | 19 |
| 11 | Association of Slow Graft Function with Long-Term Outcomes in Kidney Transplant Recipients. Annals of Transplantation, 2018, 23, 224-231. | 0.9 | 17 |
| 12 | Phase II trial of cabozantinib (Cabo) plus durvalumab (Durva) in chemotherapy refractory patients with advanced mismatch repair proficient/microsatellite stable (pMMR/MSS) colorectal cancer (CRC): CAMILLA CRC cohort results.. Journal of Clinical Oncology, 2022, 40, 135-135. | 1.6 | 17 |
| 13 | Race, Ethnicity, and State-by-State Geographic Variation in Hemorrhagic Stroke in Dialysis Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 756-763. | 4.5 | 16 |
| 14 | Shorter length of hospital stay for hip fracture in those with dementia and without a known diagnosis of osteoporosis in the USA. BMC Geriatrics, 2020, 20, 523. | 2.7 | 11 |
| 15 | Sample size calculation for small sample single-arm trials for time-to-event data: Logrank test with normal approximation or test statistic based on exact chi-square distribution?. Contemporary Clinical Trials Communications, 2019, 15, 100360. | 1.1 | 10 |
| 16 | A clinical trial design using the concept of proportional time using the generalized gamma ratio distribution. Statistics in Medicine, 2017, 36, 4121-4140. | 1.6 | 9 |
| 17 | Estimation of Drug Effectiveness by Modeling Three Time-Dependent Covariates: An Application to Data on Cardioprotective Medications in the Chronic Dialysis Population. Statistics in Biopharmaceutical Research, 2014, 6, 229-240. | 0.8 | 8 |
| 18 | Using Cognitive Behavioral Therapy for Insomnia in People with Type 2 Diabetes, Pilot RCT Part I: Sleep and Concomitant Symptom. Behavioral Sleep Medicine, 2020, 19, 1-20. | 2.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 19 | Romidepsin (HDACi) plus cisplatin and nivolumab triplet combination in patients with metastatic triple negative breast cancer (mTNBC).. Journal of Clinical Oncology, 2021, 39, 1076-1076. | 1.6 | 7 |
| 20 | Effect of Cognitive Behavioral Therapy for Insomnia on Insomnia Symptoms for Individuals With Type 2 Diabetes: Protocol for a Pilot Randomized Controlled Trial. JMIR Research Protocols, 2019, 8, e14647. | 1.0 | 7 |
| 21 | Assessing accuracy of Weibull shape parameter estimate from historical studies for subsequent sample size calculation in clinical trials with time-to-event outcome. Contemporary Clinical Trials Communications, 2020, 17, 100548. | 1.1 | 6 |
| 22 | Trends for and Clinical Factors Associated with Choice of Oral P2Y12 Inhibitors for Patients on Chronic Dialysis. Cardiovascular Drugs and Therapy, 2019, 33, 511-521. | 2.6 | 5 |
| 23 | Group sequential design for time-to-event data using the concept of proportional time. Statistical Methods in Medical Research, 2020, 29, 1867-1890. | 1.5 | 5 |
| 24 | A comparison of diabetes self-care behavior in people with type 2 diabetes with and without insomnia symptoms. Acta Diabetologica, 2020, 57, 651-659. | 2.5 | 5 |
| 25 | Comparative Effectiveness and Safety of Oral P2Y12 Inhibitors in Patients on Chronic Dialysis. Kidney International Reports, 2021, 6, 2381-2391. | 0.8 | 5 |
| 26 | A phase II study of perioperative mFOLFOX chemotherapy plus pembrolizumab combination in patients with potentially resectable adenocarcinoma of the esophageal, gastroesophageal junction (GEJ), and stomach.. Journal of Clinical Oncology, 2022, 40, 329-329. | 1.6 | 5 |
| 27 | Ambulatory Status Protects against Venous Thromboembolism in Acute Mild Ischemic Stroke Patients. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 2496-2501. | 1.6 | 4 |
| 28 | Sample size calculation for two‐arm trials with time‐to‐event endpoint for nonproportional hazards using the concept of Relative Time when inference is built on comparing Weibull distributions. Biometrical Journal, 2021, 63, 1406-1433. | 1.0 | 4 |
| 29 | Design and Basic Characteristics of a National Patient-Powered Registry in ADPKD. Kidney360, 2022, 3, 1350-1358. | 2.1 | 4 |
| 30 | Improving the efficiency of clinical trials by standardizing processes for Investigator Initiated Trials. Contemporary Clinical Trials Communications, 2020, 18, 100579. | 1.1 | 3 |
| 31 | Some design considerations incorporating early futility for <scp>single‐arm</scp> clinical trials with time‐to‐event primary endpoints using Weibull distribution. Pharmaceutical Statistics, 2021, 20, 610-644. | 1.3 | 3 |
| 32 | Potent Antiplatelet Therapy May Reduce Death from Sepsis in Patients on Chronic Dialysis. American Journal of Cardiology, 2022, 162, 209-211. | 1.6 | 3 |
| 33 | A phase II study of perioperative mFOLFOX plus pembrolizumab combination in patients with potentially resectable adenocarcinoma of the esophageal, gastroesophageal junction (GEJ) and stomach.. Journal of Clinical Oncology, 2022, 40, 4047-4047. | 1.6 | 3 |
| 34 | An ensemble survival model for estimating relative residual longevity following stroke: Application to mortality data in the chronic dialysis population. Statistical Methods in Medical Research, 2017, 26, 2667-2680. | 1.5 | 2 |
| 35 | Phase Ib/IIa trial of CEND‐1 in combination with neoadjuvant FOLFIRINOX-based therapies in pancreatic, colorectal, and appendiceal cancers (CENDIFOX).. Journal of Clinical Oncology, 2022, 40, TPS4195-TPS4195. | 1.6 | 2 |
| 36 | Association of multiple ischemic strokes with mortality in incident hemodialysis patients: an application of multistate model to determine transition probabilities in a retrospective observational cohort. BMC Nephrology, 2016, 17, 134. | 1.8 | 1 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 37 | Sleep Efficiency and Total Sleep Time in Individuals with Type 2 Diabetes with and without Insomnia Symptoms. Sleep Disorders, 2020, 2020, 1-12. | 1.4 | 1 |
| 38 | Age Modifies Intracranial and Gastrointestinal Bleeding Risk from P2Y12 Inhibitors in Patients Receiving Dialysis. Kidney360, 2022, 3, 1374-1383. | 2.1 | 1 |
| 39 | Accurate Medication Adherence Measurement Using Administrative Data for Frequently Hospitalized Patients. Hospital Pharmacy, 2021, 56, 451-461. | 1.0 | 0 |
| 40 | Sample size calculations for noninferiority trials for time-to-event data using the concept of proportional time. Journal of Applied Statistics, 2021, 48, 1009-1032. | 1.3 | 0 |
| 41 | Inertial sensors identified asymmetries in shank angular velocity at different gait speeds in individuals with anterior cruciate ligament reconstruction. Gait and Posture, 2020, 80, 302-307. | 1.4 | 0 |
| 42 | CA209-8YD: A phase I/II trial of rucaparib in combination with ramucirumab with or without nivolumab in previously treated advanced gastroesophageal adenocarcinoma (GEA) (RiME).. Journal of Clinical Oncology, 2022, 40, TPS377-TPS377. | 1.6 | 0 |