

# Derek G Cook

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7048277/publications.pdf>

Version: 2024-02-01

195  
papers

15,918  
citations

23879

60  
h-index

21843

118  
g-index

196  
all docs

196  
docs citations

196  
times ranked

22050  
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantifying childhood fat mass: comparison of a novel height-and-weight-based prediction approach with DXA and bioelectrical impedance. <i>International Journal of Obesity</i> , 2021, 45, 99-103.	1.6	8
2	Association of Childhood Fat Mass and Weight With Adult-Onset Type 2 Diabetes in Denmark. <i>JAMA Network Open</i> , 2021, 4, e218524.	2.8	17
3	Equity-specific effects of interventions to promote physical activity among middle-aged and older adults: results from applying a novel equity-specific re-analysis strategy. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 65.	2.0	4
4	A framework for handling missing accelerometer outcome data in trials. <i>Trials</i> , 2021, 22, 379.	0.7	12
5	Evaluating an Intervention to Increase Cereal Fiber Intake in Children: A Randomized Controlled Feasibility Trial. <i>Journal of Nutrition</i> , 2021, 151, 379-386.	1.3	3
6	Prevalence and incidence of neuromuscular conditions in the UK between 2000 and 2019: A retrospective study using primary care data. <i>PLoS ONE</i> , 2021, 16, e0261983.	1.1	17
7	Risk factors for excess all-cause mortality during the first wave of the COVID-19 pandemic in England: A retrospective cohort study of primary care data. <i>PLoS ONE</i> , 2021, 16, e0260381.	1.1	13
8	The effects of step-count monitoring interventions on physical activity: systematic review and meta-analysis of community-based randomised controlled trials in adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 129.	2.0	84
9	Longitudinal impact of changes in the residential built environment on physical activity: findings from the ENABLE London cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 96.	2.0	11
10	Weekend and weekday associations between the residential built environment and physical activity: Findings from the ENABLE London study. <i>PLoS ONE</i> , 2020, 15, e0237323.	1.1	8
11	Evaluating the effect of change in the built environment on mental health and subjective well-being: a natural experiment. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2019-213591.	2.0	9
12	Effectiveness of adult community-based physical activity interventions with objective physical activity measurements and long-term follow-up: a systematic review and meta-analysis. <i>BMJ Open</i> , 2020, 10, e034541.	0.8	14
13	The effect of moving to East Village, the former London 2012 Olympic and Paralympic Games Athletes' Village, on mode of travel (ENABLE London study, a natural experiment). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 15.	2.0	3
14	Development of a structured clinical pharmacology review for specialist support for management of complex polypharmacy in primary care. <i>British Journal of Clinical Pharmacology</i> , 2020, 86, 1326-1335.	1.1	7
15	Reducing weight and increasing physical activity in people at high risk of cardiovascular disease: a randomised controlled trial comparing the effectiveness of enhanced motivational interviewing intervention with usual care. <i>Heart</i> , 2020, 106, 447-454.	1.2	22
16	Active design of built environments for increasing levels of physical activity in adults: the ENABLE London natural experiment study. <i>Public Health Research</i> , 2020, 8, 1-162.	0.5	4
17	Development and validation of a prediction model for fat mass in children and adolescents: meta-analysis using individual participant data. <i>BMJ: British Medical Journal</i> , 2019, 366, l4293.	2.4	42
18	The effect of moving to East Village, the former London 2012 Olympic and Paralympic Games Athletes' Village, on physical activity and adiposity (ENABLE London): a cohort study. <i>Lancet Public Health</i> , The, 2019, 4, e421-e430.	4.7	14

#	ARTICLE	IF	CITATIONS
19	Longitudinal exposure of English primary care patients to pharmacogenomic drugs: An analysis to inform design of pre-emptive pharmacogenomic testing. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 2734-2746.	1.1	25
20	Equity-Specific Effects of Interventions to Promote Physical Activity among Middle-Aged and Older Adults: Development of a Collaborative Equity-Specific Re-Analysis Strategy. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3195.	1.2	6
21	Variability in Glycated Hemoglobin and Risk of Poor Outcomes Among People With Type 2 Diabetes in a Large Primary Care Cohort Study. <i>Diabetes Care</i> , 2019, 42, 2237-2246.	4.3	53
22	Exploring the use of adjusted body mass index thresholds based on equivalent insulin resistance for defining overweight and obesity in UK South Asian children. <i>International Journal of Obesity</i> , 2019, 43, 1440-1443.	1.6	1
23	Measuring change in trials of physical activity interventions: a comparison of self-report questionnaire and accelerometry within the PACE-UP trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 10.	2.0	39
24	Effect of pedometer-based walking interventions on long-term health outcomes: Prospective 4-year follow-up of two randomised controlled trials using routine primary care data. <i>PLoS Medicine</i> , 2019, 16, e1002836.	3.9	32
25	Long-term follow-up and objective physical activity measurements of community-based physical interventions in adults: a systematic review and meta-analysis. <i>Lancet, The</i> , 2019, 394, S96.	6.3	3
26	â€™â€™ sure we made it a better studyâ€™â€™: Experiences of adults with intellectual disabilities and parent carers of patient and public involvement in a health research study. <i>Journal of Intellectual Disabilities</i> , 2019, 23, 78-96.	1.0	36
27	Enhanced motivational interviewing for reducing weight and increasing physical activity in adults with high cardiovascular risk: the MOVE IT three-arm RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-144.	1.3	17
28	The contribution of physical fitness to individual and ethnic differences in risk markers for type 2 diabetes in children: The Child Heart and Health Study in England (CHASE). <i>Pediatric Diabetes</i> , 2018, 19, 603-610.	1.2	9
29	Risk of Infection in Type 1 and Type 2 Diabetes Compared With the General Population: A Matched Cohort Study. <i>Diabetes Care</i> , 2018, 41, 513-521.	4.3	364
30	Reassessing Ethnic Differences in Mean BMI and Changes Between 2007 and 2013 in English Children. <i>Obesity</i> , 2018, 26, 412-419.	1.5	8
31	Takeaway meal consumption and risk markers for coronary heart disease, type 2 diabetes and obesity in children aged 9â€“10 years: a cross-sectional study. <i>Archives of Disease in Childhood</i> , 2018, 103, 431-436.	1.0	21
32	Effect of two pedometer-based walking interventions on long-term health outcomes: a study using routine primary care data. <i>Lancet, The</i> , 2018, 392, S42.	6.3	0
33	An open-source tool to identify active travel from hip-worn accelerometer, GPS and GIS data. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 91.	2.0	19
34	Are noise and air pollution related to the incidence of dementia? A cohort study in London, England. <i>BMJ Open</i> , 2018, 8, e022404.	0.8	177
35	Short-term and long-term cost-effectiveness of a pedometer-based exercise intervention in primary care: a within-trial analysis and beyond-trial modelling. <i>BMJ Open</i> , 2018, 8, e021978.	0.8	7
36	Interpreting population reach of a large, successful physical activity trial delivered through primary care. <i>BMC Public Health</i> , 2018, 18, 170.	1.2	7

#	ARTICLE	IF	CITATIONS
37	Relating process evaluation measures to complex intervention outcomes: findings from the PACE-UP primary care pedometer-based walking trial. <i>Trials</i> , 2018, 19, 58.	0.7	11
38	Glycemic Control and Risk of Infections Among People With Type 1 or Type 2 Diabetes in a Large Primary Care Cohort Study. <i>Diabetes Care</i> , 2018, 41, 2127-2135.	4.3	248
39	Housing, neighbourhood and sociodemographic associations with adult levels of physical activity and adiposity: baseline findings from the ENABLE London study. <i>BMJ Open</i> , 2018, 8, e021257.	0.8	8
40	Physical activity levels in adults and older adults 3-4 years after pedometer-based walking interventions: Long-term follow-up of participants from two randomised controlled trials in UK primary care. <i>PLoS Medicine</i> , 2018, 15, e1002526.	3.9	60
41	Association between depressive symptoms and objectively measured daily step count in individuals at high risk of cardiovascular disease in South London, UK: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e020942.	0.8	21
42	A pedometer-based walking intervention in 45- to 75-year-olds, with and without practice nurse support: the PACE-UP three-arm cluster RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-274.	1.3	22
43	Do health checks for adults with intellectual disability reduce emergency hospital admissions? Evaluation of a natural experiment. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, 52-58.	2.0	22
44	Screen time is associated with adiposity and insulin resistance in children. <i>Archives of Disease in Childhood</i> , 2017, 102, 612-616.	1.0	52
45	Comparisons of depression, anxiety, well-being, and perceptions of the built environment amongst adults seeking social, intermediate and market-rent accommodation in the former London Olympic Athletes' Village. <i>Health and Place</i> , 2017, 48, 31-39.	1.5	8
46	"You started something" then I continued by myself: a qualitative study of physical activity maintenance. <i>Primary Health Care Research and Development</i> , 2017, 18, 574-590.	0.5	23
47	Sleep Duration and Risk of Type 2 Diabetes. <i>Pediatrics</i> , 2017, 140, .	1.0	48
48	Preventable Emergency Hospital Admissions Among Adults With Intellectual Disability in England. <i>Annals of Family Medicine</i> , 2017, 15, 462-470.	0.9	33
49	Reassessing patterns of childhood body-mass index, overweight, and obesity in South Asian and black participants in the English National Child Measurement Programme: use of ethnicity-specific body-mass index adjustments. <i>Lancet, The</i> , 2017, 390, S10.	6.3	0
50	Effect of a Primary Care Walking Intervention with and without Nurse Support on Physical Activity Levels in 45- to 75-Year-Olds: The Pedometer And Consultation Evaluation (PACE-UP) Cluster Randomised Clinical Trial. <i>PLoS Medicine</i> , 2017, 14, e1002210.	3.9	73
51	An evaluation of the effectiveness of annual health checks and quality of health care for adults with intellectual disability: an observational study using a primary care database. <i>Health Services and Delivery Research</i> , 2017, 5, 1-170.	1.4	18
52	The mental health and mortality impact of death of a partner with dementia. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 929-937.	1.3	13
53	Health characteristics and consultation patterns of people with intellectual disability: a cross-sectional database study in English general practice. <i>British Journal of General Practice</i> , 2016, 66, e264-e270.	0.7	69
54	Learning disability registers in primary care. <i>British Journal of General Practice</i> , 2016, 66, 351.3-352.	0.7	3

#	ARTICLE	IF	CITATIONS
55	Mortality Among Adults With Intellectual Disability in England: Comparisons With the General Population. <i>American Journal of Public Health</i> , 2016, 106, 1483-1490.	1.5	185
56	Impact of the built environment on self-rated health and wellbeing and other health behaviours of people in social, intermediate, and market-rent accommodation: baseline characteristics of ENABLE London Study participants. <i>Lancet, The</i> , 2016, 388, S98.	6.3	0
57	Cohort profile: Examining Neighbourhood Activities in Built Living Environments in London: the ENABLE London Olympic Park cohort. <i>BMJ Open</i> , 2016, 6, e012643.	0.8	11
58	Exploring non-participation in primary care physical activity interventions: PACE-UP trial interview findings. <i>Trials</i> , 2016, 17, 178.	0.7	21
59	What factors support older people to increase their physical activity levels? An exploratory analysis of the experiences of PACE-Lift trial participants. <i>Archives of Gerontology and Geriatrics</i> , 2016, 67, 1-6.	1.4	26
60	Global variations and time trends in the prevalence of childhood myopia, a systematic review and quantitative meta-analysis: implications for aetiology and early prevention. <i>British Journal of Ophthalmology</i> , 2016, 100, 882-890.	2.1	363
61	Diabetes and infection: assessing the association with glycaemic control in population-based studies. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 148-158.	5.5	220
62	Global variations and time trends in the prevalence of primary open angle glaucoma (POAG): a systematic review and meta-analysis. <i>British Journal of Ophthalmology</i> , 2016, 100, 86-93.	2.1	352
63	Challenges in Collating Spirometry Reference Data for South-Asian Children: An Observational Study. <i>PLoS ONE</i> , 2016, 11, e0154336.	1.1	11
64	Global variations and time trends in the prevalence of childhood myopia: a systematic review and meta-analysis. <i>Lancet, The</i> , 2015, 386, S69.	6.3	5
65	It's not just about walking.....it's the practice nurse that makes it work a qualitative exploration of the views of practice nurses delivering complex physical activity interventions in primary care. <i>BMC Public Health</i> , 2015, 15, 1236.	1.2	15
66	Evaluation of reliability and validity of the General Practice Physical Activity Questionnaire (GPPAQ) in 60-74 year old primary care patients. <i>BMC Family Practice</i> , 2015, 16, 113.	2.9	60
67	Birthweight and risk markers for type 2 diabetes and cardiovascular disease in childhood: the Child Heart and Health Study in England (CHASE). <i>Diabetologia</i> , 2015, 58, 474-484.	2.9	19
68	Incidence of Late-Stage Age-Related Macular Degeneration in American Whites: Systematic Review and Meta-analysis. <i>American Journal of Ophthalmology</i> , 2015, 160, 85-93.e3.	1.7	129
69	A Primary Care Nurse-Delivered Walking Intervention in Older Adults: PACE (Pedometer Accelerometer) Trial. <i>Journal of Aging and Health</i> , 2015, 27, 1073-1083.	1.0	125
70	Comparing the effectiveness of an enhanced Motivational Interviewing Intervention (MOVE IT) with usual care for reducing cardiovascular risk in high risk subjects: study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 112.	0.7	15
71	Variation in the SLC23A1 gene does not influence cardiometabolic outcomes to the extent expected given its association with l-ascorbic acid. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 202-209.	2.2	13
72	Body mass index in early and middle adult life: prospective associations with myocardial infarction, stroke and diabetes over a 30-year period: the British Regional Heart Study. <i>BMJ Open</i> , 2015, 5, e008105.	0.8	31

#	ARTICLE	IF	CITATIONS
73	Sleep duration and risk markers for type 2 diabetes: a cross-sectional study in children aged 9â€“10 years. <i>Lancet, The</i> , 2015, 386, S4.	6.3	1
74	Recalibration of overweightâ€“obesity prevalence from body-mass index in UK children of South Asian and black African origin: cross-sectional study based on National Child Measurement Programme data. <i>Lancet, The</i> , 2015, 386, S76.	6.3	0
75	Long-Term Exposure to Primary Traffic Pollutants and Lung Function in Children: Cross-Sectional Study and Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0142565.	1.1	56
76	Regular Breakfast Consumption and Type 2 Diabetes Risk Markers in 9- to 10-Year-Old Children in the Child Heart and Health Study in England (CHASE): A Cross-Sectional Analysis. <i>PLoS Medicine</i> , 2014, 11, e1001703.	3.9	47
77	Increased Risk of Acute Cardiovascular Events After Partner Bereavement. <i>JAMA Internal Medicine</i> , 2014, 174, 598.	2.6	123
78	Trends in resting pulse rates in 9-11-year-old children in the UK 1980-2008. <i>Archives of Disease in Childhood</i> , 2014, 99, 10-14.	1.0	12
79	Numbers are not the whole story: a qualitative exploration of barriers and facilitators to increased physical activity in a primary care based walking intervention. <i>BMC Public Health</i> , 2014, 14, 1272.	1.2	40
80	Dietary Energy Intake Is Associated With Type 2 Diabetes Risk Markers in Children. <i>Diabetes Care</i> , 2014, 37, 116-123.	4.3	36
81	Will moving into social and affordable housing in East Village, London, UK, increase family physical activity levels? Evaluation of a natural experiment. <i>Lancet, The</i> , 2014, 384, S59.	6.3	1
82	Which older people decline participation in a primary care trial of physical activity and why: insights from a mixed methods approach. <i>BMC Geriatrics</i> , 2014, 14, 46.	1.1	28
83	Adiposity in Early, Middle and Later Adult Life and Cardiometabolic Risk Markers in Later Life; Findings from the British Regional Heart Study. <i>PLoS ONE</i> , 2014, 9, e114289.	1.1	15
84	Mortality Associations with Long-Term Exposure to Outdoor Air Pollution in a National English Cohort. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013, 187, 1226-1233.	2.5	238
85	PACE-UP (Pedometer and consultation evaluation - UP) â€“ a pedometer-based walking intervention with and without practice nurse support in primary care patients aged 45â€“75 years: study protocol for a randomised controlled trial. <i>Trials</i> , 2013, 14, 418.	0.7	22
86	A new simple primary care morbidity score predicted mortality and better explains between practice variations than the Charlson index. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 436-444.	2.4	55
87	Randomised controlled trial of a complex intervention by primary care nurses to increase walking in patients aged 60â€“74 years: protocol of the PACE-Lift (Pedometer Accelerometer Consultation) Tj ETQq1 1 0.7843.24 rgBT /Overlock 1	1.1	1
88	Mortality in older care home residents in England and Wales. <i>Age and Ageing</i> , 2013, 42, 209-215.	0.7	84
89	Impact of Partner Bereavement on Quality of Cardiovascular Disease Management. <i>Circulation</i> , 2013, 128, 2745-2753.	1.6	26
90	Long-Term Exposure to Outdoor Air Pollution and Incidence of Cardiovascular Diseases. <i>Epidemiology</i> , 2013, 24, 44-53.	1.2	222

#	ARTICLE	IF	CITATIONS
91	Influence of Adiposity on Insulin Resistance and Glycemia Markers Among U.K. Children of South Asian, Black African-Caribbean, and White European Origin. <i>Diabetes Care</i> , 2013, 36, 1712-1719.	4.3	66
92	The Effect of Unexpected Bereavement on Mortality in Older Couples. <i>American Journal of Public Health</i> , 2013, 103, 1140-1145.	1.5	54
93	Are Ethnic and Gender Specific Equations Needed to Derive Fat Free Mass from Bioelectrical Impedance in Children of South Asian, Black African-Caribbean and White European Origin? Results of the Assessment of Body Composition in Children Study. <i>PLoS ONE</i> , 2013, 8, e76426.	1.1	40
94	Initiation of Psychotropic Medication after Partner Bereavement: A Matched Cohort Study. <i>PLoS ONE</i> , 2013, 8, e77734.	1.1	17
95	The impact of dementia on influenza vaccination uptake in community and care home residents. <i>Age and Ageing</i> , 2012, 41, 64-69.	0.7	25
96	The estimated prevalence and incidence of late stage age related macular degeneration in the UK. <i>British Journal of Ophthalmology</i> , 2012, 96, 752-756.	2.1	258
97	Inflammation and Not Cardiovascular Risk Factors Is Associated With Short Leukocyte Telomere Length in 13- to 16-Year-Old Adolescents. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 2029-2034.	1.1	45
98	Prenatal and Passive Smoke Exposure and Incidence of Asthma and Wheeze: Systematic Review and Meta-analysis. <i>Pediatrics</i> , 2012, 129, 735-744.	1.0	565
99	Do Good Health and Material Circumstances Protect Older People From the Increased Risk of Death After Bereavement?. <i>American Journal of Epidemiology</i> , 2012, 176, 689-698.	1.6	31
100	Ethnic Differences in Carotid Intima-Media Thickness Between UK Children of Black African-Caribbean and White European Origin. <i>Stroke</i> , 2012, 43, 1747-1754.	1.0	31
101	Quality of prescribing in care homes and the community in England and Wales. <i>British Journal of General Practice</i> , 2012, 62, e329-e336.	0.7	40
102	Trends in blood pressure in 9 to 11-year-old children in the United Kingdom 1980-2008. <i>Journal of Hypertension</i> , 2012, 30, 1708-1717.	0.3	41
103	Ethnic and socioeconomic influences on childhood blood pressure. <i>Journal of Hypertension</i> , 2012, 30, 2090-2097.	0.3	14
104	Response to Letter by Mascitelli et al Regarding Ethnic Differences in Carotid Intima-Media Thickness Between UK Children of Black African-Caribbean and White European Origin. <i>Stroke</i> , 2012, 43, .	1.0	0
105	Antidepressant Prescribing in Older Primary Care Patients in Community and Care Home Settings in England and Wales. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 41-47.	1.2	26
106	Age and Gender Variations in Age-related Macular Degeneration Prevalence in Populations of European Ancestry: A Meta-analysis. <i>Ophthalmology</i> , 2012, 119, 571-580.	2.5	266
107	Travel to School and Physical Activity Levels in 9-10 Year-Old UK Children of Different Ethnic Origin; Child Heart and Health Study in England (CHASE). <i>PLoS ONE</i> , 2012, 7, e30932.	1.1	51
108	Socio-Economic Position and Type 2 Diabetes Risk Factors: Patterns in UK Children of South Asian, Black African-Caribbean and White European Origin. <i>PLoS ONE</i> , 2012, 7, e32619.	1.1	35

#	ARTICLE	IF	CITATIONS
109	Cardiometabolic Risk Markers in Indian Children: Comparison with UK Indian and White European Children. PLoS ONE, 2012, 7, e36236.	1.1	6
110	Combined analysis of <i>CHRNA5</i> , <i>CHRNA3</i> and <i>CYP2A6</i> in relation to adolescent smoking behaviour. Journal of Psychopharmacology, 2011, 25, 915-923.	2.0	16
111	Quality of chronic disease care for older people in care homes and the community in a primary care pay for performance system: retrospective study. BMJ: British Medical Journal, 2011, 342, d912-d912.	2.4	47
112	Breast-feeding and cardiovascular risk factors and outcomes in later life: evidence from epidemiological studies. Proceedings of the Nutrition Society, 2011, 70, 478-484.	0.4	74
113	Depression indicators in a national sample of older community and care home patients: applying the Quality and Outcomes Framework. British Journal of General Practice, 2011, 61, 135-138.	0.7	2
114	Does $\alpha$ -adrenoceptor blocker therapy improve cancer survival? Findings from a population-based retrospective cohort study. British Journal of Clinical Pharmacology, 2011, 72, 157-161.	1.1	112
115	Family and home correlates of children's physical activity in a multi-ethnic population: the cross-sectional child heart and health study in england (CHASE). International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 11.	2.0	24
116	Patterns of body size and adiposity among UK children of South Asian, black African and Caribbean and white European origin: Child Heart And health Study in England (CHASE Study). International Journal of Epidemiology, 2011, 40, 33-44.	0.9	134
117	Retinal Arteriolar Tortuosity and Cardiovascular Risk Factors in a Multi-Ethnic Population Study of 10-Year-Old Children; the Child Heart and Health Study in England (CHASE). Arteriosclerosis, Thrombosis, and Vascular Biology, 2011, 31, 1933-1938.	1.1	82
118	Family Dog Ownership and Levels of Physical Activity in Childhood: Findings From the Child Heart and Health Study in England. American Journal of Public Health, 2010, 100, 1669-1671.	1.5	58
119	Calcium supplementation, cardiovascular disease and mortality in older women. Pharmacoepidemiology and Drug Safety, 2010, 19, 59-64.	0.9	26
120	Ethnic Differences in the Prevalence of Myopia and Ocular Biometry in 10- and 11-Year-Old Children: The Child Heart and Health Study in England (CHASE). , 2010, 51, 6270.		86
121	Hypotensive Medication, Statins, and the Risk of Glaucoma. , 2010, 51, 3524.		41
122	Genetic variation at the SLC23A1 locus is associated with circulating concentrations of l-ascorbic acid (vitamin C): evidence from 5 independent studies with >15,000 participants. American Journal of Clinical Nutrition, 2010, 92, 375-382.	2.2	102
123	Early Emergence of Ethnic Differences in Type 2 Diabetes Precursors in the UK: The Child Heart and Health Study in England (CHASE Study). PLoS Medicine, 2010, 7, e1000263.	3.9	127
124	Identifying the clinical characteristics of older people living in care homes using a novel approach in a primary care database. Age and Ageing, 2010, 39, 617-623.	0.7	35
125	Ethnic differences in blood lipids and dietary intake between UK children of black African, black Caribbean, South Asian, and white European origin: the Child Heart and Health Study in England (CHASE). American Journal of Clinical Nutrition, 2010, 92, 776-783.	2.2	46
126	A Comparison of Questionnaire, Accelerometer, and Pedometer. Medicine and Science in Sports and Exercise, 2009, 41, 1392-1402.	0.2	165



#	ARTICLE	IF	CITATIONS
127	Ethnic and gender differences in physical activity levels among 9-10-year-old children of white European, South Asian and African-Caribbean origin: the Child Heart Health Study in England (CHASE) Tj ETQq1 0.7843145gBT /OV	1.7	15
128	Changes in environmental tobacco smoke (ETS) exposure over a 20-year period: cross-sectional and longitudinal analyses. <i>Addiction</i> , 2009, 104, 496-503.	1.2	97
129	Chronic Exposure to Outdoor Air Pollution and Markers of Systemic Inflammation. <i>Epidemiology</i> , 2009, 20, 245-253.	1.2	30
130	Less healthy, but more active: Opposing selection biases when recruiting older people to a physical activity study through primary care. <i>BMC Public Health</i> , 2008, 8, 182.	1.3	88
131	What Factors Predict Potentially Inappropriate Primary Care Prescribing in Older People?. <i>Drugs and Aging</i> , 2008, 25, 693-706.	3.8	820
132	Birth Weight and Risk of Type 2 Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2008, 300, 2886.	0.7	45
133	Optimising recruitment into a study of physical activity in older people: a randomised controlled trial of different approaches. <i>Age and Ageing</i> , 2008, 37, 659-665.	2.2	194
134	Does initial breastfeeding lead to lower blood cholesterol in adult life? A quantitative review of the evidence. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 305-314.	0.7	40
135	Trends and inequities in beta-blocker prescribing for heart failure. <i>British Journal of General Practice</i> , 2008, 58, 862-869.	2.2	253
136	Is birth weight a risk factor for ischemic heart disease in later life?. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 1244-1250.	0.9	91
137	Trends in potentially inappropriate prescribing amongst older UK primary care patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2007, 16, 658-667.	1.6	139
138	The relationship between physical activity, sedentary behaviour and psychological wellbeing among adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 851-856.	0.7	9
139	Spurious trends in coronary heart disease incidence: unintended consequences of the new GP contract?. <i>British Journal of General Practice</i> , 2007, 57, 486-9.	0.9	47
140	Sex Differences in the Association Between Birth Weight and Total Cholesterol. A Meta-Analysis. <i>Annals of Epidemiology</i> , 2006, 16, 19-25.	2.2	366
141	Does breastfeeding influence risk of type 2 diabetes in later life? A quantitative analysis of published evidence. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 1043-1054.	0.7	11
142	A study of TH01 and IGF2-INS-TH haplotypes in relation to smoking initiation in three independent surveys. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 15-23.	0.7	93
143	Onset and persistence of depression in older people—results from a 2-year community follow-up study. <i>Age and Ageing</i> , 2006, 35, 25-32.	0.8	25
144	The use of primary care databases: case-control and case-only designs. <i>Family Practice</i> , 2006, 23, 597-604.		

#	ARTICLE	IF	CITATIONS
145	Variations in Primary Open-Angle Glaucoma Prevalence by Age, Gender, and Race: A Bayesian Meta-Analysis. , 2006, 47, 4254.		394
146	Differences Between Meta-analyses on Breastfeeding and Obesity Support Causality of the Association: In Reply. Pediatrics, 2006, 117, 987-988.	1.0	7
147	The effect of breastfeeding on mean body mass index throughout life: a quantitative review of published and unpublished observational evidence. American Journal of Clinical Nutrition, 2005, 82, 1298-1307.	2.2	388
148	CYP2A6, MAOA, DBH, DRD4, and 5HT2A genotypes, smoking behaviour and cotinine levels in 1518 UK adolescents. Pharmacogenetics and Genomics, 2005, 15, 839-850.	0.7	51
149	Trends in the prevalence and management of diagnosed type 2 diabetes 1994â€“2001 in England and Wales. BMC Family Practice, 2005, 6, 13.	2.9	69
150	Are depression, anxiety and health beliefs important predictors of older peopleâ€™s primary care consulting?. Age and Ageing, 2005, 34, 398-401.	0.7	2
151	Linking questionnaires to primary care records: factors affecting consent in older people. Journal of Epidemiology and Community Health, 2005, 59, 336-338.	2.0	22
152	Are early life factors responsible for international differences in adult blood pressure? An ecological study. International Journal of Epidemiology, 2005, 34, 649-654.	0.9	10
153	Effect of Infant Feeding on the Risk of Obesity Across the Life Course: A Quantitative Review of Published Evidence. Pediatrics, 2005, 115, 1367-1377.	1.0	939
154	Circulating soluble E-selectin levels and the Ser128Arg polymorphism in individuals from different ethnic groups. Nutrition, Metabolism and Cardiovascular Diseases, 2005, 15, 65-70.	1.1	21
155	Passive smoking and risk of coronary heart disease and stroke: prospective study with cotinine measurement. BMJ: British Medical Journal, 2004, 329, 200-205.	2.4	265
156	Developing a large electronic primary care database (Doctorsâ€™ Independent Network) for research. International Journal of Medical Informatics, 2004, 73, 443-453.	1.6	44
157	Birth Weight and Subsequent Cholesterol Levels. JAMA - Journal of the American Medical Association, 2004, 292, 2755.	3.8	136
158	Linking survey data with computerised records to predict consulting by older people. British Journal of General Practice, 2004, 54, 928-31.	0.7	7
159	Implications of the problem orientated medical record (POMR) for research using electronic GP databases: a comparison of the Doctors Independent Network Database (DIN) and the General Practice Research Database (GPRD). BMC Family Practice, 2003, 4, 14.	2.9	28
160	Predictors of depressive symptoms in older people—a survey of two general practice populations. Age and Ageing, 2003, 32, 510-518.	0.7	67
161	Effect of breast feeding in infancy on blood pressure in later life: systematic review and meta-analysis. BMJ: British Medical Journal, 2003, 327, 1189-1195.	2.4	182
162	Birth Weight and Blood Cholesterol Level: A Study in Adolescents and Systematic Review. Pediatrics, 2003, 111, 1081-1089.	1.0	88

#	ARTICLE	IF	CITATIONS
163	Ethnic differences in circulating soluble adhesion molecules: the Wandsworth Heart and Stroke Study. <i>Clinical Science</i> , 2003, 104, 591-598.	1.8	54
164	Mammography uptake predictors in older women. <i>Family Practice</i> , 2002, 19, 661-664.	0.8	8
165	Infant Feeding and Blood Cholesterol: A Study in Adolescents and a Systematic Review. <i>Pediatrics</i> , 2002, 110, 597-608.	1.0	286
166	Has loneliness amongst older people increased? An investigation into variations between cohorts. <i>Ageing and Society</i> , 2002, 22, 585-597.	1.2	117
167	Early evidence of ethnic differences in cardiovascular risk: cross sectional comparison of British South Asian and white children. <i>BMJ: British Medical Journal</i> , 2002, 324, 635-635.	2.4	340
168	Homocysteine levels in men and women of different ethnic and cultural background living in England. <i>Atherosclerosis</i> , 2002, 164, 95-102.	0.4	57
169	Differences in hormone replacement therapy use by social class, region and psychological symptoms. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 269-275.	0.9	4
170	Differences in hormone replacement therapy use by social class, region and psychological symptoms. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 269-275.	1.1	3
171	Ethnic Differences in Fibrinogen Levels: The Role of Environmental Factors and the beta-Fibrinogen Gene. <i>American Journal of Epidemiology</i> , 2001, 153, 799-806.	1.6	62
172	Frequency and allelic association of common variants in the lipoprotein lipase gene in different ethnic groups: The Wandsworth Heart and Stroke Study. , 2000, 18, 203-216.		35
173	C-reactive protein concentration in children: relationship to adiposity and other cardiovascular risk factors. <i>Atherosclerosis</i> , 2000, 149, 139-150.	0.4	395
174	Association Between the C825T Polymorphism of the G Protein $\beta$ 3-Subunit Gene and Hypertension in Blacks. <i>Hypertension</i> , 1999, 34, 1193-1196.	1.3	135
175	A population study of ethnic variations in the angiotensin-converting enzyme I/D polymorphism. <i>Journal of Hypertension</i> , 1999, 17, 657-664.	0.3	99
176	Health effects of passive smoking $\hat{\hat{10}}$ : Summary of effects of parental smoking on the respiratory health of children and implications for research. <i>Thorax</i> , 1999, 54, 357-366.	2.7	522
177	Ethnic differences in use of hormone replacement therapy: community based survey. <i>BMJ: British Medical Journal</i> , 1999, 319, 610-611.	2.4	16
178	Explaining variation in hospital admission rates between general practices: cross sectional study. <i>BMJ: British Medical Journal</i> , 1999, 319, 98-103.	2.4	93
179	Maternal cotinine level during pregnancy and birthweight for gestational age. <i>International Journal of Epidemiology</i> , 1998, 27, 647-656.	0.9	92
180	Size at birth and blood pressure: cross sectional study in 8-11 year old children. <i>BMJ: British Medical Journal</i> , 1997, 314, 475-475.	2.4	121

#	ARTICLE	IF	CITATIONS
181	Birthweight is related to endothelial function in systemic arteries of young children (aged eight to 14 years). <i>Tj ETQq1 1 0.784314 rgBT<sub>0</sub>/Overlook</i>	1.2	14
182	Cardiovascular risk factors in British children from towns with widely differing adult cardiovascular mortality. <i>BMJ: British Medical Journal</i> , 1996, 313, 79-84.	2.4	55
183	Relation of caffeine intake and blood caffeine concentrations during pregnancy to fetal growth: prospective population based study. <i>BMJ: British Medical Journal</i> , 1996, 313, 1358-1362.	2.4	75
184	Do General Practitioners Influence the Uptake of Breast Cancer Screening?. <i>Journal of Medical Screening</i> , 1995, 2, 119-124.	1.1	27
185	Sociodemographic variables for general practices: use of census data. <i>BMJ: British Medical Journal</i> , 1995, 310, 1373-1374.	2.4	25
186	Birth weight and blood pressure: cross sectional and longitudinal relations in childhood. <i>BMJ: British Medical Journal</i> , 1995, 311, 773-776.	2.4	139
187	Chest Illness in Infancy and Chronic Respiratory Disease in Later Life: An Analysis by Month of Birth. <i>International Journal of Epidemiology</i> , 1994, 23, 1060-1068.	0.9	21
188	Loss of employment and mortality. <i>BMJ: British Medical Journal</i> , 1994, 308, 1135-1139.	2.4	289
189	Transfer of humoral immunity against cytomegalovirus proteins following transplantation of T-cell-depleted allogeneic bone marrow from seropositive donors. <i>Journal of Medical Virology</i> , 1993, 41, 150-158.	2.5	5
190	Leukocyte Count and Risk of Major Coronary Heart Disease Events. <i>American Journal of Epidemiology</i> , 1992, 136, 59-70.	1.6	102
191	The leukocyte count and risk of lung cancer. <i>Cancer</i> , 1992, 69, 680-684.	2.0	24
192	RE: "PULMONARY FUNCTION AS A PREDICTOR OF CORONARY HEART DISEASE" <i>American Journal of Epidemiology</i> , 1990, 132, 587-587.	1.6	0
193	Breathlessness, angina pectoris and coronary artery disease. <i>American Journal of Cardiology</i> , 1989, 63, 921-924.	0.7	41
194	Using the WHO (Rose) Angina Questionnaire in Cardiovascular Epidemiology. <i>International Journal of Epidemiology</i> , 1989, 18, 607-613.	0.9	144
195	Blood pressure measurement in children: the importance of cuff bladder size. <i>Journal of Hypertension</i> , 1989, 7, 845-850.	0.3	29