

# Vladimir PeÅjiÄ

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7048626/publications.pdf>

Version: 2024-02-01

269  
papers

2,683  
citations

430874  
18  
h-index

361022  
35  
g-index

276  
all docs

276  
docs citations

276  
times ranked

2090  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | DNA barcode reference libraries for the monitoring of aquatic biota in Europe: Gap-analysis and recommendations for future work. <i>Science of the Total Environment</i> , 2019, 678, 499-524.                                  | 8.0  | 336       |
| 2  | Biomonitoring of intermittent rivers and ephemeral streams in Europe: Current practice and priorities to enhance ecological status assessments. <i>Science of the Total Environment</i> , 2018, 618, 1096-1113.                 | 8.0  | 113       |
| 3  | A global analysis of terrestrial plant litter dynamics in non-perennial waterways. <i>Nature Geoscience</i> , 2018, 11, 497-503.  | 12.9 | 108       |
| 4  | Order Trombidiformes Reuter, 1909. In: Zhang, Z.-Q. (Ed.) <i>Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness</i> . <i>Zootaxa</i> , 2011, 3148, 129.                            | 0.5  | 74        |
| 5  | Simulating rewetting events in intermittent rivers and ephemeral streams: A global analysis of leached nutrients and organic matter. <i>Global Change Biology</i> , 2019, 25, 1591-1611.  | 9.5  | 71        |
| 6  | SÄ1/4ÄÝwasserfauna von Mitteleuropa, Bd. 7/2-3 Chelicerata., 2016, ,.   |      | 48        |
| 7  | Sediment Respiration Pulses in Intermittent Rivers and Ephemeral Streams. <i>Global Biogeochemical Cycles</i> , 2019, 33, 1251-1263.  | 4.9  | 48        |
| 8  | A new freshwater snail genus (Hydrobiidae, Gastropoda) from Montenegro, with a discussion on gastropod diversity and endemism in Skadar Lake. <i>ZooKeys</i> , 2013, 281, 69-90.  | 1.1  | 44        |
| 9  | Six species in one: evidence of cryptic speciation in the <i>Hygrobates fluviatilis</i> complex (Acariformes,) Tj ETQq1 1 0.784314 rgBT /Overloo  | 0.5  | 42        |
| 10 | The water mites (Acari: Hydrachnidia) of the Balkan peninsula, a revised survey with new records and descriptions of five new taxa. <i>Zootaxa</i> , 2010, 2586, 1.   | 0.5  | 41        |
| 11 | The freshwater snails (Gastropoda) of Iran, with descriptions of two new genera and eight new species. <i>ZooKeys</i> , 2012, 219, 11-61.   | 1.1  | 38        |
| 12 | A checklist of the water mites of Turkey (Acari: Hydrachnidia) with description of two new species. <i>Zootaxa</i> , 2010, 2624, 1.   | 0.5  | 34        |
| 13 | New Mediterranean Biodiversity Records (April, 2014). <i>Mediterranean Marine Science</i> , 2013, 15, 198.  | 1.6  | 34        |
| 14 | Radiation in &lt;i&gt;Bythinella&lt;/i&gt; Moquin-Tandon, 1856 (Mollusca: Gastropoda: Rissooidea) in the Balkans. <i>Folia Malacologica</i> , 2012, 20, 1-10.   | 0.2  | 32        |
| 15 | Increasing understanding of alien species through citizen science (Alien-CSi). <i>Research Ideas and Outcomes</i> , 0, 4, .   | 1.0  | 30        |
| 16 | Water mites delineating the Oriental and Palaearctic regionsâ€”the unique fauna of southern Iran, with description of one new genus, one new subgenus and 14 new species (Acari: Hydrachnidia). <i>Zootaxa</i> , 2012, 3330, 1. | 0.5  | 26        |
| 17 | DNA barcoding of Chironomidae from the Lake Skadar region: Reference library and a comparative analysis of the European fauna. <i>Diversity and Distributions</i> , 2022, 28, 2838-2857.  | 4.1  | 24        |
| 18 | Simultaneous evidence for a new species of <i>Torrenticola</i> Piersig, 1896 (Acari, Hydrachnidia) from Montenegro. <i>Zootaxa</i> , 2012, 3515, 38.  | 0.5  | 22        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | A checklist of the water mites (Acari: Hydrachnidia) of Iran. Zootaxa, 2007, 1473, 45.   | 0.5 | 19        |
| 20 | Ephemeroptera, Plecoptera, and Trichoptera assemblages of karst springs in relation to some environmental factors: a case study in central Bosnia and Herzegovina. Turkish Journal of Zoology, 2017, 41, 119-129.  | 0.9 | 19        |
| 21 | A checklist of the water mites (Acari: Hydrachnidia) of India, with new records and description of one new species. Zootaxa, 2010, 2617, 1.  | 0.5 | 18        |
| 22 | Studies on eucrenal-hypocrenal zonation of springs along the river mainstream: A case study of a karst canyon in Bosnia and Herzegovina. Biologia (Poland), 2016, 71, 809-817.   | 1.5 | 18        |
| 23 | Supplement to the Checklist of water mites (Acari: Hydrachnidia) from the Balkan peninsula. Zootaxa, 2018, 4394, 151-184.  | 0.5 | 18        |
| 24 | A new species of Monattractides (Acari: Hydrachnidia: Torrenticolidae) and new records of other torrenticolid water mites from the Garhwal Himalayas (India). Systematic and Applied Acarology, 2007, 12, 205.   | 0.5 | 17        |
| 25 | Torrenticolid water mites from Korea and the Russian Far East. ZooKeys, 2013, 299, 21-48.  | 1.1 | 17        |
| 26 | <strong>Torrenticolid water mites (Acari: Hydrachnidia: Torrenticolidae) from Malaysian Borneo</strong>. Zootaxa, 2014, 3840, 1.   | 0.5 | 17        |
| 27 | New Mediterranean Marine biodiversity records (June 2013). Mediterranean Marine Science, 2013, 14, 238.  | 1.6 | 17        |
| 28 | A new species of Litarachna (Acari, Hydrachnidia, Pontarachnidae) from a Caribbean mesophotic coral ecosystem. ZooKeys, 2014, 425, 89-97.  | 1.1 | 16        |
| 29 | Reproductive traits and conservation needs of the endemic gammarid <i>Laurogammarus scutarensis</i> ( ) from the Skadar Lake system, Balkan Peninsula. Limnologica, 2014, 47, 44-51.   | 1.5 | 16        |
| 30 | Evidence of cryptic and pseudocryptic speciation in <i>Brachypodopsis baumi</i> species complex (Acari,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Acarology, 2016, 21, 1092.   | 0.5 | 16        |
| 31 | The influence of flooding and river connectivity on macroinvertebrate assemblages in rheocrene springs along a third-order river. Fundamental and Applied Limnology, 2017, 190, 251-263.   | 0.7 | 16        |
| 32 | &lt;p class="Body"&gt;&lt;strong&gt;Re-established after hundred years: Definition of &lt;em&gt;Hygrobates prosiliens&lt;/em&gt; Koenike, 1915, based on molecular and morphological evidence, and redescription of &lt;em&gt;H. longipalpis&lt;/em&gt; (Hermann, 1804) (Acariformes,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1490-1511. |     |           |
| 33 | Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2017, 17, ..   | 0.9 | 15        |
| 34 | Application of macroinvertebrate multimetrics as a measure of the impact of anthropogenic modification of spring habitats. Aquatic Conservation: Marine and Freshwater Ecosystems, 2019, 29, 341-352.  | 2.0 | 15        |
| 35 | THE MORPHOLOGICAL PLASTICITY OF THEODOXUS FLUVIATILIS (LINNAEUS, 1758) (MOLLUSCA: GASTROPODA) Tj ETQq1 1 0.784314  | 0.5 | 15        |
| 36 | <p><strong>CHECKLIST OF THE WATER MITES (ACARI, HYDRACHNIDIA) OF IRAN: SECOND SUPPLEMENT AND DESCRIPTION OF ONE NEW SPECIES</strong></p>. Ecologica Montenegrina, 2014, 1, 30-48.  | 0.5 | 14        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | <p class="Body">New records of water mites (Acari: Hydrachnidia) from the Western Himalaya with the description of four new species. <i>Systematic and Applied Acarology</i> , 2019, 24, 59.   | 0.5 | 14        |
| 38 | Studies on water mites of the family Hygrobatidae (Acari, Hydrachnidia) from Iran, I. The water mite genus <i>Atractides</i> Koch, with the description of five new species. <i>Zootaxa</i> , 2004, 495, .   | 0.5 | 14        |
| 39 | A CHECKLIST OF THE LEECHES (ANNELIDA: HIRUDINEA) OF MONTENEGRO. <i>Ecologica Montenegrina</i> , 2015, 2, 20-28.  | 0.5 | 14        |
| 40 | Studies on water mites (Acari, Hydrachnidia) from the Himalayas, I. The water mite genus <i>Feltria</i> Koenike, with descriptions of eight new species. <i>Zootaxa</i> , 2008, 1758, 1.   | 0.5 | 13        |
| 41 | &lt;strong&gt;The water mite family Mideopsidae (Acari: Hydrachnidia): a contribution to the diversity in the Afrotropical region and taxonomic changes above species level&lt;/strong&gt;. <i>Zootaxa</i> , 2013, 3720, 1.  | 0.5 | 13        |
| 42 | Water mites from Mount Kinabalu and the Crocker Range, Borneo, Malaysia (Acari: Hydrachnidia), with the description of 34 new species. <i>Zootaxa</i> , 2014, 3876, 1-71.  | 0.5 | 13        |
| 43 | <i>Neumania kyrgyzica</i> sp. nov. a new water mite from Kyrgyzstan based on morphological and molecular data (Acari, Hydrachnidia: Unionicolidae). <i>Systematic and Applied Acarology</i> , 2017, 22, 885.   | 0.5 | 13        |
| 44 | The Obscure History of the Lake Skadar and Its Biota: A Perspective for Future Research. <i>Handbook of Environmental Chemistry</i> , 2018, , 47-61.   | 0.4 | 13        |
| 45 | Water mites of the family Torrenticolidae Piersig, 1902 (Acari: Hydrachnidia) from Thailand, Part I. The genera <i>Torrenticola</i> Piersig, 1896, <i>Neoatractides</i> Lundblad, 1941 and <i>Pseudotorrenticola</i> Walter, 1906. <i>Zootaxa</i> , 2009, 1982, 38-62. | 0.5 | 12        |
| 46 | A new species of <i>Pontarachna</i> (Acari, Hydrachnidia, Pontarachnidae) from a mesophotic coral ecosystem off Vieques Island, Puerto Rico, Caribbean Sea. <i>Zootaxa</i> , 2012, 3440, 63.   | 0.5 | 12        |
| 47 | Discharge, substrate type and temperature as factors affecting gastropod assemblages in springs in northwestern Bosnia and Herzegovina. <i>Archives of Biological Sciences</i> , 2016, 68, 613-621.  | 0.5 | 12        |
| 48 | GLOSSIPHONIA BALCANICA N. SP. AND DINA PROKLETIJACA N. SP. (HIRUDINIDA: GLOSSIPHONIIDAE,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 17-26.   | 0.5 | 12        |
| 49 | Water mites (Acari, Hydrachnidia) of riparian springs in a small lowland river valley: what are the key factors for species distribution?. <i>PeerJ</i> , 2018, 6, e4797.  | 2.0 | 12        |
| 50 | &lt;p class="HeadingRunIn"&gt;&lt;strong&gt;Pontarachnid mites from marine interstitial, with a description of three new species from South Korea (Acari: Hydrachnidia:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 217&lt;/strong&gt;&lt;/p&gt; (Pontarachnidae)            |     |           |
| 51 | &lt;p&gt;&lt;strong&gt;A new species of water mite (Acari, Hydrachnidia) from Assam, India, found in the gut contents of the fish &lt;em&gt;Botia&lt;/em&gt; &lt;em&gt;dario&lt;/em&gt; (Botiidae)&lt;/strong&gt;&lt;/p&gt;. <i>Zootaxa</i> , 2013, 3746, 454.         | 0.5 | 11        |
| 52 | <strong>On the taxonomic state of water mite taxa (Acari: Hydrachnidia) described from the Palaearctic, part 3, Hygrobatoidae and Arrenuroidea with new faunistic data</strong>. <i>Zootaxa</i> , 2015, 3981, 542.   | 0.5 | 11        |
| 53 | The Diversity of Water Mite Assemblages (Acari: Parasitengona: Hydrachnidia) of Lake Skadar/Shkodra and Its Catchment Area. <i>Handbook of Environmental Chemistry</i> , 2018, , 311-323.  | 0.4 | 11        |
| 54 | Faunistic patterns and diversity components of leech assemblages in karst springs of Montenegro. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2019, , 26.   | 1.1 | 11        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Water mites of the family Torrenticolidae (Acari: Hydrachnidia) from Thailand, Part II. The genus Monactractides K.Viets. Zootaxa, 2009, 2012, 1-27.   | 0.5 | 11        |
| 56 | The freshwater snails of the genus <i>Bythinella</i> Moquin-Tandon (Gastropoda: Rissooidea: Hydrobiidae) from Montenegro. Archives of Biological Sciences, 2010, 62, 441-447.  | 0.5 | 11        |
| 57 | Faunistic study of the aquatic beetles (Coleoptera: Polyphaga) of Markazi Province (Central Iran) with new records. Archives of Biological Sciences, 2007, 59, 239-242.  | 0.5 | 10        |
| 58 | Torrenticolid water mites (Acari: Hydrachnidia: Torrenticolidae) from Chana. Zootaxa, 2014, 3820, 1-80.  | 0.5 | 10        |
| 59 | The Diversity of the Zoobenthos Communities of the Lake Skadar/Shkodra Basin. Handbook of Environmental Chemistry, 2018, , 255-293.  | 0.4 | 10        |
| 60 | A checklist of epibiont suctorian and peritrich ciliates (Ciliophora) on halacarid and hydromite mites (Acari: Halacaridae & Hydrachnidia). Zootaxa, 2018, 4457, 415-430.  | 0.5 | 10        |
| 61 | Environmental factors affecting water mite assemblages along eucrenon-hypocrenon gradients in Mediterranean karstic springs. Experimental and Applied Acarology, 2019, 77, 471-486.  | 1.6 | 10        |
| 62 | Crenal Habitats: Sources of Water Mite (Acari: Hydrachnidia) Diversity. Diversity, 2020, 12, 316.  | 1.7 | 10        |
| 63 | Water mites of the genus <i>Torrenticola</i> Piersig, 1896 (Acari, Hydrachnidia, Torrenticolidae) from Iran, with description of two new species. Zootaxa, 2006, 1133, 45.   | 0.5 | 10        |
| 64 | New records of water mites (Acari: Hydrachnidia) from interstitial freshwaters of India, with descriptions of three new species. Zootaxa, 2009, 2158, 20-32.   | 0.5 | 10        |
| 65 |  | 0.5 | 10        |
| 66 | First records of water mites (Acari: Hydrachnidia) from Bhutan, with description of two new species. Zootaxa, 2007, 1613, .  | 0.5 | 10        |
| 67 | Extensive sampling sheds light on species-level diversity in Palearctic Placobdella (Annelida: Tj ETQql 1 0.784314 rgBT /Overlock 10 TF 52.0   | 10  | 10        |
| 68 | A DNA barcode library for the water mites of Montenegro. Biodiversity Data Journal, 2021, 9, e78311.   | 0.8 | 10        |
| 69 | Hydrodroma reinhardi sp. n., a New Species of Water Mites (Acari, Actinedida, Hydrodromidae) from the Mediterranean Area. Aquatic Insects, 2002, 24, 317-323.  | 0.9 | 9         |
| 70 | New records of water mites of the genus <i>Atractides</i> Koch, 1837 (Acari: Hydrachnidia, Hygrobatidae) from Thailand, Malaysia and Sulawesi (Indonesia), with the description of four new species. Zootaxa, 2009, 2240, 1-30.  | 0.5 | 9         |
| 71 | New records of water mites of the family Torrenticolidae (Acari, Hydrachnidia) with descriptions of two new species from Nanshi River system in Taiwan and redescription of <i>Torrenticola ussuriensis</i> (Sokolow, 1940) from the Russian Far East. ZooKeys, 2011, 116, 1-14. | 1.1 | 9         |
| 72 | A new species of <i>Atractides</i> Koch, 1837 (Acari: Hydrachnidia, Hygrobatidae) from Ethiopia, with a discussion on the biodiversity of the genus <i>Atractides</i> in the Afrotropical region. ZooKeys, 2011, 86, 1-10.   | 1.1 | 9         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | &lt;p&gt;&lt;strong&gt;NEW SUBTERRANEAN FRESHWATER GASTROPODS OF MONTENEGRO (MOLLUSCA:) Tj ETQq1 1 0.784314 rgBT<br>Montenegrina, 2014, 1, 82-88.  | 0.5 | 9         |
| 74 | Oviposition by selected water mite (Hydrachnidia) species from Lake Skadar and its catchment. Biologia (Poland), 2016, 71, 1027-1033.  | 1.5 | 9         |
| 75 | Ecological patterns of Odonata assemblages in karst springs in central Montenegro. Knowledge and Management of Aquatic Ecosystems, 2017, , 3.  | 1.1 | 9         |
| 76 | Long-term within-basin isolation patterns, different conservation units, and interspecific mitochondrial DNA introgression in an amphipod endemic to the ancient Lake Skadar system, Balkan Peninsula. Freshwater Biology, 2020, 65, 209-225.  | 2.4 | 9         |
| 77 | Some new freshwater gastropods from southern Europe (Mollusca: Gastropoda: Truncatelloidea). Folia Malacologica, 2013, 21, 225-235.  | 0.2 | 9         |
| 78 | Belgrandiella bozidarcurcici n. sp., a new species from Bosnia and Herzegovina (Gastropoda) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542   | 0.5 | 9         |
| 79 | Two rare water mite species (Acari, Hydrachnidia) from the streams of the Indian eastern Himalayan region. Systematic and Applied Acarology, 2012, 17, .   | 0.5 | 9         |
| 80 | A checklist of the water mites of Central Asia with description of six new species (Acari,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462 Td (H)  | 0.6 | 8         |
| 81 | A new genus and species of larval mites (Acari: Microtrombidiidae) from Montenegro. Systematic and Applied Acarology, 2006, 11, 231.   | 0.5 | 8         |
| 82 | Studies on water mites (Acari, Hydrachnidia) from the Himalayas, II. New records and descriptions of seven new species from India. Zootaxa, 2009, 2119, 1-22.  | 0.5 | 8         |
| 83 | New records of water mites (Acari: Hydrachnidia) from Malaysia, with descriptions of three new species. Zootaxa, 2010, 2354, .   | 0.5 | 8         |
| 84 | Suctorian ciliates (Ciliophora, Suctorea) as epibionts of stream-dwelling aquatic beetles (Coleoptera) and water mites (Acari: Hydrachnidia) in the southwestern Palaearctic region. Zootaxa, 2012, 3166, 34.  | 0.5 | 8         |
| 85 | A contribution to the knowledge of the genus Atractides Koch, 1837 (Acari: Hydrachnidia,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50  | 0.5 | 8         |
| 86 | Two new species of Abrolophus (Acari: Erythraeidae) from Montenegro. Zootaxa, 2012, 3205, 53.  | 0.5 | 8         |
| 87 | Water mites of the genus Monattractides (Acari: Hydrachnidia, Torrenticolidae) from Australia, with descriptions of four new species. Zootaxa, 2012, 3248, 1.  | 0.5 | 8         |
| 88 | XEROPICTA (GASTROPODA, HYGROMIIDAE) GOES WEST: THE FIRST RECORD OF X. KRYNICKII (KRYNICKI, 1833) FOR MONTENEGRO, WITH A DESCRIPTION OF ITS SHELL AND GENITAL MORPHOLOGY, AND AN ADDITIONAL RECORD OF X. DERBENTINA (KRYNICKI, 1836) FOR ITALY. Ecologica Montenegrina, 2014, 1, 193-200. | 0.5 | 8         |
| 89 | &lt;p class="HeadingRunIn"&gt;&lt;strong&gt;&lt;em&gt;Dina sketi&lt;/em&gt; n. sp., a new erpobdellid leech (Hirudinida: Erpobdellidae) from Bosnia and Herzegovina&lt;/strong&gt;&lt;/p&gt;. Zootaxa, 2014, 3793, 393.  | 0.5 | 8         |
| 90 | New records of water mites from Sri Lanka (Acari: Hydrachnidia) with the description of four new species. Systematic and Applied Acarology, 2018, 23, 178.   | 0.5 | 8         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Conclusions: Recent Advances and the Future Prospects of the Lake Skadar/Shkodra Environment. Handbook of Environmental Chemistry, 2018, , 481-500.   | 0.4 | 8         |
| 92  | The Diversity and Conservation Status of the Molluscs of Lake Skadar/Shkodra. Handbook of Environmental Chemistry, 2018, , 295-310.   | 0.4 | 8         |
| 93  | The optimal time for sampling macroinvertebrates and its implications for diversity indexing in rheocrenes – case study from the Prokletije Mountains. Knowledge and Management of Aquatic Ecosystems, 2019, , 6. | 1.1 | 8         |
| 94  | Water mites (Acari: Hydrachnidia) from interstitial waters of Iran, with the description of one new species. Zootaxa, 2005, 1030, .   | 0.5 | 8         |
| 95  | A revised survey of water mites (Acari: Hydrachnidia) from Iran: new synonyms and descriptions of three new species. Zootaxa, 2010, 2628, .   | 0.5 | 8         |
| 96  | New records of water mites (Acari: Hydrachnidia) from Brunei Darussalam, Borneo, with descriptions of two new species. Zootaxa, 2011, 3018, 50.   | 0.5 | 8         |
| 97  | Unraveling a new lineage of Hydrobiidae genera (Caenogastropoda: Truncatelloidea) from the Ponto-Caspian region. European Journal of Taxonomy, 2016, .  | 0.6 | 8         |
| 98  | Water mite species of the genus Monatractides K. Viets (Acari: Hydrachnidia, Torrenticolidae) from Iran, with the description of two new species. Zootaxa, 2004, 673, 1.  | 0.5 | 7         |
| 99  | Water mites of the genus Torrenticola Piersig (Acari: Hydrachnidia, Torrenticolidae) from Iran. Annales De Limnologie, 2004, 40, 260-266.   | 0.6 | 7         |
| 100 | Water mites of the genus Neumania Lebert (Acari, Hydrachnidia: Unionicolidae: Pionatacinae) in the Mediterranean area. Annales De Limnologie, 2007, 43, 187-198.  | 0.6 | 7         |
| 101 | New records of the water mite genus Arrenurus from India, with the description of one new species (Acari: Hydrachnidia: Arrenuridae). Zootaxa, 2008, 1894, 53-58.   | 0.5 | 7         |
| 102 | A new species of the genus Allothrombium (Acari: Trombidiidae) from Montenegro. Biologia (Poland), 2010, 65, 515-519.   | 1.5 | 7         |
| 103 | &lt;p&gt;&lt;strong&gt;Water mites from caves of the Ha Giang province, northern Vietnam (Acari:) Tj ETQql 1 0.784314 rgBT /Overloc   | 0.5 | 7         |
| 104 | Fourth contribution to the knowledge of water mites from the Comoros, with the description of two new species (Acari: Hydrachnidia). Zootaxa, 2015, 4052, 589.  | 0.5 | 7         |
| 105 | Ecological patterns of Chironomidae assemblages in Dynanic karst springs. Knowledge and Management of Aquatic Ecosystems, 2016, , 11.   | 1.1 | 7         |
| 106 | Comparison between IMTA and monoculture farming of mussels ( <i>Mytilus galloprovincialis</i> L.) in the Boka Kotorska Bay. Acta Adriatica, 2018, 58, 271-284.  | 0.7 | 7         |
| 107 | Assessing environmental response of gastropod species in karst springs: what species response curves say us about niche characteristic and extinction risk?. Biodiversity and Conservation, 2020, 29, 695-708.    | 2.6 | 7         |
| 108 | <i>Torrenticola dowlingi</i> sp. nov. a new water mite from Iran based on morphometrical and molecular data (Acariformes, Hydrachnidia, Torrenticolidae). International Journal of Acarology, 2020, 46, 298-303.  | 0.7 | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Isolation and endemism in subterranean aquatic snails: unexpected case of <i>Montenegrospeum bogici</i> (PeÅiÄ‡ et GlÄ¶ter, 2012) (Gastropoda: Truncatelloidea: Hydrobiidae). <i>Hydrobiologia</i> , 2021, 848, 4967-4990. | 2.0 | 7         |
| 110 | DNA barcoding for species delimitation of the freshwater leech genus <i>Glossiphonia</i> from the Western Balkan (Hirudinea, Glossiphoniidae). <i>Biodiversity Data Journal</i> , 2021, 9, e66347.                         | 0.8 | 7         |
| 111 | New species of water mites from Oman, with some zoogeographical notes (Acari: Hydrachnidia). <i>Acarologia</i> , 0, 50, 151-195.   | 0.6 | 7         |
| 112 | Freshwater molluscs of Kyrgyzstan with description of one new genus and species (Mollusca: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622  | 0.2 | 7         |
| 113 | â€œNew Mediterranean Biodiversity Recordsâ€•2019. <i>Mediterranean Marine Science</i> , 2019, 20, .  | 1.6 | 7         |
| 114 | &lt;strong&gt;New records of water mites (Acari: Hydrachnidia) from the Western Himalaya and description of three new species from Asia&lt;/strong&gt;. <i>Systematic and Applied Acarology</i> , 2019, 24, 1868-1880.     | 0.5 | 7         |
| 115 | Two new species from the <i>Hygrobates nigromaculatus</i> -complex (Acariformes, Hydrachnidia,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 622  | 0.6 | 7         |
| 116 | Water mites of Corsica: DNA barcode and morphological evidences. <i>International Journal of Acarology</i> , 2022, 48, 418-428.  | 0.7 | 7         |
| 117 | Three new water mite species (Acari: Hydrachnidia) from Golestan Province (NE Iran). <i>Zootaxa</i> , 2009, 2173, 55-65.   | 0.5 | 6         |
| 118 | Water mites of the genus <i>Sperchon Kramer</i> (Acari: Hydrachnidia: Sperchontidae) from Turkey, with description of two new species. <i>Zootaxa</i> , 2010, 2514, .  | 0.5 | 6         |
| 119 | Water mites of the family Aturidae Thor, 1900 from Turkey (Acari: Hydrachnidia), with description of two new species. <i>Zootaxa</i> , 2011, 2746, 25.   | 0.5 | 6         |
| 120 | New records of <i>Copidognathus</i> mites (Acari: Halacaridae) from mangroves in Brunei Darussalam with descriptions of two new species. <i>Zootaxa</i> , 2012, 3269, 18.  | 0.5 | 6         |
| 121 | <p class="HeadingRunIn"><strong>Water mites of the genus <em>Brachypoda</em> (Acari:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 622  | 0.5 | 7         |
| 122 | NEW SUBTERRANEAN FRESHWATER GASTROPODS OF MONTENEGRO&lt;br /&gt; (MOLLUSCA: GASTROPODA:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622  | 0.5 | 6         |
| 123 | Montenegrina, 2014, 1, 244-248.  |     |           |
| 123 | New records of marine water mites (Acari: Hydrachnidia, Pontarachnidae) from the eastern Mediterranean Sea (Ä°zmir Bay, Turkey). <i>Zoology in the Middle East</i> , 2015, 61, 285-287.                                    | 0.6 | 6         |
| 124 | A new species of the water mite genus <i>Hygrobates</i> Koch, 1837 (Acari: Hydrachnidia: Hygrobatidae) from the ancient Lake Ohrid. <i>Zootaxa</i> , 2015, 3926, 287-95.   | 0.5 | 6         |
| 125 | The Diversity and Endemism of Aquatic Subterranean Fauna of the Lake Skadar/Shkodra Basin. <i>Handbook of Environmental Chemistry</i> , 2018, , 339-361.   | 0.4 | 6         |
| 126 | The Biodiversity and Biogeographical Characteristics of the River Basins of Montenegro. <i>Handbook of Environmental Chemistry</i> , 2019, , 157-200.  | 0.4 | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Using Chemometric Analyses for Tracing the Regional Origin of Multifloral Honeys of Montenegro. Foods, 2020, 9, 210.   | 4.3 | 6         |
| 128 | Arganiella Giusti & Pezzoli, 1980 (Caenogastropoda: Truncatelloidea: Hydrobiidae): a widespread genus or several narrow-range endemic genera?. European Journal of Taxonomy, 0, 750, .                                       | 0.6 | 6         |
| 129 | Water mite species of the genus Hydrodroma Koch (Acari: Hydrachnidia, Hydrodromidae) from Australasia. Part I. Zootaxa, 2007, 1389, .  | 0.5 | 6         |
| 130 | Viviparus mamillatus (KÄ1/4ster, 1852), and partial congruence between the morphology-, allozyme- and DNA-based phylogeny in European Viviparidae (Caenogastropoda: Architaenioglossa). Folia Malacologica, 2019, 27, 43-51. | 0.2 | 6         |
| 131 | <p><strong><em>ARGANIELLA TABANENSIS</em></strong><strong> N. SP. FROM MONTENEGRO (MOLLUSCA: GASTROPODA: HYDROBIIDAE)</strong><strong></strong></p>. Ecologica Montenegrina, 2014, 1, 131-139.                               | 0.5 | 6         |
| 132 | Water mites (Acari, Hydrachnidia) from Baishih River drainage in Northern Taiwan, with description of two new species. ZooKeys, 2012, 203, 65-83.  | 1.1 | 6         |
| 133 | <span lang="EN-GB">A new species of Kongsbergia from the Western Himalaya with a key to the species of the genus of India (Acari: Hydrachnidia)</span>. Ecologica Montenegrina, 0, 27, 35-38.                                | 0.5 | 6         |
| 134 | New records of water mites (Acari, Hydrachnidia) from Iran with the description of one new species based on morphology and DNA barcodes. Zootaxa, 2021, 5082, 425-440.   | 0.5 | 6         |
| 135 | New records of water mites from the Balkans revealed by DNA barcoding (Acari, Hydrachnidia). Ecologica Montenegrina, 0, 49, 20-34.   | 0.5 | 6         |
| 136 | New records of water mites (Acari, Hydrachnidia) from Iran, with the description of a new species. Zootaxa, 2004, 726, 1â€“8.  | 0.5 | 5         |
| 137 | A new species of the genus Parawenhoekia (Acari: Chyzeriidae) from Montenegro. Zootaxa, 2008, 1756, 62.  | 0.5 | 5         |
| 138 | A new species of the genus Hydrodroma Koch, 1837 (Acari, Hydrachnidia, Hydrodromidae), with a key to the hitherto known six species of the genus in Australia. ZooKeys, 2011, 143, 13-22.                                    | 1.1 | 5         |
| 139 | Second contribution to the knowledge of water mites of the genus Monatractides K. Viets (Acari:) Tj ETQq1 1 0.784314 rgBT /Overlock 2012, 3350, 46.  | 0.5 | 5         |
| 140 | New water mites of the family Hygrobatidae (Acari, Hydrachnidia) from Turkey. ZooKeys, 2013, 361, 15-25.   | 1.1 | 5         |
| 141 | <p class="HeadingRunIn">A new species and two new records of larval mites (Acari: Prostigmata;) Tj ETQq1 1 0.784314 rgBT /Overlock 2013, 18, 263.  | 0.5 | 5         |
| 142 | A new aquatic species of the oribatid mite genus Mucronothrus (Acari, Oribatida, Trhypochthoniidae) from Brazil. International Journal of Acarology, 2014, 40, 570-576.  | 0.7 | 5         |
| 143 | A new species of Xystonotus Wolcott, 1900 (Acari, Hydrachnidia, Mideopsidae) from bromeliad phytotelmata in Brazilian Atlantic rainforest. Zootaxa, 2015, 3981, 147-50.  | 0.5 | 5         |
| 144 | Third contribution to the knowledge of water mites from the Comoros, with the description of two new species (Acari: Hydrachnidia). Zootaxa, 2015, 3964, 445-59.   | 0.5 | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Ecological patterns of water bug (Hemiptera: Heteroptera) assemblages in karst springs: a case study from central Montenegro. Oceanological and Hydrobiological Studies, 2016, 45, 554-563.  | 0.7 | 5         |
| 146 | The Physical and Geographical Characteristics of the Lake Skadar Basin. Handbook of Environmental Chemistry, 2018, , 11-23.  | 0.4 | 5         |
| 147 | A checklist of marine littoral mites (Acari) associated with mangroves. Zootaxa, 2018, 4442, 221-240.  | 0.5 | 5         |
| 148 | New records of water mites (Acari: Hydrachnidia) from the Khuzestan Province (South Iran) with description of three new species. Zootaxa, 2019, 4559, 550.   | 0.5 | 5         |
| 149 | The Change in the Water Chemistry of the Rivers of Montenegro over a 10-Year Period. Handbook of Environmental Chemistry, 2019, , 83-109.  | 0.4 | 5         |
| 150 | Habitat factors differentiating the occurrence of Ostracoda (Crustacea) in the floodplain of a small lowland River KrÄ..piel (N-W Poland). Knowledge and Management of Aquatic Ecosystems, 2020, , 23.                                 | 1.1 | 5         |
| 151 | Drainage Basins of Montenegro Under Climate Change. Handbook of Environmental Chemistry, 2020, , 69-81.  | 0.4 | 5         |
| 152 | Toxic Elements and Mineral Content of Different Tissues of Endemic Edible Snails ( <i>Helix vladika</i> and <i>H. Tj ETQq0 0 0 rgBT /Overlock 10 T</i> )   | 1.3 | 5         |
| 153 | <p class="Body"><strong>Torrenticolid water mites of India with description of three new species (Acari: Hydrachnidia, Torrenticolidae)</strong></p>. Systematic and Applied Acarology, 2020, 25, 255-267.                             | 0.5 | 5         |
| 154 | A new species of Hauptmannia (Acari: Erythraeidae) from Montenegro. Acarologia, 0, 51, 61-68.  | 0.6 | 5         |
| 155 | Marine water mites (Acari: Hydrachnidia: Pontarachnidae) from Taiwan, Korea and India, with the first description of the male of <i>Pontarachna australis</i> Smit, 2003. Systematic and Applied Acarology, 2008, 13, 70.              | 0.5 | 5         |
| 156 | <strong>Hidden but not enough: DNA barcodes reveal two new species in <em>Hygrobates fluviatilis</em> complex from Iran (Acariformes, Hydrachnidia, Hygrobatidae)</strong>. Systematic and Applied Acarology, 2019, 24, 2439-2459.     | 0.5 | 5         |
| 157 | Predaceous diving beetles (Coleoptera: Dytiscidae) from Montenegro with new records and description of the female of <i>Hydroporus Macedonicus</i> Fery & Pesic, 2006. Archives of Biological Sciences, 2011, 63, 477-485.             | 0.5 | 5         |
| 158 | <strong>A redefinition of <em>Iranothyas</em> Bader, 1984 with the description of a new species from Oman</strong>. Zootaxa, 2009, 2290, 59-64.  | 0.5 | 5         |
| 159 | New records of water mites from Southeast Asia (Acari: Hydrachnidia) with the description of two new genera and 12 new species. Acarologia, 0, 56, 393-433.  | 0.6 | 5         |
| 160 | <i>Mideopsis milankovici</i> sp. nov. a new water mite from Montenegro based on morphological and molecular data (Acariformes, Hydrachnidia, Mideopsidae). Acarologia, 2020, 60, 566-575.  | 0.6 | 5         |
| 161 | <strong>Molecular evidence for two new species of the <em>Hygrobates fluviatilis</em>-<em>complex from the Balkan Peninsula (Acariformes, Hydrachnidia, Hygrobatidae)</strong>. Systematic and Applied Acarology, 2020, 25, 1702-1719. | 0.5 | 5         |
| 162 | Two interesting water mite species (Acari, Hydrachnidia) from Iran, with a redescription of the female of <i>Atractides</i> cf <i>arcuatus</i> Thor, 1914. Zoology in the Middle East, 2003, 30, 95-100.                               | 0.6 | 4         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | New records of water mites (Acari: Hydrachnidia) from Tasmania, with descriptions of three new species. Zootaxa, 2009, 2070, 53-62.  | 0.5 | 4         |
| 164 | Dina orientalis sp. nov. – an overlooked new leech (Annelida: Hirudinea: Erpobdellidae) species from the Near and Middle East. Zootaxa, 2011, 2746, 20.  | 0.5 | 4         |
| 165 | A new marine water mite species (Acari, Hydrachnidia, Pontarachnidae) from a coastal lake in Southeast Madagascar. Marine Biology Research, 2013, 9, 333-336.  | 0.7 | 4         |
| 166 | Five species of aquatic oligochaetes new to Iran with an updated checklist. Oceanological and Hydrobiological Studies, 2014, 43, 100-105.  | 0.7 | 4         |
| 167 | First record of female intersex in Litarachna communis Walter, 1925 (Acari: Hydrachnidia) from the Sea of Marmara, Turkey. Zoology in the Middle East, 2016, 62, 274-276.  | 0.6 | 4         |
| 168 | On the identity of Litarachna divergens Walter, 1925 (Acari, Hydrachnidia: Pontarachnidae), with description of one new species. Marine Biodiversity, 2016, 46, 51-57.   | 1.0 | 4         |
| 169 | A second Palaearctic species of the genus Wettina Piersig, 1892 based on morphological and molecular data (Acari, Hydrachnidia: Wettinidae). Systematic and Applied Acarology, 2018, 23, 724.  | 0.5 | 4         |
| 170 | Water mites of the genus <i>Sperchon</i> Kramer, 1877 of Kyrgyzstan (Acari: Hydrachnidia: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 T 46, 611-633.  | 0.7 | 4         |
| 171 | Environmental factors shaping assemblages of ostracods (Crustacea: Ostracoda) in springs situated in the River KrÅ...piel valley (NW Poland). Knowledge and Management of Aquatic Ecosystems, 2021, , 14.  | 1.1 | 4         |
| 172 | A new species of marine water mite (Acari: Hydrachnidia: Pontarachnidae) from the Red Sea. Systematic and Applied Acarology, 2008, 13, 133.  | 0.5 | 4         |
| 173 | Water mites of the genus Protzia Piersig, 1896 (Acari, Hydrachnidia: Hydryphantidae) from Iran. Zootaxa, 2005, 1019, .   | 0.5 | 4         |
| 174 | Water mite species of the genus Hydrodroma Koch (Acari: Hydrachnidia, Hydrodromidae) from Australia. Part II. Zootaxa, 2007, 1509, 41-50.  | 0.5 | 4         |
| 175 | New records of marine water mites (Acari: Hydrachnidia, Pontarachnidae) from the southern Black Sea (Sinop Bay, Turkey). Mediterranean Marine Science, 2013, 14, 45.   | 1.6 | 4         |
| 176 | An updated checklist of leeches (Annelida: Hirudinea) from Bosnia and Herzegovina. Ecologica Montenegrina, 0, 29, 10-19.   | 0.5 | 4         |
| 177 | A new genus of water mites (Acari, Hydrachnidia, Wettinidae) from bromeliad phytotelmata in the Brazilian Atlantic rainforest. ZooKeys, 2015, 516, 27-33.  | 1.1 | 4         |
| 178 | A new cave-dwelling species of the genus Parapropus ganglbauer (Coleoptera: Leiodidae: Leptodirini) from Bosnia and Herzegovina. Archives of Biological Sciences, 2012, 64, 1229-1233.   | 0.5 | 4         |
| 179 | Element accumulation capacity of <i>Vaccinium myrtillus</i> from Montenegro: Comparison of element contents in water and ethanol extracts of bilberry plant parts. Archives of Biological Sciences, 2019, 71, 145-157.                                       | 0.5 | 4         |
| 180 | <strong>A new crenobiontic water mite species of the genus <i>Atractides</i> Koch, 1837 from Montenegro and Bulgaria, based on morphological and molecular data (Acariformes, Hydrachnidia, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 T 46, 611-633.</strong> | 0.5 | 4         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | New Finds of Tokophrya Wenzeli (Ciliophora, Suctorea), a Commensal of Water Mites (Acari,) Tj ETQq1 1 0.784314 rgBT /Overlock 10  | 0.7 | 1         |
| 182 | &lt;p&gt;&lt;strong&gt;A remarkable new &lt;em&gt;Nilotonia&lt;/em&gt; species (Acari, Hydrachnidia,) Tj ETQq0 0 0 rgBT /Overlock 10<br>Vietnam&lt;/strong&gt;&lt;/p&gt;. Zootaxa, 2013, 3710, 372. | 0.5 | 3         |
| 183 | <p><strong>Water mites of the genus <em>Brachypoda</em> Lebert, 1879 (Acari: Hydrachnidia:) Tj ETQq1 1 0.784314 rgBT /Overlock  | 0.5 | 3         |
| 184 | <p><strong>Water mites of the genus <em>Atractides</em> Koch, 1837 (Acari: Hydrachnidia:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50  | 0.5 | 62        |
| 185 | A new species of the genus <i>Trombidium</i> Fabricius (Acari: Trombidiidae), with a checklist of terrestrial parasitengone mites of Montenegro. Systematic and Applied Acarology, 2017, 22, 584.   | 0.5 | 3         |
| 186 | A new species in the water mite subgenus Majumderatax Vidrine, 1993 from Sri Lanka (Acari:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542  | 0.5 | 3         |
| 187 | Two water mite species (Acari: Hydrachnidia) from karst springs new for the fauna of Croatia with notes on distribution and environmental preferences. Natura Croatica, 2019, 28, 417-424.          | 0.4 | 3         |
| 188 | The Rivers of Montenegro: Introductory Remarks. Handbook of Environmental Chemistry, 2019, , 1-12.  | 0.4 | 3         |
| 189 | Environmental determinants of water mite (Acari: Hydrachnidia) distribution in the ancient Lake Skadar system. Journal of Great Lakes Research, 2020, 46, 1090-1098.                                | 1.9 | 3         |
| 190 | The Rivers of Montenegro: From Conflicts to Science-Based Management. Handbook of Environmental Chemistry, 2020, , 287-301.   | 0.4 | 3         |
| 191 | Do Molluscs Assemblages Reflect River Typology: A Case Study of Montenegro. Handbook of Environmental Chemistry, 2020, , 265-285.   | 0.4 | 3         |
| 192 | An integrative approach challenges species hypotheses and provides hints for evolutionary history of two Mediterranean freshwater palaemonid shrimps (Decapoda: Caridea). , 2021, 88, 900-924.      |     | 3         |
| 193 | Water mites of the genus <i>Atractides</i> Koch, 1837 from Kyrgyzstan (Acari: Hydrachnidia: Hygrobatidae) with the description of six new species. Acarologia, 2021, 61, 332-355.                   | 0.6 | 3         |
| 194 | Water beetle distribution along a perennial distance gradient in an intermittent stream from the Mediterranean part of Montenegro. Archives of Biological Sciences, 2012, 64, 345-351.              | 0.5 | 3         |
| 195 | FIRST RECORD OF <i>PISIDIUM GLOBULARE</i> CLESSIN, 1873 (MOLLUSCA: BIVALVIA: SPHAERIIDAE) FROM KOSOVO. Ecologica Montenegrina, 2014, 1, 191-192.  | 0.5 | 3         |
| 196 | New species of water mites from the Comoros (Acari: Hydrachnidia). Zootaxa, 2009, 2213, 47-56.  | 0.5 | 3         |
| 197 | MONSTER FROM THE VAULT: A NEW FINDING OF ONE OF THE LARGEST EUROPEAN LEECH TROCHETA HASKONIS GROSSER, 2000 FROM BOSNIA AND HERZEGOVINA. Ecologica Montenegrina, 0, 19, 69-72.                       | 0.5 | 3         |
| 198 | Main macroinvertebrate community drivers and niche properties for characteristic species in urban/rural and lotic/lentic systems. Aquatic Sciences, 2022, 84, 1.                                    | 1.5 | 3         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Hydrodroma angeleri (Acari, Hydrachnidia: Hydrodromidae) a new water mite species from Corsica based on morphological and DNA barcode evidence. <i>Acarologia</i> , 2022, 62, 3-11.  | 0.6 | 3         |
| 200 | <p class="Body"><strong>New records of water mites (Acari: Hydrachnidia) from Sri Lanka with description of four new species and some remarks of relationships</strong></p>. <i>Systematic and Applied Acarology</i> , 2020, 25, 1589-1610.        | 0.5 | 3         |
| 201 | Second contribution to the knowledge of water mites from the Comoros, with the description of one new species (Acari: Hydrachnidia). <i>Zootaxa</i> , 2010, 2413, 51.  | 0.5 | 2         |
| 202 | &lt;p&gt;Water mites of the &lt;em&gt;Sperchon denticulatus&lt;/em&gt; species group (Acari,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 635.  | 0.5 | 2         |
| 203 | First record of Litarachna caribica (Acari, Pontarachnidae) from the Pacific coast of Panama. <i>Marine Biodiversity Records</i> , 2015, 8, .  | 1.2 | 2         |
| 204 | <p class="title"><strong>New records of water mites (Acari, Hydrachnidia) from bromeliad phytotelmata in Brazilian Atlantic rainforest, with description of one new species</strong></p>. <i>Systematic and Applied Acarology</i> , 2016, 21, 537. | 0.5 | 2         |
| 205 | Two new species of the marine water mite family Pontarachnidae (Acari: Hydrachnidia) from the Gulf of Antalya, Turkey. <i>Zootaxa</i> , 2018, 4531, 271.   | 0.5 | 2         |
| 206 | Fifth contribution to the knowledge of water mites (Acari: Hydrachnidia) from the Comoros: a checklist and description of one new genus and four new species. <i>Zootaxa</i> , 2018, 4483, 331.  | 0.5 | 2         |
| 207 | <p class="Body">First records of water mites from Bangladesh (Acari, Hydrachnidia) with the description of two new species. <i>Systematic and Applied Acarology</i> , 2018, 23, 868.   | 0.5 | 2         |
| 208 | Integrated Lake Basin Management for Lake Skadar/Shkodra. <i>Handbook of Environmental Chemistry</i> , 2018, , 447-457.  | 0.4 | 2         |
| 209 | Marine mites (Acari: Hydrachnidia) of the Mediterranean Sea: Descriptions of two new species, key for identification and future prospects. <i>Zootaxa</i> , 2019, 4585, 501.   | 0.5 | 2         |
| 210 | The Intermittent Rivers of South Montenegro: Ecology and Biomonitoring. <i>Handbook of Environmental Chemistry</i> , 2019, , 231-252.  | 0.4 | 2         |
| 211 | Application of Google Earth in Mapping Intermittent Rivers of Montenegro. <i>Handbook of Environmental Chemistry</i> , 2020, , 253-263.  | 0.4 | 2         |
| 212 | The Freshwater Molluscs of the Mesopotamian Plain. , 2021, , 763-777.  |     | 2         |
| 213 | <p><strong>Discovering and documenting Acari: the first twenty years in Zootaxa</strong></p>. <i>Zootaxa</i> , 2021, 4979, 115-130.  | 0.5 | 2         |
| 214 | New records of the water mite genus Atractides Koch, 1837 from Iran (Acari: Hydrachnidia:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 T  | 0.5 |           |
| 215 | Two new water mite species of the genus Hydrodroma Koch, 1837 from New Caledonia (Acari,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 142 T  | 0.6 |           |
| 216 | Anthropogenic transformations of river ecosystems are not always bad for the environment: Multi-taxa analyses of changes in aquatic and terrestrial environments after dredging of a small lowland river. <i>PeerJ</i> , 2021, 9, e12224.          | 2.0 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Length-weight relationship and condition factor of two sympatric <i>Rutilus</i> (Rafinesque, 1820) species from Lake Skadar (Montenegro). Archives of Biological Sciences, 2012, 64, 991-994.  | 0.5 | 2         |
| 218 | The micromycetes of fouling communities in the caves of Lovćen National Park, Montenegro. Ecologica Montenegrina, 0, 23, 1-7.  | 0.5 | 2         |
| 219 | New records of water beetles (Coleoptera: Haliplidae, Dytiscidae, Gyrinidae) from Montenegro (SE) Tj ETQq1 1 0.784314 rgBT /Overlock   | 0.5 |           |
| 220 | Water mites of the genus <i>Monatractides</i> Viets (Acari: Hydrachnidia, Torrenticolidae) from New Guinea, with descriptions of nine new species. Zootaxa, 2011, 2779, 39.  | 0.5 | 2         |
| 221 | Water mites of the family Torrenticolidae (Acari: Hydrachnidia) from Sulawesi, with description of one new species of the genus &lt;em&gt; <i>Monatractides</i> &lt;/em&gt; K. Viets, 1926. Systematic and Applied Acarology, 2013, 16, 187. | 0.5 | 2         |
| 222 | CHECKLIST OF THE WATER MITES (ACARI, HYDRACHNIDIA) OF KOREA, WITH DESCRIPTION OF ONE NEW SUBGENUS AND TWO NEW SPECIES. Ecologica Montenegrina, 2014, 1, 204-230.   | 0.5 | 2         |
| 223 | TWO NEW FRESHWATER MOLLUSK SPECIES OF THE GENUS <i>GRAECOANATOLICA</i> RADOMAN, 1973 FROM TURKEY (GASTROPODA: HYDROBIIDAE). Ecologica Montenegrina, 0, 4, 46-51.   | 0.5 | 2         |
| 224 | CONTRIBUTION TO THE KNOWLEDGE OF THE CADDISFLY FAUNA OF MONTENEGRO – NEW DATA AND RECORDS FROM THE KARSTIC SPRINGS OF LAKE SKADAR BASIN. Ecologica Montenegrina, 0, 22, 34-39.   | 0.5 | 2         |
| 225 | Chorological and Ecological Differentiation of the Commonest Leech Species from the Suborder Erpobdelliformes (Arhynchobdellida, Hirudinea) on the Balkan Peninsula. Water (Switzerland), 2020, 12, 356.                                     | 2.7 | 2         |
| 226 | Riparian Springsâ€”Challenges from a Neglected Habitat. Springer Water, 2022, , 109-127.   | 0.3 | 2         |
| 227 | Importance of Small Water Bodies for Diversity of Leeches (Hirudinea) of Western Balkan. Springer Water, 2022, , 251-270.  | 0.3 | 2         |
| 228 | New records of water mites of the genus <i>Atractides</i> Koch, 1837 (Acari: Hydrachnidia, Hygrobatidae) from South Africa, with descriptions of five new species. Zootaxa, 2011, 2986, .  | 0.5 | 2         |
| 229 | <i>Dina serbica</i> , a new species of leeches (Annelida: Hirudinea: Erpobdellidae) from Serbia, based on morphological and molecular evidence. Ecologica Montenegrina, 0, 51, 1-14.   | 0.5 | 2         |
| 230 | <i>Dina crnogorensis</i> sp. nov. (Annelida, Hirudinea: Erpobdellidae) – a new leech species from Montenegro. Ecologica Montenegrina, 0, 54, 1-11.   | 0.5 | 2         |
| 231 | <i>Neumania bhutana</i> sp. nov. a new water mite from Bhutan (Acari, Hydrachnidia: Unionicolidae). Ecologica Montenegrina, 0, 54, 53-56.  | 0.5 | 2         |
| 232 | <i>Atractides allgaier</i> Gerecke, 2003 (Acari, Hydrachnidia, Hygrobatidae), a species new for the water mite fauna of Turkey. Zoology in the Middle East, 2005, 35, 117-118.   | 0.6 | 1         |
| 233 | <i>Wandesia (Partnuniella) lehmanni</i> a new water mite species (Acari: Hydrachnidia,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 2010, 36, 53-58.   | 0.7 | 1         |
| 234 | The first record of <i>Litarachna duboscqi</i> Walter, 1925 (Acari, Pontarachnidae) outside the Mediterranean Sea. Oceanological and Hydrobiological Studies, 2015, 44, 426-429.   | 0.7 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | &lt;p&gt;&lt;strong&gt;First record of &lt;em&gt;Podothrombium&lt;/em&gt; (Acari: Podothrombiidae) from Serbia with description of a new species based on larvae&lt;/strong&gt;&lt;/p&gt;. Systematic and Applied Acarology, 2015, 30, 121. | 0.5 | 1         |
| 236 | A checklist of Pontarachnidae (Acari: Hydrachnidia) and notes on distributional patterns of the species. Zootaxa, 2019, 4619, 527-544.  | 0.5 | 1         |
| 237 | Impact of Pollution on Rivers in Montenegro: Ecotoxicological Perspective. Handbook of Environmental Chemistry, 2019, , 111-133.  | 0.4 | 1         |
| 238 | DNA barcodes combined with geometric morphometry challenge species hypothesis in palaemonid shrimp. ARPHA Conference Abstracts, 0, 4, .   | 0.0 | 1         |
| 239 | Molecular DNA barcoding of the water mite genus <i>Protzia</i> Persig, 1896 with a description of three new species and the unknown male of <i>P. longiacetabulata</i> (Acari, Hydrachnidia). Systematic and Applied Acarology, 0, .,       | 0.5 | 1         |
| 240 | Seasonal Dynamics of Oxidative and Antioxidative Parameters in <i>Sadleriana fluminensis</i> (Gastropoda:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf<br>0.4   | 1   |           |
| 241 | Water mite species of the genus <i>Hydrodroma</i> Koch (Acari: Hydrachnidia, Hydrodromidae) from Australasia. Part I. Zootaxa, 2007, 1389, 31.  | 0.5 | 1         |
| 242 | First data on population estimates and dispersal of <i>Montenegrina subcristata</i> – a field study at Virpazar, Montenegro. Ecologica Montenegrina, 0, 26, 147-165.  | 0.5 | 1         |
| 243 | New records of water mites (Acari, Actinedida) from Yugoslavia. Archives of Biological Sciences, 2002, 54, 25P-26P.   | 0.5 | 1         |
| 244 | A NEW SPECIES OF THE GENUS <i>COPIDOGNATHUS</i> (ACARI, HALACARIDAE) FROM ZANZIBAR, TANZANIA. Ecologica Montenegrina, 2014, 1, 169-175.   | 0.5 | 1         |
| 245 | REVIEW ON <i>PINNA RUDIS</i> (LINNAEUS, 1758) (BIVALVIA: PINNIDAE) PRESENCE IN THE MEDITERRANEAN. Agriculture and Forestry, 2019, 65, .   | 0.1 | 1         |
| 246 | Anthropogenic Pressures on Watercourses of the Danube River Basin in Montenegro. Geobotany Studies, 2020, , 241-256.  | 0.2 | 1         |
| 247 | Habitat comparison of <i>Mideopsis orbicularis</i> (O. F. MÃ¼ller, 1776) and <i>M. crassipes</i> Soar, 1904 (Acari:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf<br>0.5  | 1   |           |
| 248 | Gastropods in Small Water Bodies of the Western Balkans – Endangerments and Threats. Springer Water, 2022, , 227-249.   | 0.3 | 1         |
| 249 | Water mites of the genus <i>Hydrodroma</i> Koch, 1837 (Acari, Hydrachnidia: Hydrodromidae) from Argentina, with description of two new species. Acarologia, 2022, 62, 68-83.  | 0.6 | 1         |
| 250 | Pontarachnid mites from marine interstitial, with a description of three new species from South Korea (Acari: Hydrachnidia: Pontarachnidae). Zootaxa, 2013, 3701, 83-92.  | 0.5 | 1         |
| 251 | Sperchon milisai nov. sp., an overlooked new species of water mites (Acari, Hydrachnidia,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf<br>Ecologica Montenegrina, 0, 51, 81-92.  | 0.5 | 1         |
| 252 | Sequentiality of beetle communities in the longitudinal gradient of a lowland river in the context of the river continuum concept. PeerJ, 2022, 10, e13232.   | 2.0 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | <strong>A redescription of <em>Protolimnesia</em> <em>longa</em> Besch, 1963 from Bolivia, with the first description of the female (Acari: Hydrachnidia: Limnesiidae).</strong>. Zootaxa, 2016, 4121, 81.                     | 0.5 | 0         |
| 254 | DNA barcoding reveals an unknown Chironomidae diversity from the freshwater biodiversity hot-spot: comparison between local and the European datasets. ARPHA Conference Abstracts, 0, 4, .                                     | 0.0 | 0         |
| 255 | Freezing: how do water mites (Acari: Hydrachnidia) survive exposure to sub-zero temperatures?. Experimental and Applied Acarology, 2021, 84, 565-583.  | 1.6 | 0         |
| 256 | New records of the water mite genus Arrenurus from Iran, with the description of two new species from Iran and Cyprus (Acari, Hydrachnidia, Arrenuridae). Zootaxa, 2006, 1152, .   | 0.5 | 0         |
| 257 | &lt;strong&gt;Oribatid mites from South Chile with description of two new species&lt;/strong&gt;. Systematic and Applied Acarology, 2011, 16, 235.   | 0.5 | 0         |
| 258 | A new species of &lt;i&gt;Separatoppia</i&gt; Mahunka, 1983 (Acari, Oribatida, Oppiidae) from India. Graellsia, 2013, 69, 243-246.   | 0.2 | 0         |
| 259 | &lt;strong&gt;The first Asian record of the water mite genus &lt;em>Thoracophoracarus</em> K. Viets (Hydrachnidia: Arrenuridae)&lt;/strong&gt;. Systematic and Applied Acarology, 2014, 19, 431.                               | 0.5 | 0         |
| 260 | ADDITIONS TO THE TASMANIAN ORIBATID MITES, WITH SUPPLEMENTARY DESCRIPTION OF EDWARDZETES ELONGATUS WALLWORK, 1966 (ACARI, ORIBATIDA). Ecologica Montenegrina, 2015, 2, 98-108.   | 0.5 | 0         |
| 261 | <p><strong>Two new species of the genus <em>Atractides</em> Koch, 1837 (Acari: Hydrachnidia:) Tj ETQq1 1 0.784314 rgBT /Overlock Applied Acarology, 2015, 20, 782.   | 0.5 | 0         |
| 262 | &lt;p class="Body"&gt;&lt;strong&gt;Water mites of the genus &lt;em>Corticacarus</em> Lundblad, 1936 with the description of two new species (Acari: Hydrachnidia,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50.377 Td (Hygrobatidae) |     |           |
| 263 | New records of water mites from New Zealand, with the description of three new genera and ten new species (Acari: Hydrachnidia). Acarologia, 2020, 60, 903-950.  | 0.6 | 0         |
| 264 | Conclusions: Small Water Bodies of the Western Balkansâ€”Values and Threats. Springer Water, 2022, , 437-451.  | 0.3 | 0         |
| 265 | Karst Springs: Isolated Ecosystem Ecology from the Water Mite Perspective. Springer Water, 2022, , 271-283.  | 0.3 | 0         |
| 266 | Springs of Southeastern Serbia with a Focus on the Vlasina Plateau: Different Types of Challenges for the Macroinvertebrate Community. Springer Water, 2022, , 211-225.  | 0.3 | 0         |
| 267 | Hygrobates calabricus, a new species of water mite (Acariformes, Hydrachnidia, Hygrobatidae) from Italy, based on morphological and molecular evidence. Ecologica Montenegrina, 0, 50, 59-66.                                  | 0.5 | 0         |
| 268 | First description of the male of Hygrobates angelieri Cook, 1966 from Ghana (Acariformes,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50.142 Td   | 0.5 | 0         |
| 269 | A list of water mite types transferred from the Museum of the Natural History in Podgorica and deposited in other museums. Ecologica Montenegrina, 0, 49, 88-94.   | 0.5 | 0         |