

Vladimir PeÅjiÄ

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7048626/publications.pdf>

Version: 2024-02-01

269
papers

2,683
citations

430874
18
h-index

361022
35
g-index

276
all docs

276
docs citations

276
times ranked

2090
citing authors

#	ARTICLE	IF	CITATIONS
1	Gastropods in Small Water Bodies of the Western Balkans—Endangerments and Threats. Springer Water, 2022, , 227-249.	0.3	1
2	Riparian Springs—Challenges from a Neglected Habitat. Springer Water, 2022, , 109-127.	0.3	2
3	Conclusions: Small Water Bodies of the Western Balkans—Values and Threats. Springer Water, 2022, , 437-451.	0.3	0
4	Karst Springs: Isolated Ecosystem Ecology from the Water Mite Perspective. Springer Water, 2022, , 271-283.	0.3	0
5	Importance of Small Water Bodies for Diversity of Leeches (Hirudinea) of Western Balkan. Springer Water, 2022, , 251-270.	0.3	2
6	Springs of Southeastern Serbia with a Focus on the Vlasina Plateau: Different Types of Challenges for the Macroinvertebrate Community. Springer Water, 2022, , 211-225.	0.3	0
7	Main macroinvertebrate community drivers and niche properties for characteristic species in urban/rural and lotic/lentic systems. Aquatic Sciences, 2022, 84, 1.	1.5	3
8	Hydrodroma angelieri (Acari, Hydrachnidia: Hydrodromidae) a new water mite species from Corsica based on morphological and DNA barcode evidence. Acarologia, 2022, 62, 3-11.	0.6	3
9	Extensive sampling sheds light on species-level diversity in Palearctic Placobdella (Annelida: Tj ETQq1 1 0.784314 rgBT /Overlock 10 TFF 5	2.0	10
10	Water mites of the genus Hydrodroma Koch, 1837 (Acari, Hydrachnidia: Hydrodromidae) from Argentina, with description of two new species. Acarologia, 2022, 62, 68-83.	0.6	1
11	DNA barcoding of Chironomidae from the Lake Skadar region: Reference library and a comparative analysis of the European fauna. Diversity and Distributions, 2022, 28, 2838-2857.	4.1	24
12	Sequentiality of beetle communities in the longitudinal gradient of a lowland river in the context of the river continuum concept. PeerJ, 2022, 10, e13232.	2.0	1
13	Water mites of Corsica: DNA barcode and morphological evidences. International Journal of Acarology, 2022, 48, 418-428.	0.7	7
14	Environmental factors shaping assemblages of ostracods (Crustacea: Ostracoda) in springs situated in the River KrÅ...piel valley (NW Poland). Knowledge and Management of Aquatic Ecosystems, 2021, , 14.	1.1	4
15	An integrative approach challenges species hypotheses and provides hints for evolutionary history of two Mediterranean freshwater palaemonid shrimps (Decapoda: Caridea). , 2021, 88, 900-924.	3	
16	The Freshwater Molluscs of the Mesopotamian Plain. , 2021, , 763-777.		2
17	Water mites of the genus Atractides Koch, 1837 from Kyrgyzstan (Acari: Hydrachnidia: Hygrobatidae) with the description of six new species. Acarologia, 2021, 61, 332-355.	0.6	3
18	<p>Discovering and documenting Acari: the first twenty years in Zootaxa</p>. Zootaxa, 2021, 4979, 115-130.	0.5	2

#	ARTICLE	IF	CITATIONS
19	Freezing: how do water mites (Acarı: Hydrachnidia) survive exposure to sub-zero temperatures?. Experimental and Applied Acarology, 2021, 84, 565-583.	1.6	0
20	Two new water mite species of the genus <i>Hydrodroma</i> Koch, 1837 from New Caledonia (Acarı). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70	0.6	2
21	Seasonal Dynamics of Oxidative and Antioxidative Parameters in <i>Sadleriana fluminensis</i> (Gastropoda) Tj ETQq1 1 0.784314 rgBT /Overlock 0.4 F		
22	Anthropogenic transformations of river ecosystems are not always bad for the environment: Multi-taxa analyses of changes in aquatic and terrestrial environments after dredging of a small lowland river. PeerJ, 2021, 9, e12224.	2.0	2
23	Isolation and endemism in subterranean aquatic snails: unexpected case of <i>Montenegrospeum bogici</i> (PeÅiÄ‡ et GlÄ¶er, 2012) (Gastropoda: Truncatelloidea: Hydrobiidae). Hydrobiologia, 2021, 848, 4967-4990.	2.0	7
24	DNA barcoding for species delimitation of the freshwater leech genus <i>Glossiphonia</i> from the Western Balkan (Hirudinea, Glossiphoniidae). Biodiversity Data Journal, 2021, 9, e66347.	0.8	7
25	New records of water mites (Acarı, Hydrachnidia) from Iran with the description of one new species based on morphology and DNA barcodes. Zootaxa, 2021, 5082, 425-440.	0.5	6
26	A DNA barcode library for the water mites of Montenegro. Biodiversity Data Journal, 2021, 9, e78311.	0.8	10
27	Environmental determinants of water mite (Acarı: Hydrachnidia) distribution in the ancient Lake Skadar system. Journal of Great Lakes Research, 2020, 46, 1090-1098.	1.9	3
28	Long-term within-basin isolation patterns, different conservation units, and interspecific mitochondrial DNA introgression in an amphipod endemic to the ancient Lake Skadar system, Balkan Peninsula. Freshwater Biology, 2020, 65, 209-225.	2.4	9
29	Assessing environmental response of gastropod species in karst springs: what species response curves say us about niche characteristic and extinction risk?. Biodiversity and Conservation, 2020, 29, 695-708.	2.6	7
30	< i>Torrenticola dowlingi</i> sp. nov. a new water mite from Iran based on morphometrical and molecular data (Acariformes, Hydrachnidia, Torrenticolidae). International Journal of Acarology, 2020, 46, 298-303.	0.7	7
31	Crenal Habitats: Sources of Water Mite (Acarı: Hydrachnidia) Diversity. Diversity, 2020, 12, 316.	1.7	10
32	Habitat factors differentiating the occurrence of Ostracoda (Crustacea) in the floodplain of a small lowland River KrÄ..piel (N-W Poland). Knowledge and Management of Aquatic Ecosystems, 2020, , 23.	1.1	5
33	Water mites of the genus< i>Sperchon</i> Kramer, 1877 of Kyrgyzstan (Acarı: Hydrachnidia) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 46, 611-633.	0.7	4
34	Drainage Basins of Montenegro Under Climate Change. Handbook of Environmental Chemistry, 2020, , 69-81.	0.4	5
35	Toxic Elements and Mineral Content of Different Tissues of Endemic Edible Snails (<i>Helix vladika</i> and H.) Tj ETQq1 1 0.784314 rgBT /Overlock 4.3 Tf 5		
36	Application of Google Earth in Mapping Intermittent Rivers of Montenegro. Handbook of Environmental Chemistry, 2020, , 253-263.	0.4	2

#	ARTICLE	IF	CITATIONS
37	Using Chemometric Analyses for Tracing the Regional Origin of Multifloral Honeys of Montenegro. Foods, 2020, 9, 210.	4.3	6
38	<p class="Body">Torrenticolid water mites of India with description of three new species (Acaria: Hydrachnidia, Torrenticolidae)</p>. Systematic and Applied Acarology, 2020, 25, 255-267.	0.5	5
39	The Rivers of Montenegro: From Conflicts to Science-Based Management. Handbook of Environmental Chemistry, 2020, , 287-301.	0.4	3
40	Do Molluscs Assemblages Reflect River Typology: A Case Study of Montenegro. Handbook of Environmental Chemistry, 2020, , 265-285.	0.4	3
41	<p class="Body">Water mites of the genus Corticacarus Lundblad, 1936 with the description of two new species (Acaria: Hydrachnidia,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 677 Td (Hydrobiologia)	10	1
42	Mideopsis milankovici sp. nov. a new water mite from Montenegro based on morphological and molecular data (Acariformes, Hydrachnidia, Mideopsidae). Acarologia, 2020, 60, 566-575.	0.6	5
43	Anthropogenic Pressures on Watercourses of the Danube River Basin in Montenegro. Geobotany Studies, 2020, , 241-256.	0.2	1
44	New records of water mites from New Zealand, with the description of three new genera and ten new species (Acaria: Hydrachnidia). Acarologia, 2020, 60, 903-950.	0.6	0
45	Habitat comparison of Mideopsis orbicularis (O. F. MÃ¼ller, 1776) and M. crassipes Soar, 1904 (Acaria:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 677 Td (Hydrobiologia)	10	1
46	Chorological and Ecological Differentiation of the Commonest Leech Species from the Suborder Erpobdelliformes (Arhynchobdellida, Hirudinea) on the Balkan Peninsula. Water (Switzerland), 2020, 12, 356.	2.7	2
47	A new crenobiontic water mite species of the genus Atractides Koch, 1837 from Montenegro and Bulgaria, based on morphological and molecular data (Acariformes, Hydrachnidia,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 677 Td (Hydrobiologia)	10	1
48	Molecular evidence for two new species of the Hygrobates fluvialis-complex from the Balkan Peninsula (Acariformes, Hydrachnidia, Hygrobatidae). Systematic and Applied Acarology, 2020, 25, 1702-1719.	0.5	5
49	<p class="Body">New records of water mites (Acaria: Hydrachnidia) from Sri Lanka with description of four new species and some remarks of relationships</p>. Systematic and Applied Acarology, 2020, 25, 1589-1610.	0.5	3
50	Two new species from the Hygrobates nigromaculatus-complex (Acariformes, Hydrachnidia,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td (Hydrobiologia)	10	1
51	<p class="Body">Re-established after hundred years: Definition of Hygrobates prosiliens Koenike, 1915, based on molecular and morphological evidence, and redescription of H. longipalpis (Hermann, 1804) (Acariformes,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 222 Td (Hydrobiologia)	10	1
52	A checklist of Pontarachnidae (Acaria: Hydrachnidia) and notes on distributional patterns of the species. Zootaxa, 2019, 4619, 527-544.	0.5	1
53	Marine mites (Acaria: Hydrachnidia) of the Mediterranean Sea: Descriptions of two new species, key for identification and future prospects. Zootaxa, 2019, 4585, 501.	0.5	2
54	Sediment Respiration Pulses in Intermittent Rivers and Ephemeral Streams. Global Biogeochemical Cycles, 2019, 33, 1251-1263.	4.9	48

#	ARTICLE	IF	CITATIONS
55	Faunistic patterns and diversity components of leech assemblages in karst springs of Montenegro. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2019, , 26.	1.1	11
56	DNA barcode reference libraries for the monitoring of aquatic biota in Europe: Gap-analysis and recommendations for future work. <i>Science of the Total Environment</i> , 2019, 678, 499-524.	8.0	336
57	Environmental factors affecting water mite assemblages along eucrenion-hypocrenion gradients in Mediterranean karstic springs. <i>Experimental and Applied Acarology</i> , 2019, 77, 471-486.	1.6	10
58	Application of macroinvertebrate multimetrics as a measure of the impact of anthropogenic modification of spring habitats. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2019, 29, 341-352.	2.0	15
59	New records of water mites (Acari: Hydrachnidia) from the Khuzestan Province (South Iran) with description of three new species. <i>Zootaxa</i> , 2019, 4559, 550.	0.5	5
60	The optimal time for sampling macroinvertebrates and its implications for diversity indexing in rheocrenes – case study from the Prokletije Mountains. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2019, , 6.	1.1	8
61	Two water mite species (Acari: Hydrachnidia) from karst springs new for the fauna of Croatia with notes on distribution and environmental preferences. <i>Natura Croatica</i> , 2019, 28, 417-424.	0.4	3
62	Impact of Pollution on Rivers in Montenegro: Ecotoxicological Perspective. <i>Handbook of Environmental Chemistry</i> , 2019, , 111-133.	0.4	1
63	The Intermittent Rivers of South Montenegro: Ecology and Biomonitoring. <i>Handbook of Environmental Chemistry</i> , 2019, , 231-252.	0.4	2
64	The Biodiversity and Biogeographical Characteristics of the River Basins of Montenegro. <i>Handbook of Environmental Chemistry</i> , 2019, , 157-200.	0.4	6
65	The Change in the Water Chemistry of the Rivers of Montenegro over a 10-Year Period. <i>Handbook of Environmental Chemistry</i> , 2019, , 83-109.	0.4	5
66	The Rivers of Montenegro: Introductory Remarks. <i>Handbook of Environmental Chemistry</i> , 2019, , 1-12.	0.4	3
67	Simulating rewetting events in intermittent rivers and ephemeral streams: A global analysis of leached nutrients and organic matter. <i>Global Change Biology</i> , 2019, 25, 1591-1611.	9.5	71
68	<p class="Body">New records of water mites (Acari: Hydrachnidia) from the Western Himalaya with the description of four new species. <i>Systematic and Applied Acarology</i> , 2019, 24, 59.	0.5	14
69	Hidden but not enough: DNA barcodes reveal two new species in Hygrobates fluviatilis complex from Iran (Acariformes, Hydrachnidia, Hygrobatidae). <i>Systematic and Applied Acarology</i> , 2019, 24, 2439-2459.	0.5	5
70	Viviparus mammillatus (KÄller, 1852), and partial congruence between the morphology-, allozyme- and DNA-based phylogeny in European Viviparidae (Caenogastropoda: Architaenioglossa). <i>Folia Malacologica</i> , 2019, 27, 43-51.	0.2	6
71	â€œNew Mediterranean Biodiversity Recordsâ€•2019. <i>Mediterranean Marine Science</i> , 2019, 20, .	1.6	7
72	Element accumulation capacity of Vaccinium myrtillus from Montenegro: Comparison of element contents in water and ethanol extracts of bilberry plant parts. <i>Archives of Biological Sciences</i> , 2019, 71, 145-157.	0.5	4

#	ARTICLE	IF	CITATIONS
73	New records of water mites (Acari: Hydrachnidia) from the Western Himalaya and description of three new species from Asia. Systematic and Applied Acarology, 2019, 24, 1868-1880.	0.5	7
74	REVIEW ON PINNA RUDIS (LINNAEUS, 1758) (BIVALVIA: PINNIDAE) PRESENCE IN THE MEDITERRANEAN. Agriculture and Forestry, 2019, 65, .	0.1	1
75	New records of water mites from Sri Lanka (Acari: Hydrachnidia) with the description of four new species. Systematic and Applied Acarology, 2018, 23, 178.	0.5	8
76	The Physical and Geographical Characteristics of the Lake Skadar Basin. Handbook of Environmental Chemistry, 2018, , 11-23.	0.4	5
77	Biomonitoring of intermittent rivers and ephemeral streams in Europe: Current practice and priorities to enhance ecological status assessments. Science of the Total Environment, 2018, 618, 1096-1113.	8.0	113
78	Comparison between IMTA and monoculture farming of mussels (<i>Mytilus galloprovincialis</i> L.) in the Boka Kotorska Bay. Acta Adriatica, 2018, 58, 271-284.	0.7	7
79	Two new species of the marine water mite family Pontarachnidae (Acari: Hydrachnidia) from the Gulf of Antalya, Turkey. Zootaxa, 2018, 4531, 271.	0.5	2
80	Fifth contribution to the knowledge of water mites (Acari: Hydrachnidia) from the Comoros: a checklist and description of one new genus and four new species. Zootaxa, 2018, 4483, 331.	0.5	2
81	The Diversity of Water Mite Assemblages (Acari: Parasitengona: Hydrachnidia) of Lake Skadar/Shkodra and Its Catchment Area. Handbook of Environmental Chemistry, 2018, , 311-323.	0.4	11
82	Conclusions: Recent Advances and the Future Prospects of the Lake Skadar/Shkodra Environment. Handbook of Environmental Chemistry, 2018, , 481-500.	0.4	8
83	A global analysis of terrestrial plant litter dynamics in non-perennial waterways. Nature Geoscience, 2018, 11, 497-503.	12.9	108
84	<p class="Body">First records of water mites from Bangladesh (Acari, Hydrachnidia) with the description of two new species. Systematic and Applied Acarology, 2018, 23, 868.	0.5	2
85	A checklist of marine littoral mites (Acari) associated with mangroves. Zootaxa, 2018, 4442, 221-240.	0.5	5
86	Supplement to the Checklist of water mites (Acari: Hydrachnidia) from the Balkan peninsula. Zootaxa, 2018, 4394, 151-184.	0.5	18
87	The Diversity of the Zoobenthos Communities of the Lake Skadar/Shkodra Basin. Handbook of Environmental Chemistry, 2018, , 255-293.	0.4	10
88	A second Palaearctic species of the genus <i>Wettina</i> Piersig, 1892 based on morphological and molecular data (Acari, Hydrachnidia: Wettinidae). Systematic and Applied Acarology, 2018, 23, 724.	0.5	4
89	The Diversity and Conservation Status of the Molluscs of Lake Skadar/Shkodra. Handbook of Environmental Chemistry, 2018, , 295-310.	0.4	8
90	The Diversity and Endemism of Aquatic Subterranean Fauna of the Lake Skadar/Shkodra Basin. Handbook of Environmental Chemistry, 2018, , 339-361.	0.4	6

#	ARTICLE	IF	CITATIONS
91	A new species in the water mite subgenus Majumderatax Vidrine, 1993 from Sri Lanka (Acari: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 0.5		
92	A checklist of epibiont suctorian and peritrich ciliates (Ciliophora) on halacarid and hydrachnid mites (Acari: Halacaridae & Hydrachnidia). Zootaxa, 2018, 4457, 415-430.	0.5	10
93	Integrated Lake Basin Management for Lake Skadar/Shkodra. Handbook of Environmental Chemistry, 2018, , 447-457.	0.4	2
94	The Obscure History of the Lake Skadar and Its Biota: A Perspective for Future Research. Handbook of Environmental Chemistry, 2018, , 47-61.	0.4	13
95	Water mites (Acari, Hydrachnidia) of riparian springs in a small lowland river valley: what are the key factors for species distribution?. PeerJ, 2018, 6, e4797.	2.0	12
96	A checklist of the water mites of Central Asia with description of six new species (Acari,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 Td (H	0.6	
97	A new species of the genus Trombidium Fabricius (Acari: Trombidiidae), with a checklist of terrestrial parasitengone mites of Montenegro. Systematic and Applied Acarology, 2017, 22, 584.	0.5	3
98	Six species in one: evidence of cryptic speciation in the <i>Hygrobates fluvialis</i> complex (Acariformes,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.5	42
99	Neumania kyrgyzica sp. nov. a new water mite from Kyrgyzstan based on morphological and molecular data (Acari, Hydrachnidia: Unionicolidae). Systematic and Applied Acarology, 2017, 22, 885.	0.5	13
100	Ecological patterns of Odonata assemblages in karst springs in central Montenegro. Knowledge and Management of Aquatic Ecosystems, 2017, , 3.	1.1	9
101	Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2017, 17, .	0.9	15
102	The influence of flooding and river connectivity on macroinvertebrate assemblages in rheocrene springs along a third-order river. Fundamental and Applied Limnology, 2017, 190, 251-263.	0.7	16
103	Ephemeroptera, Plecoptera, and Trichoptera assemblages of karst springs in relation to some environmental factors: a case study in central Bosnia and Herzegovina. Turkish Journal of Zoology, 2017, 41, 119-129.	0.9	19
104	First record of female intersex in <i>Litarachna communis</i> Walter, 1925 (Acari: Hydrachnidia) from the Sea of Marmara, Turkey. Zoology in the Middle East, 2016, 62, 274-276.	0.6	4
105	<p class="title">New records of water mites (Acari, Hydrachnidia) from bromeliad phytotelmata in Brazilian Atlantic rainforest, with description of one new species</p>. Systematic and Applied Acarology, 2016, 21, 537.	0.5	2
106	Studies on eucrenal-hypocrenal zonation of springs along the river mainstream: A case study of a karst canyon in Bosnia and Herzegovina. Biologia (Poland), 2016, 71, 809-817.	1.5	18
107	Ecological patterns of water bug (Hemiptera: Heteroptera) assemblages in karst springs: a case study from central Montenegro. Oceanological and Hydrobiological Studies, 2016, 45, 554-563.	0.7	5
108	SÄ1/4Ä Wasserfauna von Mitteleuropa, Bd. 7/2-3 Chelicerata. , 2016, , .		48

#	ARTICLE	IF	CITATIONS
109	A redescription of Protolimnesia longa Besch, 1963 from Bolivia, with the first description of the female (Acari: Hydrachnidia: Limnesiidae).. Zootaxa, 2016, 4121, 81.	0.5	0
110	Oviposition by selected water mite (Hydrachnidia) species from Lake Skadar and its catchment. Biologia (Poland), 2016, 71, 1027-1033.	1.5	9
111	Evidence of cryptic and pseudocryptic speciation in Brachypodopsis baumi species complex (Acari, Tj ETQq1 1 0.784314 rgBT /Overlock Acarology, 2016, 21, 1092.	0.5	16
112	Ecological patterns of Chironomidae assemblages in Dynanic karst springs. Knowledge and Management of Aquatic Ecosystems, 2016, , 11.	1.1	7
113	On the identity of Litarachna divergens Walter, 1925 (Acari, Hydrachnidia: Pontarachnidae), with description of one new species. Marine Biodiversity, 2016, 46, 51-57.	1.0	4
114	Discharge, substrate type and temperature as factors affecting gastropod assemblages in springs in northwestern Bosnia and Herzegovina. Archives of Biological Sciences, 2016, 68, 613-621.	0.5	12
115	Unraveling a new lineage of Hydrobiidae genera (Caenogastropoda: Truncatelloidea) from the Ponto-Caspian region. European Journal of Taxonomy, 2016, .	0.6	8
116	First record of Litarachna caribica (Acari, Pontarachnidae) from the Pacific coast of Panama. Marine Biodiversity Records, 2015, 8, .	1.2	2
117	New records of marine water mites (Acari: Hydrachnidia, Pontarachnidae) from the eastern Mediterranean Sea (Ä°zmir Bay, Turkey). Zoology in the Middle East, 2015, 61, 285-287.	0.6	6
118	The first record of <i>Litarachna duboscqi</i> Walter, 1925 (Acari, Pontarachnidae) outside the Mediterranean Sea. Oceanological and Hydrobiological Studies, 2015, 44, 426-429.	0.7	1
119	A new species of the water mite genus Hygrobates Koch, 1837 (Acari: Hydrachnidia: Hygrobatidae) from the ancient Lake Ohrid. Zootaxa, 2015, 3926, 287-95.	0.5	6
120	<p>Water mites of the genus Atractides Koch, 1837 (Acari: Hydrachnidia:) Tj ETQq0 0 0 rgBT /Overlock</p>	0.5	10 Tf 50 30
121	A new species of Xystonotus Wolcott, 1900 (Acari, Hydrachnidia, Mideopsidae) from bromeliad phytotelmata in Brazilian Atlantic rainforest. Zootaxa, 2015, 3981, 147-50.	0.5	5
122	Fourth contribution to the knowledge of water mites from the Comoros, with the description of two new species (Acari: Hydrachnidia). Zootaxa, 2015, 4052, 589.	0.5	7
123	Third contribution to the knowledge of water mites from the Comoros, with the description of two new species (Acari: Hydrachnidia). Zootaxa, 2015, 3964, 445-59.	0.5	5
124	On the taxonomic state of water mite taxa (Acari: Hydrachnidia) described from the Palaearctic, part 3, Hygrobatoida and Arrenuroidea with new faunistic data.. Zootaxa, 2015, 3981, 542.	0.5	11
125	<p>First record of Podothrombium (Acari: Podothrombiidae) from Serbia with description of a new species based on larvae</p>. Systematic and Applied Acarology, 2015, 30, 121.	0.5	1
126	THE MORPHOLOGICAL PLASTICITY OF THEODOXUS FLUVIATILIS (LINNAEUS, 1758) (MOLLUSCA: GASTROPODA) Tj ETQq0 0 0 rgBT /Ov	0.5	15

#	ARTICLE	IF	CITATIONS
127	A CHECKLIST OF THE LEECHES (ANNELIDA: HIRUDINEA) OF MONTENEGRO. <i>Ecologica Montenegrina</i> , 2015, 2, 20-28.	0.5	14
128	A new genus of water mites (Acari, Hydrachnidia, Wettinidae) from bromeliad phytotelmata in the Brazilian Atlantic rainforest. <i>ZooKeys</i> , 2015, 516, 27-33.	1.1	4
129	ADDITIONS TO THE TASMANIAN ORIBATID MITES, WITH SUPPLEMENTARY DESCRIPTION OF EDWARDZETES ELONGATUS WALLWORK, 1966 (ACARI, ORIBATIDA). <i>Ecologica Montenegrina</i> , 2015, 2, 98-108.	0.5	0
130	<p>Two new species of the genus Atractides Koch, 1837 (Acari: Hydrachnidia:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 Applied Acarology, 2015, 20, 782.	0.5	0
131	Torrenticolid water mites (Acari: Hydrachnidia: Torrenticolidae) from Ghana. <i>Zootaxa</i> , 2014, 3820, 1-80.	0.5	10
132	<p>Water mites from caves of the Ha Giang province, northern Vietnam (Acari:) Tj ETQq0 0 0 rgBT /Overlock 0.5 7		
133	Torrenticolid water mites (Acari: Hydrachnidia: Torrenticolidae) from Malaysian Borneo. <i>Zootaxa</i> , 2014, 3840, 1.	0.5	17
134	Water mites from Mount Kinabalu and the Crocker Range, Borneo, Malaysia (Acari: Hydrachnidia), with the description of 34 new species. <i>Zootaxa</i> , 2014, 3876, 1-71.	0.5	13
135	<p>Water mites of the genus Brachypoda Lebert, 1879 (Acari: Hydrachnidia:) Tj ETQq1 1 0.784314 rgBT /Overlock		
136	<p>CHECKLIST OF THE WATER MITES (ACARI, HYDRACHNIDIA) OF IRAN: SECOND SUPPLEMENT AND DESCRIPTION OF ONE NEW SPECIES</p>. <i>Ecologica Montenegrina</i> , 2014, 1, 30-48.	0.5	14
137	NEW SUBTERRANEAN FRESHWATER GASTROPODS OF MONTENEGRO (MOLLUSCA: GASTROPODA:) Tj ETQq1 1 0.784314 rgBT Montenegrina, 2014, 1, 244-248.	0.5	6
138	XEROPICTA (GASTROPODA, HYGROMIIDAE) GOES WEST: THE FIRST RECORD OF X. KRYNICKII (KRYNICKI, 1833) FOR MONTENEGRO, WITH A DESCRIPTION OF ITS SHELL AND GENITAL MORPHOLOGY, AND AN ADDITIONAL RECORD OF X. DERBENTINA (KRYNICKI, 1836) FOR ITALY. <i>Ecologica Montenegrina</i> , 2014, 1, 193-200.	0.5	8
139	<p>NEW SUBTERRANEAN FRESHWATER GASTROPODS OF MONTENEGRO (MOLLUSCA:) Tj ETQq1 1 0.784314 rgBT Montenegrina, 2014, 1, 82-88.	0.5	9
140	A new aquatic species of the oribatid mite genus <i>Mucronothrus</i> (Acari, Oribatida, Trhypochthoniidae) from Brazil. <i>International Journal of Acarology</i> , 2014, 40, 570-576.	0.7	5
141	A new species of <i>Litarachna</i> (Acari, Hydrachnidia, Pontarachnidae) from a Caribbean mesophotic coral ecosystem. <i>ZooKeys</i> , 2014, 425, 89-97.	1.1	16
142	Reproductive traits and conservation needs of the endemic gammarid <i>Laurogammarus scutarensis</i> () from the Skadar Lake system, Balkan Peninsula. <i>Limnologica</i> , 2014, 47, 44-51.	1.5	16
143	Five species of aquatic oligochaetes new to Iran with an updated checklist. <i>Oceanological and Hydrobiological Studies</i> , 2014, 43, 100-105.	0.7	4
144	<p class="HeadingRunIn">Dina sketi n. sp., a new erpobdellid leech (Hirudinida: Erpobdellidae) from Bosnia and Herzegovina</p>. <i>Zootaxa</i> , 2014, 3793, 393.	0.5	8

#	ARTICLE	IF	CITATIONS
145	Freshwater molluscs of Kyrgyzstan with description of one new genus and species (Mollusca:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 702 10	0.2	
146	Belgrandiella bozidarcurcici n. sp., a new species from Bosnia and Herzegovina (Gastropoda:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 10	0.3	
147	<p>ARGANIELLA TABANENSIS N. SP. FROM MONTENEGRO (MOLLUSCA: GASTROPODA: HYDROBIIDAE)</p>. Ecologica Montenegrina, 2014, 1, 131-139.	0.5	6
148	FIRST RECORD OF PISIDIUM GLOBULARE CLESSIN, 1873 (MOLLUSCA: BIVALVIA: SPHAERIIDAE) FROM KOSOVO. Ecologica Montenegrina, 2014, 1, 191-192.	0.5	3
149		0.5	10
150	A NEW SPECIES OF THE GENUS COPIDOGNATHUS (ACARI, HALACARIDAE) FROM ZANZIBAR, TANZANIA. Ecologica Montenegrina, 2014, 1, 169-175.	0.5	1
151	CHECKLIST OF THE WATER MITES (ACARI, HYDRACHNIDIA) OF KOREA, WITH DESCRIPTION OF ONE NEW SUBGENUS AND TWO NEW SPECIES. Ecologica Montenegrina, 2014, 1, 204-230.	0.5	2
152	The first Asian record of the water mite genus Thoracophoracarus K. Viets (Hydrachnidia: Arrenuridae). Systematic and Applied Acarology, 2014, 19, 431.	0.5	0
153	A new marine water mite species (Acari, Hydrachnidia, Pontarachnidae) from a coastal lake in Southeast Madagascar. Marine Biology Research, 2013, 9, 333-336.	0.7	4
154	A new freshwater snail genus (Hydrobiidae, Gastropoda) from Montenegro, with a discussion on gastropod diversity and endemism in Skadar Lake. ZooKeys, 2013, 281, 69-90.	1.1	44
155	Torrenticolid water mites from Korea and the Russian Far East. ZooKeys, 2013, 299, 21-48.	1.1	17
156	New water mites of the family Hygrobatidae (Acari, Hydrachnidia) from Turkey. ZooKeys, 2013, 361, 15-25.	1.1	5
157	<p>Water mites of the Sperchon denticulatus species group (Acari,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 35.	0.5	2
158	<p class="HeadingRunIn">A new species and two new records of larval mites (Acari: Prostigmata;) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2013, 18, 263.	0.5	5
159	<p class="HeadingRunIn">Water mites of the genus Brachypoda (Acari:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 137 Old (Pontarachnidae)	0.5	6
160	<p class="HeadingRunIn">Pontarachnid mites from marine interstitial, with a description of three new species from South Korea (Acari: Hydrachnidia:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 137 Old (Pontarachnidae)	0.5	6
161	The water mite family Mideopsidae (Acari: Hydrachnidia): a contribution to the diversity in the Afrotropical region and taxonomic changes above species level. Zootaxa, 2013, 3720, 1.	0.5	13
162	<p>A new species of water mite (Acari, Hydrachnidia) from Assam, India, found in the gut contents of the fish Botia dario (Botiidae)</p>. Zootaxa, 2013, 3746, 454.	0.5	11

#	ARTICLE	IF	CITATIONS
163	<p>A remarkable new Nilotonia species (Acari, Hydrachnidia,) Tj ETQq1 1 0.784314 rgBT /Cove Vietnam</p>. Zootaxa, 2013, 3710, 372.	0.5	3
164	Some new freshwater gastropods from southern Europe (Mollusca: Gastropoda: Truncatelloidea). Folia Malacologica, 2013, 21, 225-235.	0.2	9
165	New records of marine water mites (Acari: Hydrachnidia, Pontarachnidae) from the southern Black Sea (Sinop Bay, Turkey). Mediterranean Marine Science, 2013, 14, 45.	1.6	4
166	New Mediterranean Marine biodiversity records (June 2013). Mediterranean Marine Science, 2013, 14, 238.	1.6	17
167	New Mediterranean Biodiversity Records (April, 2014). Mediterranean Marine Science, 2013, 15, 198.	1.6	34
168	Water mites of the family Torrenticolidae (Acari: Hydrachnidia) from Sulawesi, with description of one new species of the genus Monactrides K. Viets, 1926. Systematic and Applied Acarology, 2013, 16, 187.	0.5	2
169	A new species of <i>Separatoppia</i> Mahunka, 1983 (Acari, Oribatida, Oppiidae) from India. Graellsia, 2013, 69, 243-246.	0.2	0
170	Pontarachnid mites from marine interstitial, with a description of three new species from South Korea (Acari: Hydrachnidia: Pontarachnidae). Zootaxa, 2013, 3701, 83-92.	0.5	1
171	New Finds of Tokophrya Wenzeli (Ciliophora, Suctorea), a Commensal of Water Mites (Acari,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.7	10
172	Radiation in <i>Bythinella</i> Moquin-Tandon, 1856 (Mollusca: Gastropoda: Rissooidea) in the Balkans. Folia Malacologica, 2012, 20, 1-10.	0.2	32
173	The freshwater snails (Gastropoda) of Iran, with descriptions of two new genera and eight new species. ZooKeys, 2012, 219, 11-61.	1.1	38
174	Suctorian ciliates (Ciliophora, Suctorea) as epibionts of stream-dwelling aquatic beetles (Coleoptera) and water mites (Acari: Hydrachnidia) in the southwestern Palaearctic region. Zootaxa, 2012, 3166, 34.	0.5	8
175	A contribution to the knowledge of the genus Atractides Koch, 1837 (Acari: Hydrachnidia,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	0.5	5
176	New records of Copidognathus mites (Acari: Halacaridae) from mangroves in Brunei Darussalam with descriptions of two new species. Zootaxa, 2012, 3269, 18.	0.5	6
177	Second contribution to the knowledge of water mites of the genus Monactrides K. Viets (Acari:) Tj ETQq1 1 0.784314 rgBT /Overlock 2012, 3350, 46.	0.5	5
178	Simultaneous evidence for a new species of Torrenticola Piersig, 1896 (Acari, Hydrachnidia) from Montenegro. Zootaxa, 2012, 3515, 38.	0.5	22
179	Two new species of Abrolophus (Acari: Erythraeidae) from Montenegro. Zootaxa, 2012, 3205, 53.	0.5	8
180	Water mites of the genus Monactrides (Acari: Hydrachnidia, Torrenticolidae) from Australia, with descriptions of four new species. Zootaxa, 2012, 3248, 1.	0.5	8

#	ARTICLE	IF	CITATIONS
181	Water mites delineating the Oriental and Palaearctic regions—the unique fauna of southern Iran, with description of one new genus, one new subgenus and 14 new species (Acari: Hydrachnidia). Zootaxa, 2012, 3330, 1.	0.5	26
182	A new species of Pontarachna (Acari, Hydrachnidia, Pontarachnidae) from a mesophotic coral ecosystem off Vieques Island, Puerto Rico, Caribbean Sea. Zootaxa, 2012, 3440, 63.	0.5	12
183	Water beetle distribution along a perennial distance gradient in an intermittent stream from the Mediterranean part of Montenegro. Archives of Biological Sciences, 2012, 64, 345-351.	0.5	3
184	Length-weight relationship and condition factor of two sympatric <i>Rutilus</i> (Rafinesque, 1820) species from Lake Skadar (Montenegro). Archives of Biological Sciences, 2012, 64, 991-994.	0.5	2
185	Water mites (Acari, Hydrachnidia) from Baishih River drainage in Northern Taiwan, with description of two new species. ZooKeys, 2012, 203, 65-83.	1.1	6
186	A new cave-dwelling species of the genus <i>Parapropus ganglbaueri</i> (Coleoptera: Leiodidae: Leptodirini) from Bosnia and Herzegovina. Archives of Biological Sciences, 2012, 64, 1229-1233.	0.5	4
187	Two rare water mite species (Acari, Hydrachnidia) from the streams of the Indian eastern Himalayan region. Systematic and Applied Acarology, 2012, 17, .	0.5	9
188	Order Trombidiformes Reuter, 1909. In: Zhang, Z.-Q. (Ed.) Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness. Zootaxa, 2011, 3148, 129.	0.5	74
189	<i>Dina orientalis</i> sp. nov. – an overlooked new leech (Annelida: Hirudinea: Erpobdellidae) species from the Near and Middle East. Zootaxa, 2011, 2746, 20.	0.5	4
190	Water mites of the family Aturidae Thor, 1900 from Turkey (Acari: Hydrachnidia), with description of two new species. Zootaxa, 2011, 2746, 25.	0.5	6
191	New records of water mites of the family Torrenticolidae (Acari, Hydrachnidia) with descriptions of two new species from Nanshih River system in Taiwan and redescription of <i>Torrenticola ussuriensis</i> (Sokolow, 1940) from the Russian Far East. ZooKeys, 2011, 116, 1-14.	1.1	9
192	A new species of the genus <i>Hydrodroma</i> Koch, 1837 (Acari, Hydrachnidia, Hydrodromidae), with a key to the hitherto known six species of the genus in Australia. ZooKeys, 2011, 143, 13-22.	1.1	5
193	A new species of <i>Atractides</i> Koch, 1837 (Acari: Hydrachnidia, Hygrobatidae) from Ethiopia, with a discussion on the biodiversity of the genus <i>Atractides</i> in the Afrotropical region. ZooKeys, 2011, 86, 1-10.	1.1	9
194	New records of water mites (Acari: Hydrachnidia) from Brunei Darussalam, Borneo, with descriptions of two new species. Zootaxa, 2011, 3018, 50.	0.5	8
195	Predaceous diving beetles (Coleoptera: Dytiscidae) from Montenegro with new records and description of the female of <i>Hydroporus Macedonicus</i> Fery & Pesic, 2006. Archives of Biological Sciences, 2011, 63, 477-485.	0.5	5
196	Water mites of the genus <i>Monatractides</i> Viets (Acari: Hydrachnidia, Torrenticolidae) from New Guinea, with descriptions of nine new species. Zootaxa, 2011, 2779, 39.	0.5	2
197	Oribatid mites from South Chile with description of two new species. Systematic and Applied Acarology, 2011, 16, 235.	0.5	0
198	New records of water mites of the genus <i>Atractides</i> Koch, 1837 (Acari: Hydrachnidia, Hygrobatidae) from South Africa, with descriptions of five new species. Zootaxa, 2011, 2986, .	0.5	2

#	ARTICLE	IF	CITATIONS
199	A new species of the genus <i>Allothrombium</i> (Acarı: Trombidiidae) from Montenegro. <i>Biologia (Poland)</i> , 2010, 65, 515-519.	1.5	7
200	A checklist of the water mites (Acarı: Hydrachnidia) of India, with new records and description of one new species. <i>Zootaxa</i> , 2010, 2617, 1.	0.5	18
201	The water mites (Acarı: Hydrachnidia) of the Balkan peninsula, a revised survey with new records and descriptions of five new taxa. <i>Zootaxa</i> , 2010, 2586, 1.	0.5	41
202	Water mites of the genus <i>Sperchon Kramer</i> (Acarı: Hydrachnidia: Sperchontidae) from Turkey, with description of two new species. <i>Zootaxa</i> , 2010, 2514, .	0.5	6
203	New records of water mites (Acarı: Hydrachnidia) from Malaysia, with descriptions of three new species. <i>Zootaxa</i> , 2010, 2354, .	0.5	8
204	Second contribution to the knowledge of water mites from the Comoros, with the description of one new species (Acarı: Hydrachnidia). <i>Zootaxa</i> , 2010, 2413, 51.	0.5	2
205	< i>Wandesia (Partnuniella) lehmanni</i> – a new water mite species (Acarı: Hydrachnidia,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 2010, 36, 53-58.	0.7	1
206	A checklist of the water mites of Turkey (Acarı: Hydrachnidia) with description of two new species. <i>Zootaxa</i> , 2010, 2624, 1.	0.5	34
207	A revised survey of water mites (Acarı: Hydrachnidia) from Iran: new synonyms and descriptions of three new species. <i>Zootaxa</i> , 2010, 2628, .	0.5	8
208	The freshwater snails of the genus <i>Bythinella</i> Moquin-Tandon (Gastropoda: Rissooidea: Hydrobiidae) from Montenegro. <i>Archives of Biological Sciences</i> , 2010, 62, 441-447.	0.5	11
209	New records of water mites (Acarı: Hydrachnidia) from Tasmania, with descriptions of three new species. <i>Zootaxa</i> , 2009, 2070, 53-62.	0.5	4
210	Studies on water mites (Acarı, Hydrachnidia) from the Himalayas, II. New records and descriptions of seven new species from India. <i>Zootaxa</i> , 2009, 2119, 1-22.	0.5	8
211	New records of water mites of the genus <i>Atractides</i> Koch, 1837 (Acarı: Hydrachnidia, Hygrobatidae) from Thailand, Malaysia and Sulawesi (Indonesia), with the description of four new species. <i>Zootaxa</i> , 2009, 2240, 1-30.	0.5	9
212	Three new water mite species (Acarı: Hydrachnidia) from Golestan Province (NE Iran). <i>Zootaxa</i> , 2009, 2173, 55-65.	0.5	6
213	Water mites of the family Torrenticolidae Piersig, 1902 (Acarı: Hydrachnidia) from Thailand, Part I. The genera <i>Torrenticola</i> Piersig, 1896, <i>Neoactrides</i> Lundblad, 1941 and <i>Pseudotorrenticola</i> Walter, 1906. <i>Zootaxa</i> , 2009, 1982, 38-62.	0.5	12
214	Water mites of the family Torrenticolidae (Acarı: Hydrachnidia) from Thailand, Part II. The genus <i>Monactrides</i> K.Viets. <i>Zootaxa</i> , 2009, 2012, 1-27.	0.5	11
215	New records of water mites (Acarı: Hydrachnidia) from interstitial freshwaters of India, with descriptions of three new species. <i>Zootaxa</i> , 2009, 2158, 20-32.	0.5	10
216	New species of water mites from the Comoros (Acarı: Hydrachnidia). <i>Zootaxa</i> , 2009, 2213, 47-56.	0.5	3

#	ARTICLE	IF	CITATIONS
217	A redefinition of Iranothyas Bader, 1984 with the description of a new species from Oman. Zootaxa, 2009, 2290, 59-64.	0.5	5
218	New records of the water mite genus Arrenurus from India, with the description of one new species (Acari: Hydrachnidia: Arrenuridae). Zootaxa, 2008, 1894, 53-58.	0.5	7
219	A new species of the genus Parawenhoekia (Acari: Chyzeriidae) from Montenegro. Zootaxa, 2008, 1756, 62.	0.5	5
220	Studies on water mites (Acari, Hydrachnidia) from the Himalayas, I. The water mite genus Feltria Koenike, with descriptions of eight new species. Zootaxa, 2008, 1758, 1.	0.5	13
221	Marine water mites (Acari: Hydrachnidia: Pontarachnidae) from Taiwan, Korea and India, with the first description of the male of Pontarachna australis Smit, 2003. Systematic and Applied Acarology, 2008, 13, 70.	0.5	5
222	A new species of marine water mite (Acari: Hydrachnidia: Pontarachnidae) from the Red Sea. Systematic and Applied Acarology, 2008, 13, 133.	0.5	4
223	A new species of Monatractides (Acari: Hydrachnidia: Torrenticolidae) and new records of other torrenticolid water mites from the Garhwal Himalayas (India). Systematic and Applied Acarology, 2007, 12, 205.	0.5	17
224	Faunistic study of the aquatic beetles (Coleoptera: Polyphaga) of Markazi Province (Central Iran) with new records. Archives of Biological Sciences, 2007, 59, 239-242.	0.5	10
225	Water mites of the genus Neumania Lebert (Acari, Hydrachnidia: Unionicolidae: Pionatacinae) in the Mediterranean area. Annales De Limnologie, 2007, 43, 187-198.	0.6	7
226	A checklist of the water mites (Acari: Hydrachnidia) of Iran. Zootaxa, 2007, 1473, 45.	0.5	19
227	Water mite species of the genus Hydrodroma Koch (Acari: Hydrachnidia, Hydrodromidae) from Australasia. Part I. Zootaxa, 2007, 1389, .	0.5	6
228	Water mite species of the genus Hydrodroma Koch (Acari: Hydrachnidia, Hydrodromidae) from Australasia. Part I. Zootaxa, 2007, 1389, 31.	0.5	1
229	Water mite species of the genus Hydrodroma Koch (Acari: Hydrachnidia, Hydrodromidae) from Australia. Part II. Zootaxa, 2007, 1509, 41-50.	0.5	4
230	First records of water mites (Acari: Hydrachnidia) from Bhutan, with description of two new species. Zootaxa, 2007, 1613, .	0.5	10
231	A new genus and species of larval mites (Acari: Microtrombidiidae) from Montenegro. Systematic and Applied Acarology, 2006, 11, 231.	0.5	8
232	Water mites of the genus Torrenticola Piersig, 1896 (Acari, Hydrachnidia, Torrenticolidae) from Iran, with description of two new species. Zootaxa, 2006, 1133, 45.	0.5	10
233	New records of the water mite genus Arrenurus from Iran, with the description of two new species from Iran and Cyprus (Acari, Hydrachnidia, Arrenuridae). Zootaxa, 2006, 1152, .	0.5	0
234	<i>Atractides allgaier</i> Gerecke, 2003 (Acari, Hydrachnidia, Hygrobatidae), a species new for the water mite fauna of Turkey. Zoology in the Middle East, 2005, 35, 117-118.	0.6	1

#	ARTICLE	IF	CITATIONS
235	Water mites of the genus <i>Protzia</i> Piersig, 1896 (Acarı, Hydrachnidia: Hydryphantidae) from Iran. Zootaxa, 2005, 1019, .	0.5	4
236	Water mites (Acarı: Hydrachnidia) from interstitial waters of Iran, with the description of one new species. Zootaxa, 2005, 1030, .	0.5	8
237	New records of water beetles (Coleoptera: Haliplidae, Dytiscidae, Gyrinidae) from Montenegro (SE) Tj ETQq1 1 0.784314 rgBT /Overlock	0.5	
238	Water mite species of the genus <i>Monattractides</i> K. Viets (Acarı: Hydrachnidia, Torrenticolidae) from Iran, with the description of two new species. Zootaxa, 2004, 673, 1.	0.5	7
239	New records of water mites (Acarı, Hydrachnidia) from Iran, with the description of a new species. Zootaxa, 2004, 726, 1â€“8.	0.5	5
240	Water mites of the genus <i>Torrenticola</i> Piersig (Acarı: Hydrachnidia, Torrenticolidae) from Iran. Annales De Limnologie, 2004, 40, 260-266.	0.6	7
241	Studies on water mites of the family Hygrobatidae (Acarı, Hydrachnidia) from Iran, I. The water mite genus <i>Atractides</i> Koch, with the description of five new species. Zootaxa, 2004, 495, .	0.5	14
242	Two interesting water mite species (Acarı, Hydrachnidia) from Iran, with a redescription of the female of <i>Atractides</i> cf <i>arcuatus</i> Thor, 1914. Zoology in the Middle East, 2003, 30, 95-100.	0.6	4
243	<i>Hydrodroma reinhardi</i> sp. n., a New Species of Water Mites (Acarı, Actinedida, Hydrodromidae) from the Mediterranean Area. Aquatic Insects, 2002, 24, 317-323.	0.9	9
244	New records of water mites (Acarı, Actinedida) from Yugoslavia. Archives of Biological Sciences, 2002, 54, 25P-26P.	0.5	1
245	DNA barcodes combined with geometric morphometry challenge species hypothesis in palaemonid shrimp. ARPHA Conference Abstracts, 0, 4, .	0.0	1
246	DNA barcoding reveals an unknown Chironomidae diversity from the freshwater biodiversity hot-spot: comparison between local and the European datasets. ARPHA Conference Abstracts, 0, 4, .	0.0	0
247	<i>Arganiella</i> Giusti & Pezzoli, 1980 (Caenogastropoda: Truncatelloidea: Hydrobiidae): a widespread genus or several narrow-range endemic genera?. European Journal of Taxonomy, 0, 750, .	0.6	6
248	New records of the water mite genus <i>Atractides</i> Koch, 1837 from Iran (Acarı: Hydrachnidia:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 T	0.5	
249	Molecular DNA barcoding of the water mite genus <i>Protzia</i> Persig, 1896 with a description of three new species and the unknown male of <i>P. longiacetabulata</i> (Acarı, Hydrachnidia). Systematic and Applied Acarology, 0, .	0.5	1
250	New species of water mites from Oman, with some zoogeographical notes (Acarı: Hydrachnidia). Acarologia, 0, 50, 151-195.	0.6	7
251	A new species of <i>Hauptmannia</i> (Acarı: Erythraeidae) from Montenegro. Acarologia, 0, 51, 61-68.	0.6	5
252	GLOSSIPHONIA BALCANICA N. SP. AND DINA PROKLETIJACA N. SP. (HIRUDINIDA: GLOSSIPHONIIDAE,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 T 17-26.	0.5	12

#	ARTICLE	IF	CITATIONS
253	The micromycetes of fouling communities in the caves of Lovćen National Park, Montenegro. Ecologica Montenegrina, 0, 23, 1-7.	0.5	2
254	First data on population estimates and dispersal of <i>Montenegrina subcristata</i> – a field study at Virpazar, Montenegro. Ecologica Montenegrina, 0, 26, 147-165.	0.5	1
255	An updated checklist of leeches (Annelida: Hirudinea) from Bosnia and Herzegovina. Ecologica Montenegrina, 0, 29, 10-19.	0.5	4
256	Increasing understanding of alien species through citizen science (Alien-CS). Research Ideas and Outcomes, 0, 4, .	1.0	30
257	TWO NEW FRESHWATER MOLLUSK SPECIES OF THE GENUS GRAECOANATOLICA RADOMAN, 1973 FROM TURKEY (GASTROPODA: HYDROBIIDAE). Ecologica Montenegrina, 0, 4, 46-51.	0.5	2
258	New records of water mites from Southeast Asia (Acari: Hydrachnidia) with the description of two new genera and 12 new species. Acarologia, 0, 56, 393-433.	0.6	5
259	MONSTER FROM THE VAULT: A NEW FINDING OF ONE OF THE LARGEST EUROPEAN LEECH TROCHETA HASKONIS GROSSER, 2000 FROM BOSNIA AND HERZEGOVINA. Ecologica Montenegrina, 0, 19, 69-72.	0.5	3
260	CONTRIBUTION TO THE KNOWLEDGE OF THE CADDISFLY FAUNA OF MONTENEGRO – NEW DATA AND RECORDS FROM THE KARSTIC SPRINGS OF LAKE SKADAR BASIN. Ecologica Montenegrina, 0, 22, 34-39.	0.5	2
261	A new species of <i>Kongsbergia</i> from the Western Himalaya with a key to the species of the genus of India (Acari: Hydrachnidia). Ecologica Montenegrina, 0, 27, 35-38.	0.5	6
262	<i>Hygrobates calabricus</i> , a new species of water mite (Acariformes, Hydrachnidia, Hygrobatidae) from Italy, based on morphological and molecular evidence. Ecologica Montenegrina, 0, 50, 59-66.	0.5	0
263	<i>Dina serbica</i> , a new species of leeches (Annelida: Hirudinea: Erpobdellidae) from Serbia, based on morphological and molecular evidence. Ecologica Montenegrina, 0, 51, 1-14.	0.5	2
264	Sperchon milisai nov. sp., an overlooked new species of water mites (Acari, Hydrachnidia,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Td Ecologica Montenegrina, 0, 51, 81-92.	0.5	1
265	First description of the male of <i>Hygrobates angelieri</i> Cook, 1966 from Ghana (Acariformes,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	0.5	0
266	A list of water mite types transferred from the Museum of the Natural History in Podgorica and deposited in other museums. Ecologica Montenegrina, 0, 49, 88-94.	0.5	0
267	New records of water mites from the Balkans revealed by DNA barcoding (Acari, Hydrachnidia). Ecologica Montenegrina, 0, 49, 20-34.	0.5	6
268	<i>Dina crnogorensis</i> sp. nov. (Annelida, Hirudinea: Erpobdellidae) – a new leech species from Montenegro. Ecologica Montenegrina, 0, 54, 1-11.	0.5	2
269	<i>Neumania bhutana</i> sp. nov. a new water mite from Bhutan (Acari, Hydrachnidia: Unionicolidae). Ecologica Montenegrina, 0, 54, 53-56.	0.5	2