

Wolfgang Kratzer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7050132/publications.pdf>

Version: 2024-02-01

70
papers

2,502
citations

279701

23
h-index

206029

48
g-index

72
all docs

72
docs citations

72
times ranked

2931
citing authors

#	ARTICLE	IF	CITATIONS
1	Differentiation of hepatic alveolar echinococcosis with a hemangioma-like pattern compared to typical liver hemangioma using contrast-enhanced ultrasound: a pilot study. <i>Infection</i> , 2023, 51, 159-168.	2.3	4
2	Comparison of superb microvascular imaging (SMI) quantified with ImageJ to quantified contrast-enhanced ultrasound (qCEUS) in liver metastases—a pilot study. <i>Quantitative Imaging in Medicine and Surgery</i> , 2022, 12, 1762-1774.	1.1	9
3	Focal fatty sparing as an indicator of higher-grade fatty liver assessed by attenuation imaging: a prospective clinical study in NAFLD population. <i>Zeitschrift Fur Gastroenterologie</i> , 2022, 60, 1483-1489.	0.2	2
4	Echinococcosis: a Challenge for Liver Sonography. <i>Ultraschall in Der Medizin</i> , 2022, 43, 120-145.	0.8	12
5	Intrahepatic manifestation and distant extrahepatic disease in alveolar echinococcosis: a multicenter cohort study. <i>Acta Radiologica</i> , 2021, 62, 997-1005.	0.5	4
6	Ultrasound 2020 –“ Diagnostics & Therapy: On the Way to Multimodal Ultrasound: Contrast-Enhanced Ultrasound (CEUS), Microvascular Doppler Techniques, Fusion Imaging, Sonoelastography, Interventional Sonography. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2021, 193, 23-32.	0.7	25
7	Elasticity standard values of the thoracolumbar fascia assessed with acoustic radiation force impulse elastography on healthy volunteers: A cross section study. <i>Journal of Bodywork and Movement Therapies</i> , 2021, 26, 530-537.	0.5	3
8	Comparison of point and two-dimensional shear wave elastography of the spleen in healthy subjects. <i>World Journal of Radiology</i> , 2021, 13, 137-148.	0.5	3
9	Corrigendum to Hepatic alveolar echinococcosis: Comparative computed tomography study between two Chinese and two European centres. <i>Food Waterborne Parasitol.</i> 2020 May 11;19:e00082. doi: 10.1016/j.fawpar.2020.e00082. eCollection 2020 Jun.. <i>Food and Waterborne Parasitology</i> , 2021, 25, e00134.	1.1	0
10	Long-term follow-up of liver alveolar echinococcosis using echinococcosis multilocularis ultrasound classification. <i>World Journal of Gastroenterology</i> , 2021, 27, 6939-6950.	1.4	8
11	Analysis of vascularization in thyroid gland nodes with superb microvascular imaging (SMI) and CD34 expression histology: a pilot study. <i>BMC Medical Imaging</i> , 2021, 21, 159.	1.4	2
12	Hepatic alveolar echinococcosis: correlation between computed tomography morphology and inflammatory activity in positron emission tomography. <i>Scientific Reports</i> , 2020, 10, 11808.	1.6	14
13	Combining Computed Tomography and Histology Leads to an Evolutionary Concept of Hepatic Alveolar Echinococcosis. <i>Pathogens</i> , 2020, 9, 634.	1.2	9
14	Distribution of alveolar echinococcosis according to environmental and geographical factors in Germany, 1992-2018. <i>Acta Tropica</i> , 2020, 212, 105654.	0.9	8
15	Ultrasound Curricula of Student Education in Europe: Summary of the Experience. <i>Ultrasound International Open</i> , 2020, 06, E25-E33.	0.3	25
16	Hepatic alveolar echinococcosis: Comparative computed tomography study between two Chinese and two European centres. <i>Food and Waterborne Parasitology</i> , 2020, 19, e00082.	1.1	12
17	Immunohistological detection of small particles of <i>Echinococcus multilocularis</i> and <i>Echinococcus granulosus</i> in lymph nodes is associated with enlarged lymph nodes in alveolar and cystic echinococcosis. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008921.	1.3	8
18	Evaluation of intrahepatic manifestation and distant extrahepatic disease in alveolar echinococcosis. <i>World Journal of Gastroenterology</i> , 2020, 26, 4302-4315.	1.4	10

#	ARTICLE	IF	CITATIONS
19	Surgery versus conservative drug therapy in alveolar echinococcosis patients in Germany – A health-related quality of life comparison. <i>Food and Waterborne Parasitology</i> , 2019, 16, e00057.	1.1	15
20	Simple liver cysts and cystoid lesions in hepatic alveolar echinococcosis: a retrospective cohort study with Hounsfield analysis. <i>Parasite</i> , 2019, 26, 54.	0.8	14
21	Association Between Visfatin and Hepatic Steatosis in the General Population During Long-Term Follow-Up. <i>Hormone and Metabolic Research</i> , 2019, 51, 602-607.	0.7	12
22	Worldwide literature on epidemiology of human alveolar echinococcosis: a systematic review of research published in the twenty-first century. <i>Infection</i> , 2019, 47, 703-727.	2.3	80
23	Gallbladder polyps – a follow-up study after 11 years. <i>BMC Gastroenterology</i> , 2019, 19, 42.	0.8	29
24	Diagnostic accuracy of MRI with MRCP and B-Mode-sonography with elastography of the pancreas in patients with cystic fibrosis: a point-to-point comparison. <i>BMC Research Notes</i> , 2019, 12, 150.	0.6	5
25	Sodium Fluorescein-Guided Surgery in Peripheral Nerve Sheath Tumors: First Experience in 10 Cases of Schwannoma. <i>World Neurosurgery</i> , 2019, 124, e724-e732.	0.7	16
26	Health-related quality of life in patients with alveolar echinococcosis: a cross-sectional study. <i>Infection</i> , 2019, 47, 67-75.	2.3	12
27	Comparison of Liver Shear Wave Elastography Measurements using Siemens Acuson S3000, GE LOGIQ E9, Philips EPIQ7 and Toshiba Aplio 500 (Software Versions 5.0 and 6.0) in Healthy Volunteers. <i>Ultraschall in Der Medizin</i> , 2019, 40, 504-512.	0.8	14
28	Point shear wave elastography of the pancreas in patients with cystic fibrosis: a comparison with healthy controls. <i>Abdominal Radiology</i> , 2018, 43, 2384-2390.	1.0	17
29	Quantitative tissue parameters of Achilles tendon and plantar fascia in healthy subjects using a handheld myotonometer. <i>Journal of Bodywork and Movement Therapies</i> , 2018, 22, 105-111.	0.5	21
30	Alveolar echinococcosis in Germany, 1992–2016. An update based on the newly established national AE database. <i>Infection</i> , 2018, 46, 197-206.	2.3	32
31	Ultrasound point shear wave elastography of the pancreas: comparison of patients with type 1 diabetes and healthy volunteers – results from a pilot study. <i>BMC Medical Imaging</i> , 2018, 18, 52.	1.4	11
32	Laboratory parameters in lean NAFLD: comparison of subjects with lean NAFLD with obese subjects without hepatic steatosis. <i>BMC Research Notes</i> , 2018, 11, 101.	0.6	14
33	Elasticity standard values of the Achilles tendon assessed with acoustic radiation force impulse elastography on healthy volunteers: a cross section study. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 139.	0.8	13
34	Impact of affected lymph nodes on long-term outcome after surgical therapy of alveolar echinococcosis. <i>Langenbeck's Archives of Surgery</i> , 2018, 403, 655-662.	0.8	14
35	Imaging in alveolar echinococcosis (AE): Comparison of Echinococcus multilocularis classification for computed-tomography (EMUC-CT) and ultrasonography (EMUC-US). <i>Radiology of Infectious Diseases</i> , 2017, 4, 70-77.	2.4	7
36	Measurements of the trapezius and erector spinae muscles using virtual touch imaging quantification ultrasound-Elastography: a cross section study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 370.	0.8	14

#	ARTICLE	IF	CITATIONS
37	Comprehensive diagnosis and treatment of alveolar echinococcosis: A single-center, long-term observational study of 312 patients in Germany. <i>GMS Infectious Diseases</i> , 2017, 5, Doc01.	0.5	30
38	Four Susceptibility Loci for Gallstone Disease Identified in a Meta-analysis of Genome-Wide Association Studies. <i>Gastroenterology</i> , 2016, 151, 351-363.e28.	0.6	74
39	Acoustic radiation force imaging of the thyroidâ€™ generation of reference values by Virtual Touch Imaging and Quantification. <i>Clinical Imaging</i> , 2016, 40, 1061-1064.	0.8	2
40	Influence of age, sex, body mass index, alcohol, and smoking on shear wave velocity (p-SWE) of the pancreas. <i>Abdominal Radiology</i> , 2016, 41, 1310-1316.	1.0	24
41	Prevalence of benign focal liver lesions: ultrasound investigation of 45,319 hospital patients. <i>Abdominal Radiology</i> , 2016, 41, 25-32.	1.0	117
42	Proposal of a computed tomography classification for hepatic alveolar echinococcosis. <i>World Journal of Gastroenterology</i> , 2016, 22, 3621.	1.4	62
43	Comparison of Acoustic Structure Quantification (ASQ), shearwave elastography and histology in patients with diffuse hepatopathies. <i>BMC Medical Imaging</i> , 2015, 15, 58.	1.4	17
44	Coffee consumption and NAFLD: a community based study on 1223 subjects. <i>BMC Research Notes</i> , 2015, 8, 640.	0.6	20
45	Hepatobiliary complications of alveolar echinococcosis: A long-term follow-up study. <i>World Journal of Gastroenterology</i> , 2015, 21, 4925.	1.4	37
46	Subclinical and clinical hypothyroidism and non-alcoholic fatty liver disease: a cross-sectional study of a random population sample aged 18 to 65Âyears. <i>BMC Endocrine Disorders</i> , 2015, 15, 41.	0.9	71
47	Parameters affecting different acoustic radiation force impulse applications in the diagnosis of fibrotic liver changes. <i>World Journal of Gastroenterology</i> , 2015, 21, 8425.	1.4	9
48	Proposal of an ultrasonographic classification for hepatic alveolar echinococcosis: Echinococcosis multilocularis Ulm classification-ultrasound. <i>World Journal of Gastroenterology</i> , 2015, 21, 12392.	1.4	74
49	Fasting time and lipid parameters: association with hepatic steatosis â€™ data from a random population sample. <i>Lipids in Health and Disease</i> , 2014, 13, 18.	1.2	9
50	Prevalence of sporadic renal angiomyolipoma: a retrospective analysis of 61,389 in- and out-patients. <i>Abdominal Imaging</i> , 2014, 39, 1009-1013.	2.0	111
51	Acoustic structure quantification (ASQ): a new tool in sonographic examination of liver lesions in hepatic alveolar echinococcosis. <i>Journal of Medical Ultrasonics (2001)</i> , 2014, 41, 445-453.	0.6	4
52	Development, External Validation, and Comparative Assessment of a New Diagnostic Score for Hepatic Steatosis. <i>American Journal of Gastroenterology</i> , 2014, 109, 1404-1414.	0.2	95
53	Association of adiponectin with hepatic steatosis: a study of 1,349 subjects in a random population sample. <i>BMC Research Notes</i> , 2014, 7, 207.	0.6	18
54	Diagnostics in cystic echinococcosis: Serology versus ultrasonography. <i>Turkish Journal of Gastroenterology</i> , 2014, 25, 398-404.	0.4	33

#	ARTICLE	IF	CITATIONS
55	Sonographically guided puncture of the pancreas: incidence of complications, and risk factors. <i>Journal of Medical Ultrasonics</i> (2001), 2013, 40, 19-26.	0.6	1
56	Prevalence of celiac disease in Germany: A prospective follow-up study. <i>World Journal of Gastroenterology</i> , 2013, 19, 2612.	1.4	41
57	Percutaneous ultrasonographically guided liver punctures: an analysis of 1961 patients over a period of ten years. <i>BMC Gastroenterology</i> , 2012, 12, 173.	0.8	66
58	Benefit of early abdominal ultrasonography in non-surgical patients admitted to the emergency department: a pilot study. <i>Journal of Medical Ultrasonics</i> (2001), 2011, 38, 203-208.	0.6	0
59	Gallstone Prevalence and Risk Factors for Gallstone Disease in an Urban Population of Children and Adolescents. <i>Zeitschrift Fur Gastroenterologie</i> , 2010, 48, 683-687.	0.2	15
60	Ultrasonographically detected gallbladder polyps: A reason for concern? A seven-year follow-up study. <i>BMC Gastroenterology</i> , 2008, 8, 41.	0.8	53
61	Assessment of disease activity in alveolar echinococcosis: a comparison of contrast-enhanced ultrasound, three-phase helical CT and [18F]fluorodeoxyglucose positron-emission tomography. <i>Abdominal Imaging</i> , 2007, 32, 730-736.	2.0	68
62	Assessment of disease activity in alveolar echinococcosis: a comparison of contrast enhanced ultrasound, three-phase helical CT and [18F] fluorodeoxyglucose positron emission tomography. <i>Abdominal Imaging</i> , 2007, 32, 730.	2.0	4
63	WHO classification of alveolar echinococcosis: Principles and application. <i>Parasitology International</i> , 2006, 55, S283-S287.	0.6	249
64	Assessment of metastatic liver disease in patients with primary extrahepatic tumors by contrast-enhanced sonography versus CT and MRI. <i>World Journal of Gastroenterology</i> , 2006, 12, 1699.	1.4	202
65	Overweight, physical activity, tobacco and alcohol consumption in a cross-sectional random sample of German adults. <i>BMC Public Health</i> , 2006, 6, 233.	1.2	88
66	Structured treatment interruption in patients with alveolar echinococcosis. <i>Hepatology</i> , 2004, 39, 509-517.	3.6	153
67	Contrast-enhanced Power Doppler Sonography of the Intestinal Wall in the Differentiation of Hypervascularized and Hypovascularized Intestinal Obstructions in Patients With Crohn's Disease. <i>Journal of Ultrasound in Medicine</i> , 2002, 21, 149-157.	0.8	70
68	Stability of Human Gallbladder Bile: Effect of Freezing. <i>Canadian Journal of Gastroenterology & Hepatology</i> , 2001, 15, 363-366.	1.8	3
69	Prevalence of gallstones in sonographic surveys worldwide. <i>Journal of Clinical Ultrasound</i> , 1999, 27, 1-7.	0.4	176
70	Contrast-enhanced ultrasound (CEUS) in patients with metastasis-like hepatic alveolar echinococcosis: a cohort study. <i>Journal of Ultrasound</i> , 0, , .	0.7	4