

Modar Kassar

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7050458/modar-kassar-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40
papers

1,306
citations

20
h-index

36
g-index

44
ext. papers

1,515
ext. citations

6.6
avg, IF

4.19
L-index

#	Paper	IF	Citations
40	Endoplasmic reticulum stress is involved in cardiac damage and vascular endothelial dysfunction in hypertensive mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012 , 32, 1652-61	9.4	151
39	Interleukin-10 released by CD4(+)CD25(+) natural regulatory T cells improves microvascular endothelial function through inhibition of NADPH oxidase activity in hypertensive mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 2534-42	9.4	131
38	Mechanism of endoplasmic reticulum stress-induced vascular endothelial dysfunction. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014 , 1843, 1063-75	4.9	97
37	Natural regulatory T cells control coronary arteriolar endothelial dysfunction in hypertensive mice. <i>American Journal of Pathology</i> , 2011 , 178, 434-41	5.8	94
36	A novel role for epidermal growth factor receptor tyrosine kinase and its downstream endoplasmic reticulum stress in cardiac damage and microvascular dysfunction in type 1 diabetes mellitus. <i>Hypertension</i> , 2012 , 60, 71-80	8.5	77
35	Vascular microRNA-204 is remotely governed by the microbiome and impairs endothelium-dependent vasorelaxation by downregulating Sirtuin1. <i>Nature Communications</i> , 2016 , 7, 12565	17.4	71
34	Sirtuin1-regulated lysine acetylation of p66Shc governs diabetes-induced vascular oxidative stress and endothelial dysfunction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 1714-1719	11.5	69
33	Enhanced NF- κ B activity impairs vascular function through PARP-1-, SP-1-, and COX-2-dependent mechanisms in type 2 diabetes. <i>Diabetes</i> , 2013 , 62, 2078-87	0.9	57
32	P66Shc-Induced MicroRNA-34a Causes Diabetic Endothelial Dysfunction by Downregulating Sirtuin1. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 2394-2403	9.4	51
31	Sirtuin 1 regulates cardiac electrical activity by deacetylating the cardiac sodium channel. <i>Nature Medicine</i> , 2017 , 23, 361-367	50.5	44
30	Long-term intake of a milk casein hydrolysate attenuates the development of hypertension and involves cardiovascular benefits. <i>Pharmacological Research</i> , 2011 , 63, 398-404	10.2	43
29	Essential Role of Smooth Muscle STIM1 in Hypertension and Cardiovascular Dysfunction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 1900-9	9.4	38
28	CD4+CD25+Foxp3 regulatory T cells and vascular dysfunction in hypertension. <i>Journal of Hypertension</i> , 2013 , 31, 1939-43	1.9	37
27	Poly(ADP-ribose) polymerase 1 inhibition improves coronary arteriole function in type 2 diabetes mellitus. <i>Hypertension</i> , 2012 , 59, 1060-8	8.5	35
26	Chronic inhibition of endoplasmic reticulum stress and inflammation prevents ischaemia-induced vascular pathology in type II diabetic mice. <i>Journal of Pathology</i> , 2012 , 227, 165-74	9.4	33
25	MicroRNA-204 promotes vascular endoplasmic reticulum stress and endothelial dysfunction by targeting Sirtuin1. <i>Scientific Reports</i> , 2017 , 7, 9308	4.9	30
24	Chronic treatment with pravastatin prevents early cardiovascular changes in spontaneously hypertensive rats. <i>British Journal of Pharmacology</i> , 2009 , 158, 541-7	8.6	25

23	Enhanced endoplasmic reticulum and mitochondrial stress in abdominal aortic aneurysm. <i>Clinical Science</i> , 2019 , 133, 1421-1438	6.5	22
22	In vitro antioxidant activity of pravastatin provides vascular protection. <i>European Journal of Pharmacology</i> , 2010 , 630, 107-11	5.3	22
21	Metformin prevents vascular damage in hypertension through the AMPK/ER stress pathway. <i>Hypertension Research</i> , 2019 , 42, 960-969	4.7	20
20	Enhanced p22phox expression impairs vascular function through p38 and ERK1/2 MAP kinase-dependent mechanisms in type 2 diabetic mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014 , 306, H972-80	5.2	19
19	Differential role for stromal interacting molecule 1 in the regulation of vascular function. <i>Pflugers Archiv European Journal of Physiology</i> , 2015 , 467, 1195-202	4.6	19
18	Sirtuin1 protects endothelial Caveolin-1 expression and preserves endothelial function via suppressing miR-204 and endoplasmic reticulum stress. <i>Scientific Reports</i> , 2017 , 7, 42265	4.9	16
17	MicroRNAs and obesity-induced endothelial dysfunction: key paradigms in molecular therapy. <i>Cardiovascular Diabetology</i> , 2020 , 19, 136	8.7	16
16	Chronic escitalopram treatment induces erectile dysfunction by decreasing nitric oxide bioavailability mediated by increased nicotinamide adenine dinucleotide phosphate oxidase activity and reactive oxygen species production. <i>Urology</i> , 2013 , 82, 1188.e1-7	1.6	12
15	Augmented EGF receptor tyrosine kinase activity impairs vascular function by NADPH oxidase-dependent mechanism in type 2 diabetic mouse. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015 , 1853, 2404-10	4.9	12
14	Vasodilator responses to acetylcholine are not mediated by the activation of soluble guanylate cyclase or TRPV4 channels in the rat. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014 , 306, H1495-506	5.2	10
13	MiR-204 regulates type 1 IPR to control vascular smooth muscle cell contractility and blood pressure. <i>Cell Calcium</i> , 2019 , 80, 18-24	4	9
12	Microbiota-governed microRNA-204 impairs endothelial function and blood pressure decline during inactivity in db/db mice. <i>Scientific Reports</i> , 2020 , 10, 10065	4.9	9
11	SUMO2 regulates vascular endothelial function and oxidative stress in mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019 , 317, H1292-H1300	5.2	8
10	(Pro)renin Receptor-Dependent Induction of Profibrotic Factors Is Mediated by COX-2/EP4/NOX-4/Smad Pathway in Collecting Duct Cells. <i>Frontiers in Pharmacology</i> , 2019 , 10, 803	5.6	8
9	Targeting Autophagy in Obesity-Associated Heart Disease. <i>Obesity</i> , 2019 , 27, 1050-1058	8	6
8	Nuclear factor kappa B inhibition improves conductance artery function in type 2 diabetic mice. <i>Diabetes/Metabolism Research and Reviews</i> , 2015 , 31, 39-49	7.5	5
7	Pravastatin improves endothelial function in arteries used in coronary bypass grafting. <i>Journal of Cardiovascular Pharmacology</i> , 2013 , 61, 513-9	3.1	5
6	Endoplasmic Reticulum Stress and Microvascular Endothelial Dysfunction in Diabetes. <i>Journal of Diabetes & Metabolism</i> , 2011 , 2,	0	3

5	βKetoglutarate Upregulates Collecting Duct (Pro)renin Receptor Expression, Tubular Angiotensin II Formation, and Na Reabsorption During High Glucose Conditions. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 644797	5.4	1
4	Hypothalamic miR-204 Induces Alteration of Heart Electrophysiology and Neurogenic Hypertension by Regulating the Sympathetic Nerve Activity: Potential Role of Microbiota. <i>Cureus</i> , 2021 , 13, e18783	1.2	0
3	Gut Microbiota Regulates the Sympathetic Nerve Activity and Peripheral Serotonin Through Hypothalamic MicroRNA-204 in Order to Increase the Browning of White Adipose Tissue in Obesity.. <i>Cureus</i> , 2022 , 14, e21913	1.2	
2	PARP-1 inhibition improves coronary arteriole function in type 2 diabetic mice. <i>FASEB Journal</i> , 2011 , 25, 1025.9	0.9	
1	ER stress induction increases NADPH oxidase and reduces eNOS activity in endothelial cells. <i>FASEB Journal</i> , 2012 , 26, 863.11	0.9	