

# Peter Dallos

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7052233/publications.pdf>

Version: 2024-02-01

122  
papers

8,784  
citations

38660

50  
h-index

43802

91  
g-index

143  
all docs

143  
docs citations

143  
times ranked

2807  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prestin is the motor protein of cochlear outer hair cells. <i>Nature</i> , 2000, 405, 149-155.	13.7	1,166
2	Intracellular Anions as the Voltage Sensor of Prestin, the Outer Hair Cell Motor Protein. <i>Science</i> , 2001, 292, 2340-2343.	6.0	415
3	Prestin-Based Outer Hair Cell Motility Is Necessary for Mammalian Cochlear Amplification. <i>Neuron</i> , 2008, 58, 333-339.	3.8	333
4	Prestin, a new type of motor protein. <i>Nature Reviews Molecular Cell Biology</i> , 2002, 3, 104-111.	16.1	264
5	Cochlear amplification, outer hair cells and prestin. <i>Current Opinion in Neurobiology</i> , 2008, 18, 370-376.	2.0	240
6	Nature of the motor element in electrokinetic shape changes of cochlear outer hair cells. <i>Nature</i> , 1991, 350, 155-157.	13.7	236
7	Effect of absence of cochlear outer hair cells on behavioural auditory threshold. <i>Nature</i> , 1975, 253, 44-46.	13.7	230
8	Compound action potential (AP) tuning curves. <i>Journal of the Acoustical Society of America</i> , 1976, 59, 591-597.	0.5	228
9	Production of cochlear potentials by inner and outer hair cells. <i>Journal of the Acoustical Society of America</i> , 1976, 60, 510-512.	0.5	218
10	Acetylcholine, Outer Hair Cell Electromotility, and the Cochlear Amplifier. <i>Journal of Neuroscience</i> , 1997, 17, 2212-2226.	1.7	209
11	Low-Frequency Auditory Characteristics: Species Dependence. <i>Journal of the Acoustical Society of America</i> , 1970, 48, 489-499.	0.5	198
12	Neurobiology of cochlear inner and outer hair cells: intracellular recordings. <i>Hearing Research</i> , 1986, 22, 185-198.	0.9	197
13	Prestin, a cochlear motor protein, is defective in non-syndromic hearing loss. <i>Human Molecular Genetics</i> , 2003, 12, 1155-1162.	1.4	173
14	Positive endocochlear potential: Mechanism of production by marginal cells of stria vascularis. <i>Hearing Research</i> , 1987, 29, 117-124.	0.9	170
15	Neural coding in the chick cochlear nucleus. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 1990, 166, 721-34.	0.7	163
16	First appearance and development of electromotility in neonatal gerbil outer hair cells. <i>Hearing Research</i> , 1994, 78, 77-90.	0.9	146
17	Mechanoelectrical transduction of adult outer hair cells studied in a gerbil hemicochlea. <i>Nature</i> , 2004, 429, 766-770.	13.7	126
18	Carcinoembryonic antigen-related cell adhesion molecule 16 interacts with $\beta$ -tectorin and is mutated in autosomal dominant hearing loss (DFNA4). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 4218-4223.	3.3	123

#	ARTICLE	IF	CITATIONS
19	Prestin and the cochlear amplifier. <i>Journal of Physiology</i> , 2006, 576, 37-42.	1.3	116
20	Stiffness of the Gerbil Basilar Membrane: Radial and Longitudinal Variations. <i>Journal of Neurophysiology</i> , 2004, 91, 474-488.	0.9	115
21	Overview: Cochlear Neurobiology. <i>Springer Handbook of Auditory Research</i> , 1996, , 1-43.	0.3	95
22	Analysis of the Oligomeric Structure of the Motor Protein Prestin. <i>Journal of Biological Chemistry</i> , 2006, 281, 19916-19924.	1.6	94
23	Cochlear mechanics, nonlinearities, and cochlear potentials. <i>Journal of the Acoustical Society of America</i> , 1974, 55, 597-605.	0.5	93
24	Prestin topology: localization of protein epitopes in relation to the plasma membrane. <i>NeuroReport</i> , 2001, 12, 1929-1935.	0.6	93
25	Developmental alterations in the frequency map of the mammalian cochlea. <i>Nature</i> , 1989, 341, 147-149.	13.7	92
26	Outer hair cell electromotility: The sensitivity and vulnerability of the DC component. <i>Hearing Research</i> , 1991, 52, 288-304.	0.9	92
27	Effects of membrane potential and tension on prestin, the outer hair cell lateral membrane motor protein. <i>Journal of Physiology</i> , 2001, 531, 661-666.	1.3	92
28	Input-output functions of cochlear whole-nerve action potentials: Interpretation in terms of one population of neurons. <i>Journal of the Acoustical Society of America</i> , 1976, 59, 143-147.	0.5	91
29	Some electrical circuit properties of the organ of Corti. I. Analysis without reactive elements. <i>Hearing Research</i> , 1983, 12, 89-119.	0.9	91
30	Bioelectric Correlates of Kanamycin Intoxication. <i>International Journal of Audiology</i> , 1974, 13, 277-289.	0.9	85
31	Tectorial Membrane Stiffness Gradients. <i>Biophysical Journal</i> , 2007, 93, 2265-2276.	0.2	84
32	Prestin and the Dynamic Stiffness of Cochlear Outer Hair Cells. <i>Journal of Neuroscience</i> , 2003, 23, 9089-9096.	1.7	79
33	Modification of DIF summing potential components by stimulus biasing. <i>Journal of the Acoustical Society of America</i> , 1974, 56, 562-570.	0.5	77
34	The role of outer hair cell motility in cochlear tuning. <i>Current Opinion in Neurobiology</i> , 1991, 1, 215-220.	2.0	77
35	Effects of cyclic nucleotides on the function of prestin. <i>Journal of Physiology</i> , 2005, 563, 483-496.	1.3	71
36	The C-terminus of prestin influences nonlinear capacitance and plasma membrane targeting. <i>Journal of Cell Science</i> , 2005, 118, 2987-2996.	1.2	69

#	ARTICLE	IF	CITATIONS
37	Intercellular communication in the supporting cells of the organ of Corti. <i>Hearing Research</i> , 1983, 9, 317-326.	0.9	68
38	Developmental changes in frequency mapping of the gerbil cochlea: Comparison of two cochlear locations. <i>Hearing Research</i> , 1988, 32, 93-96.	0.9	68
39	Synchronous responses of the primary auditory fibers to the onset of tone burst and their relation to compound action potentials. <i>Brain Research</i> , 1978, 155, 169-175.	1.1	67
40	Prestin, the Motor Protein of Outer Hair Cells. <i>Audiology and Neuro-Otology</i> , 2002, 7, 9-12.	0.6	66
41	N-linked glycosylation sites of the motor protein prestin: effects on membrane targeting and electrophysiological function. <i>Journal of Neurochemistry</i> , 2004, 89, 928-938.	2.1	63
42	Psychophysical tuning curves and auditory thresholds after hair cell damage in the chinchilla. <i>Journal of the Acoustical Society of America</i> , 1979, 66, 370-378.	0.5	61
43	Mechanoelectric Transduction of Adult Inner Hair Cells. <i>Journal of Neuroscience</i> , 2007, 27, 1006-1014.	1.7	61
44	Loss of the Tectorial Membrane Protein CEACAM16 Enhances Spontaneous, Stimulus-Frequency, and Transiently Evoked Otoacoustic Emissions. <i>Journal of Neuroscience</i> , 2014, 34, 10325-10338.	1.7	61
45	Fast cochlear amplification with slow outer hair cells. <i>Hearing Research</i> , 2006, 214, 45-67.	0.9	59
46	Some electrical circuit properties of the organ of Corti. II. Analysis including reactive elements. <i>Hearing Research</i> , 1984, 14, 281-291.	0.9	58
47	Direct Visualization of Organ of Corti Kinematics in a Hemicochlea. <i>Journal of Neurophysiology</i> , 1999, 82, 2798-2807.	0.9	58
48	Study of the Acoustic Reflex in Human Beings. I. Dynamic Characteristics. <i>Journal of the Acoustical Society of America</i> , 1972, 52, 1168-1180.	0.5	56
49	Effect of acetylcholine and GABA on the transfer function of electromotility in isolated outer hair cells. <i>Hearing Research</i> , 1996, 95, 87-99.	0.9	56
50	Psychophysical tuning curves of chinchillas. <i>Journal of the Acoustical Society of America</i> , 1976, 60, 1146-1150.	0.5	55
51	COCHLEAR POTENTIALS AND COCHLEAR MECHANICS. , 1973, , 335-376.		55
52	Using the Cochlear Microphonic as a Tool to Evaluate Cochlear Function in Mouse Models of Hearing. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2011, 12, 113-125.	0.9	54
53	Properties of Voltage-Dependent Somatic Stiffness of Cochlear Outer Hair Cells. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2000, 1, 64-81.	0.9	50
54	Combination Tone 2f <sub>1</sub> - f <sub>2</sub> in Microphonic Potentials. <i>Journal of the Acoustical Society of America</i> , 1969, 46, 1437-1444.	0.5	47

#	ARTICLE	IF	CITATIONS
55	Isolation of cochlear inner hair cells. <i>Hearing Research</i> , 2000, 145, 156-160.	0.9	46
56	Latency of Whole-Nerve Action Potentials: Influence of Hair-Cell Normalcy. <i>Journal of the Acoustical Society of America</i> , 1972, 52, 1678-1686.	0.5	45
57	Travel Time in the Cochlea and Its Determination from Cochlear-Microphonic Data. <i>Journal of the Acoustical Society of America</i> , 1971, 49, 1140-1143.	0.5	44
58	Analog of two-tone suppression in whole nerve responses. <i>Journal of the Acoustical Society of America</i> , 1977, 62, 1048-1051.	0.5	43
59	Nonlinearities in cochlear receptor potentials and their origins. <i>Journal of the Acoustical Society of America</i> , 1989, 86, 1790-1796.	0.5	43
60	On the Limitations of Cochlear-Microphonic Measurements. <i>Journal of the Acoustical Society of America</i> , 1971, 49, 1144-1154.	0.5	42
61	Basilar Membrane Vibration in the Gerbil Hemicochlea. <i>Journal of Neurophysiology</i> , 1998, 79, 2255-2264.	0.9	41
62	Interaction between CFTR and prestin (SLC26A5). <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2010, 1798, 1029-1040.	1.4	41
63	Evidence That Prestin Has at Least Two Voltage-dependent Steps. <i>Journal of Biological Chemistry</i> , 2011, 286, 2297-2307.	1.6	39
64	Organ of Corti Kinematics. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2003, 4, 416-421.	0.9	38
65	Prestin-based outer hair cell electromotility in knockin mice does not appear to adjust the operating point of a cilia-based amplifier. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 12542-12547.	3.3	38
66	Two-tone interactions in the cochlear microphonic. <i>Hearing Research</i> , 1982, 8, 29-48.	0.9	37
67	Development of Acetylcholine-Induced Responses in Neonatal Gerbil Outer Hair Cells. <i>Journal of Neurophysiology</i> , 1999, 81, 1162-1170.	0.9	36
68	Neural response to very low-frequency sound in the avian cochlear nucleus. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 1989, 166, 83-95.	0.7	35
69	Acetylcholine Controls the Gain of the Voltage-to-Movement Converter in Isolated Outer Hair Cells. <i>Acta Oto-Laryngologica</i> , 1993, 113, 326-329.	0.3	35
70	Functional Regulation of the SLC26-Family Protein Prestin by Calcium/Calmodulin. <i>Journal of Neuroscience</i> , 2014, 34, 1325-1332.	1.7	35
71	Distribution Pattern of Cochlear Harmonics. <i>Journal of the Acoustical Society of America</i> , 1969, 45, 37-46.	0.5	33
72	The V499G/Y501H Mutation Impairs Fast Motor Kinetics of Prestin and Has Significance for Defining Functional Independence of Individual Prestin Subunits. <i>Journal of Biological Chemistry</i> , 2013, 288, 2452-2463.	1.6	33

#	ARTICLE	IF	CITATIONS
73	Distribution Pattern of Cochlear Combination Tones. Journal of the Acoustical Society of America, 1969, 45, 58-71.	0.5	30
74	Development of the Gerbil Inner Ear Observed in the Hemicochlea. JARO - Journal of the Association for Research in Otolaryngology, 2000, 1, 195-210.	0.9	30
75	Cyclic GMP and outer hair cell electromotility. Hearing Research, 1999, 137, 29-42.	0.9	29
76	Increased Spontaneous Otoacoustic Emissions in Mice with a Detached Tectorial Membrane. JARO - Journal of the Association for Research in Otolaryngology, 2016, 17, 81-88.	0.9	24
77	Intracellular recordings from supporting cells in the guinea pig cochlea: AC potentials. Journal of the Acoustical Society of America, 1989, 86, 1013-1032.	0.5	23
78	Impedance matching by the combined effects of the outer and middle ear. Journal of the Acoustical Society of America, 1979, 66, 599-602.	0.5	22
79	Effects of electrical polarization on inner hair cell receptor potentials. Journal of the Acoustical Society of America, 1990, 87, 1636-1647.	0.5	21
80	Auditory filter shapes in the chinchilla. Journal of the Acoustical Society of America, 1986, 80, 765-775.	0.5	20
81	On the Derivative Relationship between Stapes Movement and Cochlear Microphonic. Journal of the Acoustical Society of America, 1972, 52, 1263-1265.	0.5	19
82	Frequency difference limens in normal and sensorineural hearing impaired chinchillas. Journal of the Acoustical Society of America, 1989, 85, 1302-1313.	0.5	19
83	Development of acetylcholine receptors in cultured outer hair cells. Hearing Research, 2001, 162, 113-125.	0.9	19
84	Intracellular calcium and outer hair cell electromotility. Brain Research, 2001, 922, 65-70.	1.1	19
85	Spatial Patterns of Cochlear Difference Tones. Journal of the Acoustical Society of America, 1971, 49, 1818-1830.	0.5	18
86	Influence of Direct Current Polarization of the Cochlear Partition on the Summating Potentials. Journal of the Acoustical Society of America, 1972, 52, 542-552.	0.5	18
87	EHD4 and CDH23 Are Interacting Partners in Cochlear Hair Cells. Journal of Biological Chemistry, 2009, 284, 20121-20129.	1.6	18
88	Expression of potassium channels in gerbil outer hair cells during development does not require neural induction. Developmental Brain Research, 1997, 103, 95-97.	2.1	17
89	Electrical correlates of mechanical events in the cochlea. International Journal of Audiology, 1975, 14, 408-418.	0.9	16
90	On the Negative Potential within the Organ of Corti. Journal of the Acoustical Society of America, 1968, 44, 818-819.	0.5	15

#	ARTICLE	IF	CITATIONS
91	A Chimera Analysis of <i>Prestin</i> Knock-Out Mice. <i>Journal of Neuroscience</i> , 2009, 29, 12000-12008.	1.7	15
92	Marshallin, a microtubule minus-end binding protein, regulates cytoskeletal structure in the organ of Corti. <i>Biology Open</i> , 2013, 2, 1192-1202.	0.6	15
93	Spontaneous Otoacoustic Emissions in <i>Tecta<sup>Y1870C/+</sup></i> Mice Reflect Changes in Cochlear Amplification and How It Is Controlled by the Tectorial Membrane. <i>ENeuro</i> , 2018, 5, ENEURO.0314-18.2018.	0.9	14
94	Glucose transporter 5 is undetectable in outer hair cells and does not contribute to cochlear amplification. <i>Brain Research</i> , 2008, 1210, 20-28.	1.1	13
95	Prestin-Dependence of Outer Hair Cell Survival and Partial Rescue of Outer Hair Cell Loss in <i>PrestinV499G/Y501H</i> Knockin Mice. <i>PLoS ONE</i> , 2015, 10, e0145428.	1.1	13
96	Identifying components of the hair-cell interactome involved in cochlear amplification. <i>BMC Genomics</i> , 2009, 10, 127.	1.2	12
97	Hyposmotic Swelling Induces Magnitude and Gain Change in the Electromotile Performance of Isolated Outer Hair Cells. <i>Acta Oto-Laryngologica</i> , 1997, 117, 222-225.	0.3	11
98	Interaction between the motor protein prestin and the transporter protein VAPA. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2010, 1803, 796-804.	1.9	9
99	Identification of Differentially Expressed cDNA Clones from Gerbil Cochlear Outer Hair Cells. <i>Audiology and Neuro-Otology</i> , 2002, 7, 277-288.	0.6	8
100	Comments on "Correspondence between Cochlear Microphonic Sensitivity and Behavioral Threshold in the Cat" [G. R. Price, <i>J. Acoust. Soc. Amer.</i> 49, 1899-1901 (1971)]. <i>Journal of the Acoustical Society of America</i> , 1971, 50, 1554-1554.	0.5	6
101	Neurobiology of Cochlear Hair Cells. , 1992, , 3-17.		6
102	BIOPHYSICS OF THE COCHLEA. , 1978, , 125-162.		6
103	Dissecting the electromechanical coupling mechanism of the motorprotein prestin. <i>Communicative and Integrative Biology</i> , 2011, 4, 450-453.	0.6	5
104	Harmonic Components in Hair Cell Responses. , 1986, , 73-80.		5
105	Cochlear Microphonic Correlates of Cubic Difference Tones. <i>Communication and Cybernetics</i> , 1974, , 312-322.	0.1	5
106	Dissecting the electromechanical coupling mechanism of the motor-protein prestin. <i>Communicative and Integrative Biology</i> , 2011, 4, 450-3.	0.6	5
107	High-Frequency Outer Hair Cell Motility: Corrections and Addendum. <i>Science</i> , 1995, 268, 1420-1421.	6.0	5
108	The Effects of dc Current Polarization on Cochlear Harmonics. <i>Journal of the Acoustical Society of America</i> , 1972, 52, 1725-1728.	0.5	4

#	ARTICLE	IF	CITATIONS
109	Re-examination of avian cochlear potentials. <i>Nature</i> , 1976, 262, 599-601.	13.7	4
110	The Nonlinearity of Outer Hair Cell Motility: Implications for Cochlear Physiology and Pathology. <i>Lecture Notes in Biomathematics</i> , 1990, , 61-68.	0.3	4
111	Pixels as ROIs (PAR): A Less-Biased and Statistically Powerful Approach for Gleaning Functional Information from Image Stacks. <i>PLoS ONE</i> , 2013, 8, e69047.	1.1	3
112	MODEL OF OUTER HAIR CELL STIFFNESS AND MOTILITY CHANGE. , 2000, , .		2
113	THE COCHLEAR AMPLIFIER: IS IT HAIR BUNDLE MOTION OF OUTER HAIR CELLS?. , 2006, , .		1
114	Fractional Distortion Pairs in the Cochlea. <i>Journal of the Acoustical Society of America</i> , 1972, 52, 530-535.	0.5	0
115	The Role of Phase-Locked Auditory-Nerve Discharges in Pitch Perception. <i>Journal of the Acoustical Society of America</i> , 1974, 55, 467-467.	0.5	0
116	Cochlear Microphonic Interference Effects in the Guinea Pig. <i>Journal of the Acoustical Society of America</i> , 1974, 55, 459-459.	0.5	0
117	Responses of Cochlear Hair Cells. <i>Acta Oto-Laryngologica</i> , 1985, 99, 496-497.	0.3	0
118	The quantitative evaluation of a confocal surgical microscope. , 1992, , .		0
119	The Relationship Among Plasmic Membrane Electron Transport System, Motor Protein Prestin and Deafness. <i>Free Radical Biology and Medicine</i> , 2010, 49, S160.	1.3	0
120	Introduction to "Good Vibrations" A Special Issue to celebrate the 50th anniversary of the Nobel Prize to Georg von Békésy. <i>Hearing Research</i> , 2012, 293, 1-2.	0.9	0
121	Examining the role of the tectorial membrane in otoacoustic emission generation. <i>AIP Conference Proceedings</i> , 2015, , .	0.3	0
122	A MICROMECHANICAL MODEL FOR FAST COCHLEAR AMPLIFICATION WITH SLOW OUTER HAIR CELLS. , 2006, , .		0