

Brdur Sigurgeirsson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7053334/bardur-sigurgeirsson-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers

9,793
citations

44
h-index

98
g-index

136
ext. papers

11,085
ext. citations

9.3
avg, IF

5.36
L-index

#	Paper	IF	Citations
103	Secukinumab demonstrates efficacy, safety and tolerability upon administration by 2mL autoinjector in adult patients with plaque psoriasis: 52-week results from MATURE, a randomized, placebo-controlled trial.. <i>Dermatologic Therapy</i> , 2021 , e15285	2.2	1
102	Efficacy, tolerability, patient usability, and satisfaction with a 2 mL pre-filled syringe containing secukinumab 300 mg in patients with moderate to severe plaque psoriasis: results from the phase 3 randomized, double-blind, placebo-controlled ALLURE study. <i>Journal of Dermatological Treatment</i> , 2021 , 1-9	2.8	1
101	Loss-of-Function Variants in the Tumor-Suppressor Gene Confer Increased Cancer Risk. <i>Cancer Research</i> , 2021 , 81, 1954-1964	10.1	2
100	FLT3 stop mutation increases FLT3 ligand level and risk of autoimmune thyroid disease. <i>Nature</i> , 2020 , 584, 619-623	50.4	23
99	Genome-wide meta-analysis identifies eight new susceptibility loci for cutaneous squamous cell carcinoma. <i>Nature Communications</i> , 2020 , 11, 820	17.4	13
98	Comparison of pharmacokinetics, safety and tolerability of secukinumab administered subcutaneously using different delivery systems in healthy volunteers and in psoriasis patients. <i>British Journal of Clinical Pharmacology</i> , 2020 , 86, 338-351	3.8	8
97	Effective treatment with balneophototherapy and narrowband UVB monotherapy reduces skin homing Th17/Tc17 and Th22/Tc22 effector cells in peripheral blood in patients with psoriasis. <i>Journal of Dermatological Science</i> , 2019 , 96, 110-112	4.3	1
96	A survey among dermatologists: diagnostics of superficial fungal infections - what is used and what is needed to initiate therapy and assess efficacy?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 421-427	4.6	10
95	Systemic Therapy of Onychomycosis 2018 , 185-214		1
94	Association of BRCA2 K3326* With Small Cell Lung Cancer and Squamous Cell Cancer of the Skin. <i>Journal of the National Cancer Institute</i> , 2018 , 110, 967-974	9.7	16
93	The History of Onychomycosis 2018 , 1-12		
92	Predicting the Outcome of Treatment 2018 , 83-102		1
91	Secukinumab re-initiation achieves regain of high response levels in patients who interrupt treatment for moderate to severe plaque psoriasis. <i>British Journal of Dermatology</i> , 2017 , 177, 879-881	4	19
90	A 5-year randomized trial on the safety and efficacy of pimecrolimus in atopic dermatitis: a critical appraisal - author response. <i>British Journal of Dermatology</i> , 2017 , 177, 1006	4	
89	Patient-reported outcomes from two randomised studies comparing once-weekly application of amorolfine 5% nail lacquer to other methods of topical treatment in distal and lateral subungual onychomycosis. <i>Mycoses</i> , 2017 , 60, 800-807	5.2	8
88	Fourteen sequence variants that associate with multiple sclerosis discovered by meta-analysis informed by genetic correlations. <i>Npj Genomic Medicine</i> , 2017 , 2, 24	6.2	8
87	Patient-reported Outcomes and Clinical Response in Patients with Moderate-to-severe Plaque Psoriasis Treated with Tonsillectomy: A Randomized Controlled Trial. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 340-345	2.2	17

86	HLA-Cw6 homozygosity in plaque psoriasis is associated with streptococcal throat infections and pronounced improvement after tonsillectomy: A prospective case series. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 889-896	4.5	19
85	Application of cosmetic nail varnish does not affect the antifungal efficacy of amorolfine 5% nail lacquer in the treatment of distal subungual toenail onychomycosis: results of a randomised active-controlled study and in vitro assays. <i>Mycoses</i> , 2016 , 59, 319-26	5.2	7
84	Throat Infections are Associated with Exacerbation in a Substantial Proportion of Patients with Chronic Plaque Psoriasis. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 788-91	2.2	6
83	Secukinumab Provides Clearer Skin and Better Control on Patient-Reported Psoriasis Symptoms of Itching, Pain, and Scaling than Placebo and Etanercept. <i>Journal of Psoriasis and Psoriatic Arthritis</i> , 2016 , 1, 167-174	1.1	0
82	Secukinumab improves patient-reported psoriasis symptoms of itching, pain, and scaling: results of two phase 3, randomized, placebo-controlled clinical trials. <i>International Journal of Dermatology</i> , 2016 , 55, 401-7	1.7	27
81	The Antifungal Drugs Used in Skin Disease 2016 , 141-156		2
80	Onychomycosis 2016 , 203-289		1
79	Safety and efficacy of pimecrolimus in atopic dermatitis: a 5-year randomized trial. <i>Pediatrics</i> , 2015 , 135, 597-606	7.4	91
78	Cutaneous melanoma in Iceland: changing Breslow's tumour thickness. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 346-352	4.6	8
77	New basal cell carcinoma susceptibility loci. <i>Nature Communications</i> , 2015 , 6, 6825	17.4	49
76	Psoriasis treatment: faster and long-standing results after bathing in geothermal seawater. A randomized trial of three UVB phototherapy regimens. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2014 , 30, 25-34	2.4	14
75	The prevalence of onychomycosis in the global population: a literature study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014 , 28, 1480-91	4.6	106
74	Secukinumab in plaque psoriasis--results of two phase 3 trials. <i>New England Journal of Medicine</i> , 2014 , 371, 326-38	59.2	1319
73	Germline sequence variants in TGM3 and RGS22 confer risk of basal cell carcinoma. <i>Human Molecular Genetics</i> , 2014 , 23, 3045-53	5.6	39
72	AB0738 Secukinumab Reduces HsCRP Levels in Subjects with Moderate-to-Severe Plaque Psoriasis and Concomitant Psoriatic Arthritis: A Sub-Analysis from the Phase 3 Erasure Study. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1047.2-1048	2.4	2
71	Secukinumab improves the signs and symptoms of moderate-to-severe plaque psoriasis in subjects with involvement of hands and/or feet: subanalysis of a randomized, double-blind, placebo-controlled, phase 2 dose-ranging study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014 , 28, 1487-94	4.6	12
70	Efficacy, safety and tolerability of topical terbinafine nail solution in patients with mild-to-moderate toenail onychomycosis: results from three randomized studies using double-blind vehicle-controlled and open-label active-controlled designs. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013 , 27, 287-94	4.6	51
69	A phase II, randomized, double-blind, placebo-controlled, parallel group, dose-ranging study to investigate the efficacy and safety of 4 dose regimens of oral albaconazole in patients with distal subungual onychomycosis. <i>Journal of the American Academy of Dermatology</i> , 2013 , 69, 416-25	4.5	31

68	Efficacy and safety of secukinumab in the treatment of moderate-to-severe plaque psoriasis: a randomized, double-blind, placebo-controlled phase II dose-ranging study. <i>British Journal of Dermatology</i> , 2013 , 168, 412-21	4	266
67	Secukinumab induction and maintenance therapy in moderate-to-severe plaque psoriasis: a randomized, double-blind, placebo-controlled, phase II regimen-finding study. <i>British Journal of Dermatology</i> , 2013 , 168, 402-11	4	90
66	A variant in FTO shows association with melanoma risk not due to BMI. <i>Nature Genetics</i> , 2013 , 45, 428-32, 432e1	36.3	95
65	The role of Th17/Tc17 peripheral blood T cells in psoriasis and their positive therapeutic response. <i>Scandinavian Journal of Immunology</i> , 2013 , 78, 529-37	3.4	20
64	Therapeutic potential of TDT 067 (terbinafine in Transfersome): a carrier-based dosage form of terbinafine for onychomycosis. <i>Expert Opinion on Investigational Drugs</i> , 2012 , 21, 1549-62	5.9	20
63	Improvement of psoriasis after tonsillectomy is associated with a decrease in the frequency of circulating T cells that recognize streptococcal determinants and homologous skin determinants. <i>Journal of Immunology</i> , 2012 , 188, 5160-5	5.3	79
62	Secukinumab induction and maintenance therapy in moderate-to-severe plaque psoriasis: a randomized, double-blind, placebo-controlled, phase II regimen-finding study. <i>British Journal of Dermatology</i> , 2012 , 168, no-no	4	184
61	A germline variant in the TP53 polyadenylation signal confers cancer susceptibility. <i>Nature Genetics</i> , 2011 , 43, 1098-103	36.3	203
60	Autier et al. Respond to "A Sunbed Epidemic?". <i>American Journal of Epidemiology</i> , 2010 , 172, 771-772	3.8	1
59	A melanoma epidemic in Iceland: possible influence of sunbed use. <i>American Journal of Epidemiology</i> , 2010 , 172, 762-7	3.8	73
58	Prognostic factors for cure following treatment of onychomycosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010 , 24, 679-84	4.6	41
57	Efficacy of amorolfine nail lacquer for the prophylaxis of onychomycosis over 3 years. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010 , 24, 910-5	4.6	36
56	Parental origin of sequence variants associated with complex diseases. <i>Nature</i> , 2009 , 462, 868-74	50.4	459
55	Sequence variants at the TERT-CLPTM1L locus associate with many cancer types. <i>Nature Genetics</i> , 2009 , 41, 221-7	36.3	509
54	New common variants affecting susceptibility to basal cell carcinoma. <i>Nature Genetics</i> , 2009 , 41, 909-14	36.3	275
53	Two newly identified genetic determinants of pigmentation in Europeans. <i>Nature Genetics</i> , 2008 , 40, 835-7	36.3	281
52	ASIP and TYR pigmentation variants associate with cutaneous melanoma and basal cell carcinoma. <i>Nature Genetics</i> , 2008 , 40, 886-91	36.3	265
51	Common variants on 1p36 and 1q42 are associated with cutaneous basal cell carcinoma but not with melanoma or pigmentation traits. <i>Nature Genetics</i> , 2008 , 40, 1313-8	36.3	93

50	Effectiveness and safety of a prevention-of-flare-progression strategy with pimecrolimus cream 1% in the management of paediatric atopic dermatitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2008 , 22, 1290-301	4.6	27
49	CDKN2A mutations and melanoma risk in the Icelandic population. <i>Journal of Medical Genetics</i> , 2008 , 45, 284-9	5.8	24
48	Genetic determinants of hair, eye and skin pigmentation in Europeans. <i>Nature Genetics</i> , 2007 , 39, 1443-53	6.3	545
47	A multicentre, randomized, controlled study of the efficacy, safety and cost-effectiveness of a combination therapy with amorolfine nail lacquer and oral terbinafine compared with oral terbinafine alone for the treatment of onychomycosis with matrix involvement. <i>British Journal of Dermatology</i> , 2007 , 157, 149-57	4	79
46	Onychomycosis: diagnosis and definition of cure. <i>Journal of the American Academy of Dermatology</i> , 2007 , 56, 939-44	4.5	139
45	Intermittent versus continuous terbinafine in the treatment of toenail onychomycosis: a randomized, double-blind comparison. <i>Journal of Dermatological Treatment</i> , 2006 , 17, 38-44	2.8	35
44	Onychomycosis in Icelandic children. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006 , 20, 796-9	4.6	19
43	Lifestyle of Nordic people with psoriasis. <i>International Journal of Dermatology</i> , 2006 , 060720080827123	1.7	
42	Lifestyle of Nordic people with psoriasis. <i>International Journal of Dermatology</i> , 2005 , 44, 378-83	1.7	21
41	Dermatophytes in a swimming pool facility: difference in dermatophyte load in men's and women's dressing rooms. <i>Acta Dermato-Venereologica</i> , 2005 , 85, 267-8	2.2	11
40	Chronic dermatomycoses of the foot as risk factors for acute bacterial cellulitis of the leg: a case-control study. <i>Dermatology</i> , 2004 , 209, 301-7	4.4	135
39	Self-reported stress reactivity and psoriasis-related stress of Nordic psoriasis sufferers. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2004 , 18, 27-36	4.6	69
38	Risk factors associated with onychomycosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2004 , 18, 48-51	4.6	79
37	Risk factors for malignant melanoma in an Icelandic population sample. <i>Preventive Medicine</i> , 2004 , 39, 247-52	4.3	5
36	Combination therapy for onychomycosis. <i>British Journal of Dermatology</i> , 2003 , 149 Suppl 65, 15-8	4	79
35	Streptococcal throat infections and exacerbation of chronic plaque psoriasis: a prospective study. <i>British Journal of Dermatology</i> , 2003 , 149, 530-4	4	154
34	Risk factors for cutaneous malignant melanoma among aircrews and a random sample of the population. <i>Occupational and Environmental Medicine</i> , 2003 , 60, 815-20	2.1	35
33	Quality of life in 6497 Nordic patients with psoriasis. <i>British Journal of Dermatology</i> , 2002 , 146, 1006-16	4	122

32	Prognostic factors of mycological cure following treatment of onychomycosis with oral antifungal agents. <i>British Journal of Dermatology</i> , 2002 , 147, 1241-3	4	22
31	Prevalence of onychomycosis in Iceland: a population-based study. <i>Acta Dermato-Venereologica</i> , 2002 , 82, 467-9	2.2	28
30	Quality of life and prevalence of arthritis reported by 5,795 members of the Nordic Psoriasis Associations. Data from the Nordic Quality of Life Study. <i>Acta Dermato-Venereologica</i> , 2002 , 82, 108-13	2.2	153
29	Long-term effectiveness of treatment with terbinafine vs itraconazole in onychomycosis: a 5-year blinded prospective follow-up study. <i>Archives of Dermatology</i> , 2002 , 138, 353-7		151
28	Frequency of specific cancer types in dermatomyositis and polymyositis: a population-based study. <i>Lancet, The</i> , 2001 , 357, 96-100	40	810
27	Treatment of psoriasis in the Nordic countries: a questionnaire survey from 5739 members of the psoriasis associations data from the Nordic Quality of Life Study. <i>Acta Dermato-Venereologica</i> , 2001 , 81, 116-21	2.2	20
26	Incidence of skin cancer in 5356 patients following organ transplantation. <i>British Journal of Dermatology</i> , 2000 , 143, 513-519	4	54
25	Onychomycosis in Icelandic swimmers. <i>Acta Dermato-Venereologica</i> , 1999 , 79, 376-7	2.2	36
24	L.I.ON. Study: efficacy and tolerability of continuous terbinafine (Lamisil) compared to intermittent itraconazole in the treatment of toenail onychomycosis. Lamisil vs. Itraconazole in Onychomycosis. <i>British Journal of Dermatology</i> , 1999 , 141 Suppl 56, 5-14	4	67
23	PUVA and cancer risk: the Swedish follow-up study. <i>British Journal of Dermatology</i> , 1999 , 141, 108-12	4	182
22	Trioxsalen bath PUVA did not increase the risk of squamous cell skin carcinoma and cutaneous malignant melanoma in a joint analysis of 944 Swedish and Finnish patients with psoriasis. <i>British Journal of Dermatology</i> , 1999 , 141, 497-501	4	83
21	Is an epitope on keratin 17 a major target for autoreactive T lymphocytes in psoriasis?. <i>Clinical and Experimental Immunology</i> , 1999 , 117, 580-6	6.2	71
20	Double blind, randomised study of continuous terbinafine compared with intermittent itraconazole in treatment of toenail onychomycosis. The LION Study Group. <i>BMJ: British Medical Journal</i> , 1999 , 318, 1031-5		192
19	Melanocytic naevus or malignant melanoma? A large-scale epidemiological study of diagnostic accuracy. <i>Acta Dermato-Venereologica</i> , 1998 , 78, 284-8	2.2	9
18	On the association between vitiligo and malignant melanoma. <i>Acta Dermato-Venereologica</i> , 1998 , 78, 483-4	2.2	13
17	Circulating T cells of patients with active psoriasis respond to streptococcal M-peptides sharing sequences with human epidermal keratins. <i>Scandinavian Journal of Immunology</i> , 1997 , 45, 688-97	3.4	68
16	Trioxsalen Bath PUVA Does Not Increase the Risk of Squamous Cell Skin Carcinoma: A Joint Analysis of 1124 Swedish and Finnish Patients Followed Up for 10 Years 1997 , 434-439		
15	Psoriasis treatment: bathing in a thermal lagoon combined with UVB, versus UVB treatment only. <i>Acta Dermato-Venereologica</i> , 1996 , 76, 228-30	2.2	3

14	Venous leg ulcers and squamous cell carcinoma: a large-scale epidemiological study. <i>British Journal of Dermatology</i> , 1995 , 133, 571-4	4	76
13	Cord blood IgE levels are influenced by gestational age but do not predict allergic manifestations in infants. <i>Pediatric Allergy and Immunology</i> , 1994 , 5, 5-10	4.2	23
12	Risk of lymphoma in patients with dermatitis herpetiformis. <i>BMJ: British Medical Journal</i> , 1994 , 308, 13-5		69
11	PUVA and cancer: a case-control study. <i>British Journal of Dermatology</i> , 1993 , 129, 39-41	4	28
10	Comparison of the carcinogenic potential of trioxsalen bath PUVA and oral methoxsalen PUVA. A preliminary report. <i>Archives of Dermatology</i> , 1992 , 128, 1341-4		35
9	Seborrheic keratoses and cancer. <i>Journal of the American Academy of Dermatology</i> , 1992 , 26, 947-50	4.5	67
8	Risk of cancer in patients with dermatomyositis or polymyositis. A population-based study. <i>New England Journal of Medicine</i> , 1992 , 326, 363-7	59.2	620
7	Skin disease and malignancy. An epidemiological study. <i>Acta Dermato-venereologica Supplementum</i> , 1992 , 178, 1-110		2
6	CANEST: a microcomputer program for estimating cancer in a cohort. <i>Computer Methods and Programs in Biomedicine</i> , 1991 , 35, 193-201	6.9	6
5	PUVA and cancer: a large-scale epidemiological study. <i>Lancet, The</i> , 1991 , 338, 91-3	40	214
4	Condylomata acuminata and risk of cancer: an epidemiological study. <i>BMJ: British Medical Journal</i> , 1991 , 303, 341-4		21
3	Lichen planus and malignancy. An epidemiologic study of 2071 patients and a review of the literature. <i>Archives of Dermatology</i> , 1991 , 127, 1684-8		134
2	Chronic urticaria and cancer: an epidemiological study of 1155 patients. <i>British Journal of Dermatology</i> , 1990 , 123, 453-6	4	54
1	Keratinocytes secrete multiple inflammatory and immune biomarkers, which are regulated by LL-37, in a psoriasis mimicking microenvironment. <i>Scandinavian Journal of Immunology</i> , e13096	3.4	0