Leonardo Andrade

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7053610/publications.pdf

Version: 2024-02-01

623734 552781 38 728 14 26 citations g-index h-index papers 38 38 38 1129 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Nosocomial Outbreak of Extensively Drug-Resistant (Polymyxin B and Carbapenem) Klebsiella pneumoniae in a Collapsed University Hospital Due to COVID-19 Pandemic. Antibiotics, 2022, 11, 814.	3.7	8
2	High occurrence of heavy metal tolerance genes in bacteria isolated from wastewater: A new concern?. Environmental Research, 2021, 196, 110352.	7.5	21
3	Tertiary hospital sewage as reservoir of bacteria expressing MDR phenotype in Brazil. Brazilian Journal of Biology, 2021, 82, e234471.	0.9	7
4	Extensively drug-resistant IMP-16-producing Pseudomonas monteilii isolated from cerebrospinal fluid. Infection, Genetics and Evolution, 2021, 87, 104658.	2.3	1
5	Editorial: Antimicrobial Resistance as a Global Public Health Problem: How Can We Address It?. Frontiers in Public Health, 2020, 8, 612844.	2.7	22
6	Gram-negative bacteria carrying \hat{l}^2 -lactamase encoding genes in hospital and urban wastewater in Brazil. Environmental Monitoring and Assessment, 2020, 192, 376.	2.7	18
7	Evaluation of heavy metal tolerance genes in plasmids harbored in multidrug-resistant and isolated from poultry in Brazil. Diagnostic Microbiology and Infectious Disease, 2019, 94, 314-315.	1.8	11
8	Plasmid Carrying bla CTX-M-2 and bla GES-1 in Extensively Drug-Resistant Pseudomonas aeruginosa from Cerebrospinal Fluid. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	5
9	A Phage-Like Plasmid Carrying blaKPC-2 Gene in Carbapenem-Resistant Pseudomonas aeruginosa. Frontiers in Microbiology, 2019, 10, 572.	3.5	22
10	SPM-1-producing Pseudomonas aeruginosa ST277 carries a chromosomal pack of acquired resistance genes: An example of high-risk clone associated with â€~intrinsic resistome'. Journal of Global Antimicrobial Resistance, 2019, 16, 183-186.	2.2	11
11	Endemicity of the High-Risk Clone Klebsiella pneumoniae ST340 Coproducing QnrB, CTX-M-15, and KPC-2 in a Brazilian Hospital. Microbial Drug Resistance, 2019, 25, 528-537.	2.0	14
12	Virulence genes, capsular and plasmid types of multidrug-resistant CTX-M(-2, -8, -15) and KPC-2-producing Klebsiella pneumoniae isolates from four major hospitals in Brazil. Diagnostic Microbiology and Infectious Disease, 2018, 91, 164-168.	1.8	22
13	Identification and characterization of plasmid-mediated quinolone resistance determinants in Enterobacteriaceae isolated from healthy poultry in Brazil. Infection, Genetics and Evolution, 2018, 60, 66-70.	2.3	14
14	Draft genome sequence of a KPC-2-producing Klebsiella pneumoniae ST340 carrying bla CTX-M-15 and bla CTX-M-59 genes: a rich genome of mobile genetic elements and genes encoding antibiotic resistance. Journal of Global Antimicrobial Resistance, 2018, 13, 35-36.	2.2	2
15	Extended-spectrum cephalosporin-resistant Escherichia coli isolated from chickens and chicken meat in Brazil is associated with rare and complex resistance plasmids and pandemic ST lineages. Journal of Antimicrobial Chemotherapy, 2018, 73, 3293-3297.	3.0	12
16	Virulence potential of commensal multidrug resistant Escherichia coli isolated from poultry in Brazil. Infection, Genetics and Evolution, 2018, 65, 251-256.	2.3	11
17	Transfer of KPC-2 carbapenemase from Klebsiella pneumoniae to Enterobacter cloacae in a patient receiving meropenem therapy. Diagnostic Microbiology and Infectious Disease, 2017, 88, 287-289.	1.8	3
18	Diversity of plasmids harboring bla CMY-2 in multidrug-resistant Escherichia coli isolated from poultry in Brazil. Diagnostic Microbiology and Infectious Disease, 2017, 88, 361-364.	1.8	12

#	Article	IF	Citations
19	Antimicrobial resistance and plasmid replicons in Yersinia enterocolitica strains isolated in Brazil in 30 years. Brazilian Journal of Infectious Diseases, 2017, 21, 477-480.	0.6	16
20	Evaluation and characterization of plasmids carrying CTX-M genes in a non-clonal population of multidrug-resistant Enterobacteriaceae isolated from poultry in Brazil. Diagnostic Microbiology and Infectious Disease, 2016, 85, 444-448.	1.8	38
21	New Small Plasmid Harboring <i>bla</i> _{KPC-2} in Pseudomonas aeruginosa. Antimicrobial Agents and Chemotherapy, 2016, 60, 3211-3214.	3.2	12
22	Induction and nosocomial dissemination of carbapenem and polymyxin-resistant Klebsiella pneumoniae. Revista Da Sociedade Brasileira De Medicina Tropical, 2015, 48, 483-487.	0.9	12
23	Pseudomonas aeruginosa carrying blaCTX-M-2 in Brazil: The occurrence of â€high-risk clones'?. Journal of Global Antimicrobial Resistance, 2015, 3, 153-154.	2.2	3
24	Genomic diversification and virulence features in SPM-1–producing Pseudomonas aeruginosa 13years later. Diagnostic Microbiology and Infectious Disease, 2015, 82, 179-180.	1.8	9
25	Response to Detection of New Delhi Metallo-β-Lactamase–Producing Bacteria, Brazil. Emerging Infectious Diseases, 2015, 21, 1069-1071.	4.3	3
26	International gatherings and potential for global dissemination of São Paulo metallo-β-lactamase (SPM) from Brazil. International Journal of Antimicrobial Agents, 2014, 43, 196-197.	2.5	8
27	Expansion and Evolution of a Virulent, Extensively Drug-Resistant (Polymyxin B-Resistant), QnrS1-, CTX-M-2-, and KPC-2-Producing Klebsiella pneumoniae ST11 International High-Risk Clone. Journal of Clinical Microbiology, 2014, 52, 2530-2535.	3.9	100
28	Detection of chromosomal blaCTX-M-2 in diverse Escherichia coli isolates from healthy broiler chickens. Clinical Microbiology and Infection, 2014, 20, O623-O626.	6.0	40
29	Incl1/ST113 and Incl1/ST114 conjugative plasmids carrying blaCTX-M-8 in Escherichia coli isolated from poultry in Brazil. Diagnostic Microbiology and Infectious Disease, 2014, 80, 304-306.	1.8	27
30	Molecular characterization of Klebsiella pneumoniae carbapenemase-producing isolates in southern Brazil. Journal of Medical Microbiology, 2013, 62, 1721-1727.	1.8	21
31	Reply to "Expansion of Clonal Complex 258 KPC-2-Producing Klebsiella pneumoniae in Latin American Hospitals: Report of the SENTRY Antimicrobial Surveillance Program― Antimicrobial Agents and Chemotherapy, 2012, 56, 1670-1671.	3.2	5
32	Reply to "Clonal Complex 258, the Most Frequently Found Multilocus Sequence Type Complex in KPC-2-Producing Klebsiella pneumoniae Isolated in Brazilian Hospitals― Antimicrobial Agents and Chemotherapy, 2012, 56, 4565-4565.	3.2	1
33	Dissemination of <i>bla</i> _{KPC-2} by the Spread of Klebsiella pneumoniae Clonal Complex 258 Clones (ST258, ST11, ST437) and Plasmids (IncFII, IncN, IncL/M) among Enterobacteriaceae Species in Brazil. Antimicrobial Agents and Chemotherapy, 2011, 55, 3579-3583.	3.2	168
34	Evaluation of Environmental Mycobacteria Contamination in a Specific Pathogen Free Animal Facility from a Tropical Country. Zoonoses and Public Health, 2010, 57, 382-387.	2.2	0
35	Determinants of \hat{l}^2 -lactam resistance in meningitis-causingEnterobacteriaceaein Brazil. Canadian Journal of Microbiology, 2010, 56, 399-407.	1.7	22
36	Antimycobacterial Activity of Natural and Semi-Synthetic Lignans. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2009, 64, 779-784.	1.4	17

#		Article	IF	CITATIONS
37	7	Synthesis of (\hat{a}^2) -hinokinin by oxidation of (\hat{a}^2) -cubebin catalyzed by biomimetic metalloporphyrin catalytic systems. Catalysis Communications, 2009, 10, 669-672.	3.3	10
38	8	In vitro antimycobacterial activity evaluation of (-)-Cubebin and its semi-synthetic derivatives against three species of Mycobacteria. Planta Medica, 2008, 74, .	1.3	0