

Leonardo Schena

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7054870/publications.pdf>

Version: 2024-02-01

93
papers

5,254
citations

87843

38
h-index

91828

69
g-index

96
all docs

96
docs citations

96
times ranked

4782
citing authors

#	ARTICLE	IF	CITATIONS
1	Control of olive anthracnose and leaf spot disease by bloom treatments with a pomegranate peel extract. <i>Journal of the Saudi Society of Agricultural Sciences</i> , 2022, 21, 248-254.	1.0	4
2	Extracts from Environmental Strains of <i>Pseudomonas</i> spp. Effectively Control Fungal Plant Diseases. <i>Plants</i> , 2022, 11, 436.	1.6	4
3	The Fungal Microbiome of Wheat Flour Includes Potential Mycotoxin Producers. <i>Foods</i> , 2022, 11, 676.	1.9	6
4	Plant Genotype Shapes the Bacterial Microbiome of Fruits, Leaves, and Soil in Olive Plants. <i>Plants</i> , 2022, 11, 613.	1.6	16
5	Exploring microbiomes for plant disease management. <i>Biological Control</i> , 2022, 169, 104890.	1.4	10
6	Preharvest and Postharvest Applications of a Pomegranate Peel Extract to Control Citrus Fruit Decay During Storage and Shelf Life. <i>Plant Disease</i> , 2021, 105, 1013-1018.	0.7	14
7	Metagenomics Approaches for the Detection and Surveillance of Emerging and Recurrent Plant Pathogens. <i>Microorganisms</i> , 2021, 9, 188.	1.6	55
8	Experimental evidence of microbial inheritance in plants and transmission routes from seed to phyllosphere and root. <i>Environmental Microbiology</i> , 2021, 23, 2199-2214.	1.8	106
9	Pomegranate Peel Extracts as Safe Natural Treatments to Control Plant Diseases and Increase the Shelf-Life and Safety of Fresh Fruits and Vegetables. <i>Plants</i> , 2021, 10, 453.	1.6	22
10	Soil Microbial Diversity Impacts Plant Microbiota More than Herbivory. <i>Phytobiomes Journal</i> , 2021, 5, 408-417.	1.4	15
11	Development and Application of a Quantitative PCR Detection Method to Quantify <i>Venturia oleaginea</i> in Asymptomatic Olive (<i>Olea europaea</i>) Leaves. <i>Phytopathology</i> , 2020, 110, 547-555.	1.1	6
12	Characterization of <i>Colletotrichum ocimi</i> Population Associated with Black Spot of Sweet Basil (<i>Ocimum basilicum</i>) in Northern Italy. <i>Plants</i> , 2020, 9, 654.	1.6	18
13	Effectiveness of a pomegranate peel extract (PGE) in reducing <i>Listeria monocytogenes</i> in vitro and on fresh-cut pear, apple and melon. <i>European Food Research and Technology</i> , 2020, 246, 1765-1772.	1.6	15
14	Response of Tomato Rhizosphere Bacteria to Root-Knot Nematodes, Fenamiphos and Sampling Time Shows Differential Effects on Low Level Taxa. <i>Frontiers in Microbiology</i> , 2020, 11, 390.	1.5	5
15	Revealing Cues for Fungal Interplay in the Plant-Air Interface in Vineyards. <i>Frontiers in Plant Science</i> , 2019, 10, 922.	1.7	36
16	Selection of yeasts for their anti-mold activity and prospective use in table olive fermentation. <i>Journal of Food Processing and Preservation</i> , 2019, 43, e14259.	0.9	2
17	Transcriptomic Analysis of Orange Fruit Treated with Pomegranate Peel Extract (PGE). <i>Plants</i> , 2019, 8, 101.	1.6	19
18	Diversity and Distribution of <i>Phytophthora</i> Species in Protected Natural Areas in Sicily. <i>Forests</i> , 2019, 10, 259.	0.9	37

#	ARTICLE	IF	CITATIONS
19	Pre- and postharvest application of alternative means to control <i>Alternaria</i> Brown spot of citrus. <i>Crop Protection</i> , 2019, 121, 73-79.	1.0	16
20	<i>Phytophthora oleae</i> sp. nov. causing fruit rot of olive in southern Italy. <i>Plant Pathology</i> , 2018, 67, 1362-1373.	1.2	26
21	Metabarcoding: A powerful tool to investigate microbial communities and shape future plant protection strategies. <i>Biological Control</i> , 2018, 120, 1-10.	1.4	115
22	First Report of <i>Neofusicoccum batangarum</i> as Causal Agent of Scabby Cankers of Cactus Pear (<i>Opuntia</i>) Tj ETQq0 0,0 rgBT /Q5verlock 10	0,7	5
23	Impact of <i>Bactrocera oleae</i> on the fungal microbiota of ripe olive drupes. <i>PLoS ONE</i> , 2018, 13, e0199403.	1.1	9
24	Selection and Experimental Evaluation of Universal Primers to Study the Fungal Microbiome of Higher Plants. <i>Phytobiomes Journal</i> , 2018, 2, 225-236.	1.4	28
25	First report of collar and root rot caused by <i>Phytophthora nicotianae</i> on <i>Lycium barbarum</i> . <i>Journal of Plant Pathology</i> , 2018, 100, 361-361.	0.6	3
26	Diversity of <i>Phytophthora</i> species in Valdivian rainforests and association with severe dieback symptoms. <i>Forest Pathology</i> , 2018, 48, e12443.	0.5	22
27	Apple endophytic microbiota of different rootstock/scion combinations suggests a genotype-specific influence. <i>Microbiome</i> , 2018, 6, 18.	4.9	155
28	Characterization of <i>Phytophthora infestans</i> populations in northwestern Algeria during 2008â€“2014. <i>Fungal Biology</i> , 2017, 121, 467-477.	1.1	25
29	Fungal communities associated with bark and ambrosia beetles trapped at international harbours. <i>Fungal Ecology</i> , 2017, 28, 44-52.	0.7	44
30	Quantitative detection of <i>Colletotrichum godetiae</i> and <i>C. acutatum</i> sensu stricto in the phyllosphere and carposphere of olive during four phenological phases. <i>European Journal of Plant Pathology</i> , 2017, 149, 337-347.	0.8	40
31	Evaluation of a Pomegranate Peel Extract as an Alternative Means to Control Olive Anthracnose. <i>Phytopathology</i> , 2017, 107, 1462-1467.	1.1	41
32	Analysis of the Fungal Diversity in Citrus Leaves with Greasy Spot Disease Symptoms. <i>Microbial Ecology</i> , 2017, 73, 739-749.	1.4	28
33	Elicitation of resistance responses in grapefruit and lemon fruits treated with a pomegranate peel extract. <i>Plant Pathology</i> , 2017, 66, 633-640.	1.2	31
34	A Metabarcoding Survey on the Fungal Microbiota Associated to the Olive Fruit Fly. <i>Microbial Ecology</i> , 2017, 73, 677-684.	1.4	38
35	Fungal Planet description sheets: 558â€“624. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2017, 38, 240-384.	1.6	126
36	<i>Nothophytophthora</i> gen. nov., a new sister genus of <i>Phytophthora</i> from natural and semi-natural ecosystems. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2017, 39, 143-174.	1.6	30

#	ARTICLE	IF	CITATIONS
37	Multiple new cryptic pathogenic <i>Phytophthora</i> species from Fagaceae forests in Austria, Italy and Portugal. <i>IMA Fungus</i> , 2017, 8, 219-244.	1.7	65
38	First Report of <i>Sclerotinia sclerotiorum</i> Associated With Olive Fruit Rot in Italy. <i>Plant Disease</i> , 2017, 101, 1040-1040.	0.7	3
39	Two previously unknown <i>Phytophthora</i> species associated with brown rot of Pomelo (<i>Citrus grandis</i>) fruits in Vietnam. <i>PLoS ONE</i> , 2017, 12, e0172085.	1.1	41
40	Identification of <i>Phytophthora</i> species by a high resolution melting analysis: an innovative tool for rapid differentiation. <i>Plant Protection Science</i> , 2016, 52, 176-181.	0.7	4
41	Characterization of Citrus-Associated <i>Alternaria</i> Species in Mediterranean Areas. <i>PLoS ONE</i> , 2016, 11, e0163255.	1.1	39
42	Spatial and compositional variation in the fungal communities of organic and conventionally grown apple fruit at the consumer point-of-purchase. <i>Horticulture Research</i> , 2016, 3, 16047.	2.9	138
43	Postharvest fungal diseases of cactus pear fruit in southern Italy. <i>Acta Horticulturae</i> , 2016, , 215-218.	0.1	4
44	Metabarcoding Analysis of <i>Phytophthora</i> Diversity Using Genus-Specific Primers and 454 Pyrosequencing. <i>Phytopathology</i> , 2016, 106, 305-313.	1.1	51
45	Genetic Analysis of <i>Phytophthora nicotianae</i> Populations from Different Hosts Using Microsatellite Markers. <i>Phytopathology</i> , 2016, 106, 1006-1014.	1.1	55
46	Alternative management technologies for postharvest disease control: The journey from simplicity to complexity. <i>Postharvest Biology and Technology</i> , 2016, 122, 3-10.	2.9	234
47	Control of postharvest fungal rots on citrus fruit and sweet cherries using a pomegranate peel extract. <i>Postharvest Biology and Technology</i> , 2016, 114, 54-61.	2.9	103
48	Metagenomic Analysis of Fungal Diversity on Strawberry Plants and the Effect of Management Practices on the Fungal Community Structure of Aerial Organs. <i>PLoS ONE</i> , 2016, 11, e0160470.	1.1	76
49	Chemical Characterization of Different Sumac and Pomegranate Extracts Effective against <i>Botrytis cinerea</i> Rots. <i>Molecules</i> , 2015, 20, 11941-11958.	1.7	59
50	Metabarcoding Analysis of Fungal Diversity in the Phyllosphere and Carposphere of Olive (<i>Olea</i>)	1.1	123
51	Identification and validation of polymorphic microsatellite loci for the analysis of <i>Phytophthora nicotianae</i> populations. <i>Journal of Microbiological Methods</i> , 2015, 110, 61-67.	0.7	14
52	Dieback of <i>Pinus nigra</i> Seedlings Caused by a Strain of <i>Trichoderma viride</i> . <i>Plant Disease</i> , 2015, 99, 44-49.	0.7	35
53	Molecular analysis of <i>Phytophthora</i> diversity in nursery-grown ornamental and fruit plants. <i>Plant Pathology</i> , 2015, 64, 1308-1319.	1.2	56
54	Molecular analysis of the fungal microbiome associated with the olive fruit fly <i>Bactrocera oleae</i> . <i>Fungal Ecology</i> , 2015, 18, 67-74.	0.7	20

#	ARTICLE	IF	CITATIONS
55	The Top 10 oomycete pathogens in molecular plant pathology. <i>Molecular Plant Pathology</i> , 2015, 16, 413-434.	2.0	695
56	Molecular Analysis of <i>Colletotrichum</i> Species in the Carposphere and Phyllosphere of Olive. <i>PLoS ONE</i> , 2014, 9, e114031.	1.1	42
57	Effectiveness of Phenolic Compounds against Citrus Green Mould. <i>Molecules</i> , 2014, 19, 12500-12508.	1.7	42
58	Species of the <i>Colletotrichum gloeosporioides</i> and <i>C. Aboninense</i> complexes associated with olive anthracnose. <i>Plant Pathology</i> , 2014, 63, 437-446.	1.2	85
59	Use of Quantitative PCR Detection Methods to Study Biocontrol Agents and Phytopathogenic Fungi and Oomycetes in Environmental Samples. <i>Journal of Phytopathology</i> , 2014, 162, 1-13.	0.5	84
60	Characterization of Basidiomycetes Associated with Wood Rot of Citrus in Southern Italy. <i>Phytopathology</i> , 2014, 104, 851-858.	1.1	13
61	Analyses of the Population Structure in a Global Collection of <i>Phytophthora nicotianae</i> Isolates Inferred from Mitochondrial and Nuclear DNA Sequences. <i>Phytopathology</i> , 2013, 103, 610-622.	1.1	35
62	<i>Phytophthora</i> – <i>pelgrandis</i> Causes Root and Collar Rot of <i>Lavandula stoechas</i> in Italy. <i>Plant Disease</i> , 2013, 97, 1091-1096.	0.7	15
63	A molecular method to assess <i>Phytophthora</i> diversity in environmental samples. <i>Journal of Microbiological Methods</i> , 2012, 88, 356-368.	0.7	73
64	Early detection of <i>Botrytis cinerea</i> latent infections as a tool to improve postharvest quality of table grapes. <i>Postharvest Biology and Technology</i> , 2012, 68, 64-71.	2.9	72
65	Genetic characterization of <i>Phytophthora nicotianae</i> by the analysis of polymorphic regions of the mitochondrial DNA. <i>Fungal Biology</i> , 2011, 115, 432-442.	1.1	30
66	CHARACTERIZATION OF DIFFERENTIALLY EXPRESSED TRANSCRIPTS IN QUERCETIN-TREATED APPLES BY SUPPRESSION SUBTRACTIVE HYBRIDIZATION. <i>Acta Horticulturae</i> , 2010, , 1691-1695.	0.1	1
67	Characterization of genes associated with induced resistance against <i>Penicillium expansum</i> in apple fruit treated with quercetin. <i>Postharvest Biology and Technology</i> , 2010, 56, 1-11.	2.9	61
68	<i>Fomitopsis</i> sp. causing brown rot in wood of living citrus trees reported for first time in southern Italy. <i>New Disease Reports</i> , 2010, 22, 13-13.	0.4	5
69	Effect of quercetin and umbelliferone on the transcript level of <i>Penicillium expansum</i> genes involved in patulin biosynthesis. <i>European Journal of Plant Pathology</i> , 2009, 125, 223-233.	0.8	47
70	Control of <i>Penicillium expansum</i> and patulin accumulation on apples by quercetin and umbelliferone. <i>European Food Research and Technology</i> , 2009, 228, 381-389.	1.6	78
71	Development and application of a PCR-based molecular tool box™ for the identification of <i>Phytophthora</i> species damaging forests and natural ecosystems. <i>Plant Pathology</i> , 2008, 57, 64-75.	1.2	49
72	Use of genome sequence data in the design and testing of SSR markers for <i>Phytophthora</i> species. <i>BMC Genomics</i> , 2008, 9, 620.	1.2	29

#	ARTICLE	IF	CITATIONS
73	Integrated Management of Rosellinia necatrix Root Rot on Fruit Tree Crops. , 2008, , 137-158.		7
74	Real-time PCR identification and detection of Fuscoporia torulosa in Quercus ilex. Plant Pathology, 2007, 57, 070924013950002-???.	1.2	5
75	Comparison of conventional and molecular methods for the detection of Rosellinia necatrix in avocado orchards in southern Spain. Plant Pathology, 2007, 56, 251-256.	1.2	19
76	Real-time Scorpion-PCR detection and quantification of Erwinia amylovora on pear leaves and flowers. European Journal of Plant Pathology, 2007, 118, 11-22.	0.8	19
77	Viroid, phytoplasma, and fungal diseases of stone fruit in eastern Anatolia, Turkey. New Zealand Journal of Crop and Horticultural Science, 2006, 34, 1-6.	0.7	5
78	Assessing the potential of regions of the nuclear and mitochondrial genome to develop a molecular tool box for the detection and characterization of Phytophthora species. Journal of Microbiological Methods, 2006, 67, 70-85.	0.7	94
79	Detection and quantification of Phytophthora ramorum, P. kernoviae, P. citricola and P. quercina in symptomatic leaves by multiplex real-time PCR. Molecular Plant Pathology, 2006, 7, 365-379.	2.0	140
80	Control of table grape storage rots by pre-harvest applications of salts. Postharvest Biology and Technology, 2006, 42, 142-149.	2.9	94
81	BIOCONTROL ACTIVITY OF BIO-COAT AND BIOCURE AGAINST POSTHARVEST ROTS OF TABLE GRAPES AND SWEET CHERRIES. Acta Horticulturae, 2005, , 2115-2120.	0.1	5
82	Control of postharvest rots of sweet cherries by pre- and postharvest applications of Aureobasidium pullulans in combination with calcium chloride or sodium bicarbonate. Postharvest Biology and Technology, 2005, 36, 245-252.	2.9	105
83	INTEGRATED CONTROL OF SWEET CHERRY POSTHARVEST ROTS BY AUREOBASIDIUM PULLULANS IN COMBINATION WITH CALCIUM CHLORIDE OR SODIUM BICARBONATE. Acta Horticulturae, 2005, , 1985-1990.	0.1	1
84	Real-time quantitative PCR: a new technology to detect and study phytopathogenic and antagonistic fungi. European Journal of Plant Pathology, 2004, 110, 893-908.	0.8	278
85	Real-time detection of Phytophthora nicotianae and P. citrophthora in citrus roots and soil. European Journal of Plant Pathology, 2004, 110, 833-843.	0.8	71
86	Control of postharvest rots of sweet cherries and table grapes with endophytic isolates of Aureobasidium pullulans. Postharvest Biology and Technology, 2003, 30, 209-220.	2.9	146
87	Molecular Detection of Strain L47 of Aureobasidium pullulans, a Biocontrol Agent of Postharvest Diseases. Plant Disease, 2002, 86, 54-60.	0.7	75
88	Identification and Detection of Rosellinia Necatrix by Conventional and Real-time Scorpion-PCR. European Journal of Plant Pathology, 2002, 108, 355-366.	0.8	84
89	Detection of Phytophthora nicotianae and P. citrophthora in Citrus Roots and Soils by Nested PCR. European Journal of Plant Pathology, 2002, 108, 855-868.	0.8	75
90	Specific identification of Aureobasidium pullulans strain L47 using Scorpion PCR. EPPO Bulletin, 2000, 30, 559-562.	0.6	2

#	ARTICLE	IF	CITATIONS
91	Biological control of Botrytis, Aspergillus and Rhizopus rots on table and wine grapes in Israel. Postharvest Biology and Technology, 2000, 20, 115-124.	2.9	98
92	Molecular Approaches to Assist the Screening and Monitoring of Postharvest Biocontrol Yeasts. European Journal of Plant Pathology, 2000, 106, 681-691.	0.8	37
93	Genetic diversity and biocontrol activity of Aureobasidium pullulans isolates against postharvest rots. Postharvest Biology and Technology, 1999, 17, 189-199.	2.9	113