

Svein Friis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7055561/publications.pdf>

Version: 2024-02-01

60
papers

2,632
citations

304743

22
h-index

189892

50
g-index

64
all docs

64
docs citations

64
times ranked

2475
citing authors

#	ARTICLE	IF	CITATIONS
1	Reducing the Duration of Untreated First-Episode Psychosis. Archives of General Psychiatry, 2004, 61, 143.	12.3	384
2	Long-Term Follow-Up of the TIPS Early Detection in Psychosis Study: Effects on 10-Year Outcome. American Journal of Psychiatry, 2012, 169, 374-380.	7.2	262
3	Early detection strategies for untreated first-episode psychosis. Schizophrenia Research, 2001, 51, 39-46.	2.0	208
4	Early Detection of the First Episode of Schizophrenia and Suicidal Behavior. American Journal of Psychiatry, 2006, 163, 800-804.	7.2	186
5	The Key to Reducing Duration of Untreated First Psychosis: Information Campaigns. Schizophrenia Bulletin, 2007, 34, 466-472.	4.3	169
6	Prevention of Negative Symptom Psychopathologies in First-Episode Schizophrenia. Archives of General Psychiatry, 2008, 65, 634.	12.3	163
7	Shortened Duration of Untreated First Episode of Psychosis: Changes in Patient Characteristics at Treatment. American Journal of Psychiatry, 2001, 158, 1917-1919.	7.2	151
8	Premorbid adjustment in first-episode non-affective psychosis: Distinct patterns of pre-onset course. British Journal of Psychiatry, 2004, 185, 108-115.	2.8	140
9	Substance abuse in first-episode non-affective psychosis. Schizophrenia Research, 2006, 88, 55-62.	2.0	84
10	Neurocognition and Duration of Psychosis: A 10-year Follow-up of First-Episode Patients. Schizophrenia Bulletin, 2016, 42, sbv083.	4.3	77
11	Subjective quality of life in first-episode psychosis. A ten year follow-up study. Schizophrenia Research, 2016, 172, 23-28.	2.0	56
12	The Effect of Substance Use on 10-Year Outcome in First-Episode Psychosis. Schizophrenia Bulletin, 2017, 43, 843-851.	4.3	55
13	Early Predictors of Ten-Year Course in First-Episode Psychosis. Psychiatric Services, 2016, 67, 438-443.	2.0	47
14	Treatment and violent behavior in persons with first episode psychosis during a 10-year prospective follow-up study. Schizophrenia Research, 2014, 156, 272-276.	2.0	42
15	Neurocognition and occupational functioning in patients with first-episode psychosis: A 2-year follow-up study. Psychiatry Research, 2011, 188, 334-342.	3.3	41
16	Early detection, early symptom progression and symptomatic remission after ten years in a first episode of psychosis study. Schizophrenia Research, 2013, 143, 337-343.	2.0	41
17	Characteristics of patients frequently subjected to pharmacological and mechanical restraintâ€”A register study in three Norwegian acute psychiatric wards. Psychiatry Research, 2014, 215, 127-133.	3.3	41
18	Depressive symptoms in firstâ€”episode psychosis: a 10â€”year followâ€”up study. Microbial Biotechnology, 2016, 10, 227-233.	1.7	35

#	ARTICLE	IF	CITATIONS
19	Attention-Deficit/Hyperactivity Disorder in Preschoolers: The Accuracy of a Short Screener. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 428-435.	0.5	32
20	Co-Occurrence of ODD and CD in Preschool Children With Symptoms of ADHD. <i>Journal of Attention Disorders</i> , 2017, 21, 741-752.	2.6	30
21	Relation between premorbid adjustment, duration of untreated psychosis and close interpersonal trauma in first-episode psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 316-323.	1.7	26
22	Participants' perceived benefits of family intervention following a first episode of psychosis: a qualitative study. <i>Microbial Biotechnology</i> , 2016, 10, 152-159.	1.7	24
23	Patients' and Family Members' Experiences of a Psychoeducational Family Intervention after a First Episode Psychosis: A Qualitative Study. <i>Issues in Mental Health Nursing</i> , 2014, 35, 58-68.	1.2	23
24	Vocational rehabilitation for adults with psychotic disorders in a Scandinavian welfare society. <i>BMC Psychiatry</i> , 2017, 17, 24.	2.6	23
25	The Associations Between Pre- and Postnatal Maternal Symptoms of Distress and Preschooler's Symptoms of ADHD, Oppositional Defiant Disorder, Conduct Disorder, and Anxiety. <i>Journal of Attention Disorders</i> , 2020, 24, 1057-1069.	2.6	23
26	Causes and predictors of premature death in first-episode schizophrenia spectrum disorders. <i>World Psychiatry</i> , 2017, 16, 217-218.	10.4	21
27	Increased interleukin 18 activity in adolescents with early-onset psychosis is associated with cortisol and depressive symptoms. <i>Psychoneuroendocrinology</i> , 2020, 112, 104513.	2.7	21
28	Personality disorders in first-episode psychosis. <i>Personality and Mental Health</i> , 2008, 2, 230-239.	1.2	18
29	A nationwide study of why and how acute adolescent psychiatric units use restraint. <i>Psychiatry Research</i> , 2016, 237, 60-66.	3.3	18
30	Parsing the impact of early detection on duration of untreated psychosis (DUP): Applying quantile regression to data from the Scandinavian TIPS study. <i>Schizophrenia Research</i> , 2019, 210, 128-134.	2.0	15
31	Characteristics of adolescents frequently restrained in acute psychiatric units in Norway: a nationwide study. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2017, 11, 3.	2.5	14
32	The predictive validity of the Strengths and Difficulties Questionnaire for child attention-deficit/hyperactivity disorder. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 625-633.	4.7	13
33	Effects on referral patterns of reducing intensive informational campaigns about first-episode psychosis. <i>Microbial Biotechnology</i> , 2007, 1, 340-345.	1.7	11
34	Youth with hearing loss: Emotional and behavioral problems and quality of life. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2021, 145, 110718.	1.0	11
35	Analyzing the Duration of Untreated Psychosis. <i>JAMA Psychiatry</i> , 2016, 73, 1094.	11.0	10
36	Lipid alterations in adolescents with early-onset psychosis may be independent of antipsychotic medication. <i>Schizophrenia Research</i> , 2020, 216, 295-301.	2.0	10

#	ARTICLE	IF	CITATIONS
37	Reduced levels of circulating adhesion molecules in adolescents with early-onset psychosis. NPJ Schizophrenia, 2020, 6, 20.	3.6	10
38	Challenges for group leaders working with families dealing with early psychosis: a qualitative study. BMC Psychiatry, 2015, 15, 141.	2.6	9
39	A 10-year follow-up study of violent victimization in first episode psychosis: Risk and protective factors. Psychiatry Research, 2018, 259, 545-549.	3.3	9
40	Is going into stable symptomatic remission associated with a more positive development of life satisfaction? A 10-year follow-up study of first episode psychosis. Schizophrenia Research, 2018, 193, 364-369.	2.0	8
41	Reported use of evidence in clinical practice: a survey of rehabilitation practices in Norway. BMC Health Services Research, 2018, 18, 379.	2.2	8
42	Cognitive, emotional, and social functioning of preschoolers with attention deficit hyperactivity problems. BMC Psychiatry, 2022, 22, 78.	2.6	8
43	Predictive validity of attention-deficit/hyperactivity disorder from ages 3 to 5 Years. European Child and Adolescent Psychiatry, 2022, 31, 1-10.	4.7	7
44	Depression and functioning are important to subjective quality of life after a first episode psychosis. Comprehensive Psychiatry, 2018, 86, 107-114.	3.1	6
45	Early Substance Use Cessation Improves Cognitionâ€™10 Years Outcome in First-Episode Psychosis Patients. Frontiers in Psychiatry, 2019, 10, 495.	2.6	6
46	Natural History, Not Lead Time. American Journal of Psychiatry, 2020, 177, 1185-1185.	7.2	6
47	Continuity of care and therapeutic relationships as critical elements in acute psychiatric care. World Psychiatry, 2022, 21, 241-242.	10.4	6
48	Impairment in Young Preschool Children with Symptoms of Attention-Deficit/Hyperactivity Disorder and Co-occurring Oppositional Defiant Disorder and Conduct Disorder. Scandinavian Journal of Child and Adolescent Psychiatry and Psychology, 2013, 2, 95-105.	0.6	5
49	Development of the Posture domain in the Global Body Examination (GBE). Advances in Physiotherapy, 2010, 12, 157-165.	0.2	4
50	The Ullevål acute-ward follow-up study: Reflections on the treatment of psychotic patients who committed suicide. Nordic Journal of Psychiatry, 1995, 49, 5-10.	1.3	3
51	Reflections on Psychotherapeutic approaches to schizophrenic psychoses: past, present and future, by Alanen, de Cházvez, Silver & Martindale. Scandinavian Psychoanalytic Review, 2010, 33, 47-51.	0.4	3
52	Problems in Treating Late-Onset Schizophrenia: An 8-year follow-up study. Nordic Journal of Psychiatry, 1994, 48, 235-240.	1.3	2
53	The TIPS study and bias: Replies to Dr Amos. Australian and New Zealand Journal of Psychiatry, 2012, 46, 905-907.	2.3	2
54	The Global Body Examination (GBE). A useful instrument for evaluation of respiration. Advances in Physiotherapy, 2012, 14, 146-154.	0.2	2

#	ARTICLE	IF	CITATIONS
55	The Global Body Examination (GBE): A useful instrument for examination of patients with long-lasting musculoskeletal and/or psychological disorders. <i>European Journal of Physiotherapy</i> , 2016, 18, 137-143.	1.3	2
56	The factor structure of social cognition in schizophrenia: Weak evidence for separable domains. <i>Schizophrenia Research: Cognition</i> , 2021, 26, 100208.	1.3	1
57	F136. PARSING DUP TO REFINE EARLY DETECTION: QUANTILE REGRESSION OF RESULTS FROM THE SCANDINAVIAN TIPS STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S272-S273.	4.3	0
58	Dr. Årøvergaard et al. Reply. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 701-702.	0.5	0
59	Symptom remission at 12-weeks is a strong predictor for long term outcome. <i>Psychological Medicine</i> , 2020, 50, 2464-2464.	4.5	0
60	The effect of special educational assistance in early childhood education and care on psycho-social difficulties in elementary school children. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2022, 16, 14.	2.5	0