

Kazuhiko Koike

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7056169/kazuhiko-koike-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

524
papers

9,993
citations

46
h-index

78
g-index

560
ext. papers

13,703
ext. citations

4.6
avg, IF

6.69
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 524 | Risk stratification of hepatocellular carcinoma after hepatitis C virus eradication in patients with compensated advanced chronic liver disease in Japan.. <i>Journal of Hepatology</i> , 2022 , | 13.4 | 1 |
| 523 | Laparoscopic resection after self-expanding stent insertion for obstructive left-sided colorectal cancer: Clinicopathological features and outcomes.. <i>Scandinavian Journal of Surgery</i> , 2022 , 111, 14574969 | 3.1 | 0 |
| 522 | The Oncogenic Role of Hepatitis C Virus. <i>Recent Results in Cancer Research</i> , 2021 , 217, 91-105 | 1.5 | 2 |
| 521 | Infectious complications related to radiofrequency ablation of liver tumors: The role of antibiotics. <i>PLoS ONE</i> , 2021 , 16, e0259641 | 3.7 | 0 |
| 520 | The Way to Decoding Pathogenesis and Conquering of National Afflictions, Viral Hepatitis and Liver Cancer. <i>JMA Journal</i> , 2021 , 4, 332-338 | 1 | 0 |
| 519 | Artificial intelligence versus expert endoscopists for diagnosis of gastric cancer in patients who underwent upper gastrointestinal endoscopy. <i>Endoscopy</i> , 2021 , | 3.4 | 2 |
| 518 | Double Guidewire Technique Using an Uneven Double Lumen Catheter for Endoscopic Ultrasound-Guided Interventions. <i>Digestive Diseases and Sciences</i> , 2021 , 66, 1540-1547 | 4 | 4 |
| 517 | Automatic detection of colorectal neoplasia in wireless colon capsule endoscopic images using a deep convolutional neural network. <i>Endoscopy</i> , 2021 , 53, 832-836 | 3.4 | 14 |
| 516 | Blocking VCAM-1 inhibits pancreatic tumour progression and cancer-associated thrombosis/thromboembolism. <i>Gut</i> , 2021 , 70, 1713-1723 | 19.2 | 10 |
| 515 | Salvage antegrade endoscopic ultrasound-guided pancreatic guidewire placement allowing subsequent double-balloon ERCP. <i>Endoscopy</i> , 2021 , 53, E320-E321 | 3.4 | 1 |
| 514 | Artificial intelligence in the diagnosis and management of hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 551-560 | 4 | 7 |
| 513 | ABO Blood Group and Risk of Pancreatic Carcinogenesis in Intraductal Papillary Mucinous Neoplasms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1020-1028 | 4 | 1 |
| 512 | Proposal of Stroop test cut-off values as screening for neuropsychological impairments in cirrhosis: A Japanese multicenter study. <i>Hepatology Research</i> , 2021 , 51, 674-681 | 5.1 | 4 |
| 511 | Long-term outcome of endotherapy for pancreatic stones by using a dedicated pancreatic basket catheter. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 2424-2431 | 4 | 0 |
| 510 | Risk Factors for Prolonged Hospital Stay after Endoscopy. <i>Clinical Endoscopy</i> , 2021 , 54, 851-856 | 2.5 | 0 |
| 509 | Post-treatment cell-free DNA as a predictive biomarker in molecular-targeted therapy of hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2021 , 56, 456-469 | 6.9 | 2 |
| 508 | Endoscopic diagnosis for colorectal sessile serrated lesions. <i>World Journal of Gastroenterology</i> , 2021 , 27, 1321-1329 | 5.6 | 1 |

| | | | |
|-----|--|------|---|
| 507 | Mutant KRAS drives metabolic reprogramming and autophagic flux in premalignant pancreatic cells. <i>Cancer Gene Therapy</i> , 2021 , | 5.4 | 4 |
| 506 | Change in hepatitis C virus positivity among needle-stick injury source patients: a 10-year experience in a Japanese tertiary hospital. <i>BMC Infectious Diseases</i> , 2021 , 21, 399 | 4 | |
| 505 | Comparison of endoscopic gastritis based on Kyoto classification between diffuse and intestinal gastric cancer. <i>World Journal of Gastrointestinal Endoscopy</i> , 2021 , 13, 125-136 | 2.2 | 2 |
| 504 | Clinicopathological features and prognosis of developed gastric cancer based on the diagnosis of mucosal atrophy and enlarged folds of stomach by double-contrast upper gastrointestinal barium X-ray radiography. <i>Clinical Journal of Gastroenterology</i> , 2021 , 14, 947-954 | 1.1 | 0 |
| 503 | Hepatitis C virus modulates signal peptide peptidase to alter host protein processing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118, | 11.5 | 2 |
| 502 | Use of Antibiotics and Probiotics Reduces the Risk of Metachronous Gastric Cancer after Endoscopic Resection. <i>Biology</i> , 2021 , 10, | 4.9 | 2 |
| 501 | Axin2 Peribiliary Glands in the Periapillary Region Generate Biliary Epithelial Stem Cells That Give Rise to Ampullary Carcinoma. <i>Gastroenterology</i> , 2021 , 160, 2133-2148.e6 | 13.3 | 2 |
| 500 | Potential of HBx Gene for Hepatocarcinogenesis in Noncirrhotic Liver. <i>Seminars in Liver Disease</i> , 2021 , 41, 142-149 | 7.3 | |
| 499 | Priority stratification for colonoscopy based on two-sample faecal immunochemical test screening: results from a cross-sectional study at an endoscopy clinic in Japan. <i>BMJ Open</i> , 2021 , 11, e046055 | 3 | 3 |
| 498 | Triple stent-in-stent placement of novel braided metal stents with a slim delivery system via balloon-assisted enteroscopy. <i>Endoscopy</i> , 2021 , | 3.4 | 1 |
| 497 | Simple feedback of colonoscopy performance improved the number of adenomas per colonoscopy and serrated polyp detection rate. <i>Endoscopy International Open</i> , 2021 , 9, E1032-E1038 | 3 | 2 |
| 496 | Impact of Obesity and Heavy Alcohol Consumption on Hepatocellular Carcinoma Development after HCV Eradication with Antivirals. <i>Liver Cancer</i> , 2021 , 10, 309-319 | 9.1 | 4 |
| 495 | The Colorectal Cancer Lipidome: Are There Any Differences in Lipid Species Between Right and Left Colorectal Cancers?. <i>Gastroenterology</i> , 2021 , | 13.3 | 2 |
| 494 | Radiofrequency Ablation of Liver Tumors in Patients on Antithrombotic Therapy: A Case-Control Analysis of over 10,000 Treatments. <i>Journal of Vascular and Interventional Radiology</i> , 2021 , 32, 869-877 | 2.4 | 1 |
| 493 | Molecular and Phenotypic Profiling for Precision Medicine in Pancreatic Cancer: Current Advances and Future Perspectives. <i>Frontiers in Oncology</i> , 2021 , 11, 682872 | 5.3 | 5 |
| 492 | Limited efficacy of atezolizumab and bevacizumab for hepatocellular carcinoma previously treated with tyrosine kinase inhibitor. <i>Liver International</i> , 2021 , 41, 2233-2234 | 7.9 | 2 |
| 491 | Reduced handgrip strength predicts poorer survival in chronic liver diseases: A large multicenter study in Japan. <i>Hepatology Research</i> , 2021 , 51, 957-967 | 5.1 | 6 |
| 490 | Clue of Diagnosis for Autoimmune Gastritis. <i>Digestion</i> , 2021 , 102, 903-910 | 3.6 | 5 |

| | | | |
|-----|--|-----|----|
| 489 | Letter: predictive model for gastric cancer after eradication of <i>Helicobacter pylori</i> -a survival analysis using a deep learning algorithm. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 54, 528-529 | 6.1 | 3 |
| 488 | A Meta-analysis of Slow Pull versus Suction for Endoscopic Ultrasound-Guided Tissue Acquisition. <i>Gut and Liver</i> , 2021 , 15, 625-633 | 4.8 | 2 |
| 487 | Antireflux metal stent for biliary obstruction: Any benefits?. <i>Digestive Endoscopy</i> , 2021 , 33, 310-320 | 3.7 | 8 |
| 486 | Endoscopic management of pancreatic diseases in patients with surgically altered anatomy: clinical outcomes of combination of double-balloon endoscopy- and endoscopic ultrasound-guided interventions. <i>Digestive Endoscopy</i> , 2021 , 33, 441-450 | 3.7 | 9 |
| 485 | Natural history of upper and lower gastrointestinal bleeding in hemodialysis patients: A dual-center long-term cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 112-117 | 4 | 2 |
| 484 | Endoscopic treatment of hepaticojejunostomy anastomotic strictures using fully-covered metal stents. <i>Digestive Endoscopy</i> , 2021 , 33, 451-457 | 3.7 | 0 |
| 483 | A phase I study of intraperitoneal paclitaxel combined with gemcitabine plus nab-paclitaxel for pancreatic cancer with peritoneal metastasis. <i>Investigational New Drugs</i> , 2021 , 39, 175-181 | 4.3 | 2 |
| 482 | A retrospective comparative study of S-IROX and modified FOLFIRINOX for patients with advanced pancreatic cancer refractory to gemcitabine plus nab-paclitaxel. <i>Investigational New Drugs</i> , 2021 , 39, 605-613 | 4.3 | 2 |
| 481 | Aberrant expression of a novel circular RNA in pancreatic cancer. <i>Journal of Human Genetics</i> , 2021 , 66, 181-191 | 4.3 | 14 |
| 480 | Risk for lymph node metastasis in Epstein-Barr virus-associated gastric carcinoma with submucosal invasion. <i>Digestive Endoscopy</i> , 2021 , 33, 592-597 | 3.7 | 2 |
| 479 | Inhibition of histone methyltransferase G9a attenuates liver cancer initiation by sensitizing DNA-damaged hepatocytes to p53-induced apoptosis. <i>Cell Death and Disease</i> , 2021 , 12, 99 | 9.8 | 11 |
| 478 | Automatic detection of various abnormalities in capsule endoscopy videos by a deep learning-based system: a multicenter study. <i>Gastrointestinal Endoscopy</i> , 2021 , 93, 165-173.e1 | 5.2 | 14 |
| 477 | Hepatocellular carcinoma development in diabetic patients: a nationwide survey in Japan. <i>Journal of Gastroenterology</i> , 2021 , 56, 261-273 | 6.9 | 10 |
| 476 | The simplified Kyoto classification score is consistent with the ABC method of classification as a grading system for endoscopic gastritis. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2021 , 68, 101-104 | 3.1 | 7 |
| 475 | Lipid Metabolism in Oncology: Why It Matters, How to Research, and How to Treat. <i>Cancers</i> , 2021 , 13, | 6.6 | 27 |
| 474 | Adverse events after treatment with neoadjuvant gemcitabine plus S-1 and their management in patients with resectable T3 pancreatic cancer. <i>Suizo</i> , 2021 , 36, 29-35 | 0.1 | |
| 473 | International Observational Survey of the Effectiveness of Personal Protective Equipment during Endoscopic Procedures Performed in Patients with COVID-19. <i>Digestion</i> , 2021 , 102, 845-853 | 3.6 | 4 |
| 472 | Protein intake after the initiation of chemotherapy is an independent prognostic factor for overall survival in patients with unresectable pancreatic cancer: A prospective cohort study. <i>Clinical Nutrition</i> , 2021 , 40, 4792-4798 | 5.9 | 3 |

| | | | |
|-----|---|------|-----|
| 471 | Orchestration of myeloid-derived suppressor cells in the tumor microenvironment by ubiquitous cellular protein TCTP released by tumor cells. <i>Nature Immunology</i> , 2021 , 22, 947-957 | 19.1 | 8 |
| 470 | Humanized virus-suppressing factor inhibits hepatitis B virus infection by targeting viral cell entry. <i>Heliyon</i> , 2021 , 7, e07586 | 3.6 | 2 |
| 469 | Comparison of inflammatory bowel disease relapse after top-down or step-up therapy: a population-based cohort study. <i>International Journal of Colorectal Disease</i> , 2021 , 36, 2227-2235 | 3 | |
| 468 | HBx-induced degradation of Smc5/6 complex impairs homologous recombination-mediated repair of damaged DNA. <i>Journal of Hepatology</i> , 2021 , | 13.4 | 4 |
| 467 | Development and implementation of a cloud-based guideline support system. <i>Acta Hepatologica Japonica</i> , 2021 , 62, 512-515 | 0.3 | 1 |
| 466 | Cell fate analysis of zone 3 hepatocytes in liver injury and tumorigenesis. <i>JHEP Reports</i> , 2021 , 3, 100315 | 10.3 | 1 |
| 465 | Enlarged folds on endoscopic gastritis as a predictor for submucosal invasion of gastric cancers. <i>World Journal of Gastrointestinal Endoscopy</i> , 2021 , 13, 426-436 | 2.2 | 0 |
| 464 | Long Survival after Gastrointestinal Bleeding in a New-Onset HeydeR Syndrome Patient Treated with Multiple Endoscopic Hemostatic Procedures and Repeated Transfusions after Aortic Valve Replacement. <i>Case Reports in Gastroenterology</i> , 2021 , 15, 819-824 | 1 | |
| 463 | Changing clinical management of NAFLD in Asia. <i>Liver International</i> , 2021 , | 7.9 | 2 |
| 462 | Incidence and computed tomography findings of lenvatinib-induced pancreatobiliary inflammation: A single-center, retrospective study. <i>Medicine (United States)</i> , 2021 , 100, e27182 | 1.8 | 2 |
| 461 | The feasibility of a novel injectable hydrogel for protecting artificial gastrointestinal ulcers after endoscopic resection: an animal pilot study. <i>Scientific Reports</i> , 2021 , 11, 18508 | 4.9 | 1 |
| 460 | A Prospective Multicenter Study of Partially Covered Metal Stents in Patients Receiving Neoadjuvant Chemotherapy for Resectable and Borderline Resectable Pancreatic Cancer: BTS-NAC Study. <i>Gut and Liver</i> , 2021 , 15, 135-141 | 4.8 | 5 |
| 459 | Small-caliber plastic stent for endoscopic ultrasound-guided drainage of a non-dilated pancreatic duct. <i>Endoscopy</i> , 2021 , 53, E407-E408 | 3.4 | 1 |
| 458 | A single nucleotide polymorphism in is associated with endoscopic grading in Kyoto classification of gastritis. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2021 , 68, 73-77 | 3.1 | 2 |
| 457 | Hepatocellular carcinoma. <i>Nature Reviews Disease Primers</i> , 2021 , 7, 6 | 51.1 | 563 |
| 456 | WWP1 inactivation enhances efficacy of PI3K inhibitors while suppressing their toxicities in breast cancer models.. <i>Journal of Clinical Investigation</i> , 2021 , 131, | 15.9 | 2 |
| 455 | Chemoprevention of Oesophageal Squamous-Cell Carcinoma and Adenocarcinoma: A Multicentre Retrospective Cohort Study.. <i>Digestion</i> , 2021 , 1-13 | 3.6 | 0 |
| 454 | Chronological change in alpha-fetoprotein levels in hepatocellular carcinoma after eradication of hepatitis C virus. <i>Liver International</i> , 2020 , 40, 2305-2306 | 7.9 | 1 |

| | | | |
|-----|---|------|-----|
| 453 | The effects of diuretic use and the presence of ascites on muscle cramps in patients with cirrhosis: a nationwide study. <i>Journal of Gastroenterology</i> , 2020 , 55, 868-876 | 6.9 | 1 |
| 452 | Nodularity-like appearance in the cardia: novel endoscopic findings for infection. <i>Endoscopy International Open</i> , 2020 , 8, E770-E774 | 3 | 10 |
| 451 | Utilizing artificial intelligence in endoscopy: a clinician's guide. <i>Expert Review of Gastroenterology and Hepatology</i> , 2020 , 14, 689-706 | 4.2 | 10 |
| 450 | Inverse time trends of peptic ulcer and reflux esophagitis show significant association with reduced prevalence of infection. <i>Annals of Medicine</i> , 2020 , 52, 506-514 | 1.5 | 5 |
| 449 | The association of <i>Helicobacter pylori</i> infection with serum lipid profiles: An evaluation based on a combination of meta-analysis and a propensity score-based observational approach. <i>PLoS ONE</i> , 2020 , 15, e0234433 | 3.7 | 10 |
| 448 | Lenvatinib-induced acute acalculous cholecystitis in a patient with hepatocellular carcinoma. <i>Clinical Journal of Gastroenterology</i> , 2020 , 13, 568-571 | 1.1 | 2 |
| 447 | HBx increases EGFR expression by inhibiting miR129-5p function. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 529, 198-203 | 3.4 | 4 |
| 446 | Efficacy and safety of a new rifabutin-based triple therapy with vonoprazan for refractory <i>Helicobacter pylori</i> infection: A prospective single-arm study. <i>Helicobacter</i> , 2020 , 25, e12719 | 4.9 | 9 |
| 445 | Highly accurate artificial intelligence systems to predict the invasion depth of gastric cancer: efficacy of conventional white-light imaging, nonmagnifying narrow-band imaging, and indigo-carmine dye contrast imaging. <i>Gastrointestinal Endoscopy</i> , 2020 , 92, 866-873.e1 | 5.2 | 31 |
| 444 | Nuclear staining of claudin-18 is a new immunohistochemical marker for diagnosing intramucosal well-differentiated gastric adenocarcinoma. <i>Pathology International</i> , 2020 , 70, 644-652 | 1.8 | 0 |
| 443 | GPR30-Expressing Gastric Chief Cells Do Not Dedifferentiate But Are Eliminated via PDK-Dependent Cell Competition During Development of Metaplasia. <i>Gastroenterology</i> , 2020 , 158, 1650-1666.e15 | 13.3 | 295 |
| 442 | Automatic detection and classification of protruding lesions in wireless capsule endoscopy images based on a deep convolutional neural network. <i>Gastrointestinal Endoscopy</i> , 2020 , 92, 144-151.e1 | 5.2 | 68 |
| 441 | A prospective study of fully covered metal stents for different types of refractory benign biliary strictures. <i>Endoscopy</i> , 2020 , 52, 368-376 | 3.4 | 5 |
| 440 | Digital cholangioscopy-guided retrieval of a migrated hepaticogastrostomy stent through a created hepaticogastrostomy route. <i>Endoscopy</i> , 2020 , 52, E320-E321 | 3.4 | 1 |
| 439 | Retrospective Comparative Study of Side-by-Side and Stent-in-Stent Metal Stent Placement for Hilar Malignant Biliary Obstruction. <i>Digestive Diseases and Sciences</i> , 2020 , 65, 3710-3718 | 4 | 11 |
| 438 | Inflammatory fibroid polyp mimicking an early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2020 , 92, 217-218 | 3.8 | 2 |
| 437 | Adverse events associated with bidirectional endoscopy with midazolam and pethidine. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2020 , 66, 78-81 | 3.1 | 4 |
| 436 | Endoscopic ultrasound-guided gallbladder drainage with a combined internal and external drainage tubes for acute cholecystitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1821-1827 | 4 | 5 |

| | | | |
|-----|---|-----|----|
| 435 | The impact of age and comorbidity in advanced or recurrent biliary tract cancer receiving palliative chemotherapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1828-1835 | 4 | 2 |
| 434 | Long-term outcomes of a long, partially covered metal stent for EUS-guided hepaticogastrostomy in patients with malignant biliary obstruction (with video). <i>Gastrointestinal Endoscopy</i> , 2020 , 92, 623-631.e1 | 5.2 | 28 |
| 433 | Tumor microenvironment in gastric cancers. <i>Cancer Science</i> , 2020 , 111, 2696-2707 | 6.9 | 58 |
| 432 | V. Hepatocellular Carcinoma Arising from NASH/NAFLD: Present Situation and Future Measures. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2020 , 109, 42-46 | 0 | |
| 431 | Clinical features of cardiac nodularity-like appearance induced by infection. <i>World Journal of Gastroenterology</i> , 2020 , 26, 5354-5361 | 5.6 | 4 |
| 430 | Using mHealth to Provide Mobile App Users With Visualization of Health Checkup Data and Educational Videos on Lifestyle-Related Diseases: Methodological Framework for Content Development. <i>JMIR MHealth and UHealth</i> , 2020 , 8, e20982 | 5.5 | 4 |
| 429 | Plasticity of Intestinal Epithelium: Stem Cell Niches and Regulatory Signals. <i>International Journal of Molecular Sciences</i> , 2020 , 22, | 6.3 | 8 |
| 428 | Dysregulated Immune Responses by ASK1 Deficiency Alter Epithelial Progenitor Cell Fate and Accelerate Metaplasia Development during Infection. <i>Microorganisms</i> , 2020 , 8, | 4.9 | 2 |
| 427 | Endoscopy-based Kyoto classification score of gastritis related to pathological topography of neutrophil activity. <i>World Journal of Gastroenterology</i> , 2020 , 26, 5146-5155 | 5.6 | 7 |
| 426 | Endoscopic Kyoto classification of infection and gastric cancer risk diagnosis. <i>World Journal of Gastroenterology</i> , 2020 , 26, 466-477 | 5.6 | 33 |
| 425 | Kyoto classification in patients who developed multiple gastric carcinomas after eradication. <i>World Journal of Gastrointestinal Endoscopy</i> , 2020 , 12, 276-284 | 2.2 | 1 |
| 424 | Management of Difficult Bile Duct Stones by Large Balloon, Cholangioscopy, Enteroscopy and Endosonography. <i>Gut and Liver</i> , 2020 , 14, 297-305 | 4.8 | 8 |
| 423 | Endoscopic Ultrasound-Guided Tissue Acquisition by 22-Gauge Franseen and Standard Needles for Solid Pancreatic Lesions. <i>Gut and Liver</i> , 2020 , 14, 817-825 | 4.8 | 7 |
| 422 | A multicenter nonrandomized controlled trial to evaluate the efficacy of surgery versus radiofrequency ablation for small hepatocellular carcinoma (SURF cohort trial).. <i>Journal of Clinical Oncology</i> , 2020 , 38, 4581-4581 | 2.2 | 0 |
| 421 | Introduction: Liver Disease in Asia. <i>Clinical Liver Disease</i> , 2020 , 16, 223-226 | 2.2 | 78 |
| 420 | Steroid injection and polyglycolic acid shielding to prevent stricture after esophageal endoscopic submucosal dissection: a retrospective comparative analysis (with video). <i>Gastrointestinal Endoscopy</i> , 2020 , 92, 1176-1186.e1 | 5.2 | 7 |
| 419 | Neoadjuvant Use of Oncolytic Herpes Virus G47 Δ Enhances the Antitumor Efficacy of Radiofrequency Ablation. <i>Molecular Therapy - Oncolytics</i> , 2020 , 18, 535-545 | 6.4 | 6 |
| 418 | Combined stent-in-stent and side-by-side stenting for hilar cholangiocarcinoma using a novel braided and weaving metal stent. <i>Endoscopy</i> , 2020 , 52, E150-E151 | 3.4 | 1 |

| | | | |
|-----|---|-----|----|
| 417 | Reply to Murakami et al. <i>Endoscopy</i> , 2020 , 52, 77 | 3.4 | |
| 416 | Expression of c-Met in Primary and Recurrent Hepatocellular Carcinoma. <i>Oncology</i> , 2020 , 98, 186-194 | 3.6 | 8 |
| 415 | Biliary reintervention with endoscopic inversion technique in the duodenum with the use of short-type double-balloon endoscope in a patient with an indwelling duodenal stent. <i>VideoGIE</i> , 2020 , 5, 16-19 | 1.1 | |
| 414 | Automatic detection of blood content in capsule endoscopy images based on a deep convolutional neural network. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1196-1200 | 4 | 44 |
| 413 | A saturated fatty acid-rich diet enhances hepatic lipogenesis and tumorigenesis in HCV core gene transgenic mice. <i>Journal of Nutritional Biochemistry</i> , 2020 , 85, 108460 | 6.3 | 5 |
| 412 | Dietary Restriction Suppresses Steatosis-Associated Hepatic Tumorigenesis in Hepatitis C Virus Core Gene Transgenic Mice. <i>Liver Cancer</i> , 2020 , 9, 529-548 | 9.1 | 6 |
| 411 | Role of Endoscopic Ultrasonography-Guided Fine Needle Aspiration/Biopsy in the Diagnosis of Autoimmune Pancreatitis. <i>Diagnostics</i> , 2020 , 10, | 3.8 | 4 |
| 410 | Soluble VCAM-1 promotes gemcitabine resistance via macrophage infiltration and predicts therapeutic response in pancreatic cancer. <i>Scientific Reports</i> , 2020 , 10, 21194 | 4.9 | 7 |
| 409 | Automatic detection of different types of small-bowel lesions on capsule endoscopy images using a newly developed deep convolutional neural network. <i>Endoscopy</i> , 2020 , 52, 786-791 | 3.4 | 17 |
| 408 | Heterozygous knockout of Bile salt export pump ameliorates liver steatosis in mice fed a high-fat diet. <i>PLoS ONE</i> , 2020 , 15, e0234750 | 3.7 | 5 |
| 407 | Screening Strategy of Pancreatic Cancer in Patients with Diabetes Mellitus. <i>Diagnostics</i> , 2020 , 10, | 3.8 | 2 |
| 406 | Distinct Features of Autoimmune Gastritis in Patients with Open-Type Chronic Gastritis in Japan. <i>Biomedicines</i> , 2020 , 8, | 4.8 | 5 |
| 405 | Deletion of Histone Methyltransferase G9a Suppresses Mutant Kras-driven Pancreatic Carcinogenesis. <i>Cancer Genomics and Proteomics</i> , 2020 , 17, 695-705 | 3.3 | 6 |
| 404 | Emerging Roles of Exosomal Circular RNAs in Cancer. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 568366 | 5.7 | 22 |
| 403 | 5-Aminolevulinic acid-mediated photodynamic activity in patient-derived cholangiocarcinoma organoids. <i>Surgical Oncology</i> , 2020 , 35, 484-490 | 2.5 | 3 |
| 402 | The fatty-acid amide hydrolase inhibitor URB597 inhibits MICA/B shedding. <i>Scientific Reports</i> , 2020 , 10, 15556 | 4.9 | 3 |
| 401 | Expert endoscopists with high adenoma detection rates frequently detect diminutive adenomas in proximal colon. <i>Endoscopy International Open</i> , 2020 , 8, E775-E782 | 3 | 6 |
| 400 | Feasibility of balloon endoscope-assisted endoscopic retrograde cholangiopancreatography for the elderly. <i>Endoscopy International Open</i> , 2020 , 8, E1202-E1211 | 3 | 2 |

| | | | |
|-----|---|------|----|
| 399 | A Novel Technique of Endoscopic Papillectomy with Hybrid Endoscopic Submucosal Dissection for Ampullary Tumors: A Proof-of-Concept Study (with Video). <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 2 |
| 398 | Double-balloon endoscopy-assisted treatment of hepaticojejunostomy anastomotic strictures and predictive factors for treatment success. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020 , 34, 1612-1620 | 5.2 | 13 |
| 397 | Long-term Risk of Malignancy in Branch-Duct Intraductal Papillary Mucinous Neoplasms. <i>Gastroenterology</i> , 2020 , 158, 226-237.e5 | 13.3 | 80 |
| 396 | Efficacy and Safety of Early vs Elective Colonoscopy for Acute Lower Gastrointestinal Bleeding. <i>Gastroenterology</i> , 2020 , 158, 168-175.e6 | 13.3 | 33 |
| 395 | Treatment of afferent loop syndrome using digital cholangioscopy through the percutaneous transhepatic biliary drainage route. <i>Endoscopy</i> , 2020 , 52, E71-E72 | 3.4 | 3 |
| 394 | The "zipline" technique for endoscopic transpapillary biliary biopsy. <i>Endoscopy</i> , 2020 , 52, 236-237 | 3.4 | 2 |
| 393 | Hepatic FATP5 expression is associated with histological progression and loss of hepatic fat in NAFLD patients. <i>Journal of Gastroenterology</i> , 2020 , 55, 227-243 | 6.9 | 15 |
| 392 | A trans-fatty acid-rich diet promotes liver tumorigenesis in HCV core gene transgenic mice. <i>Carcinogenesis</i> , 2020 , 41, 159-170 | 4.6 | 7 |
| 391 | Insulin secretion improvement during steroid therapy for autoimmune pancreatitis according to the onset of diabetes mellitus. <i>Journal of Gastroenterology</i> , 2020 , 55, 198-204 | 6.9 | 4 |
| 390 | Changing etiology of hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2020 , 55, 125-126 | 6.9 | 2 |
| 389 | Natural history of asymptomatic bile duct stones and association of endoscopic treatment with clinical outcomes. <i>Journal of Gastroenterology</i> , 2020 , 55, 78-85 | 6.9 | 13 |
| 388 | Clinical usefulness of a deep learning-based system as the first screening on small-bowel capsule endoscopy reading. <i>Digestive Endoscopy</i> , 2020 , 32, 585-591 | 3.7 | 44 |
| 387 | Improved liver function in patients with cirrhosis due to chronic hepatitis C virus who achieve sustained virologic response is not accompanied by increased liver volume. <i>PLoS ONE</i> , 2020 , 15, e0231836 | 3.7 | 2 |
| 386 | The association of Helicobacter pylori infection with serum lipid profiles: An evaluation based on a combination of meta-analysis and a propensity score-based observational approach 2020 , 15, e0234433 | | |
| 385 | The association of Helicobacter pylori infection with serum lipid profiles: An evaluation based on a combination of meta-analysis and a propensity score-based observational approach 2020 , 15, e0234433 | | |
| 384 | The association of Helicobacter pylori infection with serum lipid profiles: An evaluation based on a combination of meta-analysis and a propensity score-based observational approach 2020 , 15, e0234433 | | |
| 383 | The association of Helicobacter pylori infection with serum lipid profiles: An evaluation based on a combination of meta-analysis and a propensity score-based observational approach 2020 , 15, e0234433 | | |
| 382 | Long-term outcomes of endoscopic treatment for duct-to-duct anastomotic strictures after living donor liver transplantation. <i>Liver International</i> , 2019 , 39, 1954-1963 | 7.9 | 7 |

| | | | |
|-----|--|------|----|
| 381 | Electrohydraulic lithotripsy through a fistula of EUS-guided hepaticogastrostomy: a new approach for right intrahepatic stones. <i>VideoGIE</i> , 2019 , 4, 420-422 | 1.1 | 4 |
| 380 | Role of early capsule endoscopy for acute GI bleeding. <i>Gastrointestinal Endoscopy</i> , 2019 , 90, 701-702 | 5.2 | 1 |
| 379 | RE: Effects of Oral Anticoagulants and Aspirin on Performance of Fecal Immunochemical Tests in Colorectal Cancer Screening. <i>Gastroenterology</i> , 2019 , | 13.3 | |
| 378 | Blocking CXCLs-CXCR2 axis in tumor-stromal interactions contributes to survival in a mouse model of pancreatic ductal adenocarcinoma through reduced cell invasion/migration and a shift of immune-inflammatory microenvironment. <i>Oncogenesis</i> , 2019 , 8, 8 | 6.6 | 43 |
| 377 | Alpha-Blockers As Colorectal Cancer Chemopreventive: Findings from a Case-Control Study, Human Cell Cultures, and Preclinical Testing. <i>Cancer Prevention Research</i> , 2019 , 12, 185-194 | 3.2 | 4 |
| 376 | A feasibility study of gemcitabine, S-1 and leucovorin combination therapy (GSL) for advanced biliary tract cancer. <i>Journal of Chemotherapy</i> , 2019 , 31, 284-289 | 2.3 | 2 |
| 375 | Successful treatment of chronic hepatitis C virus infection with crushed glecaprevir/pibrentasvir administered via a percutaneous endoscopic gastrostomy tube: case report and review of the literature. <i>Clinical Journal of Gastroenterology</i> , 2019 , 12, 588-591 | 1.1 | 6 |
| 374 | Machine-learning Approach for the Development of a Novel Predictive Model for the Diagnosis of Hepatocellular Carcinoma. <i>Scientific Reports</i> , 2019 , 9, 7704 | 4.9 | 42 |
| 373 | Significance of biopsy with ERCP for diagnosis of bile duct invasion of DLBCL. <i>International Journal of Hematology</i> , 2019 , 110, 381-384 | 2.3 | 4 |
| 372 | Endoscopic shielding with polyglycolic acid sheets and fibrin glue for a large-sized ulcer after endoscopic submucosal dissection. <i>Digestive Endoscopy</i> , 2019 , 31 Suppl 1, 23-24 | 3.7 | 1 |
| 371 | Double-guidewire technique for endoscopic ultrasound-guided pancreatic duct drainage. <i>Digestive Endoscopy</i> , 2019 , 31 Suppl 1, 65-66 | 3.7 | 9 |
| 370 | Transverse stent placement for hilar malignant biliary obstruction through an endoscopic ultrasound-guided hepaticogastrostomy route. <i>Endoscopy</i> , 2019 , 51, E245-E246 | 3.4 | 0 |
| 369 | Tandem repeats of the 5'flanking region of human have a role as a novel enhancer in gene expression. <i>Biochemistry and Biophysics Reports</i> , 2019 , 18, 100632 | 2.2 | |
| 368 | The Reduction in Gastric Atrophy after Eradication Is Reduced by Treatment with Inhibitors of Gastric Acid Secretion. <i>International Journal of Molecular Sciences</i> , 2019 , 20, | 6.3 | 6 |
| 367 | A high-cholesterol diet promotes steatohepatitis and liver tumorigenesis in HCV core gene transgenic mice. <i>Archives of Toxicology</i> , 2019 , 93, 1713-1725 | 5.8 | 12 |
| 366 | Remission induction, maintenance, and endoscopic outcome with oral 5-aminosalicylic acid in intestinal Behçet's disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1929-1939 | 4 | 9 |
| 365 | A combination of serum anti- antibody titer and Kyoto classification score could provide a more accurate diagnosis of. <i>United European Gastroenterology Journal</i> , 2019 , 7, 343-348 | 5.3 | 13 |
| 364 | Antireflux covered metal stent for nonresectable distal malignant biliary obstruction: Multicenter randomized controlled trial. <i>Digestive Endoscopy</i> , 2019 , 31, 566-574 | 3.7 | 18 |

| | | | |
|-----|--|------|----|
| 363 | Analysis of predictive factors for R0 resection and immediate bleeding of cold snare polypectomy in colonoscopy. <i>PLoS ONE</i> , 2019 , 14, e0213281 | 3.7 | 8 |
| 362 | Noninvasive diagnostic criteria for nonalcoholic steatohepatitis based on gene expression levels in peripheral blood mononuclear cells. <i>Journal of Gastroenterology</i> , 2019 , 54, 730-741 | 6.9 | 5 |
| 361 | Pancreatic stent during biliary cannulation: How can we catch 2 bunnies?. <i>Gastrointestinal Endoscopy</i> , 2019 , 89, 648-649 | 5.2 | 2 |
| 360 | Disruption of FBXL5-mediated cellular iron homeostasis promotes liver carcinogenesis. <i>Journal of Experimental Medicine</i> , 2019 , 216, 950-965 | 16.6 | 19 |
| 359 | Endoscopic tissue shielding to prevent bleeding after endoscopic submucosal dissection: a prospective multicenter randomized controlled trial. <i>Endoscopy</i> , 2019 , 51, 619-627 | 3.4 | 30 |
| 358 | Next endoscopic approach for acute lower gastrointestinal bleeding without an identified source on colonoscopy: upper or capsule endoscopy?. <i>Endoscopy International Open</i> , 2019 , 7, E337-E346 | 3 | 5 |
| 357 | Early detection of bone metastases of hepatocellular carcinoma reduces bone fracture and paralysis. <i>Japanese Journal of Clinical Oncology</i> , 2019 , 49, 529-536 | 2.8 | 6 |
| 356 | Initial management for acute lower gastrointestinal bleeding. <i>World Journal of Gastroenterology</i> , 2019 , 25, 69-84 | 5.6 | 17 |
| 355 | Endoscopic ultrasound-guided salvage for a disconnected choledochojejunostomy anastomosis through a jejunal stoma. <i>Endoscopy</i> , 2019 , 51, E172-E173 | 3.4 | |
| 354 | Bacterial peritonitis in a patient with malignant ascites caused by pancreatic carcinoma: Case report and review of literature. <i>Journal of Infection and Chemotherapy</i> , 2019 , 25, 473-476 | 2.2 | 0 |
| 353 | Visceral adiposity and high adiponectin levels are associated with the prevalence of pancreatic cystic lesions. <i>International Journal of Obesity</i> , 2019 , 43, 169-175 | 5.5 | 2 |
| 352 | Endoscopic papillary large balloon dilation and endoscopic papillary balloon dilation both without sphincterotomy for removal of large bile duct stones: A propensity-matched analysis. <i>Digestive Endoscopy</i> , 2019 , 31, 59-68 | 3.7 | 18 |
| 351 | Identification of marker genes and pathways specific to precancerous duodenal adenomas and early stage adenocarcinomas. <i>Journal of Gastroenterology</i> , 2019 , 54, 131-140 | 6.9 | 11 |
| 350 | Genomic profiles of colorectal carcinoma with liver metastases and newly identified fusion genes. <i>Cancer Science</i> , 2019 , 110, 2973-2981 | 6.9 | 14 |
| 349 | CF290 for pancolonic chromoendoscopy improved sessile serrated polyp detection and procedure time: a propensity score-matching study. <i>Endoscopy International Open</i> , 2019 , 7, E987-E993 | 3 | 12 |
| 348 | Role of Muscarinic Acetylcholine Signaling in Gastrointestinal Cancers. <i>Biomedicines</i> , 2019 , 7, | 4.8 | 10 |
| 347 | Diagnostic yield of the plasma free amino acid index for pancreatic cancer in patients with diabetes mellitus. <i>Pancreatology</i> , 2019 , 19, 695-698 | 3.8 | 4 |
| 346 | A Novel Non-invasive Method for Predicting Liver Fibrosis by Quantifying the Hepatic Vein Waveform. <i>Ultrasound in Medicine and Biology</i> , 2019 , 45, 2363-2371 | 3.5 | 3 |

| | | | |
|-----|---|------|----|
| 345 | Altered serum acylcarnitine profile is associated with the status of nonalcoholic fatty liver disease (NAFLD) and NAFLD-related hepatocellular carcinoma. <i>Scientific Reports</i> , 2019 , 9, 10663 | 4.9 | 23 |
| 344 | Impact of AAV2 and Hepatitis B Virus Integration Into Genome on Development of Hepatocellular Carcinoma in Patients with Prior Hepatitis B Virus Infection. <i>Clinical Cancer Research</i> , 2019 , 25, 6217-6227 ¹²⁻⁹ | 12.9 | 10 |
| 343 | Eltrombopag enables initiation and completion of pegylated interferon/ribavirin therapy in Japanese HCV-infected patients with chronic liver disease and thrombocytopenia. <i>Experimental and Therapeutic Medicine</i> , 2019 , 18, 596-604 | 2.1 | 1 |
| 342 | Detection of circulating colorectal cancer cells by a custom microfluid system before and after endoscopic metallic stent placement. <i>Oncology Letters</i> , 2019 , 18, 6397-6404 | 2.6 | 4 |
| 341 | Endoscopic ultrasound-guided pancreatic duct drainage. <i>Saudi Journal of Gastroenterology</i> , 2019 , 25, 210-217 | 3 | 24 |
| 340 | Endoscopic Ultrasound-Guided Biliary Drainage for Unresectable Hilar Malignant Biliary Obstruction. <i>Clinical Endoscopy</i> , 2019 , 52, 220-225 | 2.5 | 20 |
| 339 | Endoscopic Ultrasound-Guided Biliary Drainage for Benign Biliary Diseases. <i>Clinical Endoscopy</i> , 2019 , 52, 212-219 | 2.5 | 25 |
| 338 | Development of pancreatic cancer during observation for hepatocellular carcinoma: A retrospective cohort study. <i>Saudi Journal of Gastroenterology</i> , 2019 , 25, 390-396 | 3 | |
| 337 | Enhancement of the efficacy of radiofrequency ablation by neoadjuvant oncolytic virus therapy via antitumor immunity and the booster effect of immune checkpoint inhibitors.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 253-253 | 2.2 | 0 |
| 336 | 8. Non-B, Non-C Liver Cancer in Japan: Present Status and Perspective. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2019 , 108, 1912-1917 | 0 | |
| 335 | Current Status of Endoscopic Ultrasound Techniques for Pancreatic Neoplasms. <i>Clinical Endoscopy</i> , 2019 , 52, 527-532 | 2.5 | 1 |
| 334 | Hepatic Sdf2l1 controls feeding-induced ER stress and regulates metabolism. <i>Nature Communications</i> , 2019 , 10, 947 | 17.4 | 28 |
| 333 | BHLHA15-Positive Secretory Precursor Cells Can Give Rise to Tumors in Intestine and Colon in Mice. <i>Gastroenterology</i> , 2019 , 156, 1066-1081.e16 | 13.3 | 20 |
| 332 | Multiple recurrences after endoscopic removal of common bile duct stones: A retrospective analysis of 976 cases. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1460-1466 | 4 | 9 |
| 331 | In-hospital mortality associated with transcatheter arterial embolization for treatment of hepatocellular carcinoma in patients on hemodialysis for end stage renal disease: a matched-pair cohort study using a nationwide database. <i>BJR/Open</i> , 2019 , 1, 20190004 | 1.4 | 1 |
| 330 | Small-caliber endoscopes are more fragile than conventional endoscopes. <i>Endoscopy International Open</i> , 2019 , 7, E1729-E1732 | 3 | 2 |
| 329 | Brain metastasis in pancreatic cancer: Two case reports. <i>Medicine (United States)</i> , 2019 , 98, e14227 | 1.8 | 6 |
| 328 | Mutant IDH1 confers resistance to energy stress in normal biliary cells through PFKP-induced aerobic glycolysis and AMPK activation. <i>Scientific Reports</i> , 2019 , 9, 18859 | 4.9 | 11 |

| | | | | |
|-----|---|--|-----|-----|
| 327 | Reply to Wang et al. <i>Endoscopy</i> , 2019 , 51, 1184 | | 3.4 | |
| 326 | Utility of hepatic vein waveform and transient elastography in patients with Budd-Chiari syndrome who require angioplasty: Two case reports. <i>Medicine (United States)</i> , 2019 , 98, e17877 | | 1.8 | 3 |
| 325 | A randomized-controlled trial of early endotherapy versus wait-and-see policy for mild symptomatic pancreatic stones in chronic pancreatitis. <i>European Journal of Gastroenterology and Hepatology</i> , 2019 , 31, 979-984 | | 2.2 | 3 |
| 324 | Identifying Inhibitors of the HBx-DDB1 Interaction Using a Split Luciferase Assay System. <i>Journal of Visualized Experiments</i> , 2019 , | | 1.6 | 3 |
| 323 | Expression of circular RNA CDR1-AS in colon cancer cells increases cell surface PD-L1 protein levels. <i>Oncology Reports</i> , 2019 , 42, 1459-1466 | | 3.5 | 25 |
| 322 | Early pancreatic stent placement in wire-guided biliary cannulation: A multicenter retrospective study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1116-1122 | | 4 | 9 |
| 321 | Development and internal validation of a risk scoring system for gastrointestinal events requiring surgery in gastrointestinal lymphoma patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 693-699 | | 4 | 5 |
| 320 | Performance of a new short-type double-balloon endoscope with advanced force transmission and adaptive bending for pancreaticobiliary intervention in patients with surgically altered anatomy: A propensity-matched analysis. <i>Digestive Endoscopy</i> , 2019 , 31, 86-93 | | 3.7 | 21 |
| 319 | Traction-assisted esophageal endoscopic submucosal dissection for treatment of squamous cell carcinoma involving a diverticulum. <i>Digestive Endoscopy</i> , 2019 , 31, e7-e8 | | 3.7 | 1 |
| 318 | Identification of liver fibrosis using the hepatic vein waveform in patients with Fontan circulation. <i>Hepatology Research</i> , 2019 , 49, 304-313 | | 5.1 | 7 |
| 317 | Peponedistat, a Neuronal Precursor Cell-Expressed Developmentally Down-Regulated Protein 8-Activating Enzyme Inhibitor, Is a Potent Inhibitor of Hepatitis B Virus. <i>Hepatology</i> , 2019 , 69, 1903-1915 ^{11.2} | | | 28 |
| 316 | Endoscopic papillary large balloon dilation without sphincterotomy for users of antithrombotic agents: A multicenter retrospective study. <i>Digestive Endoscopy</i> , 2019 , 31, 316-322 | | 3.7 | 3 |
| 315 | Ischemic complications after percutaneous radiofrequency ablation of liver tumors: Liver volume loss and recovery. <i>Hepatology Research</i> , 2019 , 49, 453-461 | | 5.1 | 3 |
| 314 | Development of mild drug-induced sclerosing cholangitis after discontinuation of nivolumab. <i>European Journal of Cancer</i> , 2019 , 107, 93-96 | | 7.5 | 11 |
| 313 | Automatic detection of erosions and ulcerations in wireless capsule endoscopy images based on a deep convolutional neural network. <i>Gastrointestinal Endoscopy</i> , 2019 , 89, 357-363.e2 | | 5.2 | 137 |
| 312 | Liver stiffness measurements in chronic hepatitis C: Treatment evaluation and risk assessment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 921-928 | | 4 | 11 |
| 311 | Initial and crucial genetic events in intestinal-type gastric intramucosal neoplasia. <i>Journal of Pathology</i> , 2019 , 247, 494-504 | | 9.4 | 17 |
| 310 | Inhibition of HBV Transcription From cccDNA With Nitazoxanide by Targeting the HBx-DDB1 Interaction. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019 , 7, 297-312 | | 7.9 | 50 |

| | | | |
|-----|--|------|----|
| 309 | A phase II trial of gemcitabine, S-1 and LV combination (GSL) therapy in patients with advanced pancreatic cancer. <i>Investigational New Drugs</i> , 2019 , 37, 338-344 | 4.3 | 5 |
| 308 | The Effects of Direct Oral Anticoagulants, Warfarin, Aspirin and Thienopyridine on the Performance of Immunochemical, Faecal, Occult Blood Tests. <i>Digestion</i> , 2019 , 100, 117-126 | 3.6 | 5 |
| 307 | Fluid sequestration is a useful parameter in the early identification of severe disease of acute pancreatitis. <i>Journal of Gastroenterology</i> , 2019 , 54, 359-366 | 6.9 | 5 |
| 306 | Impact of direct-acting antivirals on early recurrence of HCV-related HCC: Comparison with interferon-based therapy. <i>Journal of Hepatology</i> , 2019 , 70, 78-86 | 13.4 | 43 |
| 305 | Mouse Model for Cholangiocarcinoma from Peribiliary Glands. <i>Methods in Molecular Biology</i> , 2019 , 1905, 237-245 | 1.4 | 3 |
| 304 | A nationwide survey on non-B, non-C hepatocellular carcinoma in Japan: 2011-2015 update. <i>Journal of Gastroenterology</i> , 2019 , 54, 367-376 | 6.9 | 98 |
| 303 | Three types of metaplasia model through Kras activation, Pten deletion, or Cdh1 deletion in the gastric epithelium. <i>Journal of Pathology</i> , 2019 , 247, 35-47 | 9.4 | 21 |
| 302 | Distinct Chemopreventive Effects of Aspirin in Diffuse and Intestinal-Type Gastric Cancer. <i>Cancer Prevention Research</i> , 2018 , 11, 279-286 | 3.2 | 8 |
| 301 | No Association of Timing of Endoscopic Biliary Drainage with Clinical Outcomes in Patients with Non-severe Acute Cholangitis. <i>Digestive Diseases and Sciences</i> , 2018 , 63, 1937-1945 | 4 | 8 |
| 300 | Endoscopic management of bile duct stones in patients with surgically altered anatomy. <i>Digestive Endoscopy</i> , 2018 , 30 Suppl 1, 67-74 | 3.7 | 38 |
| 299 | Relationship of muscle cramps to quality of life and sleep disturbance in patients with chronic liver diseases: A nationwide study. <i>Liver International</i> , 2018 , 38, 2309-2316 | 7.9 | 22 |
| 298 | CPT2 downregulation adapts HCC to lipid-rich environment and promotes carcinogenesis via acylcarnitine accumulation in obesity. <i>Gut</i> , 2018 , 67, 1493-1504 | 19.2 | 66 |
| 297 | Endoscopic Treatment of Adenomas of the Ampulla of Vater 2018 , 1068-1073 | | |
| 296 | Long-term proton pump inhibitor use is a risk factor of gastric cancer after treatment for : a retrospective cohort analysis. <i>Gut</i> , 2018 , 67, 1908-1910 | 19.2 | 32 |
| 295 | Hepatitis C Virus NS5A Protein Promotes the Lysosomal Degradation of Hepatocyte Nuclear Factor 1 via Chaperone-Mediated Autophagy. <i>Journal of Virology</i> , 2018 , 92, | 6.6 | 15 |
| 294 | Eculizumab treatment for ischemic enteritis accompanied with paroxysmal nocturnal hemoglobinuria: a case report and literature review. <i>Annals of Hematology</i> , 2018 , 97, 1513-1515 | 3 | 0 |
| 293 | Randomized prospective study showing the non-inferiority of tenofovir to entecavir in treatment-naïve chronic hepatitis B patients. <i>Hepatology Research</i> , 2018 , 48, 59-68 | 5.1 | 41 |
| 292 | Response criteria of tolvaptan for the treatment of hepatic edema. <i>Journal of Gastroenterology</i> , 2018 , 53, 258-268 | 6.9 | 21 |

| | | | |
|-----|---|-----|----|
| 291 | Associations between drugs and small-bowel mucosal bleeding: Multicenter capsule-endoscopy study. <i>Digestive Endoscopy</i> , 2018 , 30, 79-89 | 3.7 | 11 |
| 290 | Performance of autotaxin as a serum marker for liver fibrosis. <i>Annals of Clinical Biochemistry</i> , 2018 , 55, 469-477 | 2.2 | 15 |
| 289 | Two-step endoscopic ultrasonography-guided antegrade treatment of a difficult bile duct stone in a surgically altered anatomy patient. <i>Digestive Endoscopy</i> , 2018 , 30, 125-127 | 3.7 | 20 |
| 288 | Electrohydraulic lithotripsy under double-balloon endoscope-assisted direct cholangioscopy for treatment of choledocholithiasis in a patient with Roux-en-Y gastrectomy. <i>VideoGIE</i> , 2018 , 3, 113-114 | 1.1 | 5 |
| 287 | Cholangitis complicated by infection of a simple hepatic cyst. <i>Clinical Journal of Gastroenterology</i> , 2018 , 11, 493-496 | 1.1 | 3 |
| 286 | Gastroesophageal Reflux Disease-Related Disorders of Systemic Sclerosis Based on the Analysis of 66 Patients. <i>Digestion</i> , 2018 , 98, 201-208 | 3.6 | 5 |
| 285 | Serum levels of ferritin do not affect the prognosis of patients with hepatocellular carcinoma undergoing radiofrequency ablation. <i>PLoS ONE</i> , 2018 , 13, e0200943 | 3.7 | 2 |
| 284 | External validation of the NOBLADS score, a risk scoring system for severe acute lower gastrointestinal bleeding. <i>PLoS ONE</i> , 2018 , 13, e0196514 | 3.7 | 8 |
| 283 | Expression of Gastric Markers Is Associated with Malignant Potential of Nonampullary Duodenal Adenocarcinoma. <i>Digestive Diseases and Sciences</i> , 2018 , 63, 2617-2625 | 4 | 3 |
| 282 | Peribiliary Glands as the Cellular Origin of Biliary Tract Cancer. <i>International Journal of Molecular Sciences</i> , 2018 , 19, | 6.3 | 8 |
| 281 | Efficacy of Vonoprazan for Gastroesophageal Reflux Symptoms in Patients with Proton Pump Inhibitor-resistant Non-erosive Reflux Disease. <i>Internal Medicine</i> , 2018 , 57, 2443-2450 | 1.1 | 9 |
| 280 | Pancreatic Lipomatous Hamartoma: A Hitherto Unrecognized Variant. <i>American Journal of Surgical Pathology</i> , 2018 , 42, 891-897 | 6.7 | 10 |
| 279 | Nine primary malignant neoplasms-involving the esophagus, stomach, colon, rectum, prostate, and external ear canal-without microsatellite instability: a case report. <i>BMC Cancer</i> , 2018 , 18, 24 | 4.8 | 2 |
| 278 | Hepatic IRS1 and Ecatenin expression is associated with histological progression and overt diabetes emergence in NAFLD patients. <i>Journal of Gastroenterology</i> , 2018 , 53, 1261-1275 | 6.9 | 16 |
| 277 | Satellite RNA Increases DNA Damage and Accelerates Tumor Formation in Mouse Models of Pancreatic Cancer. <i>Molecular Cancer Research</i> , 2018 , 16, 1255-1262 | 6.6 | 8 |
| 276 | A multicenter, randomized controlled trial comparing the identification rate of stigmata of recent hemorrhage and rebleeding rate between early and elective colonoscopy in outpatient-onset acute lower gastrointestinal bleeding: study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 214 | 2.8 | 6 |
| 275 | Role of warfarin as a predictor of recurrent bleeding after negative small-bowel capsule endoscopy. <i>Gastrointestinal Endoscopy</i> , 2018 , 88, 574-574.e2 | 5.2 | 1 |
| 274 | Mature gastric chief cells are not required for the development of metaplasia. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 314, G583-G596 | 5.1 | 21 |

| | | | |
|-----|---|-----|----|
| 273 | Hepatitis C virus core protein triggers abnormal porphyrin metabolism in human hepatocellular carcinoma cells. <i>PLoS ONE</i> , 2018 , 13, e0198345 | 3.7 | 5 |
| 272 | Early detection of gastric cancer after <i>Helicobacter pylori</i> eradication due to endoscopic surveillance. <i>Helicobacter</i> , 2018 , 23, e12503 | 4.9 | 22 |
| 271 | Inflammation and de-differentiation in pancreatic carcinogenesis. <i>World Journal of Clinical Cases</i> , 2018 , 6, 882-891 | 1.6 | 3 |
| 270 | Decline in perception of acid regurgitation symptoms from gastroesophageal reflux disease in diabetes mellitus patients. <i>PLoS ONE</i> , 2018 , 13, e0194466 | 3.7 | 3 |
| 269 | EUS-FNA of gastric cancer metastatic to the head of pancreas using a forward oblique viewing echoendoscope in a case with Roux-en-Y anatomy. <i>Endoscopic Ultrasound</i> , 2018 , 7, 420-421 | 3.6 | 5 |
| 268 | Preoperative biliary drainage using a fully covered self-expandable metallic stent for pancreatic head cancer: A prospective feasibility study. <i>Saudi Journal of Gastroenterology</i> , 2018 , 24, 151-156 | 3 | 9 |
| 267 | Sessile serrated adenoma detection rate is correlated with adenoma detection rate. <i>World Journal of Gastrointestinal Oncology</i> , 2018 , 10, 82-90 | 3.4 | 18 |
| 266 | Groove Pancreatitis: Endoscopic Treatment via the Minor Papilla and Duct of Santorini Morphology. <i>Gut and Liver</i> , 2018 , 12, 208-213 | 4.8 | 11 |
| 265 | Abrogation of TGF-beta Signaling in Dendritic Cells Leads to E-cadherin-mediated Adhesion between Dendritic Cells and Epithelium which Contributes to the Pathogenesis of Inflammatory Bowel Disease. <i>FASEB Journal</i> , 2018 , 32, lb128 | 0.9 | |
| 264 | Etiology and long-term rebleeding of endoscopic ulcerative lesions in the small bowel in patients with obscure gastrointestinal bleeding: A multicenter cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 1327-1334 | 4 | 9 |
| 263 | Successful guidewire placement across hilar malignant biliary stricture after deceased donor liver transplantation using new digital cholangioscopy. <i>Endoscopy</i> , 2018 , 50, E54-E56 | 3.4 | 5 |
| 262 | DHX9 regulates production of hepatitis B virus-derived circular RNA and viral protein levels. <i>Oncotarget</i> , 2018 , 9, 20953-20964 | 3.3 | 21 |
| 261 | Lipid Metabolic Reprogramming in Hepatocellular Carcinoma. <i>Cancers</i> , 2018 , 10, | 6.6 | 67 |
| 260 | Decrease in expression caused by infection may promote progression to severe gastritis. <i>Oncotarget</i> , 2018 , 9, 3936-3945 | 3.3 | 18 |
| 259 | ISGF3 with reduced phosphorylation is associated with constitutive expression of interferon-induced genes in aging cells. <i>Npj Aging and Mechanisms of Disease</i> , 2018 , 4, 11 | 5.5 | 2 |
| 258 | Gastric Stem Cell and Cellular Origin of Cancer. <i>Biomedicines</i> , 2018 , 6, | 4.8 | 13 |
| 257 | Hepatitis B virus pathogenesis: Fresh insights into hepatitis B virus RNA. <i>World Journal of Gastroenterology</i> , 2018 , 24, 2261-2268 | 5.6 | 12 |
| 256 | Prediction of the Clinical Outcomes of Sigmoid Volvulus by Abdominal X-Ray: AXIS Classification System. <i>Gastroenterology Research and Practice</i> , 2018 , 2018, 8493235 | 2 | 1 |

| | | | |
|-----|---|-----|----|
| 255 | Comparison of early and delayed EUS-guided drainage of pancreatic fluid collection. <i>Endoscopy International Open</i> , 2018 , 6, E1398-E1405 | 3 | 12 |
| 254 | infection and liver diseases: Epidemiology and insights into pathogenesis. <i>World Journal of Gastroenterology</i> , 2018 , 24, 3617-3625 | 5.6 | 24 |
| 253 | Isocitrate dehydrogenase 1 mutation sensitizes intrahepatic cholangiocarcinoma to the BET inhibitor JQ1. <i>Cancer Science</i> , 2018 , 109, 3602-3610 | 6.9 | 11 |
| 252 | Proteoglycans Are Attractive Biomarkers and Therapeutic Targets in Hepatocellular Carcinoma. <i>International Journal of Molecular Sciences</i> , 2018 , 19, | 6.3 | 32 |
| 251 | Nectin1 expression is frequently decreased in gastric cancers. <i>Pathology International</i> , 2018 , 68, 557-562 | 1.8 | 2 |
| 250 | Adhesive Interactions between Mononuclear Phagocytes and Intestinal Epithelium Perturb Normal Epithelial Differentiation and Serve as a Therapeutic Target in Inflammatory Bowel Disease. <i>Journal of Crohn's and Colitis</i> , 2018 , 12, 1219-1231 | 1.5 | 11 |
| 249 | Second-line chemotherapy in patients with advanced or recurrent biliary tract cancer: a single center, retrospective analysis of 294 cases. <i>Investigational New Drugs</i> , 2018 , 36, 1093-1102 | 4.3 | 9 |
| 248 | Serum anti- antibody titer and its association with gastric nodularity, atrophy, and age: A cross-sectional study. <i>World Journal of Gastroenterology</i> , 2018 , 24, 4061-4068 | 5.6 | 20 |
| 247 | Transduced caudal-type homeobox (CDX) 2/CDX1 can induce growth inhibition on CDX-deficient gastric cancer by rapid intestinal differentiation. <i>Cancer Science</i> , 2018 , 109, 3853-3864 | 6.9 | 6 |
| 246 | VIP is involved in peripheral CRF-induced stimulation of propulsive colonic motor function and diarrhea in male rats. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 314, G610-G622 | 5.1 | 3 |
| 245 | Genome-wide association study identified new susceptible genetic variants in HLA class I region for hepatitis B virus-related hepatocellular carcinoma. <i>Scientific Reports</i> , 2018 , 8, 7958 | 4.9 | 23 |
| 244 | Extranodal NK/T-cell lymphoma of the nasal cavity developed in a patient with intestinal Epstein-Barr virus-positive T/NK-cell lymphoproliferative disorder. <i>Pathology Research and Practice</i> , 2018 , 214, 1051-1055 | 3.4 | 2 |
| 243 | Eradication of hepatitis C virus is associated with the attenuation of steatosis as evaluated using a controlled attenuation parameter. <i>Scientific Reports</i> , 2018 , 8, 7845 | 4.9 | 14 |
| 242 | Multidetector-Row Computed Tomography and Colonoscopy for Detecting a Rectal Dieulafoy Lesion as a Source of Lower Gastrointestinal Hemorrhage. <i>Case Reports in Gastroenterology</i> , 2018 , 12, 202-206 | 1 | 4 |
| 241 | A phase II trial of gemcitabine, S-1 and LV combination (GSL) neoadjuvant chemotherapy for patients with borderline resectable and locally advanced pancreatic cancer. <i>Medical Oncology</i> , 2018 , 35, 100 | 3.7 | 8 |
| 240 | A Case of an embedded clip in the gastric wall after shielding a post-endoscopic submucosal dissection ulcer with polyglycolic acid sheet. <i>Digestive Endoscopy</i> , 2018 , 30, 678 | 3.7 | |
| 239 | Successful endoscopic lithotripsy using a new digital cholangioscope through an overtube placed by an enteroscope. <i>Endoscopy</i> , 2018 , 50, E269-E271 | 3.4 | 3 |
| 238 | Gastric polyps diagnosed by double-contrast upper gastrointestinal barium X-ray radiography mostly arise from the Helicobacter pylori-negative stomach with low risk of gastric cancer in Japan. <i>Gastric Cancer</i> , 2017 , 20, 314-321 | 7.6 | 6 |

| | | | |
|-----|---|------|-----|
| 237 | MicroRNAs and liver disease. <i>Journal of Human Genetics</i> , 2017 , 62, 75-80 | 4.3 | 41 |
| 236 | The ADOPT-LC score: a novel predictive index of in-hospital mortality of cirrhotic patients following surgical procedures, based on a national survey. <i>Hepatology Research</i> , 2017 , 47, E35-E43 | 5.1 | 9 |
| 235 | Carnitine dynamics and their effects on hyperammonemia in cirrhotic Japanese patients. <i>Hepatology Research</i> , 2017 , 47, 321-327 | 5.1 | 31 |
| 234 | The incidence of post-colonoscopy colorectal cancer: a retrospective long-term cohort study using a colonoscopy database. <i>International Journal of Colorectal Disease</i> , 2017 , 32, 839-845 | 3 | 4 |
| 233 | Gemcitabine and S-1 versus gemcitabine and cisplatin treatment in patients with advanced biliary tract cancer: a multicenter retrospective study. <i>Investigational New Drugs</i> , 2017 , 35, 269-276 | 4.3 | 7 |
| 232 | Association between gastric cancer and the Kyoto classification of gastritis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1581-1586 | 4 | 35 |
| 231 | Factors predictive of the efficacy of bezafibrate therapy in patients with primary sclerosing cholangitis. <i>Hepatology Research</i> , 2017 , 47, 1102-1107 | 5.1 | 9 |
| 230 | Resistance mutations of hepatitis B virus in entecavir-refractory patients. <i>Hepatology Communications</i> , 2017 , 1, 110-121 | 6 | 13 |
| 229 | Lack in Standardized Reporting of Biliary Stents: A Meta-Analysis Complicated by the Inconsistency. <i>American Journal of Gastroenterology</i> , 2017 , 112, 809-810 | 0.7 | 2 |
| 228 | Biliary epithelial injury-induced regenerative response by IL-33 promotes cholangiocarcinogenesis from peribiliary glands. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E3806-E3815 | 11.5 | 49 |
| 227 | Indications for endoscopic ultrasonography (EUS)-guided biliary intervention: Does EUS always come after failed endoscopic retrograde cholangiopancreatography?. <i>Digestive Endoscopy</i> , 2017 , 29, 218-225 | 3.7 | 42 |
| 226 | Prevalence of -positive in Japanese patients with or without colorectal cancer. <i>Gut Pathogens</i> , 2017 , 9, 35 | 5.4 | 24 |
| 225 | Development of pancreatic cancer is predictable well in advance using contrast-enhanced CT: a case-cohort study. <i>European Radiology</i> , 2017 , 27, 4941-4950 | 8 | 20 |
| 224 | Endoscopic management of biliary strictures after living donor liver transplantation. <i>Clinical Journal of Gastroenterology</i> , 2017 , 10, 297-311 | 1.1 | 33 |
| 223 | TGF- β 1 inflammatory bowel disease: a key regulator of immune cells, epithelium, and the intestinal microbiota. <i>Journal of Gastroenterology</i> , 2017 , 52, 777-787 | 6.9 | 110 |
| 222 | Clinical characteristics of patients with diabetes mellitus and fatty liver diagnosed by liver/spleen Hounsfield units on CT scan. <i>Journal of International Medical Research</i> , 2017 , 45, 1208-1220 | 1.4 | 6 |
| 221 | Mortality and hemorrhagic complications associated with radiofrequency ablation for treatment of hepatocellular carcinoma in patients on hemodialysis for end-stage renal disease: A nationwide survey. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1873-1878 | 4 | 6 |
| 220 | Diagnostic capability of colon capsule endoscopy for advanced colorectal cancer: A pilot study. <i>Digestive Endoscopy</i> , 2017 , 29, 695-701 | 3.7 | 5 |

| | | | |
|-----|--|------|-----|
| 219 | Transcriptional activation of the MICA gene with an engineered CRISPR-Cas9 system. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 486, 521-525 | 3.4 | 9 |
| 218 | Covered versus uncovered metal stents for malignant gastric outlet obstruction: Systematic review and meta-analysis. <i>Digestive Endoscopy</i> , 2017 , 29, 259-271 | 3.7 | 26 |
| 217 | Nerve Growth Factor Promotes Gastric Tumorigenesis through Aberrant Cholinergic Signaling. <i>Cancer Cell</i> , 2017 , 31, 21-34 | 24.3 | 201 |
| 216 | Characterization of miR-122-independent propagation of HCV. <i>PLoS Pathogens</i> , 2017 , 13, e1006374 | 7.6 | 19 |
| 215 | Nonstructural 5A Protein of Hepatitis C Virus Interferes with Toll-Like Receptor Signaling and Suppresses the Interferon Response in Mouse Liver. <i>PLoS ONE</i> , 2017 , 12, e0170461 | 3.7 | 2 |
| 214 | Transesophageal Endoscopic Ultrasound-guided Fine Needle Aspiration for the Diagnosis of a Lung Nodule that Was Non-abutting on CT. <i>Internal Medicine</i> , 2017 , 56, 2745-2746 | 1.1 | 1 |
| 213 | Simultaneous duodenal stenting and endoscopic ultrasound-guided hepaticogastrostomy using a forward-oblique view echoendoscope. <i>Endoscopy</i> , 2017 , 49, 1109-1110 | 3.4 | |
| 212 | Evaluation of image-enhanced endoscopic technology using advanced diagnostic endoscopy for the detection of early gastric cancer: a pilot study. <i>Endoscopy International Open</i> , 2017 , 5, E825-E833 | 3 | 6 |
| 211 | Is it possible to perform gastric endoscopic submucosal dissection without discontinuation of a single antiplatelet of thienopyridine derivatives?. <i>Endoscopy International Open</i> , 2017 , 5, E943-E949 | 3 | 3 |
| 210 | A novel "hitch-and-ride" deep biliary cannulation method during rendezvous endoscopic ultrasound-guided ERCP technique. <i>Endoscopy</i> , 2017 , 49, 983-988 | 3.4 | 11 |
| 209 | Characterization of SPP inhibitors suppressing propagation of HCV and protozoa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E10782-E10791 | 11.5 | 6 |
| 208 | Multicenter retrospective and comparative study of 5-minute versus 15-second endoscopic papillary balloon dilation for removal of bile duct stones. <i>Endoscopy International Open</i> , 2017 , 5, E1027-E1034 | 3.1 | 8 |
| 207 | Adherence to oral chemotherapy medications among gastroenterological cancer patients visiting an outpatient clinic. <i>Japanese Journal of Clinical Oncology</i> , 2017 , 47, 786-794 | 2.8 | 5 |
| 206 | Evaluation of endoscopic submucosal dissection using a new endosurgical knife DN-D2718B: a first clinical feasibility study. <i>Endoscopy International Open</i> , 2017 , 5, E670-E674 | 3 | 6 |
| 205 | Efficacy and safety of tenofovir disoproxil fumarate rescue therapy for chronic hepatitis B patients who failed other nucleos(t)ide analogs. <i>Hepatology Research</i> , 2017 , 47, 1032-1041 | 5.1 | 8 |
| 204 | Procalcitonin is a useful biomarker to predict severe acute cholangitis: a single-center prospective study. <i>Journal of Gastroenterology</i> , 2017 , 52, 734-745 | 6.9 | 21 |
| 203 | Repression of MicroRNA Function Mediates Inflammation-associated Colon Tumorigenesis. <i>Gastroenterology</i> , 2017 , 152, 631-643 | 13.3 | 18 |
| 202 | Endoscopic management of combined malignant biliary and gastric outlet obstruction. <i>Digestive Endoscopy</i> , 2017 , 29, 16-25 | 3.7 | 38 |

| | | | |
|-----|---|-----|----|
| 201 | CA19-9 kinetics during systemic chemotherapy in patients with advanced or recurrent biliary tract cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2017 , 80, 1105-1112 | 3.5 | 2 |
| 200 | Recent Development of Techniques and Devices in Colorectal Endoscopic Submucosal Dissection. <i>Clinical Endoscopy</i> , 2017 , 50, 562-568 | 2.5 | 9 |
| 199 | Metaplasia in the Stomach-Precursor of Gastric Cancer?. <i>International Journal of Molecular Sciences</i> , 2017 , 18, | 6.3 | 39 |
| 198 | Ultrasound evaluation of liver stiffness: accuracy of ultrasound imaging for the prediction of liver cirrhosis as evaluated using a liver stiffness measurement. <i>Journal of Medical and Dental Sciences</i> , 2017 , 64, 27-34 | | 3 |
| 197 | Proton pump inhibitor therapy did not increase the prevalence of small-bowel injury: A propensity-matched analysis. <i>PLoS ONE</i> , 2017 , 12, e0182586 | 3.7 | 2 |
| 196 | Colonoscopy reduces colorectal cancer mortality: A multicenter, long-term, colonoscopy-based cohort study. <i>PLoS ONE</i> , 2017 , 12, e0185294 | 3.7 | 19 |
| 195 | RASAL1 is a potent regulator of hepatic stellate cell activity and liver fibrosis. <i>Oncotarget</i> , 2017 , 8, 64840-64853 | 3.9 | 5 |
| 194 | CXCR4-expressing progenitors in the gastric antrum contribute to gastric cancer development. <i>Oncotarget</i> , 2017 , 8, 111012-111025 | 3.3 | 25 |
| 193 | Laparoscopic and endoscopic cooperative surgery for gastrointestinal tumor. <i>Annals of Translational Medicine</i> , 2017 , 5, 187 | 3.2 | 12 |
| 192 | Conversion to endoscopic ultrasound-guided biliary drainage by temporary nasobiliary drainage placement in patients with prior biliary stenting. <i>Endoscopic Ultrasound</i> , 2017 , 6, 323-328 | 3.6 | 11 |
| 191 | Conversion of transpapillary drainage to endoscopic ultrasound-guided hepaticogastrostomy and gallbladder drainage in a case of malignant biliary obstruction with recurrent cholangitis and cholecystitis (with videos). <i>Endoscopic Ultrasound</i> , 2017 , 6, 205-207 | 3.6 | 9 |
| 190 | Feasibility of conversion of percutaneous cholecystostomy to internal transmural endoscopic ultrasound-guided gallbladder drainage. <i>Saudi Journal of Gastroenterology</i> , 2017 , 23, 318-322 | 3 | 15 |
| 189 | Antireflux Metal Stent as a First-Line Metal Stent for Distal Malignant Biliary Obstruction: A Pilot Study. <i>Gut and Liver</i> , 2017 , 11, 142-148 | 4.8 | 15 |
| 188 | A Novel Partially Covered Self-Expandable Metallic Stent with Proximal Flare in Patients with Malignant Gastric Outlet Obstruction. <i>Gut and Liver</i> , 2017 , 11, 481-488 | 4.8 | 7 |
| 187 | 1. Preface. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2017 , 106, 403-404 | 0 | |
| 186 | Endoscopic ultrasound-guided biliary drainage: Complications and their management. <i>Gastrointestinal Intervention</i> , 2017 , 6, 114-117 | | 0 |
| 185 | The Way to Decoding and Conquering the Pathogenesis of National Affliction, Hepatitis and Liver Cancer. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2017 , 106, 1713-1722 | 0 | |
| 184 | A simple home-based self-monitoring tool for early detection of hand-foot syndrome in cancer patients. <i>Japanese Journal of Clinical Oncology</i> , 2016 , 46, 979-985 | 2.8 | 2 |

| | | | |
|-----|---|------|-----|
| 183 | Progression-free survival as a surrogate for overall survival in first-line chemotherapy for advanced pancreatic cancer. <i>European Journal of Cancer</i> , 2016 , 65, 11-20 | 7.5 | 13 |
| 182 | The impact of direct-acting antivirals on early tumor recurrence after radiofrequency ablation in hepatitis C-related hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2016 , 65, 1272-1273 | 13.4 | 67 |
| 181 | Vonoprazan versus conventional proton pump inhibitor-based triple therapy as first-line treatment against <i>Helicobacter pylori</i> : A multicenter retrospective study in clinical practice. <i>Journal of Digestive Diseases</i> , 2016 , 17, 670-675 | 3.3 | 25 |
| 180 | A novel mouse model of intrahepatic cholangiocarcinoma induced by liver-specific Kras activation and Pten deletion. <i>Scientific Reports</i> , 2016 , 6, 23899 | 4.9 | 43 |
| 179 | Delineation of autoantibody repertoire through differential proteogenomics in hepatitis C virus-induced cryoglobulinemia. <i>Scientific Reports</i> , 2016 , 6, 29532 | 4.9 | 6 |
| 178 | Rapid and sensitive detection of early esophageal squamous cell carcinoma with fluorescence probe targeting dipeptidylpeptidase IV. <i>Scientific Reports</i> , 2016 , 6, 26399 | 4.9 | 47 |
| 177 | Satellite RNAs promote pancreatic oncogenic processes via the dysfunction of YBX1. <i>Nature Communications</i> , 2016 , 7, 13006 | 17.4 | 25 |
| 176 | TRC8-dependent degradation of hepatitis C virus immature core protein regulates viral propagation and pathogenesis. <i>Nature Communications</i> , 2016 , 7, 11379 | 17.4 | 33 |
| 175 | Understanding the Mechanical forces of Self-Expandable Metal Stents in the Biliary Ducts. <i>Current Gastroenterology Reports</i> , 2016 , 18, 64 | 5 | 25 |
| 174 | Understanding of HLA-conferred susceptibility to chronic hepatitis B infection requires HLA genotyping-based association analysis. <i>Scientific Reports</i> , 2016 , 6, 24767 | 4.9 | 29 |
| 173 | Intravenous and intraperitoneal paclitaxel with S-1 for treatment of refractory pancreatic cancer with malignant ascites. <i>Investigational New Drugs</i> , 2016 , 34, 636-42 | 4.3 | 20 |
| 172 | Age-dependent PPAR α activation induces hepatic sulfatide accumulation in transgenic mice carrying the hepatitis C virus core gene. <i>Glycoconjugate Journal</i> , 2016 , 33, 927-936 | 3 | 4 |
| 171 | Successful closure of a large perforation during colorectal endoscopic submucosal dissection by application of polyglycolic acid sheets and fibrin glue. <i>Gastrointestinal Endoscopy</i> , 2016 , 84, 374-5 | 5.2 | 11 |
| 170 | Cystic duct patency in EUS-guided gallbladder drainage as a rescue treatment for malignant biliary obstruction. <i>Gastrointestinal Endoscopy</i> , 2016 , 83, 1302-3 | 5.2 | 2 |
| 169 | Against duodenobiliary reflux: implications from a randomized controlled trial. <i>Gastrointestinal Endoscopy</i> , 2016 , 83, 673-4 | 5.2 | 2 |
| 168 | p62, Upregulated during Preneoplasia, Induces Hepatocellular Carcinogenesis by Maintaining Survival of Stressed HCC-Initiating Cells. <i>Cancer Cell</i> , 2016 , 29, 935-948 | 24.3 | 264 |
| 167 | Atrophic gastritis and enlarged gastric folds diagnosed by double-contrast upper gastrointestinal barium X-ray radiography are useful to predict future gastric cancer development based on the 3-year prospective observation. <i>Gastric Cancer</i> , 2016 , 19, 1016-22 | 7.6 | 15 |
| 166 | Gastric Metaplasia Induced by <i>Helicobacter pylori</i> Is Associated with Enhanced SOX9 Expression via Interleukin-1 Signaling. <i>Infection and Immunity</i> , 2016 , 84, 562-72 | 3.7 | 29 |

| | | | |
|-----|---|-----|-----|
| 165 | Histologic intestinal metaplasia and endoscopic atrophy are predictors of gastric cancer development after <i>Helicobacter pylori</i> eradication. <i>Gastrointestinal Endoscopy</i> , 2016 , 84, 618-24 | 5.2 | 116 |
| 164 | Impact of serum ferritin level on hepatocarcinogenesis in chronic hepatitis C patients. <i>Hepatology Research</i> , 2016 , 46, 259-68 | 5.1 | 12 |
| 163 | Cholecystectomy after endoscopic papillary balloon dilation for bile duct stones reduced late biliary complications: a propensity score-based cohort analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 3014-20 | 5.2 | 9 |
| 162 | No weekend effect on outcomes of severe acute pancreatitis in Japan: data from the diagnosis procedure combination database. <i>Journal of Gastroenterology</i> , 2016 , 51, 1063-1072 | 6.9 | 12 |
| 161 | Association Between Colorectal Cancer and Atherosclerotic Diseases: A Study Using a National Inpatient Database in Japan. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 1677-85 | 4 | 3 |
| 160 | A potent therapeutics for gallbladder cancer by combinatorial inhibition of the MAPK and mTOR signaling networks. <i>Journal of Gastroenterology</i> , 2016 , 51, 711-21 | 6.9 | 11 |
| 159 | The intrahepatic expression levels of bile acid transporters are inversely correlated with the histological progression of nonalcoholic fatty liver disease. <i>Journal of Gastroenterology</i> , 2016 , 51, 808-18 | 6.9 | 29 |
| 158 | Comparative analysis of upper gastrointestinal endoscopy, double-contrast upper gastrointestinal barium X-ray radiography, and the titer of serum anti- <i>Helicobacter pylori</i> IgG focusing on the diagnosis of atrophic gastritis. <i>Gastric Cancer</i> , 2016 , 19, 670-675 | 7.6 | 16 |
| 157 | Quantitation of circulating satellite RNAs in pancreatic cancer patients. <i>JCI Insight</i> , 2016 , 1, e86646 | 9.9 | 22 |
| 156 | Higher LPA2 and LPA6 mRNA Levels in Hepatocellular Carcinoma Are Associated with Poorer Differentiation, Microvascular Invasion and Earlier Recurrence with Higher Serum Autotaxin Levels. <i>PLoS ONE</i> , 2016 , 11, e0161825 | 3.7 | 25 |
| 155 | Stromal remodeling by the BET bromodomain inhibitor JQ1 suppresses the progression of human pancreatic cancer. <i>Oncotarget</i> , 2016 , 7, 61469-61484 | 3.3 | 49 |
| 154 | No Survival Benefit from the Inhibition of Renin-Angiotensin System in Biliary Tract Cancer. <i>Anticancer Research</i> , 2016 , 36, 4965-70 | 2.3 | 3 |
| 153 | Bleeding after endoscopic submucosal dissection: Risk factors and preventive methods. <i>World Journal of Gastroenterology</i> , 2016 , 22, 5927-35 | 5.6 | 51 |
| 152 | Efficacy of repeat review with flexible spectral imaging color enhancement in patients with no findings by capsule endoscopy. <i>Saudi Journal of Gastroenterology</i> , 2016 , 22, 385-390 | 3 | 4 |
| 151 | Endoscopic ultrasound-guided fine-needle aspiration skill acquisition of gastrointestinal submucosal tumor by trainee endoscopists: A pilot study. <i>Endoscopic Ultrasound</i> , 2016 , 5, 157-64 | 3.6 | 11 |
| 150 | Current state of practice for colonic diverticular bleeding in 37 hospitals in Japan: A multicenter questionnaire study. <i>World Journal of Gastrointestinal Endoscopy</i> , 2016 , 8, 785-794 | 2.2 | 5 |
| 149 | Epigenome modifying enzymes regulate development and progression of pancreatic cancers. <i>Suizo</i> , 2016 , 31, 69-75 | 0.1 | |
| 148 | 4. Obesity and Liver Diseases. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2016 , 105, 1643-1647 | | |

| | | | |
|-----|---|------|----|
| 147 | Safety of Regular-Dose Imatinib Therapy in Patients with Gastrointestinal Stromal Tumors Undergoing Dialysis. <i>Case Reports in Gastroenterology</i> , 2016 , 10, 17-23 | 1 | 5 |
| 146 | Acute Middle Gastrointestinal Bleeding Risk Associated with NSAIDs, Antithrombotic Drugs, and PPIs: A Multicenter Case-Control Study. <i>PLoS ONE</i> , 2016 , 11, e0151332 | 3.7 | 22 |
| 145 | New predictive model of rebleeding during follow-up of patents with obscure gastrointestinal bleeding: A multicenter cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 752-60 | 4 | 20 |
| 144 | Interstitial lung disease associated with gemcitabine: A Japanese retrospective cohort study. <i>Respirology</i> , 2016 , 21, 338-43 | 3.6 | 20 |
| 143 | Magnifying endoscopy with narrow-band imaging is more accurate for determination of horizontal extent of early gastric cancers than chromoendoscopy. <i>Endoscopy International Open</i> , 2016 , 4, E690-8 | 3 | 22 |
| 142 | Mutual antagonism between hepatitis B viral mRNA and host microRNA let-7. <i>Scientific Reports</i> , 2016 , 6, 23237 | 4.9 | 17 |
| 141 | Successful endoscopic treatment of stapled J-pouch ileoanal canal anastomotic hemorrhage by argon plasma coagulation: a case report. <i>Journal of Medical Case Reports</i> , 2016 , 10, 309 | 1.2 | 3 |
| 140 | Electrohydraulic lithotripsy as a salvage option for stone impaction during double-balloon endoscope-assisted ERCP. <i>Gastrointestinal Endoscopy</i> , 2016 , 84, 177 | 5.2 | |
| 139 | Factors predicting adverse events associated with therapeutic colonoscopy for colorectal neoplasia: a retrospective nationwide study in Japan. <i>Gastrointestinal Endoscopy</i> , 2016 , 84, 971-982.e6 | 5.2 | 38 |
| 138 | JSH Guidelines for the Management of Hepatitis C Virus Infection: A 2016 update for genotype 1 and 2. <i>Hepatology Research</i> , 2016 , 46, 129-65 | 5.1 | 48 |
| 137 | TGF- β Signaling in Dendritic Cells Governs Colonic Homeostasis by Controlling Epithelial Differentiation and the Luminal Microbiota. <i>Journal of Immunology</i> , 2016 , 196, 4603-13 | 5.3 | 22 |
| 136 | A pilot study of EUS-guided through-the-needle forceps biopsy (with video). <i>Gastrointestinal Endoscopy</i> , 2016 , 84, 158-62 | 5.2 | 27 |
| 135 | Triamcinolone Injection and Shielding with Polyglycolic Acid Sheets and Fibrin Glue for Postoperative Stricture Prevention after Esophageal Endoscopic Resection: A Pilot Study. <i>American Journal of Gastroenterology</i> , 2016 , 111, 581-3 | 0.7 | 23 |
| 134 | Percutaneous transhepatic cholangioscopy-assisted repositioning of misplaced endoscopic ultrasound-guided pancreatic duct stent. <i>Endoscopy</i> , 2016 , 48 Suppl 1, E129-30 | 3.4 | 6 |
| 133 | Response. <i>Gastrointestinal Endoscopy</i> , 2016 , 84, 876-877 | 5.2 | |
| 132 | Efficacy of triple therapy with esomeprazole, amoxicillin, and sitafloxacin as a third-line <i>Helicobacter pylori</i> eradication regimen. <i>International Journal of Infectious Diseases</i> , 2016 , 51, 66-69 | 10.5 | 9 |
| 131 | Targeting the complex interactions between microbiota, host epithelial and immune cells in inflammatory bowel disease. <i>Pharmacological Research</i> , 2016 , 113, 574-584 | 10.2 | 18 |
| 130 | Safety and effectiveness of a long, partially covered metal stent for endoscopic ultrasound-guided hepaticogastrostomy in patients with malignant biliary obstruction. <i>Endoscopy</i> , 2016 , 48, 1125-1128 | 3.4 | 58 |

| | | | |
|-----|--|------|-----|
| 129 | Geographic distribution and characteristics of genotype A hepatitis B virus infection in acute and chronic hepatitis B patients in Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 180-9 | 4 | 25 |
| 128 | Mitochondrial iron accumulation exacerbates hepatic toxicity caused by hepatitis C virus core protein. <i>Toxicology and Applied Pharmacology</i> , 2015 , 282, 237-43 | 4.6 | 23 |
| 127 | Factors affecting in-hospital mortality in patients with lower gastrointestinal tract bleeding: a retrospective study using a national database in Japan. <i>Journal of Gastroenterology</i> , 2015 , 50, 533-40 | 6.9 | 24 |
| 126 | Response. <i>Gastrointestinal Endoscopy</i> , 2015 , 82, 183-4 | 5.2 | |
| 125 | ROCK inhibition enhances microRNA function by promoting deadenylation of targeted mRNAs via increasing PAIP2 expression. <i>Nucleic Acids Research</i> , 2015 , 43, 7577-89 | 20.1 | 7 |
| 124 | Early use of double-guidewire technique to facilitate selective bile duct cannulation: the multicenter randomized controlled EDUCATION trial. <i>Endoscopy</i> , 2015 , 47, 421-9 | 3.4 | 50 |
| 123 | Polyglycolic acid sheets with fibrin glue can prevent esophageal stricture after endoscopic submucosal dissection. <i>Endoscopy</i> , 2015 , 47, 336-40 | 3.4 | 72 |
| 122 | Deconvoluting the composition of low-frequency hepatitis C viral quasiespecies: comparison of genotypes and NS3 resistance-associated variants between HCV/HIV coinfecting hemophiliacs and HCV monoinfected patients in Japan. <i>PLoS ONE</i> , 2015 , 10, e0119145 | 3.7 | 12 |
| 121 | Helicobacter pylori infection is not associated with fatty liver disease including non-alcoholic fatty liver disease: a large-scale cross-sectional study in Japan. <i>BMC Gastroenterology</i> , 2015 , 15, 25 | 3 | 57 |
| 120 | Novel sex-dependent differentially methylated regions are demethylated in adult male mouse livers. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 462, 332-8 | 3.4 | 10 |
| 119 | Mutual reinforcement of inflammation and carcinogenesis by the Helicobacter pylori CagA oncoprotein. <i>Scientific Reports</i> , 2015 , 5, 10024 | 4.9 | 40 |
| 118 | Sarcopenia, intramuscular fat deposition, and visceral adiposity independently predict the outcomes of hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2015 , 63, 131-40 | 13.4 | 360 |
| 117 | Polyglycolic acid sheets and fibrin glue decrease the risk of bleeding after endoscopic submucosal dissection of gastric neoplasms (with video). <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 906-12 | 5.2 | 66 |
| 116 | Foam pluggage: a novel technique for optimal fixation of polyglycolic acid sheets positioned using "clip and pull" after esophageal endoscopic submucosal dissection. <i>Endoscopy</i> , 2015 , 47 Suppl 1 UCTN, E435-6 | 3.4 | 3 |
| 115 | Bleeding after endoscopic sphincterotomy or papillary balloon dilation among users of antithrombotic agents. <i>Endoscopy</i> , 2015 , 47, 997-1004 | 3.4 | 35 |
| 114 | Thienopyridine derivatives as risk factors for bleeding following high risk endoscopic treatments: Safe Treatment on Antiplatelets (STRAP) study. <i>Endoscopy</i> , 2015 , 47, 632-7 | 3.4 | 42 |
| 113 | Development of a screening method to identify regulators of MICA shedding. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 465, 764-8 | 3.4 | 2 |
| 112 | Response. <i>Gastrointestinal Endoscopy</i> , 2015 , 82, 184-5 | 5.2 | |

| | | | |
|-----|---|-----|-----|
| 111 | Risk factors for post-ERCP pancreatitis in wire-guided cannulation for therapeutic biliary ERCP. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 119-26 | 5.2 | 61 |
| 110 | Inhibition of autophagy exerts anti-colon cancer effects via apoptosis induced by p53 activation and ER stress. <i>BMC Cancer</i> , 2015 , 15, 795 | 4.8 | 30 |
| 109 | Electrohydraulic lithotripsy of large bile duct stones under direct cholangioscopy with a double-balloon endoscope. <i>Endoscopy</i> , 2015 , 47 Suppl 1 UCTN, E519-20 | 3.4 | 7 |
| 108 | Recent clinical management of antithrombotic agents for gastrointestinal endoscopy after revision of guidelines in Japan. <i>Digestive Endoscopy</i> , 2015 , 27, 649-56 | 3.7 | 3 |
| 107 | Endoscopic management of colonic diverticular bleeding. <i>Digestive Endoscopy</i> , 2015 , 27, 720-5 | 3.7 | 28 |
| 106 | Diagnostic and therapeutic application of noncoding RNAs for hepatocellular carcinoma. <i>World Journal of Hepatology</i> , 2015 , 7, 1-6 | 3.4 | 31 |
| 105 | Gastric cancer diagnosed after Helicobacter pylori eradication in diabetes mellitus patients. <i>BMC Gastroenterology</i> , 2015 , 15, 143 | 3 | 12 |
| 104 | Distribution of intestinal metaplasia as a predictor of gastric cancer development. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 1260-4 | 4 | 39 |
| 103 | Short-term prognostic factors for primary sclerosing cholangitis. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015 , 22, 486-90 | 2.8 | 9 |
| 102 | Slight elevation of high-sensitivity C-reactive protein to predict recurrence and survival in patients with early stage hepatitis C-related hepatocellular carcinoma. <i>Hepatology Research</i> , 2015 , 45, 645-55 | 5.1 | 10 |
| 101 | Prospective study of bezafibrate for the treatment of primary sclerosing cholangitis. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015 , 22, 766-70 | 2.8 | 31 |
| 100 | Association between colorectal polyps and hypertension treatment. <i>Journal of Digestive Diseases</i> , 2015 , 16, 649-55 | 3.3 | 8 |
| 99 | Decreased miR122 in hepatocellular carcinoma leads to chemoresistance with increased arginine. <i>Oncotarget</i> , 2015 , 6, 8339-52 | 3.3 | 32 |
| 98 | Circulating RNAs as new biomarkers for detecting pancreatic cancer. <i>World Journal of Gastroenterology</i> , 2015 , 21, 8527-40 | 5.6 | 105 |
| 97 | Placement of multiple metal stents for malignant intrahepatic biliary obstruction via an endoscopic ultrasound-guided choledochoduodenostomy fistula. <i>Arab Journal of Gastroenterology</i> , 2015 , 16, 145-7 | 1.7 | 2 |
| 96 | Preventing esophageal stricture after endoscopic submucosal dissection: steroid injection and shielding with polyglycolic acid sheets and fibrin glue. <i>Endoscopy</i> , 2015 , 47 Suppl 1 UCTN, E473-4 | 3.4 | 5 |
| 95 | Video of the Month: A Novel Endoscopic Full-Thickness Resection for Early Gastric Cancer. <i>American Journal of Gastroenterology</i> , 2015 , 110, 1535 | 0.7 | 4 |
| 94 | Comparison of improved prognosis between hepatitis B- and hepatitis C-related hepatocellular carcinoma. <i>Hepatology Research</i> , 2015 , 45, E99-E107 | 5.1 | 13 |

| | | | |
|----|---|------|-----|
| 93 | DNA methylation at hepatitis B viral integrants is associated with methylation at flanking human genomic sequences. <i>Genome Research</i> , 2015 , 25, 328-37 | 9.7 | 20 |
| 92 | Scheduled second-look endoscopy is not recommended after endoscopic submucosal dissection for gastric neoplasms (the SAFE trial): a multicentre prospective randomised controlled non-inferiority trial. <i>Gut</i> , 2015 , 64, 397-405 | 19.2 | 63 |
| 91 | Characterization of a new small bowel adenocarcinoma cell line and screening of anti-cancer drug against small bowel adenocarcinoma. <i>American Journal of Pathology</i> , 2015 , 185, 550-62 | 5.8 | 10 |
| 90 | Trend and risk factors of diverticulosis in Japan: age, gender, and lifestyle/metabolic-related factors may cooperatively affect on the colorectal diverticula formation. <i>PLoS ONE</i> , 2015 , 10, e0123688 | 3.7 | 47 |
| 89 | Adverse Events during Bowel Preparation and Colonoscopy in Patients with Acute Lower Gastrointestinal Bleeding Compared with Elective Non-Gastrointestinal Bleeding. <i>PLoS ONE</i> , 2015 , 10, e0138000 | 3.7 | 15 |
| 88 | Impact of fecal occult blood on obscure gastrointestinal bleeding: observational study. <i>World Journal of Gastroenterology</i> , 2015 , 21, 326-32 | 5.6 | 11 |
| 87 | Risk factors for small bowel angioectasia: The impact of visceral fat accumulation. <i>World Journal of Gastroenterology</i> , 2015 , 21, 7242-7 | 5.6 | 8 |
| 86 | Method for evaluation of the range of vision of colonoscopy using a constructed colon model. <i>Progress of Digestive Endoscopy</i> , 2015 , 86, 40-43 | 0 | |
| 85 | Recurrent gain-of-function mutations of RHOA in diffuse-type gastric carcinoma. <i>Nature Genetics</i> , 2014 , 46, 583-7 | 36.3 | 360 |
| 84 | Activation-induced cytidine deaminase is dispensable for virus-mediated liver and skin tumor development in mouse models. <i>International Immunology</i> , 2014 , 26, 397-406 | 4.9 | 2 |
| 83 | Pulse-wave velocity, the ankle-brachial index, and the visceral fat area are highly associated with colorectal adenoma. <i>Digestive and Liver Disease</i> , 2014 , 46, 943-9 | 3.3 | 11 |
| 82 | The flavonoid apigenin inhibits hepatitis C virus replication by decreasing mature microRNA122 levels. <i>Virology</i> , 2014 , 462-463, 42-8 | 3.6 | 70 |
| 81 | Drastically reduced neoplastic seeding related to radiofrequency ablation for hepatocellular carcinoma. <i>American Journal of Gastroenterology</i> , 2014 , 109, 774-6 | 0.7 | 7 |
| 80 | ER stress cooperates with hypernutrition to trigger TNF-dependent spontaneous HCC development. <i>Cancer Cell</i> , 2014 , 26, 331-343 | 24.3 | 284 |
| 79 | Irsogladine improves small-intestinal injuries in regular users of nonsteroidal anti-inflammatory drugs. <i>Gastrointestinal Endoscopy</i> , 2014 , 80, 118-25 | 5.2 | 17 |
| 78 | Endoscopic tissue shielding method with polyglycolic acid sheets and fibrin glue to cover wounds after colorectal endoscopic submucosal dissection (with video). <i>Gastrointestinal Endoscopy</i> , 2014 , 79, 151-5 | 5.2 | 57 |
| 77 | Disease-specific mortality among patients with intraductal papillary mucinous neoplasm of the pancreas. <i>Clinical Gastroenterology and Hepatology</i> , 2014 , 12, 486-91 | 6.9 | 12 |
| 76 | Gli regulates MUC5AC transcription in human gastrointestinal cells. <i>PLoS ONE</i> , 2014 , 9, e106106 | 3.7 | 10 |

| | | | |
|----|--|-----|----|
| 75 | Associated factors of atrophic gastritis diagnosed by double-contrast upper gastrointestinal barium X-ray radiography: a cross-sectional study analyzing 6,901 healthy subjects in Japan. <i>PLoS ONE</i> , 2014 , 9, e111359 | 3.7 | 13 |
| 74 | Loss of histone demethylase KDM6B enhances aggressiveness of pancreatic cancer through downregulation of C/EBPβ. <i>Carcinogenesis</i> , 2014 , 35, 2404-14 | 4.6 | 70 |
| 73 | Amphipathic helices in apolipoproteins are crucial to the formation of infectious hepatitis C virus particles. <i>PLoS Pathogens</i> , 2014 , 10, e1004534 | 7.6 | 64 |
| 72 | Endoscopic removal of a proximally migrated pancreatic stent using a gooseneck snare. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E283-4 | 3.4 | 2 |
| 71 | Double-balloon enteroscope-assisted enteral stent placement for malignant afferent-loop obstruction after Roux-en-Y reconstruction. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E541-2 | 3.4 | 16 |
| 70 | An effective technique for delivery of polyglycolic acid sheet after endoscopic submucosal dissection of the esophagus: the clip and pull method. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E44-5 | 3.4 | 18 |
| 69 | Multiple metal stenting using a double-balloon endoscope for malignant biliary obstruction in a patient with hepaticojejunostomy. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E472-3 | 3.4 | 3 |
| 68 | Endoscopic trimming of a migrated gastroduodenal stent using a loop cutter and a two-channel endoscope. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E462-3 | 3.4 | 1 |
| 67 | Crisscross anchor-stents to prevent metal stent migration during endoscopic ultrasound-guided hepaticogastrostomy. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E563 | 3.4 | 4 |
| 66 | The oncogenic role of hepatitis C virus. <i>Recent Results in Cancer Research</i> , 2014 , 193, 97-111 | 1.5 | 15 |
| 65 | Detection of painless pancreatitis by computed tomography in patients with post-endoscopic retrograde cholangiopancreatography hyperamylasemia. <i>Pancreatology</i> , 2014 , 14, 17-20 | 3.8 | 7 |
| 64 | In vitro selection of the 3' untranslated regions of the human liver mRNA that bind to the HCV nonstructural protein 5B. <i>Virology</i> , 2014 , 450-451, 13-23 | 3.6 | 4 |
| 63 | Increased serum autotaxin levels in hepatocellular carcinoma patients were caused by background liver fibrosis but not by carcinoma. <i>Clinica Chimica Acta</i> , 2014 , 433, 128-34 | 6.2 | 26 |
| 62 | Categorization of upper gastrointestinal symptoms is useful in predicting background factors and studying effects and usages of digestive drugs. <i>PLoS ONE</i> , 2014 , 9, e88277 | 3.7 | 2 |
| 61 | Impact of IL28B genetic variation on HCV-induced liver fibrosis, inflammation, and steatosis: a meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e91822 | 3.7 | 28 |
| 60 | Circulating AIM as an indicator of liver damage and hepatocellular carcinoma in humans. <i>PLoS ONE</i> , 2014 , 9, e109123 | 3.7 | 29 |
| 59 | Frequency of and predictive factors for vascular invasion after radiofrequency ablation for hepatocellular carcinoma. <i>PLoS ONE</i> , 2014 , 9, e111662 | 3.7 | 20 |
| 58 | Specific delivery of microRNA93 into HBV-replicating hepatocytes downregulates protein expression of liver cancer susceptible gene MICA. <i>Oncotarget</i> , 2014 , 5, 5581-90 | 3.3 | 19 |

| | | | |
|----|---|-----|----|
| 57 | Treatment outcomes of chemotherapy between unresectable and recurrent biliary tract cancer. <i>World Journal of Gastroenterology</i> , 2014 , 20, 18452-7 | 5.6 | 5 |
| 56 | Desirable training of endoscopic submucosal dissection: further spread worldwide. <i>Annals of Translational Medicine</i> , 2014 , 2, 27 | 3.2 | 4 |
| 55 | Which patients benefit from the inhibition of renin-angiotensin system in advanced pancreatic cancer? An exploratory analysis in 349 patients.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e15216-e15216 | 2.2 | |
| 54 | A phase 1 trial of GSL (gemcitabine, S-1, LV) combination therapy in advanced pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 290-290 | 2.2 | |
| 53 | Evaluation of preferable insertion routes for esophagogastroduodenoscopy using ultrathin endoscopes. <i>World Journal of Gastroenterology</i> , 2014 , 20, 5045-50 | 5.6 | 4 |
| 52 | Associations between K-ras mutation, smoking, and prognosis of pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 298-298 | 2.2 | |
| 51 | Current status of miRNA-targeting therapeutics and preclinical studies against gastroenterological carcinoma. <i>Molecular and Cellular Therapies</i> , 2013 , 1, 5 | | 30 |
| 50 | Trimming a covered metal stent during hepaticogastrostomy by using argon plasma coagulation. <i>Gastrointestinal Endoscopy</i> , 2013 , 78, 817 | 5.2 | 4 |
| 49 | A novel basket catheter to facilitate endoscopic removal of pancreatic stones (with video). <i>Gastrointestinal Endoscopy</i> , 2013 , 78, 925-929 | 5.2 | 6 |
| 48 | Results of the Tokyo trial of prevention of post-ERCP pancreatitis with risperidone-2: a multicenter, randomized, placebo-controlled, double-blind clinical trial. <i>Gastrointestinal Endoscopy</i> , 2013 , 78, 842-850 | 5.2 | 11 |
| 47 | Adiponectin in chronic hepatitis C. <i>Clinical Journal of Gastroenterology</i> , 2013 , 6, 259-63 | 1.1 | 2 |
| 46 | Depressive symptoms after treatment in hepatocellular carcinoma survivors: prevalence, determinants, and impact on health-related quality of life. <i>Psycho-Oncology</i> , 2013 , 22, 2347-53 | 3.9 | 15 |
| 45 | Phase I study of safety, pharmacokinetics, and efficacy of TSU-68 plus S-1 combination in patients with advanced hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 262-262 | 2.2 | 1 |
| 44 | Intravenous and intraperitoneal paclitaxel with S-1 for refractory pancreatic cancer with malignant ascites: An interim analysis.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 267-267 | 2.2 | 2 |
| 43 | A retrospective study of gemcitabine and cisplatin combination therapy as second-line treatment for advanced biliary tract cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 258-258 | 2.2 | 1 |
| 42 | A retrospective analysis of early CA19-9 progression in salvage-chemotherapy for refractory pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, e15146-e15146 | 2.2 | |
| 41 | Serum gamma-glutamyltransferase level is associated with serum superoxide dismutase activity and metabolic syndrome in a Japanese population. <i>Journal of Gastroenterology</i> , 2012 , 47, 187-94 | 6.9 | 11 |
| 40 | Characteristics of hepatocellular carcinoma nodules newly detected by computed tomography during arteriography and arterial portography: preliminary report of a randomized controlled trial. <i>Hepatology International</i> , 2012 , 6, 639-45 | 8.8 | 5 |

| | | | |
|----|---|-----|----|
| 39 | Recent progress in endoscopic ultrasonography guided biliary intervention. <i>Clinical Journal of Gastroenterology</i> , 2012 , 5, 93-100 | 1.1 | 4 |
| 38 | Contrast-enhanced ultrasonographic image of gangrenous gallbladder. <i>Journal of Medical Ultrasonics (2001)</i> , 2011 , 38, 239 | 1.4 | 3 |
| 37 | Direct differentiation of hepatic cells from human induced pluripotent stem cells using a limited number of cytokines. <i>Hepatology International</i> , 2011 , 5, 890-8 | 8.8 | 34 |
| 36 | Animal models for hepatitis C and related liver disease. <i>Hepatology Research</i> , 2010 , 40, 69-82 | 5.1 | 24 |
| 35 | Lipid metabolism and liver disease in hepatitis C viral infection. <i>Oncology</i> , 2010 , 78 Suppl 1, 24-30 | 3.6 | 19 |
| 34 | Reply: A guideline to fill the gap between endoscopists and physicians who prescribe anticoagulant and/or antiplatelet agents. <i>Journal of Gastroenterology</i> , 2010 , 45, 570-570 | 6.9 | |
| 33 | High-dose dexamethasone may prevent esophageal stricture after endoscopic submucosal dissection. <i>Clinical Journal of Gastroenterology</i> , 2010 , 3, 155-8 | 1.1 | 6 |
| 32 | A case of gastric carcinoma which became a core of gastric phytobezoar. <i>Progress of Digestive Endoscopy</i> , 2010 , 77, 62-63 | 0 | |
| 31 | Steatosis, liver injury, and hepatocarcinogenesis in hepatitis C viral infection. <i>Journal of Gastroenterology</i> , 2009 , 44 Suppl 19, 82-8 | 6.9 | 40 |
| 30 | Transluminal endoscopic necrosectomy for infected pancreatic necrosis. <i>Progress of Digestive Endoscopy</i> , 2009 , 75, 116-117 | 0 | |
| 29 | Molecular basis for the synergy between alcohol and hepatitis C virus in hepatocarcinogenesis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23 Suppl 1, S87-91 | 4 | 31 |
| 28 | Prevalence of hepatitis B virus infection in Japanese patients with HIV. <i>Hepatology Research</i> , 2008 , 38, 310-4 | 5.1 | 23 |
| 27 | Hepatitis C virus contributes to hepatocarcinogenesis by modulating metabolic and intracellular signaling pathways. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22 Suppl 1, S108-11 | 4 | 94 |
| 26 | Pathogenesis of HCV-associated HCC: Dual-pass carcinogenesis through activation of oxidative stress and intracellular signaling. <i>Hepatology Research</i> , 2007 , 37 Suppl 2, S115-20 | 5.1 | 30 |
| 25 | Prevalence of coinfection with human immunodeficiency virus and hepatitis C virus in Japan. <i>Hepatology Research</i> , 2007 , 37, 2-5 | 5.1 | 14 |
| 24 | Hepatitis C virus infection can present with metabolic disease by inducing insulin resistance. <i>Intervirolgy</i> , 2006 , 49, 51-7 | 2.5 | 20 |
| 23 | Oxidative stress and hepatitis C viral infection. <i>Hepatology Research</i> , 2006 , 34, 65-73 | 5.1 | 42 |
| 22 | Antiviral treatment of hepatitis C: present status and future prospects. <i>Journal of Infection and Chemotherapy</i> , 2006 , 12, 227-32 | 2.2 | 20 |

| | | | |
|----|---|------|-----|
| 21 | Molecular basis of hepatitis C virus-associated hepatocarcinogenesis: lessons from animal model studies. <i>Clinical Gastroenterology and Hepatology</i> , 2005 , 3, S132-5 | 6.9 | 68 |
| 20 | Hepatitis C as a metabolic disease: Implication for the pathogenesis of NASH. <i>Hepatology Research</i> , 2005 , 33, 145-50 | 5.1 | 33 |
| 19 | Metabolic aspects of hepatitis C viral infection: steatohepatitis resembling but distinct from NASH. <i>Journal of Gastroenterology</i> , 2005 , 40, 329-36 | 6.9 | 56 |
| 18 | Hepatitis C virus core protein activates ERK and p38 MAPK in cooperation with ethanol in transgenic mice. <i>Hepatology</i> , 2003 , 38, 820-828 | 11.2 | 79 |
| 17 | Hepatocarcinogenesis in hepatitis viral infection: lessons from transgenic mouse studies. <i>Journal of Gastroenterology</i> , 2002 , 37 Suppl 13, 55-64 | 6.9 | 28 |
| 16 | Role of hepatitis C virus in the development of hepatocellular carcinoma: transgenic approach to viral hepatocarcinogenesis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2002 , 17, 394-400 | 4 | 27 |
| 15 | Molecular mechanism of viral hepatocarcinogenesis. <i>Oncology</i> , 2002 , 62 Suppl 1, 29-37 | 3.6 | 109 |
| 14 | Frequent presence of HBV in the sera of HBsAg-negative, anti-HBc-positive blood donors. <i>Transfusion</i> , 2001 , 41, 1093-9 | 2.9 | 69 |
| 13 | Survey of hepatitis B virus co-infection in hepatitis C virus-infected patients suffering from chronic hepatitis and hepatocellular carcinoma in Japan. <i>Japanese Journal of Cancer Research</i> , 1999 , 90, 1270-2 | | 11 |
| 12 | Precore wild-type DNA and immune complexes persist in chronic hepatitis B after seroconversion: no association between genome conversion and seroconversion. <i>Hepatology</i> , 1998 , 27, 245-53 | 11.2 | 27 |
| 11 | Persistent viremia after recovery from self-limited acute hepatitis B. <i>Hepatology</i> , 1998 , 27, 1377-82 | 11.2 | 147 |
| 10 | Viral hepatitis and hepatocarcinogenesis.. <i>Seibutsu Butsuri Kagaku</i> , 1996 , 40, 289-293 | | |
| 9 | Hepatitis C virus genotypes and development of hepatocellular carcinoma. <i>Cancer</i> , 1995 , 76, 1352-5 | 6.4 | 50 |
| 8 | Dominant replication of either virus in dual infection with hepatitis viruses B and C. <i>Journal of Medical Virology</i> , 1995 , 45, 236-9 | 19.7 | 66 |
| 7 | Suppressive effect of recombinant human Cu, Zn-superoxide dismutase on lung metastasis of murine tumor cells. <i>International Journal of Cancer</i> , 1994 , 57, 287-92 | 7.5 | 46 |
| 6 | High-level expression of hepatitis B virus HBx gene and hepatocarcinogenesis in transgenic mice 1994 , 19, 810 | | 16 |
| 5 | Duration of viremia in human hepatitis A viral infection as determined by polymerase chain reaction. <i>Journal of Medical Virology</i> , 1993 , 40, 35-8 | 19.7 | 48 |
| 4 | Serum titers of pre-S(2) antigen in patients with acute and chronic type B hepatitis: relation to serum aminotransferase activity and other hepatitis B virus markers. <i>Hepatology</i> , 1989 , 9, 175-9 | 11.2 | 15 |

| | | | |
|---|---|------|----|
| 3 | The effects of antiviral agents on serum hepatitis B e antigen levels in chronic type B hepatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1988 , 3, 143-152 | 4 | 1 |
| 2 | Changes of serum aminotransferase activities in relation to serum hepatitis Be antigen levels in chronic type B hepatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1987 , 2, 413-418 | 4 | 2 |
| 1 | IgM anti-HBc in anti-HBe positive chronic type B hepatitis with acute exacerbations. <i>Hepatology</i> , 1987 , 7, 573-6 | 11.2 | 29 |