

Lian Chen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7056733/lian-chen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89
papers

3,675
citations

36
h-index

58
g-index

92
ext. papers

3,919
ext. citations

4.9
avg, IF

5.08
L-index

#	Paper	IF	Citations
89	A copper(I) thiolate coordination polymer with thermochromic and mechanochromic luminescence. <i>Inorganic Chemistry Communication</i> , 2022 , 140, 109432	3.1	1
88	Achieving gas pressure-dependent luminescence from an AIEgen-based metal-organic framework.. <i>Nature Communications</i> , 2022 , 13, 2142	17.4	3
87	Construction of a Stable Lanthanide Metal-Organic Framework as a Luminescent Probe for Rapid Naked-Eye Recognition of Fe and Acetone. <i>Molecules</i> , 2021 , 26,	4.8	8
86	A red-emissive 3D framework with the coexistence of copper-iodide clusters and rings as a luminescent ratiometric thermometer. <i>Inorganic Chemistry Communication</i> , 2021 , 127, 108517	3.1	1
85	Tunable dual-emission luminescence from Cu(I)-cluster-based MOFs for multi-stimuli responsive materials. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 2890-2897	7.1	5
84	Constructing multi-cluster copper(i) halides using conformationally flexible ligands. <i>Chemical Communications</i> , 2020 , 56, 7233-7236	5.8	10
83	Mixed-metallic Cu(I)-Ag(I) iodide based inorganic-organic hybrid: substitution-induced band-gap enlargement and emission enhancement. <i>Inorganic Chemistry Communication</i> , 2020 , 119, 108057	3.1	1
82	A water-stable 3D Eu-MOF based on a metallacyclodimeric secondary building unit for sensitive fluorescent detection of acetone molecules. <i>CrystEngComm</i> , 2019 , 21, 321-328	3.3	23
81	Incorporating Three Chiral Channels into an In-MOF for Excellent Gas Absorption and Preliminary Cu ²⁺ Ion Detection. <i>Crystal Growth and Design</i> , 2019 , 19, 3860-3868	3.5	12
80	A Flexible Two-Fold Interpenetrated Indium MOF Exhibiting Dynamic Response to Gas Adsorption and High-Sensitivity Detection of Nitroaromatic Explosives. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 3597-3602	4.5	19
79	Fabrication of a Robust Lanthanide Metal-Organic Framework as a Multifunctional Material for Fe(III) Detection, CO ₂ Capture, and Utilization. <i>Crystal Growth and Design</i> , 2018 , 18, 2956-2963	3.5	70
78	A family of doped lanthanide metal-organic frameworks for wide-range temperature sensing and tunable white light emission. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 1981-1989	7.1	102
77	Fabricating a super stable luminescent chemosensor with multi-stimuli-response to metal ions and small organic molecules through turn-on and turn-off effects. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 4511-4519	7.1	50
76	Cation-Induced Strategy toward an Hourglass-Shaped Cu ₆ I ₇ Cluster and Its Color-Tunable Luminescence. <i>Chemistry of Materials</i> , 2017 , 29, 8093-8099	9.6	28
75	The dynamic response of a flexible indium based metal-organic framework to gas sorption. <i>Chemical Communications</i> , 2016 , 52, 2277-80	5.8	34
74	Two microporous metal-organic frameworks constructed from trinuclear cobalt(II) and cadmium(II) cluster subunits. <i>CrystEngComm</i> , 2016 , 18, 2239-2243	3.3	8
73	Self-Assembly Syntheses, Structural Characterization, and Luminescent Properties of Lanthanide Coordination Polymers Constructed by Three Triazole-Carboxylate Ligands. <i>Crystal Growth and Design</i> , 2016 , 16, 2266-2276	3.5	49

72	Two novel pillar-layered Mn(II) coordination networks based on aromatic carboxylic acids with aminodiacetate functionality. <i>Inorganic Chemistry Communication</i> , 2015 , 58, 43-47	3.1	2
71	Structural variability, unusual thermochromic luminescence and nitrobenzene sensing properties of five Zn(II) coordination polymers assembled from a terphenyl-hexacarboxylate ligand. <i>CrystEngComm</i> , 2015 , 17, 3829-3837	3.3	41
70	Stepwise construction of extra-large heterometallic calixarene-based cages. <i>Inorganic Chemistry</i> , 2015 , 54, 3183-8	5.1	46
69	Construction of Zn(II)/Cd(II) coordination polymers derived from a tetrazole derivative: Syntheses, structures and luminescent properties. <i>Inorganic Chemistry Communication</i> , 2015 , 56, 129-132	3.1	4
68	Rapid and discriminative detection of nitro aromatic compounds with high sensitivity using two zinc MOFs synthesized through a temperature-modulated method. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 22369-22376	13	52
67	Controllable coordination-driven self-assembly: from discrete metallocages to infinite cage-based frameworks. <i>Accounts of Chemical Research</i> , 2015 , 48, 201-10	24.3	232
66	Effects of Temperature and Anion on the Copper(II) Complexes based on 2-(Carboxyphenyl)iminodiacetic Acid and 1,10-Phenanthroline. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2015 , 641, 1998-2004	1.3	6
65	Controllable Coordination Self-Assembly Based on Flexible Tripodal Ligands: From Finite Metallocages to Infinite Polycatenanes Step by Step. <i>Chemical Record</i> , 2015 , 15, 711-27	6.6	16
64	An unusual bifunctional Tb-MOF for highly sensitive sensing of Ba ²⁺ ions and with remarkable selectivities for CO ₂ and CH ₄ . <i>Journal of Materials Chemistry A</i> , 2015 , 3, 13526-13532	13	80
63	Diverse architectures and luminescence properties of two novel copper(I) coordination polymers assembled from 2,6-bis[3-(pyrid-4-yl)-1,2,4-triazolyl]pyridine ligands. <i>CrystEngComm</i> , 2015 , 17, 1541-1548	3.3	19
62	Structural Diversity Modulated by the Ratios of a Ternary Solvent Mixture: Syntheses, Structures, and Luminescent Properties of Five Zinc(II) Metal-Organic Frameworks. <i>Crystal Growth and Design</i> , 2015 , 15, 1481-1491	3.5	32
61	A controllable and dynamic assembly system based on discrete metallocages. <i>Chemical Science</i> , 2014 , 5, 483-488	9.4	37
60	Construction of two microporous metal-organic frameworks with flu and pyr topologies based on Zn ₄ (β-OH) ₂ (CO ₂) ₆ and Zn ₆ (β-O)(CO ₂) ₆ secondary building units. <i>Inorganic Chemistry</i> , 2014 , 53, 1032-8	5.1	46
59	Five novel Zn(II)/Cd(II) coordination polymers based on bis(pyrazinyl)-triazole and varied polycarboxylates: syntheses, topologies and photoluminescence. <i>CrystEngComm</i> , 2014 , 16, 11078-11087	3.3	20
58	A Series of d ¹⁰ Metal Clusters Constructed by 2,6-Bis[3-(pyrazin-2-yl)-1,2,4-triazolyl]pyridine: Crystal Structures and Unusual Luminescences. <i>Crystal Growth and Design</i> , 2014 , 14, 5011-5018	3.5	32
57	Europium and Terbium Coordination Polymers Assembled from Hexacarboxylate Ligands: Structures and Luminescent Properties. <i>Crystal Growth and Design</i> , 2014 , 14, 1010-1017	3.5	62
56	Metal-Organic Frameworks Based on Lanthanide Clusters. <i>Structure and Bonding</i> , 2014 , 145-183	0.9	8
55	A Novel Self-Penetrated Framework with New Topology Based on Rigid Ligands. <i>Chinese Journal of Chemistry</i> , 2014 , 32, 1029-1032	4.9	5

54	A solid AND logic stimuli-responsive material with bright nondestructive performance designed by sensitive cuprophilicity. <i>Chemical Communications</i> , 2013 , 49, 10227-9	5.8	33
53	Auxiliary ligand-directed and counter anion-templated effects on coordination networks based on semirigid 2-aminodiacetic terephthalic acid ligand. <i>CrystEngComm</i> , 2013 , 15, 911-921	3.3	29
52	Anion-driven self-assembly: from discrete cages to infinite polycatenanes step by step. <i>Chemical Communications</i> , 2013 , 49, 719-21	5.8	27
51	Multistimuli-Responsive Luminescent Material Reversible Switching Colors via Temperature and Mechanical Force. <i>Crystal Growth and Design</i> , 2013 , 13, 1377-1381	3.5	78
50	A multi-metal-cluster MOF with Cu ₄ I ₄ and Cu ₆ S ₆ as functional groups exhibiting dual emission with both thermochromic and near-IR character. <i>Chemical Science</i> , 2013 , 4, 1484	9.4	178
49	Using cuprophilicity as a multi-responsive chromophore switching color in response to temperature, mechanical force and solvent vapors. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 4339	7.1	74
48	Photophysical studies of europium coordination polymers based on a tetracarboxylate ligand. <i>Inorganic Chemistry</i> , 2013 , 52, 7658-65	5.1	68
47	pH modulated assembly in the mixed-ligand system Cd(II)@pstc@phen: structural diversity and luminescent properties. <i>CrystEngComm</i> , 2013 , 15, 3992	3.3	35
46	A series of novel zinc(II) entangled coordination polymers based on carboxyphenyl-terpyridine ligands. <i>Dalton Transactions</i> , 2013 , 42, 9954-65	4.3	75
45	Photoluminescences and 1D chain-like structures with dinuclear lanthanide(III) units featuring bipyridine-tetracarboxylate. <i>Inorganic Chemistry Communication</i> , 2012 , 15, 25-28	3.1	13
44	A 2D silver-iodide-organic framework with both fluorescent and phosphorescent emissions. <i>Inorganic Chemistry Communication</i> , 2012 , 15, 208-211	3.1	19
43	Temperature-Dependent in Situ Reduction of 4,4'-Azobispyridine via Solvothermal Reaction. <i>Crystal Growth and Design</i> , 2012 , 12, 2079-2088	3.5	61
42	Visible and NIR photoluminescence properties of a series of novel lanthanide-organic coordination polymers based on hydroxyquinoline-carboxylate ligands. <i>Inorganic Chemistry</i> , 2012 , 51, 13128-37	5.1	70
41	Tailored construction of novel Nickel (II) and Manganese (II) coordination polymers based on tris(p-carboxylphenyl)phosphine oxide. <i>Inorganica Chimica Acta</i> , 2012 , 392, 396-403	2.7	10
40	Three novel 3D coordination polymers based on a flexible multisite cyclotetraphosphazene ligand. <i>Dalton Transactions</i> , 2012 , 41, 14038-41	4.3	26
39	Structure and photoluminescent properties of lanthanide coordination polymers based on two isomers of iminodiacetic acid substituted isophthalate and terephthalate ligands. <i>CrystEngComm</i> , 2012 , 14, 6055	3.3	15
38	Unprecedented three-level hierarchical entanglement in a coordination polymer. <i>Chemical Communications</i> , 2012 , 48, 12168-70	5.8	40
37	Self-Assembly of Thiactalix[4]arene-Supported Nickel(II)/Cobalt(II) Complexes Sustained by in Situ Generated 5-Methyltetrazolate Ligand. <i>Crystal Growth and Design</i> , 2012 , 12, 3335-3341	3.5	62

36	Temperature-controlled reduction of Cu(II) and structural transformation on the assembly of coordination network. <i>CrystEngComm</i> , 2012 , 14, 4181	3.3	19
35	Three novel organic-inorganic complexes based on decavanadate [V ₁₀ O ₂₈] ⁶⁻ units: special water layers, open 3D frameworks and yellow/blue luminescences. <i>Dalton Transactions</i> , 2012 , 41, 7737-45	4.3	39
34	Truncated octahedral coordination cage incorporating six tetranuclear-metal building blocks and twelve linear edges. <i>Chemical Science</i> , 2012 , 3, 2321	9.4	110
33	1D chain, 2D layer and trinuclear unit based 3D frameworks of indium(III)-biphenyl carboxylate complexes. <i>Inorganica Chimica Acta</i> , 2012 , 386, 36-45	2.7	3
32	From discrete octahedral nanocages to 1D coordination polymer: coordination-driven a single-crystal-to-single-crystal transformation via anion exchange. <i>Chemical Communications</i> , 2011 , 47, 2327-9	5.8	51
31	A non-interpenetrated porous metal-organic framework with high gas-uptake capacity. <i>Chemical Communications</i> , 2011 , 47, 9861-3	5.8	96
30	An Unusual (10,3)-d MOF Material with Nanoscale Helical Cavities and Multifunctionality. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 5000-5005	2.3	19
29	Construction of 5-Aminodiacetic Isophthalate Based Nickel(II) Complexes with Diverse Topologies through Modulating the Auxiliary Ligands. <i>Crystal Growth and Design</i> , 2011 , 11, 3273-3281	3.5	36
28	Novel Luminescent Three-Dimensional Heterometallic Complexes with 2-Fold Interpenetrating (3,6)-Connected Nets. <i>Crystal Growth and Design</i> , 2011 , 11, 1705-1712	3.5	93
27	Structures and Photoluminescent Properties of the Lanthanide Coordination Complexes with Hydroxyquinoline Carboxylate Ligands. <i>Crystal Growth and Design</i> , 2010 , 10, 2306-2313	3.5	89
26	A red luminescent organic-inorganic hybrid network with double-stranded zigzag [Cu ₄ I ₄] _n chains. <i>Inorganic Chemistry Communication</i> , 2010 , 13, 191-194	3.1	6
25	Solvothermal syntheses and structures of indium(III)-binaphthalenyl dicarboxylate complexes with yellow/blue luminescence. <i>Journal of Solid State Chemistry</i> , 2009 , 182, 1499-1505	3.3	16
24	Solvent-Induced Pseudopolymorphism of a New Dinuclear Oxovanadium(V) Compound Based on 2,6-Di(hydroxymethyl)-4-methylphenol. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2009 , 635, 379-383	1.3	3
23	A dinuclear vanadium compound with 24-membered macrocycle generated via formation of S ₂ O ₂ bonds. <i>Inorganica Chimica Acta</i> , 2009 , 362, 407-413	2.7	5
22	The d ¹⁰ metal-sulfosalicylate complexes: Herring-bone, ladder and double-stranded chain frameworks with green luminescences. <i>Journal of Solid State Chemistry</i> , 2009 , 182, 3162-3170	3.3	9
21	Synthesis and characterization of a mixed-valence hexadecavanadate cluster with half-open framework. <i>Inorganic Chemistry Communication</i> , 2009 , 12, 219-222	3.1	7
20	A chiral twofold interpenetrated diamond-like 3D In(III) coordination network with 4,4',4''-phosphoryltribenzoate. <i>Inorganic Chemistry Communication</i> , 2009 , 12, 1238-1241	3.1	12
19	A Porous Polyhedral Metal-Organic Framework Based on Zn ₂ (COO) ₃ and Zn ₂ (COO) ₄ SBUs. <i>Crystal Growth and Design</i> , 2009 , 9, 2559-2561	3.5	53

18	A luminescent homochiral 3D Cd(II) framework with a threefold interpenetrating uniform net 8(6). <i>Chemical Communications</i> , 2009 , 5296-8	5.8	111
17	Double-walled tubular metal-organic frameworks constructed from bi-strand helices. <i>CrystEngComm</i> , 2009 , 11, 1831	3.3	14
16	Thermally stable helical chain and octanuclear Ag(I) coordination networks with yellow luminescence. <i>CrystEngComm</i> , 2009 , 11, 2529	3.3	33
15	A polynuclear d10-d10 metal complex with unusual near-infrared luminescence and high thermal stability. <i>Inorganic Chemistry</i> , 2009 , 48, 2873-9	5.1	107
14	Half-Open Hollow Cages of Pentadecavanadate and Hexadecavanadate Compounds with Large -O ₁₀ V ₅ - Windows. <i>Crystal Growth and Design</i> , 2008 , 8, 4092-4099	3.5	12
13	The Aggregations and Strong Emissions of d8 and d10 Metal- β -Hydroxyquinaldine Complexes. <i>Crystal Growth and Design</i> , 2008 , 8, 2721-2728	3.5	33
12	Hydrothermal Synthesis and Structures of Two One-Dimensional Heteropolytungstates Chains Formed by Keggin Cluster Units. <i>Journal of Cluster Science</i> , 2008 , 19, 591-600	3	5
11	The 2-D double layer structures of indium-benzenemulticarboxylate coordination polymers with green fluorescence. <i>Inorganica Chimica Acta</i> , 2008 , 361, 2821-2827	2.7	13
10	Bis(tetraethylammonium) bis(dimethylammonium) dihydrogendecavanadate(V). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007 , 63, m675-m677		4
9	A Highly Symmetric Porous Framework with Multi-intersecting Open Channels. <i>Crystal Growth and Design</i> , 2007 , 7, 1712-1715	3.5	71
8	Nickel-Organic Coordination Layers with Different Directional Cavities. <i>European Journal of Inorganic Chemistry</i> , 2006 , 2006, 4852-4856	2.3	15
7	3-D indium(III)-btc channel frameworks and their ion-exchange properties (btc=1,3,5-benzenetricarboxylate). <i>Journal of Solid State Chemistry</i> , 2006 , 179, 1154-1160	3.3	21
6	A basket tetradecavanadate cluster with blue luminescence. <i>Journal of the American Chemical Society</i> , 2005 , 127, 8588-9	16.4	177
5	New 3-d chiral framework of indium with 1,3,5-benzenetricarboxylate. <i>Inorganic Chemistry</i> , 2005 , 44, 73-6	5.1	128
4	The indium-carboxylate chain structure with the rectangular tunnels. <i>Inorganic Chemistry Communication</i> , 2005 , 8, 199-201	3.1	22
3	Two Novel Inorganic-Organic Hybrid Frameworks Based on InIII-BTC and InIII-BTEC. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 77-81	2.3	63
2	The 3D Channel Framework Based on Indium(III)-Btec, and Its Ion-Exchange Properties (btec = 1,2,4,5-Benzenetetracarboxylate). <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 1927-1931	2.3	91
1	Indium(III)-Organic Coordination Polymers with Versatile Topological Structures Based on Multicarboxylate Ligands		25-61

