

Ulver Derici

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7057050/publications.pdf>

Version: 2024-02-01

30
papers

266
citations

1307543

7
h-index

940516

16
g-index

31
all docs

31
docs citations

31
times ranked

444
citing authors

#	ARTICLE	IF	CITATIONS
1	Could nephrotoxicity due to colistin be ameliorated with the use of N-acetylcysteine?. Intensive Care Medicine, 2011, 37, 141-146.	8.2	66
2	Vascular Calcifications in Uremia: Old Concepts and New Insights. Seminars in Dialysis, 2006, 19, 60-68.	1.3	49
3	The effect of intermittent fasting on blood pressure variability in patients with newly diagnosed hypertension or prehypertension. Journal of the American Society of Hypertension, 2018, 12, 42-49.	2.3	35
4	Novel Inflammatory Marker in Dialysis Patients: YKL-40. Therapeutic Apheresis and Dialysis, 2013, 17, 193-201.	0.9	17
5	Epidemiological features of primary glomerular disease in Turkey: a multicenter study by the Turkish Society of Nephrology Glomerular Diseases Working Group. BMC Nephrology, 2020, 21, 481.	1.8	17
6	Serum fetuin-A is associated with the components of MIAC(malnutrition, inflammation,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td (a Journal of Medical Sciences, 2019, 49, 327-335.	0.9	15
7	High neutrophil-to-lymphocyte ratio predicts acute allograft rejection in kidney transplantation: a retrospective study. Turkish Journal of Medical Sciences, 2019, 49, 525-530.	0.9	10
8	Role of silymarin (<i>Silybum marianum</i>) in the prevention of colistin-induced acute nephrotoxicity in rats. Drug and Chemical Toxicology, 2022, 45, 568-575.	2.3	7
9	Predictive value of neutrophil-lymphocyte ratio in terms of need for intensive care unit and mortality in maintenance hemodialysis patients with COVID-19. Hemodialysis International, 2022, 26, 377-385.	0.9	7
10	Which out-of-office measurement technique should be used for diagnosing hypertension in prehypertensives?. Journal of Human Hypertension, 2020, 34, 586-592.	2.2	6
11	Could urinary kidney injury molecule-1 be a good marker in subclinical acute kidney injury in mild to moderate COVID-19 infection?. International Urology and Nephrology, 2021, , 1.	1.4	6
12	Prevention and Control Program for Cardiovascular Diseases in Turkish Population: PRE-CONTROL Study Group. Global Heart, 2020, 8, 115.	2.3	4
13	Does Blood Pressure Variability Affect Hypertension Development in Prehypertensive Patients?. American Journal of Hypertension, 2021, , .	2.0	4
14	Increased plasma nitrate levels in patients with crush syndrome in the Marmara earthquake. Clinica Chimica Acta, 2002, 322, 99-103.	1.1	3
15	Relationship between plasma YKL-40 levels and endothelial dysfunction in chronic kidney disease. Turkish Journal of Medical Sciences, 2019, 49, 139-146.	0.9	3
16	Characteristics of primary glomerular diseases patients with hematuria in Turkey: the data from TSN-GOLD Working Group. International Urology and Nephrology, 2021, 53, 945-954.	1.4	3
17	Proteinuria-associated nutcracker syndrome: an amyloid-negative familial Mediterranean fever patient. CKJ: Clinical Kidney Journal, 2010, 3, 599-600.	2.9	2
18	Kidney biopsy in the elderly: diagnostic adequacy and yield. International Urology and Nephrology, 2021, 53, 105-109.	1.4	2

#	ARTICLE	IF	CITATIONS
19	Turkish Society of Cardiology Consensus Paper on Evaluation and Treatment of Resistant Hypertension. <i>Anatolian Journal of Cardiology</i> , 2020, 24, 137-152.	0.9	2
20	Combining clinical features and MEST-C score in IgA nephropathy may be a better determinant of kidney survival. <i>Romanian Journal of Internal Medicine = Revue Roumaine De Medecine Interne</i> , 2020, 58, 209-218.	0.6	2
21	Effects of Verapamil Slow Release Plus Trandolapril Combination Therapy on Essential Hypertension. <i>Current Therapeutic Research</i> , 2003, 64, 10-20.	1.2	1
22	Sixty-Eight-Year-Old Man Presenting with Concurrent Microscopic Polyangiitis and Prostate Cancer. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1716-1717.	2.6	1
23	The relation between body fluid composition and echocardiographic tissue Doppler measurements in patients with end-stage renal disease. <i>International Urology and Nephrology</i> , 2020, 52, 2189-2195.	1.4	1
24	FGF23, alpha-Klotho and vitamin D mediated calcium-phosphate metabolism in haemodialysis patients. <i>Journal of Medical Biochemistry</i> , 2021, 40, 160-166.	1.7	1
25	Association between calcitriol and paricalcitol with oxidative stress in patients with hemodialysis. <i>International Journal for Vitamin and Nutrition Research</i> , 2021, 91, 335-342.	1.5	1
26	Prognostic factors in glomerular diseases with crescents. <i>Romanian Journal of Internal Medicine = Revue Roumaine De Medecine Interne</i> , 2019, 57, 254-261.	0.6	1
27	Rheumatoid arthritis and membranoproliferative glomerulonephritis: an unusual case. <i>Nephrology</i> , 2002, 7, 155-157.	1.6	0
28	P0389 THE PREVALENCE, CLINICAL AND PATHOLOGICAL CHARACTERISTICS OF PRIMARY FOCAL SEGMENTAL GLOMERULOSCLEROSIS IN TURKISH ADULTS: THE DATA FROM TSN-GOLD (TURKISH SOCIETY OF) Tj ETQq0 0 0 rg87/Overlook 10 Tf 50	0.7	0
29	P0448 CHARACTERISTICS OF PRIMARY GLOMERULAR DISEASE PATIENTS WITH HEMATURIA IN TURKEY: THE DATA FROM TSN-GOLD WORKING GROUP. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
30	Evaluation of Clinical, Laboratory and Treatment Modalities in C3 Glomerulopathy: Single Center Experience. <i>Prilozi - Makedonska Akademija Na Naukite I Umetnostite Oddelenie Za Medicinski Nauki</i> , 2019, 40, 15-23.	0.5	0