

Suzanne Hagen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7057172/suzanne-hagen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

29
papers

916
citations

12
h-index

30
g-index

30
ext. papers

1,112
ext. citations

6.6
avg, IF

3.66
L-index

#	Paper	IF	Citations
29	Translating the Pelvic Organ Prolapse Score into Samoan using a modified back translation methodology.. <i>BMC Womens Health</i> , 2022 , 22, 93	2.9	
28	Tibial nerve stimulation compared with sham to reduce incontinence in care home residents: ELECTRIC RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-110	4.4	0
27	Does self-management of vaginal pessaries improve care for women with pelvic organ prolapse?. <i>BMJ, The</i> , 2021 , 372, n310	5.9	3
26	Clinical and cost-effectiveness of vaginal pessary self-management compared to clinic-based care for pelvic organ prolapse: protocol for the TOPSY randomised controlled trial. <i>Trials</i> , 2020 , 21, 837	2.8	3
25	Stimulation of the tibial nerve: a protocol for a multicentred randomised controlled trial for urinary problems associated with ParkinsonWdisease-STARTUP. <i>BMJ Open</i> , 2020 , 10, e034887	3	3
24	Surgical interventions for uterine prolapse and for vault prolapse: the two VUE RCTs. <i>Health Technology Assessment</i> , 2020 , 24, 1-220	4.4	10
23	Basic versus biofeedback-mediated intensive pelvic floor muscle training for women with urinary incontinence: the OPAL RCT. <i>Health Technology Assessment</i> , 2020 , 24, 1-144	4.4	5
22	Pelvic floor muscle training for women with pelvic organ prolapse: the PROPEL realist evaluation. <i>Health Services and Delivery Research</i> , 2020 , 8, 1-104	1.5	2
21	Psychometric properties of the Arabic version of the International Consultation on Incontinence Questionnaire on Long-Term Catheter Quality of Life. <i>International Journal of Nursing Practice</i> , 2020 , 26, e12807	2.3	1
20	Effectiveness of pelvic floor muscle training with and without electromyographic biofeedback for urinary incontinence in women: multicentre randomised controlled trial. <i>BMJ, The</i> , 2020 , 371, m3719	5.9	11
19	The TOPSY pessary self-management intervention for pelvic organ prolapse: a study protocol for the process evaluation. <i>Trials</i> , 2020 , 21, 836	2.8	0
18	Effectiveness and cost-effectiveness of basic versus biofeedback-mediated intensive pelvic floor muscle training for female stress or mixed urinary incontinence: protocol for the OPAL randomised trial. <i>BMJ Open</i> , 2019 , 9, e024153	3	8
17	WomenWexperiences of receiving care for pelvic organ prolapse: a qualitative study. <i>BMC Womens Health</i> , 2019 , 19, 45	2.9	21
16	Effectiveness and cost-effectiveness randomised controlled trial of basic versus biofeedback-mediated intensive pelvic floor muscle training for female stress or mixed urinary incontinence: protocol for the OPAL (optimising pelvic floor exercises to achieve long-term benefits) trial mixed methods longitudinal qualitative case study and process evaluation. <i>BMJ Open</i>	3	3
15	Predicting risk of pelvic floor disorders 12 and 20 years after delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 218, 222.e1-222.e19	6.4	44
14	Abdominal massage plus advice, compared with advice only, for neurogenic bowel dysfunction in MS: a RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-134	4.4	7
13	Prospective observational study of the impact of vaginal surgery (pelvic organ prolapse with or without urinary incontinence) on female sexual function. <i>International Urogynecology Journal</i> , 2018 , 29, 837-845	2	6

12	Mesh, graft, or standard repair for women having primary transvaginal anterior or posterior compartment prolapse surgery: two parallel-group, multicentre, randomised, controlled trials (PROSPECT). <i>Lancet, The</i> , 2017 , 389, 381-392	4.0	145
11	Pelvic floor muscle training for secondary prevention of pelvic organ prolapse (PREVPROL): a multicentre randomised controlled trial. <i>Lancet, The</i> , 2017 , 389, 393-402	4.0	39
10	Two parallel, pragmatic, UK multicentre, randomised controlled trials comparing surgical options for upper compartment (vault or uterine) pelvic organ prolapse (the VUE Study): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 441	2.8	3
9	A survey of prolapse practice in UK women's health physiotherapists: what has changed in the last decade?. <i>International Urogynecology Journal</i> , 2016 , 27, 579-85	2	8
8	2014 consensus statement on improving pelvic floor muscle training adherence: International Continence Society 2011 State-of-the-Science Seminar. <i>Neurourology and Urodynamics</i> , 2015 , 34, 600-5	2.3	54
7	Individualised pelvic floor muscle training in women with pelvic organ prolapse (POPPY): a multicentre randomised controlled trial. <i>Lancet, The</i> , 2014 , 383, 796-806	4.0	164
6	Vaginal pessaries for pelvic organ prolapse and urinary incontinence: a multiprofessional survey of practice. <i>International Urogynecology Journal</i> , 2013 , 24, 1017-24	2	26
5	A feasibility study of transcutaneous posterior tibial nerve stimulation for bladder and bowel dysfunction in elderly adults in residential care. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 270-4	5.9	35
4	Psychometric properties of the SF-36 in the early post-stroke phase. <i>Journal of Advanced Nursing</i> , 2003 , 44, 461-8	3.1	28
3	Does perineal suturing make a difference? The SUNS trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003 , 110, 684-689	3.7	32
2	Test-retest reliability, validity, and sensitivity to change of the urogenital distress inventory and the incontinence impact questionnaire. <i>Neurourology and Urodynamics</i> , 2002 , 21, 534-9	2.3	48
1	Stroke patients with informal caregivers. Patient, caregiver, and service factors that affect caregiver strain. <i>Stroke</i> , 1999 , 30, 1517-23	6.7	207