Alexandra L Pitman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7057269/publications.pdf

Version: 2024-02-01

81 papers

2,680 citations

279798 23 h-index 214800 47 g-index

89 all docs 89 docs citations

89 times ranked 3067 citing authors

#	Article	IF	Citations
1	Depression and anxiety in patients with cancer. BMJ: British Medical Journal, 2018, 361, k1415.	2.3	392
2	Effects of suicide bereavement on mental health and suicide risk. Lancet Psychiatry, the, 2014, 1, 86-94.	7.4	322
3	The association between loneliness and depressive symptoms among adults aged 50 years and older: a 12-year population-based cohort study. Lancet Psychiatry,the, 2021, 8, 48-57.	7.4	178
4	Bereavement by suicide as a risk factor for suicide attempt: a cross-sectional national UK-wide study of 3432 young bereaved adults. BMJ Open, 2016, 6, e009948.	1.9	161
5	Risk of Suicide After Cancer Diagnosis in England. JAMA Psychiatry, 2019, 76, 51.	11.0	145
6	Suicide in young men. Lancet, The, 2012, 379, 2383-2392.	13.7	125
7	The experience of loneliness among young people with depression: a qualitative meta-synthesis of the literature. BMC Psychiatry, 2020, 20, 415.	2.6	105
8	The stigma perceived by people bereaved by suicide and other sudden deaths: A cross-sectional UK study of 3432 bereaved adults. Journal of Psychosomatic Research, 2016, 87, 22-29.	2.6	96
9	Self-harm, Unintentional Injury, and Suicide in Bipolar Disorder During Maintenance Mood Stabilizer Treatment. JAMA Psychiatry, 2016, 73, 630.	11.0	88
10	Experiences of living with mental health problems during the COVID-19 pandemic in the UK: a coproduced, participatory qualitative interview study. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1447-1457.	3.1	71
11	The stigma associated with bereavement by suicide and other sudden deaths: A qualitative interview study. Social Science and Medicine, 2018, 198, 121-129.	3.8	69
12	Exploring the digital technology preferences of teenagers and young adults (TYA) with cancer and survivors: a cross-sectional service evaluation questionnaire. Journal of Cancer Survivorship, 2017, 11, 670-682.	2.9	53
13	Support received after bereavement by suicide and other sudden deaths: a cross-sectional UK study of 3432 young bereaved adults. BMJ Open, 2017, 7, e014487.	1.9	53
14	Depression and self-harm from adolescence to young adulthood in sexual minorities compared with heterosexuals in the UK: a population-based cohort study. The Lancet Child and Adolescent Health, 2019, 3, 91-98.	5.6	52
15	Perceived Stigma of Sudden Bereavement as a Risk Factor for Suicidal Thoughts and Suicide Attempt: Analysis of British Cross-Sectional Survey Data on 3387 Young Bereaved Adults. International Journal of Environmental Research and Public Health, 2017, 14, 286.	2.6	48
16	Suicide risk in people with post-traumatic stress disorder: A cohort study of 3.1 million people in Sweden. Journal of Affective Disorders, 2021, 279, 609-616.	4.1	45
17	Advancing our understanding of loneliness and mental health problems in young people. Lancet Psychiatry,the, 2018, 5, 955-956.	7.4	36
18	Support Needs and Experiences of People Bereaved by Suicide: Qualitative Findings from a Cross-Sectional British Study of Bereaved Young Adults. International Journal of Environmental Research and Public Health, 2018, 15, 666.	2.6	33

#	Article	IF	CITATIONS
19	Attitudes to suicide following the suicide of a friend or relative: a qualitative study of the views of 429 young bereaved adults in the UK. BMC Psychiatry, 2017, 17, 400.	2.6	32
20	Trauma-informed care for adult survivors of developmental trauma with psychotic and dissociative symptoms: a systematic review of intervention studies. Lancet Psychiatry, the, 2020, 7, 449-462.	7.4	30
21	Suicide risk among refugees compared with non-refugee migrants and the Swedish-born majority population. British Journal of Psychiatry, 2020, 217, 686-692.	2.8	29
22	10-y Risks of Death and Emergency Re-admission in Adolescents Hospitalised with Violent, Drug- or Alcohol-Related, or Self-Inflicted Injury: A Population-Based Cohort Study. PLoS Medicine, 2015, 12, e1001931.	8.4	27
23	The cost-effectiveness of neonatal screening for cystic fibrosis: an analysis of alternative scenarios using a decision model. Cost Effectiveness and Resource Allocation, 2005, 3, 8.	1.5	25
24	The Impact of Suicide Bereavement on Educational and Occupational Functioning: A Qualitative Study of 460 Bereaved Adults. International Journal of Environmental Research and Public Health, 2018, 15, 643.	2.6	25
25	The Perceived Impact of Suicide Bereavement on Specific Interpersonal Relationships: A Qualitative Study of Survey Data. International Journal of Environmental Research and Public Health, 2019, 16, 1801.	2.6	25
26	Cross-cultural attitudes to help-seeking among individuals who are suicidal: new perspective for policy-makers. British Journal of Psychiatry, 2011, 199, 8-10.	2.8	23
27	The use of internet-mediated cross-sectional studies in mental health research. BJ Psych Advances, 2015, 21, 175-184.	0.7	21
28	Individual and area-level risk factors for suicidal ideation and attempt in people with severe depression. Journal of Affective Disorders, 2016, 205, 387-392.	4.1	20
29	The role of the high-risk approach in suicide prevention. British Journal of Psychiatry, 2012, 201, 175-177.	2.8	17
30	Suicide Reporting Within British Newspapers' Arts Coverage. Crisis, 2015, 36, 13-20.	1.2	17
31	The mental health of lesbian, gay, and bisexual adults compared with heterosexual adults: results of two nationally representative English household probability samples. Psychological Medicine, 2022, 52, 3402-3411.	4.5	15
32	Cardiovascular Screening of People With Severe Mental Illness in England: Views of Service Users and Providers. Psychiatric Services, 2011, 62, 1338-1345.	2.0	14
33	Self-Reported Patterns of Use of Alcohol and Drugs After Suicide Bereavement and Other Sudden Losses: A Mixed Methods Study of 1,854 Young Bereaved Adults in the UK. Frontiers in Psychology, 2020, 11, 1024.	2.1	14
34	Implementing clinical guidelines for self harm – highlighting key issues arising from the NICE guideline for selfâ€harm. Psychology and Psychotherapy: Theory, Research and Practice, 2008, 81, 377-397.	2.5	13
35	Use of Alcohol and Unprescribed Drugs after Suicide Bereavement: Qualitative Study. International Journal of Environmental Research and Public Health, 2019, 16, 4093.	2.6	13
36	The association of loneliness after sudden bereavement with risk of suicide attempt: a nationwide survey of bereaved adults. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1081-1092.	3.1	12

#	Article	IF	CITATIONS
37	Comparing short-term risk of repeat self-harm after psychosocial assessment of patients who self-harm by psychiatrists or psychiatric nurses in a general hospital: Cohort study. Journal of Affective Disorders, 2020, 272, 158-165.	4.1	12
38	Containing COVID: the establishment and management of a COVID-19 ward in an adult psychiatric hospital. BJPsych Open, 2020, 6, e140.	0.7	12
39	What has changed in the experiences of people with mental health problems during the COVID-19 pandemic: a coproduced, qualitative interview study. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1291-1303.	3.1	11
40	Young Peoples' Perspectives on the Role of Harm Reduction Techniques in the Management of Their Self-Harm: A Qualitative Study. Archives of Suicide Research, 2022, 26, 692-706.	2.3	10
41	Risk of depressive symptoms before and after the first hospitalisation for cancer: Evidence from a 16-year cohort study in the Czech Republic. Journal of Affective Disorders, 2020, 276, 76-83.	4.1	10
42	The experiences of people bereaved by suicide regarding the press reporting of the death: qualitative study. BMC Public Health, 2020, 20, 176.	2.9	10
43	Open versus blind peer review: is anonymity better than transparency?. BJ Psych Advances, 2021, 27, 247-254.	0.7	10
44	Association between sensory impairment and suicidal ideation and attempt: a cross-sectional analysis of nationally representative English household data. BMJ Open, 2021, 11, e043179.	1.9	10
45	Alexandra Reinhardt 1960–2004. River and Red Butterfly. British Journal of Psychiatry, 2008, 192, 332-332.	2.8	9
46	Reform of the coroners' service in England and Wales: policy-making and politics. The Psychiatrist, 2012, 36, 1-5.	0.3	9
47	Priorities for the development and evaluation of support after suicide bereavement in the UK: results of a discussion group. Bereavement Care, 2016, 35, 109-116.	0.3	9
48	Support for Relatives Bereaved by Psychiatric Patient Suicide: National Confidential Inquiry Into Suicide and Homicide Findings. Psychiatric Services, 2017, 68, 337-344.	2.0	9
49	The Epidemiology of Suicide in Young Men in Greenland: A Systematic Review. International Journal of Environmental Research and Public Health, 2018, 15, 2442.	2.6	9
50	Perceptions of the Use of Alcohol and Drugs after Sudden Bereavement by Unnatural Causes: Analysis of Online Qualitative Data. International Journal of Environmental Research and Public Health, 2020, 17, 677.	2.6	9
51	Addressing suicide risk in partners and relatives bereaved by suicide. British Journal of Psychiatry, 2018, 212, 197-198.	2.8	8
52	A Systematic Review of Studies Describing the Effectiveness, Acceptability, and Potential Harms of Place-Based Interventions to Address Loneliness and Mental Health Problems. International Journal of Environmental Research and Public Health, 2022, 19, 4766.	2.6	8
53	Assessing Digital Risk in Psychiatric Patients: Mixed Methods Study of Psychiatry Trainees' Experiences, Views, and Understanding. JMIR Mental Health, 2020, 7, e19008.	3.3	7
54	Medicolegal reports in asylum applications: a framework for addressing the practical and ethical challenges. Journal of the Royal Society of Medicine, 2010, 103, 93-97.	2.0	6

#	Article	IF	CITATIONS
55	Digital interventions for subjective and objective social isolation among individuals with mental health conditions: a scoping review. BMC Psychiatry, 2022, 22, 331.	2.6	6
56	Asylum application process: the psychiatric patient's experience. The Psychiatrist, 2010, 34, 344-348.	0.3	5
57	Enhanced peer-review for optimising publication of biomedical papers submitted from low- and middle-income countries: feasibility study for a randomised controlled trial. BJPsych Open, 2019, 5, e20.	0.7	5
58	Characteristics and risk of repeat suicidal ideation and self-harm in patients who present to emergency departments with suicidal ideation or self-harm: A prospective cohort study. Journal of Affective Disorders, 2020, 273, 358-363.	4.1	5
59	Effectiveness, acceptability and potential harms of peer support for self-harm in non-clinical settings: systematic review. BJPsych Open, 2022, 8, e28.	0.7	5
60	Policy on the prevention of suicidal behaviour; one treatment for all may be an unrealistic expectation. Journal of the Royal Society of Medicine, 2007, 100, 461-464.	2.0	3
61	Access to means of lethal overdose among psychiatric patients with co-morbid physical health problems: Analysis of national suicide case series data from the United Kingdom. Journal of Affective Disorders, 2019, 257, 173-179.	4.1	3
62	Adapting Digital Social Prescribing for Suicide Bereavement Support: The Findings of a Consultation Exercise to Explore the Acceptability of Implementing Digital Social Prescribing within an Existing Postvention Service. International Journal of Environmental Research and Public Health, 2019, 16, 4561.	2.6	3
63	The Association Between Personality Disorder Traits and Suicidality Following Sudden Bereavement: A National Cross-Sectional Survey. Journal of Personality Disorders, 2021, 35, 1-19.	1.4	3
64	Harm minimisation for the management of self-harm: a mixed-methods analysis of electronic health records in secondary mental healthcare. BJPsych Open, 2021, 7, e116.	0.7	3
65	Art as Healing, By Edward Adamson and John Timlin, Coventure, 2014, £25.00 (by cheque incl. P&P) pb, 68 pp. ISBN: 9780904575248 The book can be ordered from Mr Richard Morley at SLAM (richard.morley@slam.nhs.uk). BJPsych Bulletin, 2016, 40, 54-54.	1.1	3
66	Does the impact of bereavement vary between same and different gender partnerships? A representative national, cross-sectional study. Psychological Medicine, 0, , 1-9.	4.5	3
67	Suicidal ideation in dementia: associations with neuropsychiatric symptoms and subtype diagnosis. International Psychogeriatrics, 2022, 34, 399-406.	1.0	2
68	Insidious undermining of the liaison nursing role. Psychiatric Bulletin, 2007, 31, 33-34.	0.3	1
69	Edvard Munch (1863-1944) The Scream. British Journal of Psychiatry, 2011, 198, 72-72.	2.8	1
70	Trauma, bereavement and the creative process: Arshile Gorky's The Artist and His Mother. Advances in Psychiatric Treatment, 2013, 19, 366-369.	0.5	1
71	Exploring low mood in a person with cancer. BMJ: British Medical Journal, 2018, 361, k1488.	2.3	1
72	Patterns of suicide mortality in England and Wales before and after the suicide of the actor Robin Williams. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1801-1808.	3.1	1

#	Article	IF	CITATIONS
73	Physical health of patients in rehabilitation and recovery. Psychiatric Bulletin, 2005, 29, 354-354.	0.3	O
74	Humane rapid tranquillization of an agitated patient with an implantable cardioverter defibrillator. British Journal of Hospital Medicine (London, England: 2005), 2008, 69, 652-653.	0.5	0
75	Mark Rothko (1903-1970). British Journal of Psychiatry, 2008, 193, 484-484.	2.8	O
76	Why are psychosocial assessments following self-harm not completed? The Psychiatrist, 2010, 34, 540-540.	0.3	0
77	Reappraising the work of R B Kitaj. Lancet, The, 2011, 378, 1131.	13.7	0
78	Lateral reading. British Journal of Psychiatry, 2013, 202, 150-151.	2.8	0
79	Romantic suicide. British Journal of Psychiatry, 2015, 207, 122-122.	2.8	0
80	Mortality Awareness: New Directions. Omega: Journal of Death and Dying, 2022, , 003022282211006.	1.0	0
81	Harm minimisation for self-harm: a cross-sectional survey of British clinicians' perspectives and practises. BMJ Open, 2022, 12, e056199.	1.9	0