
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7057269/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Young Peoples' Perspectives on the Role of Harm Reduction Techniques in the Management of Their Self-Harm: A Qualitative Study. Archives of Suicide Research, 2022, 26, 692-706.	1.2	10
2	The mental health of lesbian, gay, and bisexual adults compared with heterosexual adults: results of two nationally representative English household probability samples. Psychological Medicine, 2022, 52, 3402-3411.	2.7	15
3	Effectiveness, acceptability and potential harms of peer support for self-harm in non-clinical settings: systematic review. BJPsych Open, 2022, 8, e28.	0.3	5
4	Suicidal ideation in dementia: associations with neuropsychiatric symptoms and subtype diagnosis. International Psychogeriatrics, 2022, 34, 399-406.	0.6	2
5	What has changed in the experiences of people with mental health problems during the COVID-19 pandemic: a coproduced, qualitative interview study. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1291-1303.	1.6	11
6	A Systematic Review of Studies Describing the Effectiveness, Acceptability, and Potential Harms of Place-Based Interventions to Address Loneliness and Mental Health Problems. International Journal of Environmental Research and Public Health, 2022, 19, 4766.	1.2	8
7	Digital interventions for subjective and objective social isolation among individuals with mental health conditions: a scoping review. BMC Psychiatry, 2022, 22, 331.	1.1	6
8	Mortality Awareness: New Directions. Omega: Journal of Death and Dying, 2022, , 003022282211006.	0.7	0
9	Harm minimisation for self-harm: a cross-sectional survey of British clinicians' perspectives and practises. BMJ Open, 2022, 12, e056199.	0.8	0
10	The association between loneliness and depressive symptoms among adults aged 50 years and older: a 12-year population-based cohort study. Lancet Psychiatry,the, 2021, 8, 48-57.	3.7	178
11	Suicide risk in people with post-traumatic stress disorder: A cohort study of 3.1 million people in Sweden. Journal of Affective Disorders, 2021, 279, 609-616.	2.0	45
12	Open versus blind peer review: is anonymity better than transparency?. BJ Psych Advances, 2021, 27, 247-254.	0.5	10
13	Association between sensory impairment and suicidal ideation and attempt: a cross-sectional analysis of nationally representative English household data. BMJ Open, 2021, 11, e043179.	0.8	10
14	Patterns of suicide mortality in England and Wales before and after the suicide of the actor Robin Williams. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1801-1808.	1.6	1
15	Experiences of living with mental health problems during the COVID-19 pandemic in the UK: a coproduced, participatory qualitative interview study. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1447-1457.	1.6	71
16	The Association Between Personality Disorder Traits and Suicidality Following Sudden Bereavement: A National Cross-Sectional Survey. Journal of Personality Disorders, 2021, 35, 1-19.	0.8	3
17	Harm minimisation for the management of self-harm: a mixed-methods analysis of electronic health records in secondary mental healthcare. BJPsych Open, 2021, 7, e116.	0.3	3
18	Suicide risk among refugees compared with non-refugee migrants and the Swedish-born majority population. British Journal of Psychiatry, 2020, 217, 686-692.	1.7	29

#	Article	IF	CITATIONS
19	The association of loneliness after sudden bereavement with risk of suicide attempt: a nationwide survey of bereaved adults. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1081-1092.	1.6	12
20	Risk of depressive symptoms before and after the first hospitalisation for cancer: Evidence from a 16-year cohort study in the Czech Republic. Journal of Affective Disorders, 2020, 276, 76-83.	2.0	10
21	The experience of loneliness among young people with depression: a qualitative meta-synthesis of the literature. BMC Psychiatry, 2020, 20, 415.	1.1	105
22	Self-Reported Patterns of Use of Alcohol and Drugs After Suicide Bereavement and Other Sudden Losses: A Mixed Methods Study of 1,854 Young Bereaved Adults in the UK. Frontiers in Psychology, 2020, 11, 1024.	1.1	14
23	Perceptions of the Use of Alcohol and Drugs after Sudden Bereavement by Unnatural Causes: Analysis of Online Qualitative Data. International Journal of Environmental Research and Public Health, 2020, 17, 677.	1.2	9
24	The experiences of people bereaved by suicide regarding the press reporting of the death: qualitative study. BMC Public Health, 2020, 20, 176.	1.2	10
25	Trauma-informed care for adult survivors of developmental trauma with psychotic and dissociative symptoms: a systematic review of intervention studies. Lancet Psychiatry,the, 2020, 7, 449-462.	3.7	30
26	Characteristics and risk of repeat suicidal ideation and self-harm in patients who present to emergency departments with suicidal ideation or self-harm: A prospective cohort study. Journal of Affective Disorders, 2020, 273, 358-363.	2.0	5
27	Comparing short-term risk of repeat self-harm after psychosocial assessment of patients who self-harm by psychiatrists or psychiatric nurses in a general hospital: Cohort study. Journal of Affective Disorders, 2020, 272, 158-165.	2.0	12
28	Containing COVID: the establishment and management of a COVID-19 ward in an adult psychiatric hospital. BJPsych Open, 2020, 6, e140.	0.3	12
29	Assessing Digital Risk in Psychiatric Patients: Mixed Methods Study of Psychiatry Trainees' Experiences, Views, and Understanding. JMIR Mental Health, 2020, 7, e19008.	1.7	7
30	Access to means of lethal overdose among psychiatric patients with co-morbid physical health problems: Analysis of national suicide case series data from the United Kingdom. Journal of Affective Disorders, 2019, 257, 173-179.	2.0	3
31	Use of Alcohol and Unprescribed Drugs after Suicide Bereavement: Qualitative Study. International Journal of Environmental Research and Public Health, 2019, 16, 4093.	1.2	13
32	Enhanced peer-review for optimising publication of biomedical papers submitted from low- and middle-income countries: feasibility study for a randomised controlled trial. BJPsych Open, 2019, 5, e20.	0.3	5
33	The Perceived Impact of Suicide Bereavement on Specific Interpersonal Relationships: A Qualitative Study of Survey Data. International Journal of Environmental Research and Public Health, 2019, 16, 1801.	1.2	25
34	Adapting Digital Social Prescribing for Suicide Bereavement Support: The Findings of a Consultation Exercise to Explore the Acceptability of Implementing Digital Social Prescribing within an Existing Postvention Service. International Journal of Environmental Research and Public Health, 2019, 16, 4561.	1.2	3
35	Depression and self-harm from adolescence to young adulthood in sexual minorities compared with heterosexuals in the UK: a population-based cohort study. The Lancet Child and Adolescent Health, 2019, 3, 91-98.	2.7	52
36	Risk of Suicide After Cancer Diagnosis in England. JAMA Psychiatry, 2019, 76, 51.	6.0	145

#	Article	IF	CITATIONS
37	The stigma associated with bereavement by suicide and other sudden deaths: A qualitative interview study. Social Science and Medicine, 2018, 198, 121-129.	1.8	69
38	Depression and anxiety in patients with cancer. BMJ: British Medical Journal, 2018, 361, k1415.	2.4	392
39	Exploring low mood in a person with cancer. BMJ: British Medical Journal, 2018, 361, k1488.	2.4	1
40	Addressing suicide risk in partners and relatives bereaved by suicide. British Journal of Psychiatry, 2018, 212, 197-198.	1.7	8
41	The Epidemiology of Suicide in Young Men in Greenland: A Systematic Review. International Journal of Environmental Research and Public Health, 2018, 15, 2442.	1.2	9
42	Advancing our understanding of loneliness and mental health problems in young people. Lancet Psychiatry,the, 2018, 5, 955-956.	3.7	36
43	The Impact of Suicide Bereavement on Educational and Occupational Functioning: A Qualitative Study of 460 Bereaved Adults. International Journal of Environmental Research and Public Health, 2018, 15, 643.	1.2	25
44	Support Needs and Experiences of People Bereaved by Suicide: Qualitative Findings from a Cross-Sectional British Study of Bereaved Young Adults. International Journal of Environmental Research and Public Health, 2018, 15, 666.	1.2	33
45	Exploring the digital technology preferences of teenagers and young adults (TYA) with cancer and survivors: a cross-sectional service evaluation questionnaire. Journal of Cancer Survivorship, 2017, 11, 670-682.	1.5	53
46	Support for Relatives Bereaved by Psychiatric Patient Suicide: National Confidential Inquiry Into Suicide and Homicide Findings. Psychiatric Services, 2017, 68, 337-344.	1.1	9
47	Support received after bereavement by suicide and other sudden deaths: a cross-sectional UK study of 3432 young bereaved adults. BMJ Open, 2017, 7, e014487.	0.8	53
48	Attitudes to suicide following the suicide of a friend or relative: a qualitative study of the views of 429 young bereaved adults in the UK. BMC Psychiatry, 2017, 17, 400.	1.1	32
49	Perceived Stigma of Sudden Bereavement as a Risk Factor for Suicidal Thoughts and Suicide Attempt: Analysis of British Cross-Sectional Survey Data on 3387 Young Bereaved Adults. International Journal of Environmental Research and Public Health, 2017, 14, 286.	1.2	48
50	Bereavement by suicide as a risk factor for suicide attempt: a cross-sectional national UK-wide study of 3432 young bereaved adults. BMJ Open, 2016, 6, e009948.	0.8	161
51	Self-harm, Unintentional Injury, and Suicide in Bipolar Disorder During Maintenance Mood Stabilizer Treatment. JAMA Psychiatry, 2016, 73, 630.	6.0	88
52	Individual and area-level risk factors for suicidal ideation and attempt in people with severe depression. Journal of Affective Disorders, 2016, 205, 387-392.	2.0	20
53	The stigma perceived by people bereaved by suicide and other sudden deaths: A cross-sectional UK study of 3432 bereaved adults. Journal of Psychosomatic Research, 2016, 87, 22-29.	1.2	96
54	Priorities for the development and evaluation of support after suicide bereavement in the UK: results of a discussion group. Bereavement Care, 2016, 35, 109-116.	0.3	9

#	Article	IF	CITATIONS
55	Art as Healing, By Edward Adamson and John Timlin, Coventure, 2014, £25.00 (by cheque incl. P&P) pb, 68 pp. ISBN: 9780904575248 The book can be ordered from Mr Richard Morley at SLAM (richard.morley@slam.nhs.uk). BJPsych Bulletin, 2016, 40, 54-54.	0.7	3
56	The use of internet-mediated cross-sectional studies in mental health research. BJ Psych Advances, 2015, 21, 175-184.	0.5	21
57	10-y Risks of Death and Emergency Re-admission in Adolescents Hospitalised with Violent, Drug- or Alcohol-Related, or Self-Inflicted Injury: A Population-Based Cohort Study. PLoS Medicine, 2015, 12, e1001931.	3.9	27
58	Romantic suicide. British Journal of Psychiatry, 2015, 207, 122-122.	1.7	0
59	Suicide Reporting Within British Newspapers' Arts Coverage. Crisis, 2015, 36, 13-20.	0.9	17
60	Effects of suicide bereavement on mental health and suicide risk. Lancet Psychiatry,the, 2014, 1, 86-94.	3.7	322
61	Lateral reading. British Journal of Psychiatry, 2013, 202, 150-151.	1.7	0
62	Trauma, bereavement and the creative process: Arshile Gorky's The Artist and His Mother. Advances in Psychiatric Treatment, 2013, 19, 366-369.	0.6	1
63	The role of the high-risk approach in suicide prevention. British Journal of Psychiatry, 2012, 201, 175-177.	1.7	17
64	Suicide in young men. Lancet, The, 2012, 379, 2383-2392.	6.3	125
65	Reform of the coroners' service in England and Wales: policy-making and politics. The Psychiatrist, 2012, 36, 1-5.	0.3	9
66	Reappraising the work of R B Kitaj. Lancet, The, 2011, 378, 1131.	6.3	0
67	Cross-cultural attitudes to help-seeking among individuals who are suicidal: new perspective for policy-makers. British Journal of Psychiatry, 2011, 199, 8-10.	1.7	23
68	Edvard Munch (1863-1944) The Scream. British Journal of Psychiatry, 2011, 198, 72-72.	1.7	1
69	Cardiovascular Screening of People With Severe Mental Illness in England: Views of Service Users and Providers. Psychiatric Services, 2011, 62, 1338-1345.	1.1	14
70	Asylum application process: the psychiatric patient's experience. The Psychiatrist, 2010, 34, 344-348.	0.3	5
71	Why are psychosocial assessments following self-harm not completed?. The Psychiatrist, 2010, 34, 540-540.	0.3	0
72	Medicolegal reports in asylum applications: a framework for addressing the practical and ethical chail chail chail chailenges. Journal of the Royal Society of Medicine, 2010, 103, 93-97.	1.1	6

#	Article	IF	CITATIONS
73	Implementing clinical guidelines for self harm – highlighting key issues arising from the NICE guideline for selfâ€harm. Psychology and Psychotherapy: Theory, Research and Practice, 2008, 81, 377-397.	1.3	13
74	Humane rapid tranquillization of an agitated patient with an implantable cardioverter defibrillator. British Journal of Hospital Medicine (London, England: 2005), 2008, 69, 652-653.	0.2	0
75	Alexandra Reinhardt 1960–2004. River and Red Butterfly. British Journal of Psychiatry, 2008, 192, 332-332.	1.7	9
76	Mark Rothko (1903-1970). British Journal of Psychiatry, 2008, 193, 484-484.	1.7	0
77	Policy on the prevention of suicidal behaviour; one treatment for all may be an unrealistic expectation. Journal of the Royal Society of Medicine, 2007, 100, 461-464.	1.1	3
78	Insidious undermining of the liaison nursing role. Psychiatric Bulletin, 2007, 31, 33-34.	0.3	1
79	The cost-effectiveness of neonatal screening for cystic fibrosis: an analysis of alternative scenarios using a decision model. Cost Effectiveness and Resource Allocation, 2005, 3, 8.	0.6	25
80	Physical health of patients in rehabilitation and recovery. Psychiatric Bulletin, 2005, 29, 354-354.	0.3	0
81	Does the impact of bereavement vary between same and different gender partnerships? A representative national, cross-sectional study. Psychological Medicine, 0, , 1-9.	2.7	3