

Andreas Hornung

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7058058/publications.pdf>

Version: 2024-02-01

69
papers

2,205
citations

185998

28
h-index

233125

45
g-index

87
all docs

87
docs citations

87
times ranked

2728
citing authors

#	ARTICLE	IF	CITATIONS
1	Biocharâ€”just a black matter is not enough. <i>Biomass Conversion and Biorefinery</i> , 2024, 14, 5889-5900.	2.9	13
2	Aqueous phase of thermo-catalytic reforming of sewage sludge â€” quantity, quality, and its electrooxidative treatment by a boron-doped diamond electrode. <i>Separation and Purification Technology</i> , 2022, 286, 120392.	3.9	9
3	A step change towards sustainable aviation fuel from sewage sludge. <i>Journal of Analytical and Applied Pyrolysis</i> , 2022, 163, 105498.	2.6	17
4	Pore development during CO ₂ and H ₂ O activation associated with the catalytic role of inherent inorganics in sewage sludge char and its performance during the reforming of volatiles. <i>Chemical Engineering Journal</i> , 2022, 446, 137298.	6.6	6
5	Deoxygenation of Bioâ€”oil from Calciumâ€”Rich Paperâ€”Mill Waste. <i>Chemical Engineering and Technology</i> , 2021, 44, 194-202.	0.9	9
6	Thermochemical Conversion of Biomass and Upgrading of Bio-Products to Produce Fuels and Chemicals. , 2021, , 1-47.		0
7	Chemical Recycling of WEEE Plasticsâ€”Production of High Purity Monocyclic Aromatic Chemicals. <i>Processes</i> , 2021, 9, 530.	1.3	14
8	Numerical Simulation of the Thermo-catalytic Reforming Process: Up-scaling Study. <i>Industrial & Engineering Chemistry Research</i> , 2021, 60, 4682-4692.	1.8	0
9	Analysis of the Thermal Management of a Highâ€”Temperature Methanol Fuel Cell Using a Latent Heat Storage. <i>Energy Technology</i> , 2021, 9, 2100543.	1.8	0
10	Thermo-catalytic reforming of alberta-based biomass feedstock to produce biofuels. <i>Biomass and Bioenergy</i> , 2021, 152, 106203.	2.9	6
11	A conjugate heat transfer model for unconstrained melting of macroencapsulated phase change materials subjected to external convection. <i>International Journal of Heat and Mass Transfer</i> , 2020, 149, 119205.	2.5	11
12	In-depth comparison of morphology, microstructure, and pathway of char derived from sewage sludge and relevant model compounds. <i>Waste Management</i> , 2020, 102, 432-440.	3.7	23
13	Valorisation of lignocellulosic biomass investigating different pyrolysis temperatures. <i>Journal of the Energy Institute</i> , 2020, 93, 1960-1969.	2.7	32
14	Optimization of the fractional collection efficiencies for electrostatic precipitators used in biomass-fired boilers. <i>Biomass and Bioenergy</i> , 2020, 141, 105703.	2.9	7
15	The Upgrading of Bio-Oil from the Intermediate Pyrolysis of Waste Biomass Using Steel Slag as a Catalyst. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 18420-18432.	3.2	18
16	Thermochemical conversion of agricultural wastes applying different reforming temperatures. <i>Fuel Processing Technology</i> , 2020, 203, 106402.	3.7	23
17	Demonstration of catalytic properties of de-inking sludge char as a carbon based sacrificial catalyst. <i>Journal of Analytical and Applied Pyrolysis</i> , 2020, 146, 104773.	2.6	9
18	The effect of torrefaction pre-treatment on the pyrolysis of corn cobs. <i>Results in Engineering</i> , 2020, 7, 100165.	2.2	44

#	ARTICLE	IF	CITATIONS
19	Fate of nano titanium dioxide during combustion of engineered nanomaterial-containing waste in a municipal solid waste incineration plant. <i>Waste Management and Research</i> , 2019, 37, 1033-1042.	2.2	12
20	Food and Market Waste – A Pathway to Sustainable Fuels and Waste Valorization. <i>Energy & Fuels</i> , 2019, 33, 9843-9850.	2.5	36
21	Upscaling of Thermo-Catalytic Reforming Process from Lab to Pilot Scale. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 15853-15862.	1.8	17
22	Greenhouse gas savings and energy balance of sewage sludge treated through an enhanced intermediate pyrolysis screw reactor combined with a reforming process. <i>Waste Management</i> , 2019, 91, 42-53.	3.7	16
23	A Review of the Valorization of Paper Industry Wastes by Thermochemical Conversion. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 15914-15929.	1.8	28
24	Thermochemical conversion of biomass and upgrading to biofuel: The Thermo-Catalytic Reforming process – A review. <i>Biofuels, Bioproducts and Biorefining</i> , 2019, 13, 822-837.	1.9	46
25	Unlocking the Potential of Biomass Energy in Pakistan. <i>Frontiers in Energy Research</i> , 2019, 7, .	1.2	33
26	Thermo-Catalytic Reforming of spent coffee grounds. <i>Bioresources and Bioprocessing</i> , 2019, 6, .	2.0	20
27	Ga/HZSM-5 Catalysed Acetic Acid Ketonisation for Upgrading of Biomass Pyrolysis Vapours. <i>Catalysts</i> , 2019, 9, 841.	1.6	20
28	Integrated intermediate catalytic pyrolysis of wheat husk. <i>Food and Bioproducts Processing</i> , 2019, 114, 23-30.	1.8	37
29	A review on the current state of the art for the production of advanced liquid biofuels. <i>AIMS Energy</i> , 2019, 7, 46-76.	1.1	54
30	Thermo-catalytic reforming of co-form® rejects (waste cleansing wipes). <i>Journal of Analytical and Applied Pyrolysis</i> , 2018, 132, 33-39.	2.6	11
31	Integrated thermo-catalytic reforming of residual sugarcane bagasse in a laboratory scale reactor. <i>Fuel Processing Technology</i> , 2018, 171, 277-286.	3.7	40
32	Dust Filtration Influence on the Performance of Catalytic Filters for NO _x Reduction. <i>Emission Control Science and Technology</i> , 2018, 4, 300-311.	0.8	2
33	Promoting Effect of ZSM-5 Catalyst on Carbonization via Hydrothermal Conversion of Sewage Sludge. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 9461-9469.	3.2	20
34	Development and Tests of a Combined Filter for NO _x , Particulates, and SO ₂ Reduction. <i>Chemical Engineering and Technology</i> , 2018, 41, 2150-2158.	0.9	2
35	Thermo-catalytic reforming of pulper rejects from a secondary fibre mill. <i>Renewable Energy Focus</i> , 2018, 26, 39-45.	2.2	8
36	Boiler Design with Solid-Gaseous Fuel Staging to Reduce NO _x Emissions and Optimize Load Flexibility. <i>Chemical Engineering and Technology</i> , 2017, 40, 289-297.	0.9	3

#	ARTICLE	IF	CITATIONS
37	Thermocatalytic Reforming of Biomass Waste Streams. <i>Energy Technology</i> , 2017, 5, 104-110.	1.8	28
38	Source and Biological Response of Biochar Organic Compounds Released into Water; Relationships with Bio-Oil Composition and Carbonization Degree. <i>Environmental Science & Technology</i> , 2017, 51, 6580-6589.	4.6	35
39	The role of thermo-catalytic reforming for energy recovery from food and drink supply chain wastes. <i>Energy Procedia</i> , 2017, 123, 15-21.	1.8	13
40	Thermo-Catalytic Reforming of municipal solid waste. <i>Waste Management</i> , 2017, 68, 198-206.	3.7	48
41	Profiles of Volatile Organic Compounds in Biochar: Insights into Process Conditions and Quality Assessment. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 510-517.	3.2	57
42	Optimized Energetic Usage of Brewers' Spent Grains. <i>Chemical Engineering and Technology</i> , 2017, 40, 306-312.	0.9	14
43	Thermo-Catalytic Reforming of Woody Biomass. <i>Energy & Fuels</i> , 2016, 30, 7923-7929.	2.5	27
44	Upgraded biofuel from residue biomass by Thermo-Catalytic Reforming and hydrodeoxygenation. <i>Biomass and Bioenergy</i> , 2016, 89, 91-97.	2.9	38
45	Modeling of a Methanol Synthesis Reactor for Storage of Renewable Energy and Conversion of CO ₂ – Comparison of Two Kinetic Models. <i>Chemical Engineering and Technology</i> , 2016, 39, 233-245.	0.9	33
46	At-line characterisation of compounds evolved during biomass pyrolysis by solid-phase microextraction SPME-GC-MS. <i>Microchemical Journal</i> , 2016, 124, 36-44.	2.3	12
47	The conversion of anaerobic digestion waste into biofuels via a novel Thermo-Catalytic Reforming process. <i>Waste Management</i> , 2016, 47, 141-148.	3.7	75
48	Production and characterization of a new quality pyrolysis oil, char and syngas from digestate – Introducing the thermo-catalytic reforming process. <i>Journal of Analytical and Applied Pyrolysis</i> , 2015, 113, 137-142.	2.6	108
49	Relationships between Chemical Characteristics and Phytotoxicity of Biochar from Poultry Litter Pyrolysis. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 6660-6667.	2.4	67
50	The Potential Application of Pyroligneous Acid in the UK Agricultural Industry. <i>Journal of Crop Improvement</i> , 2015, 29, 228-246.	0.9	34
51	PYROLYSIS OF WASTE ELECTRICAL AND ELECTRONIC EQUIPMENT (WEEE) FOR RECOVERING METALS AND ENERGY: PREVIOUS ACHIEVEMENTS AND CURRENT APPROACHES. <i>Environmental Engineering and Management Journal</i> , 2015, 14, 1637-1647.	0.2	21
52	Influence of Feedstocks on Performance and Products of Processes. , 2014, , 203-207.		0
53	Integrated Processes Including Intermediate Pyrolysis. , 2014, , 209-216.		0
54	Characterization of engineered biochar for soil management. <i>Environmental Progress and Sustainable Energy</i> , 2014, 33, 490-496.	1.3	25

#	ARTICLE	IF	CITATIONS
55	Synthesis of green fuels from biogenic waste through thermochemical route – The role of heterogeneous catalyst: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2014, 38, 131-153.	8.2	56
56	Steam gasification of rapeseed, wood, sewage sludge and miscanthus biochars for the production of a hydrogen-rich syngas. <i>Biomass and Bioenergy</i> , 2014, 69, 276-286.	2.9	94
57	Economic Efficiency of Mobile Latent Heat Storages. <i>Energy Procedia</i> , 2014, 46, 171-177.	1.8	30
58	Thermo-chemical behaviour and chemical product formation from Polar seaweeds during intermediate pyrolysis. <i>Journal of Analytical and Applied Pyrolysis</i> , 2013, 104, 131-138.	2.6	43
59	Intermediate pyrolysis and product identification by TGA and Py-GC/MS of green microalgae and their extracted protein and lipid components. <i>Biomass and Bioenergy</i> , 2013, 49, 38-48.	2.9	257
60	The intermediate pyrolysis and catalytic steam reforming of Brewers spent grain. <i>Journal of Analytical and Applied Pyrolysis</i> , 2013, 103, 328-342.	2.6	106
61	Zirconia and alumina based catalysts for steam reforming of naphthalene. <i>Fuel</i> , 2013, 105, 614-629.	3.4	33
62	Characteristics of the upper phase of bio-oil obtained from co-pyrolysis of sewage sludge with wood, rapeseed and straw. <i>Journal of Analytical and Applied Pyrolysis</i> , 2012, 94, 120-125.	2.6	81
63	Effect of sample preparation on the thermal degradation of metal-added biomass. <i>Journal of Analytical and Applied Pyrolysis</i> , 2012, 94, 170-176.	2.6	68
64	A comparative study on the pyrolysis of metal- and ash-enriched wood and the combustion properties of the gained char. <i>Journal of Analytical and Applied Pyrolysis</i> , 2012, 96, 196-202.	2.6	68
65	Biomass Pyrolysis. , 2012, , 1517-1531.		5
66	Waste to power. <i>Tappi Journal</i> , 2012, 11, 55-64.	0.2	14
67	Sequential pyrolysis and catalytic low temperature reforming of wheat straw. <i>Journal of Analytical and Applied Pyrolysis</i> , 2009, 85, 145-150.	2.6	29
68	Investigation of Thermal Degradation of Solids in an Isothermal, Gradient Free Reactor. <i>Chemical Engineering and Technology</i> , 1998, 21, 332.	0.9	17
69	Development of a mathematical model to calculate the energy savings and the system running costs through hydrogen recovery in wastewater electrolysis cells. , 0, 210, 44-53.		3