Martina Fabris

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7058809/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Efficacy and safety of belimumab in primary Sjögren's syndrome: results of the BELISS open-label phase Il study. Annals of the Rheumatic Diseases, 2015, 74, 526-531.	0.5	248
2	Post-COVID-19 symptoms 6Âmonths after acute infection among hospitalized and non-hospitalized patients. Clinical Microbiology and Infection, 2021, 27, 1507-1513.	2.8	197
3	BLyS upregulation in Sjogren's syndrome associated with lymphoproliferative disorders, higher ESSDAI score and B-cell clonal expansion in the salivary glands. Rheumatology, 2013, 52, 276-281.	0.9	125
4	Characterization of the Proinflammatory Profile of Synovial Fluid-Derived Exosomes of Patients with Osteoarthritis. Mediators of Inflammation, 2017, 2017, 1-11.	1.4	90
5	Rheumatoid factor positivity rather than anti-CCP positivity, a lower disability and a lower number of anti-TNF agents failed are associated with response to rituximab in rheumatoid arthritis. Rheumatology, 2009, 48, 1557-1559.	0.9	87
6	Serological Assays for SARS-CoV-2 Infectious Disease: Benefits, Limitations and Perspectives. Israel Medical Association Journal, 2020, 22, 203-210.	0.1	77
7	Efficacy and safety of belimumab given for 12 months in primary Sjögren's syndrome: the BELISS open-label phase II study. Rheumatology, 2015, 54, kev257.	0.9	66
8	Resistance to Rituximab Therapy and Local BAFF Overexpression in Sjogren's Syndrome-Related Myoepithelial Sialadenitis and Low-Grade Parotid B-Cell Lymphoma. Open Rheumatology Journal, 2008, 2, 38-43.	0.1	60
9	Hepatitis C virus infection, mixed cryoglobulinemia and BLyS upregulation: Targeting the infectious trigger, the autoimmune response, or both?. Autoimmunity Reviews, 2008, 8, 95-99.	2.5	59
10	The association of solid-phase assays to immunofluorescence increases the diagnostic accuracy for ANA screening in patients with autoimmune rheumatic diseases. Autoimmunity Reviews, 2018, 17, 541-547.	2.5	55
11	Tumor necrosis factor-alpha receptor II polymorphism in patients from southern Europe with mild-moderate and severe rheumatoid arthritis. Journal of Rheumatology, 2002, 29, 1847-50.	1.0	53
12	The 158VV Fcgamma receptor 3A genotype is associated with response to rituximab in rheumatoid arthritis: results of an Italian multicentre study. Annals of the Rheumatic Diseases, 2014, 73, 716-721.	0.5	52
13	Genetic variations in ZFP36 and their possible relationship to autoimmune diseases. Journal of Autoimmunity, 2006, 26, 182-196.	3.0	51
14	Sequential therapy with belimumab followed by rituximab in Sjögren's syndrome associated with B-cell lymphoproliferation and overexpression of BAFF: evidence for long-term efficacy. Clinical and Experimental Rheumatology, 2014, 32, 490-4.	0.4	51
15	Role of oral cyclophosphamide in the treatment of giant cell arteritis. Rheumatology, 2012, 51, 1677-1686.	0.9	49
16	Treatment with belimumab restores B cell subsets and their expression of B cell activating factor receptor in patients with primary Sjogren's syndrome. Rheumatology, 2015, 54, 1429-1434.	0.9	49
17	Role of Fmsâ€like Tyrosine Kinase 3 Ligand as a Potential Biologic Marker of Lymphoma in Primary Sjögren's Syndrome. Arthritis and Rheumatism, 2013, 65, 3218-3227.	6.7	46
18	Interleukin 6, soluble interleukin 2 receptor alpha (CD25), monocyte colony-stimulating factor, and hepatocyte growth factor linked with systemic hyperinflammation, innate immunity hyperactivation, and organ damage in COVID-19 pneumonia. Cytokine, 2021, 140, 155438.	1.4	44

Martina Fabris

#	Article	IF	CITATIONS
19	The CC homozygosis of the â^'174G>C IL-6 polymorphism predicts a lower efficacy of rituximab therapy in rheumatoid arthritis. Autoimmunity Reviews, 2012, 11, 315-320.	2.5	43
20	Specific chemoluminescence and immunoasdorption tests for anti-DFS70 antibodies avoid false positive results by indirect immunofluorescence. Clinica Chimica Acta, 2015, 451, 271-277.	0.5	43
21	Tumor necrosis factor-alpha gene polymorphism in severe and mild-moderate rheumatoid arthritis. Journal of Rheumatology, 2002, 29, 29-33.	1.0	43
22	Serum Interleukin-10 Levels Correlate with Cerebrospinal Fluid Amyloid Beta Deposition in Alzheimer Disease Patients. Neurodegenerative Diseases, 2017, 17, 227-234.	0.8	42
23	The Fall in Antibody Response to SARS-CoV-2: a Longitudinal Study of Asymptomatic to Critically III Patients Up to 10 Months after Recovery. Journal of Clinical Microbiology, 2021, 59, e0113821.	1.8	36
24	Preliminary Classification of Nonmalignant B Cell Proliferation in Sjögren's Syndrome: Perspectives on Pathobiology and Treatment Based on an Integrated Clinico-Pathologic and Molecular Study Approach. Blood Cells, Molecules, and Diseases, 2001, 27, 757-766.	0.6	35
25	Controversies on Rituximab Therapy in Sjögren Syndrome-Associated Lymphoproliferation. International Journal of Rheumatology, 2009, 2009, 1-8.	0.9	35
26	Post–COVID-19 syndrome and humoral response association after 1Âyear in vaccinated and unvaccinated patients. Clinical Microbiology and Infection, 2022, 28, 1140-1148.	2.8	35
27	â^'238 and +489 TNF-α along with TNF-RII gene polymorphisms associate with the diffuse phenotype in patients with Systemic Sclerosis. Immunology Letters, 2005, 96, 103-108.	1.1	33
28	Cryoglobulinaemia related to Sjogren's syndrome or HCV infection: differences based on the pattern of bone marrow involvement, lymphoma evolution and laboratory tests after parotidectomy. Rheumatology, 2012, 51, 627-633.	0.9	33
29	Anti-DFS70 antibodies detected by immunoblot methods: A reliable tool to confirm the dense fine speckles ANA pattern. Journal of Immunological Methods, 2016, 436, 50-53.	0.6	33
30	Rituximab in mixed cryoglobulinemia: increased experience and perspectives. Digestive and Liver Disease, 2007, 39, S122-S128.	0.4	32
31	Anti-zinc transporter protein 8 autoantibodies significantly improve the diagnostic approach to type 1 diabetes: an Italian multicentre study on paediatric patients. Autoimmunity Highlights, 2015, 6, 17-22.	3.9	30
32	Transforming growth factor β 869C/T and interleukin 6 -174G/C polymorphisms relate to the severity and progression of bone-erosive damage detected by ultrasound in rheumatoid arthritis. Arthritis Research and Therapy, 2011, 13, R111.	1.6	29
33	Serum levels of anti-CCP antibodies, anti-MCV antibodies and RF IgA in the follow-up of patients with rheumatoid arthritis treated with rituximab. Autoimmunity Highlights, 2010, 1, 87-94.	3.9	27
34	Elevated B cell-activating factor of the tumour necrosis factor family in coeliac disease. Scandinavian Journal of Gastroenterology, 2007, 42, 1434-1439.	0.6	25
35	The introduction of anti-phosphatidylserine/prothrombin autoantibodies in the laboratory diagnostic process of anti-phospholipid antibody syndrome: 6Âmonths of observation. Autoimmunity Highlights, 2014, 5, 63-67.	3.9	25
36	The ANA-reflex test as a model for improving clinical appropriateness in autoimmune diagnostics. Autoimmunity Highlights, 2016, 7, 9.	3.9	24

Martina Fabris

#	Article	IF	CITATIONS
37	Toll-like Receptor-4 Activation Boosts the Immunosuppressive Properties of Tumor Cells-derived Exosomes. Scientific Reports, 2019, 9, 8457.	1.6	23
38	The TTTT B lymphocyte stimulator promoter haplotype is associated with good response to rituximab therapy in seropositive rheumatoid arthritis resistant to tumor necrosis factor blockers. Arthritis and Rheumatism, 2013, 65, 88-97.	6.7	22
39	Longâ€Term Effects of Rituximab in Rheumatoid Arthritis. Annals of the New York Academy of Sciences, 2009, 1173, 692-700.	1.8	21
40	Anti-DFS70 Antibodies: A Useful Biomarker in a Pediatric Case With Suspected Autoimmune Disease. Pediatrics, 2014, 134, e1706-e1708.	1.0	20
41	Low risk of reinfections and relation with serological response after recovery from the first wave of COVID-19. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 2597-2604.	1.3	19
42	Atypical lymphoproliferation progressing into B-cell lymphoma in rheumatoid arthritis treated with different biological agents: clinical course and molecular characterization. Haematologica, 2006, 91, 691-4.	1.7	15
43	New genetically engineered DFS70 knock-out HEp-2 cells enable rapid and specific recognition of anti-DFS70 antibodies. Autoimmunity, 2018, 51, 152-156.	1.2	14
44	A new diagnostic algorithm for pattern-oriented autoantibody testing according to the ICAP nomenclature: A pilot study. Autoimmunity Reviews, 2020, 19, 102588.	2.5	10
45	Seroconversion and kinetic of anti SARSâ€COVâ€2 antibodies in 25 patients with hematological malignancies who recovered from SARSâ€COVâ€2 infection. Hematological Oncology, 2021, 39, 428-431.	0.8	8
46	Circulating exosomes express $\hat{1}\pm4\hat{1}^27$ integrin and compete with CD4+ T cells for the binding to Vedolizumab. PLoS ONE, 2020, 15, e0242342.	1.1	8
47	B‣ymphocyte Stimulator and a Proliferationâ€Inducing Ligand Serum Levels in IgAâ€Deficient Patients With and Without Celiac Disease. Annals of the New York Academy of Sciences, 2009, 1173, 268-273.	1.8	7
48	CORonavirus-19 mild to moderate pneumonia Management with blood Ozonization in patients with Respiratory failure (CORMOR) multicentric prospective randomized clinical trial. International Immunopharmacology, 2021, 98, 107874.	1.7	7
49	Pericardial Cytokine "Storm―in a COVID-19 Patient: the Confirmation of a Hypothesis. Inflammation, 2022, 45, 1-5.	1.7	7
50	Exploring the plasmatic platelet-activating factor acetylhydrolase activity in patients with anti-phospholipid antibodies. Autoimmunity Highlights, 2017, 8, 5.	3.9	6
51	Anti-β2-glycoprotein I and anti-phosphatidylserine/prothrombin antibodies exert similar pro-thrombotic effects in peripheral blood monocytes and endothelial cells. Autoimmunity Highlights, 2019, 10, 3.	3.9	6
52	Positive tissue transglutaminase antibodies with negative endomysial antibodies: Unresolved issues in diagnosing celiac disease. Journal of Immunological Methods, 2021, 489, 112910.	0.6	5
53	Diagnosing and Monitoring Celiac Patients with Selective IgA Deficiency: Still an Open Issue. Digestive Diseases and Sciences, 2021, 66, 3234-3241.	1.1	5
54	ll test ANA-reflex. Rivista Italiana Della Medicina Di Laboratorio, 2015, 11, 171-175.	0.2	3

MARTINA FABRIS

#	Article	IF	CITATIONS
55	Exploring the Possible Prognostic Role of B-Lymphocyte Stimulator (BLyS) in a Large Series of Patients with Neuroendocrine Tumors. Endocrine, Metabolic and Immune Disorders - Drug Targets, 2018, 18, 618-625.	0.6	3
56	Current technologies for anti-ENA antibody detection: State-of-the-art of diagnostic immunoassays. Journal of Immunological Methods, 2022, 507, 113297.	0.6	3
57	Up-Regulation of B-Lymphocyte Stimulator (BLyS) in Patients with Mixed Cryoglobulinemia. , 2012, , 119-126.		Ο
58	Title is missing!. , 2020, 15, e0242342.		0
59	Title is missing!. , 2020, 15, e0242342.		Ο
60	Title is missing!. , 2020, 15, e0242342.		0
61	Title is missing!. , 2020, 15, e0242342.		0