

# Yang Liao

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7059313/yang-liao-publications-by-year.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40  
papers

12,314  
citations

20  
h-index

43  
g-index

43  
ext. papers

19,658  
ext. citations

13.6  
avg, IF

7.14  
L-index

#	Paper	IF	Citations
40	Impact of gene annotation choice on the quantification of RNA-seq data.. <i>BMC Bioinformatics</i> , <b>2022</b> , 23, 107	3.6	0
39	Molecular profiling reveals features of clinical immunity and immunosuppression in asymptomatic <i>P. falciparum</i> malaria.. <i>Molecular Systems Biology</i> , <b>2022</b> , 18, e10824	12.2	0
38	The transcription factor IRF4 represses proapoptotic BMF and BIM to licence multiple myeloma survival. <i>Leukemia</i> , <b>2021</b> , 35, 2114-2118	10.7	8
37	Sex-specific adipose tissue imprinting of regulatory T cells. <i>Nature</i> , <b>2020</b> , 579, 581-585	50.4	72
36	Attenuation of TCR-induced transcription by Bach2 controls regulatory T cell differentiation and homeostasis. <i>Nature Communications</i> , <b>2020</b> , 11, 252	17.4	28
35	Read trimming is not required for mapping and quantification of RNA-seq reads at the gene level. <i>NAR Genomics and Bioinformatics</i> , <b>2020</b> , 2, lqaa068	3.7	8
34	Impact of RNA-seq data analysis algorithms on gene expression estimation and downstream prediction. <i>Scientific Reports</i> , <b>2020</b> , 10, 17925	4.9	7
33	TCF-1 limits the formation of Tc17 cells via repression of the MAF-ROR $\gamma$ axis. <i>Journal of Experimental Medicine</i> , <b>2019</b> , 216, 1682-1699	16.6	27
32	Tailored NEOadjuvant epirubicin, cyclophosphamide and Nanoparticle Albumin-Bound paclitaxel for breast cancer: The phase II NEONAB trial-Clinical outcomes and molecular determinants of response. <i>PLoS ONE</i> , <b>2019</b> , 14, e0210891	3.7	9
31	c-Maf-dependent T cell control of intestinal T17 cells and IgA establishes host-microbiota homeostasis. <i>Nature Immunology</i> , <b>2019</b> , 20, 471-481	19.1	72
30	The R package Rsubread is easier, faster, cheaper and better for alignment and quantification of RNA sequencing reads. <i>Nucleic Acids Research</i> , <b>2019</b> , 47, e47	20.1	635
29	Transcription Factor T-bet in B Cells Modulates Germinal Center Polarization and Antibody Affinity Maturation in Response to Malaria. <i>Cell Reports</i> , <b>2019</b> , 29, 2257-2269.e6	10.6	16
28	IRF4 Activity Is Required in Established Plasma Cells to Regulate Gene Transcription and Mitochondrial Homeostasis. <i>Cell Reports</i> , <b>2019</b> , 29, 2634-2645.e5	10.6	20
27	Mining the Plasma Cell Transcriptome for Novel Cell Surface Proteins. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	4
26	Plasmacytoid dendritic cell heterogeneity is defined by CXCL10 expression following TLR7 stimulation. <i>Immunology and Cell Biology</i> , <b>2018</b> , 96, 1083-1094	5	8
25	A point mutation in the signal peptide impairs the development of innate lymphoid cell subsets. <i>Oncolmmunology</i> , <b>2018</b> , 7, e1475875	7.2	7
24	IMiDs prime myeloma cells for daratumumab-mediated cytotoxicity through loss of Ikaros and Aiolos. <i>Blood</i> , <b>2018</b> , 132, 2166-2178	2.2	42

23	Effector Regulatory T Cell Differentiation and Immune Homeostasis Depend on the Transcription Factor Myb. <i>Immunity</i> , <b>2017</b> , 46, 78-91	32.3	48
22	The TNF Receptor Superfamily-NF- $\kappa$ B Axis Is Critical to Maintain Effector Regulatory T Cells in Lymphoid and Non-lymphoid Tissues. <i>Cell Reports</i> , <b>2017</b> , 20, 2906-2920	10.6	77
21	An update on using CRISPR/Cas9 in the one-cell stage mouse embryo for generating complex mutant alleles. <i>Cell Death and Differentiation</i> , <b>2017</b> , 24, 1821-1822	12.7	18
20	Transcription Factor IRF4 Promotes CD8 T Cell Exhaustion and Limits the Development of Memory-like T Cells during Chronic Infection. <i>Immunity</i> , <b>2017</b> , 47, 1129-1141.e5	32.3	178
19	Environmental sensing by mature B cells is controlled by the transcription factors PU.1 and SpiB. <i>Nature Communications</i> , <b>2017</b> , 8, 1426	17.4	39
18	Blimp-1 controls plasma cell function through the regulation of immunoglobulin secretion and the unfolded protein response. <i>Nature Immunology</i> , <b>2016</b> , 17, 323-30	19.1	194
17	A molecular threshold for effector CD8(+) T cell differentiation controlled by transcription factors Blimp-1 and T-bet. <i>Nature Immunology</i> , <b>2016</b> , 17, 422-32	19.1	98
16	Dynamic changes in Id3 and E-protein activity orchestrate germinal center and plasma cell development. <i>Journal of Cell Biology</i> , <b>2016</b> , 213, 2135OIA110	7.3	1
15	Dynamic changes in Id3 and E-protein activity orchestrate germinal center and plasma cell development. <i>Journal of Experimental Medicine</i> , <b>2016</b> , 213, 1095-111	16.6	38
14	Hobit and Blimp1 instruct a universal transcriptional program of tissue residency in lymphocytes. <i>Science</i> , <b>2016</b> , 352, 459-63	33.3	495
13	The transcriptional regulators IRF4, BATF and IL-33 orchestrate development and maintenance of adipose tissue-resident regulatory T cells. <i>Nature Immunology</i> , <b>2015</b> , 16, 276-85	19.1	356
12	Transcriptional profiling of mouse B cell terminal differentiation defines a signature for antibody-secreting plasma cells. <i>Nature Immunology</i> , <b>2015</b> , 16, 663-73	19.1	239
11	featureCounts: an efficient general purpose program for assigning sequence reads to genomic features. <i>Bioinformatics</i> , <b>2014</b> , 30, 923-30	7.2	7883
10	Assessing technical performance in differential gene expression experiments with external spike-in RNA control ratio mixtures. <i>Nature Communications</i> , <b>2014</b> , 5, 5125	17.4	89
9	Pax5 loss imposes a reversible differentiation block in B-progenitor acute lymphoblastic leukemia. <i>Genes and Development</i> , <b>2014</b> , 28, 1337-50	12.6	62
8	Quantitative proteomic profiling reveals novel region-specific markers in the adult mouse brain. <i>Proteomics</i> , <b>2014</b> , 14, 241-61	4.8	10
7	The Subread aligner: fast, accurate and scalable read mapping by seed-and-vote. <i>Nucleic Acids Research</i> , <b>2013</b> , 41, e108	20.1	1489
6	Mining Micro-blogs: Opportunities and Challenges <b>2012</b> , 129-159		9

5	ScoreTree: A Decentralised Framework for Credibility Management of User-Generated Content. <i>Lecture Notes in Computer Science</i> , <b>2011</b> , 249-256	0.9	
4	ScoreFinder: A method for collaborative quality inference on user-generated content <b>2010</b> ,		2
3	Decentralisation of ScoreFinder: A Framework for Credibility Management on User-Generated Contents. <i>Lecture Notes in Computer Science</i> , <b>2010</b> , 272-282	0.9	1
2	The R package Rsubread is easier, faster, cheaper and better for alignment and quantification of RNA sequencing reads		10
1	Read trimming is not required for mapping and quantification of RNA-seq reads		3