

Myrra Vernooij-Dassen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7059639/myrra-vernooij-dassen-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers

3,256
citations

32
h-index

52
g-index

122
ext. papers

3,878
ext. citations

3.7
avg, IF

5.23
L-index

#	Paper	IF	Citations
110	Putting primary prevention of dementia on everybody's agenda. <i>Aging and Mental Health</i> , 2021 , 25, 1376-1380	3.3	380
109	Large differences in the organization of palliative care in nursing homes in six European countries: findings from the PACE cross-sectional study. <i>BMC Palliative Care</i> , 2021 , 20, 131	3	1
108	Loneliness, Not Social Support, Is Associated with Cognitive Decline and Dementia Across Two Longitudinal Population-Based Cohorts. <i>Journal of Alzheimers Disease</i> , 2021 ,	4.3	5
107	Potentially Inappropriate Treatments at the End of Life in Nursing Home Residents: Findings From the PACE Cross-Sectional Study in Six European Countries. <i>Journal of Pain and Symptom Management</i> , 2021 , 61, 732-742.e1	4.8	3
106	Bridging the divide between biomedical and psychosocial approaches in dementia research: the 2019 INTERDEM manifesto. <i>Aging and Mental Health</i> , 2021 , 25, 206-212	3.5	22
105	Community Occupational Therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID]) study: A single-blind, randomised controlled trial. <i>PLoS Medicine</i> , 2021 , 18, e1003433	11.6	4
104	The risks of social distancing for older adults: a call to balance. <i>International Psychogeriatrics</i> , 2020 , 32, 1235-1237	3.4	9
103	Palliative Care Implementation in Long-Term Care Facilities: European Association for Palliative Care White Paper. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1051-1057	5.9	16
102	Strategies for the implementation of palliative care education and organizational interventions in long-term care facilities: A scoping review. <i>Palliative Medicine</i> , 2020 , 34, 558-570	5.5	20
101	Implementing the theory-based advance care planning ACP+ programme for nursing homes: study protocol for a cluster randomised controlled trial and process evaluation. <i>BMC Palliative Care</i> , 2020 , 19, 5	3	8
100	Evaluation of a Palliative Care Program for Nursing Homes in 7 Countries: The PACE Cluster-Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2020 , 180, 233-242	11.5	30
99	Factors Associated with Perception of the Quality of Physicians' End-of-life Communication in Long-Term Care Facilities: PACE Cross-Sectional Study. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 439.e1-439.e8	5.9	0
98	Educating Dutch General Practitioners in Dementia Advance Care Planning: A Cluster Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 837-842.e4	5.9	17
97	Measuring the well-being of people with dementia: a conceptual scoping review. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 249	3	21
96	Advance care planning with people with dementia: a process evaluation of an educational intervention for general practitioners. <i>BMC Family Practice</i> , 2020 , 21, 199	2.6	5
95	Perception of the Quality of Communication With Physicians Among Relatives of Dying Residents of Long-term Care Facilities in 6 European Countries: PACE Cross-Sectional Study. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 331-337	5.9	6
94	Sense of coherence in family caregivers of people living with dementia: a mixed-methods psychometric evaluation. <i>Health and Quality of Life Outcomes</i> , 2019 , 17, 44	3	7

93	The experience of family caregivers of patients with cancer in an Asian country: A grounded theory approach. <i>Palliative Medicine</i> , 2019 , 33, 676-684	5.5	16
92	Agreement of Nursing Home Staff With Palliative Care Principles: A PACE Cross-sectional Study Among Nurses and Care Assistants in Five European Countries. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, 824-834	4.8	4
91	Palliative care provision in long-term care facilities differs across Europe: Results of a cross-sectional study in six European countries (PACE). <i>Palliative Medicine</i> , 2019 , 33, 1176-1188	5.5	11
90	Factors related to sense of competence in family caregivers of people living with dementia in the community: a narrative synthesis. <i>International Psychogeriatrics</i> , 2019 , 31, 799-813	3.4	6
89	Social participation perspectives of people with cognitive problems and their care-givers: a descriptive qualitative study. <i>Ageing and Society</i> , 2019 , 39, 1485-1511	1.7	2
88	Effects of active psychosocial stimulation on social interactions of people with dementia living in a nursing home: a comparative study. <i>International Psychogeriatrics</i> , 2018 , 30, 921-922	3.4	4
87	The challenges of shared decision making in dementia care networks. <i>International Psychogeriatrics</i> , 2018 , 30, 843-857	3.4	29
86	Involving people with dementia in developing an interactive web tool for shared decision-making: experiences with a participatory design approach. <i>Disability and Rehabilitation</i> , 2018 , 40, 1410-1420	2.4	28
85	Application of the European quality indicators for psychosocial dementia care in long-term care facilities in the Asia-Pacific region: a pilot study. <i>Ageing and Mental Health</i> , 2018 , 22, 1279-1286	3.5	1
84	Comparison of the lived experiences of family caregivers of patients with dementia and of patients with cancer in Indonesia. <i>International Psychogeriatrics</i> , 2018 , 30, 903-914	3.4	15
83	Integrating palliative care in long-term care facilities across Europe (PACE): protocol of a cluster randomized controlled trial of the PACE Steps to Success Intervention in seven countries. <i>BMC Palliative Care</i> , 2018 , 17, 47	3	31
82	The Impact of a Shared Decision-Making Training Program on Dementia Care Planning in Long-Term Care. <i>Journal of Alzheimers Disease</i> , 2018 , 64, 1123-1135	4.3	6
81	The importance of trust-based relations and a holistic approach in advance care planning with people with dementia in primary care: a qualitative study. <i>BMC Geriatrics</i> , 2018 , 18, 184	4.1	29
80	Hulp bij het vinden van een balans tussen regiebehoud en afhankelijkheid 2018 , 201-214		
79	Barriers and facilitators for GPs in dementia advance care planning: A systematic integrative review. <i>PLoS ONE</i> , 2018 , 13, e0198535	3.7	47
78	General practitioners' perceptions of the stigma of dementia and the role of reciprocity. <i>Dementia</i> , 2017 , 16, 948-964	3	21
77	Dutch Pain Specialists' Adherence to the Multidisciplinary Guideline on Treating Pain in Patients with Cancer: A Case Vignette Study. <i>Pain Practice</i> , 2017 , 17, 344-352	3	
76	Positive psychology outcome measures for family caregivers of people living with dementia: a systematic review. <i>International Psychogeriatrics</i> , 2017 , 29, 1281-1296	3.4	35

75	Recognizing decision needs: first step for collaborative deliberation in dementia care networks. <i>Patient Education and Counseling</i> , 2017 , 100, 1329-1337	3.1	13
74	Problems identified by dual sensory impaired older adults in long-term care when using a self-management program: A qualitative study. <i>PLoS ONE</i> , 2017 , 12, e0173601	3.7	8
73	Involvement of people with dementia in making decisions about their lives: a qualitative study that appraises shared decision-making concerning daycare. <i>BMJ Open</i> , 2017 , 7, e018337	3	9
72	Decision Trajectories in Dementia Care Networks: Decisions and Related Key Events. <i>Research on Aging</i> , 2017 , 39, 1039-1071	3	17
71	Shared decision-making in dementia care planning: barriers and facilitators in two European countries. <i>Aging and Mental Health</i> , 2017 , 21, 31-39	3.5	32
70	Reducing sample size by combining superiority and non-inferiority for two primary endpoints in the Social Fitness study. <i>Journal of Clinical Epidemiology</i> , 2017 , 81, 86-95	5.7	1
69	Care Plan Improvement in Nursing Homes: An Integrative Review. <i>Journal of Alzheimers Disease</i> , 2017 , 55, 1621-1638	4.3	4
68	Request for organ donation without donor registration: a qualitative study of the perspectives of bereaved relatives. <i>BMC Medical Ethics</i> , 2016 , 17, 38	2.9	21
67	Community occupational therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID] programme): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 65	2.8	24
66	Comparing Palliative Care in Care Homes Across Europe (PACE): Protocol of a Cross-sectional Study of Deceased Residents in 6 EU Countries. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 566.e1-7	5.9	41
65	The Impact of a National Guideline on the Management of Cancer Pain on the Practice of Pain Assessment and Registration. <i>Pain Practice</i> , 2016 , 16, 148-53	3	4
64	Pain Assessment with Short Message Service and Interactive Voice Response in Outpatients with Cancer and Pain: A Feasibility Study. <i>Pain Practice</i> , 2016 , 16, 320-6	3	13
63	Social interactions between people with dementia: pilot evaluation of an observational instrument in a nursing home. <i>International Psychogeriatrics</i> , 2016 , 28, 1005-15	3.4	17
62	Improving palliative care in selected settings in England using quality indicators: a realist evaluation. <i>BMC Palliative Care</i> , 2016 , 15, 69	3	10
61	Shared decision-making on a life-and-care plan in long-term care facilities: research protocol. <i>Nursing Open</i> , 2016 , 3, 179-187	2.1	8
60	Family caregivers' involvement in caring for a hospitalized patient with cancer and their quality of life in a country with strong family bonds. <i>Psycho-Oncology</i> , 2015 , 24, 585-91	3.9	34
59	Comparison of problems and unmet needs of patients with advanced cancer in a European country and an Asian country. <i>Pain Practice</i> , 2015 , 15, 433-40	3	21
58	Strategies to implement evidence into practice to improve palliative care: recommendations of a nominal group approach with expert opinion leaders. <i>BMC Palliative Care</i> , 2015 , 14, 47	3	7

57	Dealing with symptoms and issues of hospitalized patients with cancer in indonesia: the role of families, nurses, and physicians. <i>Pain Practice</i> , 2015 , 15, 441-6	3	27
56	Identification of the palliative phase in people with dementia: a variety of opinions between healthcare professionals. <i>BMC Palliative Care</i> , 2015 , 14, 56	3	26
55	Decision making on organ donation: the dilemmas of relatives of potential brain dead donors. <i>BMC Medical Ethics</i> , 2015 , 16, 64	2.9	48
54	Implementation of improvement strategies in palliative care: an integrative review. <i>Implementation Science</i> , 2015 , 10, 103	8.4	23
53	An Interactive Web Tool for Facilitating Shared Decision-Making in Dementia-Care Networks: A Field Study. <i>Frontiers in Aging Neuroscience</i> , 2015 , 7, 128	5.3	22
52	Intensive care staff, the donation request and relativesTsatisfaction with the decision: a focus group study. <i>BMC Anesthesiology</i> , 2014 , 14, 52	2.4	12
51	Improving the organization of palliative care by implementing quality indicators and national and setting-specific interventions: Study protocol of the IMPACT project. <i>Progress in Palliative Care</i> , 2014 , 22, 201-205	1	8
50	Quality palliative care for cancer and dementia in five European countries: some common challenges. <i>Aging and Mental Health</i> , 2014 , 18, 400-10	3.5	46
49	Improving patient discharge and reducing hospital readmissions by using Intervention Mapping. <i>BMC Health Services Research</i> , 2014 , 14, 389	2.9	85
48	Consensus on quality indicators to assess the organisation of palliative cancer and dementia care applicable across national healthcare systems and selected by international experts. <i>BMC Health Services Research</i> , 2014 , 14, 396	2.9	28
47	Patient empowerment in cancer pain management: an integrative literature review. <i>Psycho-Oncology</i> , 2014 , 23, 1203-11	3.9	37
46	Barriers to the provision of high-quality palliative care for people with dementia in England: a qualitative study of professionalsTexperiences. <i>Health and Social Care in the Community</i> , 2014 , 22, 386-94	2.6	41
45	Face-validation of quality indicators for the organization of palliative care in hospitals in Indonesia: a contribution to quality improvement. <i>Supportive Care in Cancer</i> , 2014 , 22, 3301-10	3.9	5
44	Improving the organization of palliative care: identification of barriers and facilitators in five European countries. <i>Implementation Science</i> , 2014 , 9, 130	8.4	29
43	Modelling the landscape of palliative care for people with dementia: a European mixed methods study. <i>BMC Palliative Care</i> , 2013 , 12, 30	3	20
42	Influence of adherence to a systematic care program for caregivers of dementia patients. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 26-36	6.5	8
41	Involving people with dementia in the development of supportive IT applications: a systematic review. <i>Ageing Research Reviews</i> , 2013 , 12, 535-51	12	101
40	Pain and its interference with daily activities in medical oncology outpatients. <i>Pain Physician</i> , 2013 , 16, 379-89	1.8	47

39	Assessment of CanMEDS roles in postgraduate training: the validation of the Compass. <i>Patient Education and Counseling</i> , 2012 , 89, 199-204	3.1	16
38	Conducting a multicentre and multinational qualitative study on patient transitions. <i>BMJ Quality and Safety</i> , 2012 , 21 Suppl 1, i22-8	5.4	35
37	Decision making by relatives about brain death organ donation: an integrative review. <i>Transplantation</i> , 2012 , 93, 1196-211	1.8	57
36	Improving patient handovers from hospital to primary care: a systematic review. <i>Annals of Internal Medicine</i> , 2012 , 157, 417-28	8	214
35	The development of quality indicators to improve psychosocial care in dementia. <i>International Psychogeriatrics</i> , 2012 , 24, 921-30	3.4	20
34	Systematic care for caregivers of patients with dementia: a multicenter, cluster-randomized, controlled trial. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 521-31	6.5	11
33	Cognitive reframing for carers of people with dementia. <i>The Cochrane Library</i> , 2011 , CD005318	5.2	64
32	Rationale, design, and implementation protocol of the Dutch clinical practice guideline pain in patients with cancer: a cluster randomised controlled trial with Short Message Service (SMS) and Interactive Voice Response (IVR). <i>Implementation Science</i> , 2011 , 6, 126	8.4	5
31	A multicentre RCT on community occupational therapy in Alzheimer's disease: 10 sessions are not better than one consultation. <i>BMJ Open</i> , 2011 , 1, e000096	3	32
30	Why did an effective Dutch complex psycho-social intervention for people with dementia not work in the German healthcare context? Lessons learnt from a process evaluation alongside a multicentre RCT. <i>BMJ Open</i> , 2011 , 1, e000094	3	32
29	Quality of care in frail older people: the fragile balance between receiving and giving. <i>BMJ, The</i> , 2011 , 342, d403	5.9	43
28	Psychosocial interventions for dementia patients in long-term care. <i>International Psychogeriatrics</i> , 2010 , 22, 1121-8	3.4	93
27	A systematic review of communication strategies for people with dementia in residential and nursing homes. <i>International Psychogeriatrics</i> , 2010 , 22, 189-200	3.4	89
26	Behavioural elements of professionalism: assessment of a fundamental concept in medical care. <i>Medical Teacher</i> , 2010 , 32, e161-9	3	16
25	The process of family-centered counseling for caregivers of persons with dementia: barriers, facilitators and benefits. <i>International Psychogeriatrics</i> , 2010 , 22, 769-77	3.4	12
24	Development and validation of quality indicators for dementia diagnosis and management in a primary care setting. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 557-63	5.6	26
23	Systematic care for caregivers of people with dementia in the ambulatory mental health service: designing a multicentre, cluster, randomized, controlled trial. <i>BMC Geriatrics</i> , 2009 , 9, 21	4.1	10
22	WHEDA study: effectiveness of occupational therapy at home for older people with dementia and their caregivers--the design of a pragmatic randomised controlled trial evaluating a Dutch programme in seven German centres. <i>BMC Geriatrics</i> , 2009 , 9, 44	4.1	14

21	Effectiveness of nonpharmacological interventions in delaying the institutionalization of patients with dementia: a meta-analysis. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1116-28	5.6	139
20	(Cost)-effectiveness of family meetings on indicated prevention of anxiety and depressive symptoms and disorders of primary family caregivers of patients with dementia: design of a randomized controlled trial. <i>BMC Geriatrics</i> , 2008 , 8, 2	4.1	25
19	Genetic research into Alzheimer's disease: a European focus group study on ethical issues. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 11-5	3.9	13
18	Development of quality indicators for memory clinics. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 119-28	3.9	31
17	Mild cognitive impairment: coping with an uncertain label. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 148-54	3.9	77
16	Effects of combined intervention programmes for people with dementia living at home and their caregivers: a systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 1181-93	3.9	127
15	1 Kwalitatief onderzoek: nuttig, onmisbaar en uitdagend 2007 , 5-11		1
14	Dementie: een moeilijk te vertellen diagnose. <i>Huisarts En Wetenschap</i> , 2006 , 49, 769-776	0.1	0
13	Receiving a diagnosis of dementia: The experience over time. <i>Dementia</i> , 2006 , 5, 397-410	3	65
12	Facing the future: A qualitative study of older people referred to a memory clinic prior to assessment and diagnosis. <i>Dementia</i> , 2006 , 5, 375-395	3	31
11	Professionalism in general practice: development of an instrument to assess professional behaviour in general practitioner trainees. <i>Medical Education</i> , 2006 , 40, 43-50	3.7	39
10	The impact of diagnostic disclosure in dementia: a qualitative case analysis. <i>International Psychogeriatrics</i> , 2005 , 17, 319-26	3.4	16
9	Implementation of standards in dementia care 2005 , 215-221		
8	Dementia: Issues in Early Recognition and Intervention in Primary Care. <i>Journal of the Royal Society of Medicine</i> , 2003 , 96, 320-324	2.3	42
7	Het vroegtijdig stellen van de diagnose: Gewoon vergeetachtig of dement?. <i>Huisarts En Wetenschap</i> , 2003 , 46, 130-132	0.1	1
6	Dementia: issues in early recognition and intervention in primary care. <i>Journal of the Royal Society of Medicine</i> , 2003 , 96, 320-4	2.3	50
5	General practitioners on dementia: tasks, practices and obstacles. <i>Patient Education and Counseling</i> , 2000 , 39, 219-25	3.1	115
4	The development of a dementia process within the family context: the case of Alice. <i>Social Science and Medicine</i> , 1998 , 47, 1973-80	5.1	5

3	Predictors of change and continuity in home care for dementia patients. <i>International Journal of Geriatric Psychiatry</i> , 1997 , 12, 671-7	3.9	26
2	Home care for dementia patients. <i>Journal of the American Geriatrics Society</i> , 1995 , 43, 456-7	5.6	20
1	Impact of a Psychosocial Intervention on Social Interactions between People with Dementia: An Observational Study in a Nursing Home. <i>Activities, Adaptation and Aging</i> , 1-17	0.7	4