

Iolanda Cruz Vieira

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7061151/iolanda-cruz-vieira-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89 papers	2,901 citations	35 h-index	48 g-index
92 ext. papers	3,102 ext. citations	4.7 avg, IF	5.24 L-index

#	Paper	IF	Citations
89	Determination of paracetamol using a sensor based on green synthesis of silver nanoparticles in plant extract. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 196, 113912	3.5	21
88	Label-free Immunosensor for the Determination of Microcystin-LR in Water. <i>Electroanalysis</i> , 2020 , 32, 2166-2173	3	2
87	Direct Electrochemical Nano-immunosensor for Microcystin-LR in Seawater. <i>Electroanalysis</i> , 2018 , 30, 819-827	3	6
86	Heparin-gold Nanoparticles and Liquid Crystal Applied in Label-free Electrochemical Immunosensor for Prostate-specific Antigen. <i>Electroanalysis</i> , 2018 , 30, 353-360	3	8
85	Exfoliated graphite nanoplatelets and gold nanoparticles based electrochemical sensor for determination of levodopa. <i>Journal of Solid State Electrochemistry</i> , 2018 , 22, 1277-1287	2.6	12
84	Gold Nanoparticles Stabilized in β -Cyclodextrin and Decorated with Laccase Applied in the Construction of a Biosensor for Rutin. <i>Electroanalysis</i> , 2017 , 29, 1031-1037	3	16
83	Electrochemical immunosensor based on an azo compound for thyroid-stimulating hormone detection. <i>Microchemical Journal</i> , 2017 , 133, 510-517	4.8	15
82	Label-free Electrochemical Immunosensor for Cardiac Troponin T Based on Exfoliated Graphite Nanoplatelets Decorated with Gold Nanoparticles. <i>Electroanalysis</i> , 2017 , 29, 1820-1827	3	19
81	Microcystin-LR label-free immunosensor based on exfoliated graphite nanoplatelets and silver nanoparticles. <i>Talanta</i> , 2017 , 175, 38-45	6.2	11
80	Electrochemical sensor based on rhodium nanoparticles stabilized in zwitterionic surfactant for p-coumaric acid analysis. <i>Canadian Journal of Chemistry</i> , 2017 , 95, 113-119	0.9	3
79	A biosensor based on gold nanoparticles stabilized in poly(allylamine hydrochloride) and decorated with laccase for determination of dopamine. <i>Analyst, The</i> , 2016 , 141, 216-24	5	36
78	Electrochemical Sensor Based on Gold Nanoparticles Stabilized in Poly(Allylamine hydrochloride) for Determination of Vanillin. <i>Electroanalysis</i> , 2015 , 27, 465-472	3	49
77	Troponin T immunosensor based on liquid crystal and silsesquioxane-supported gold nanoparticles. <i>Bioconjugate Chemistry</i> , 2014 , 25, 1638-43	6.3	26
76	Liquid crystal and gold nanoparticles applied to electrochemical immunosensor for cardiac biomarker. <i>Biosensors and Bioelectronics</i> , 2014 , 59, 127-33	11.8	34
75	A label-free electrochemical immunosensor based on an ionic organic molecule and chitosan-stabilized gold nanoparticles for the detection of cardiac troponin T. <i>Analyst, The</i> , 2014 , 139, 5200-8	5	33
74	Ionic Organic Film Sensor for Determination of Phenolic Compounds. <i>Electroanalysis</i> , 2014 , 26, 1801-1809		9
73	Bio-inspired sensor based on glutathione peroxidase mimetic for hydrogen peroxide detection. <i>Sensors and Actuators B: Chemical</i> , 2013 , 176, 782-788	8.5	8

72	A bio-inspired sensor based on surfactant film and Pd nanoparticles. <i>Analyst, The</i> , 2013 , 138, 509-17	5	11
71	PEI-coated gold nanoparticles decorated with laccase: a new platform for direct electrochemistry of enzymes and biosensing applications. <i>Biosensors and Bioelectronics</i> , 2013 , 42, 242-7	11.8	76
70	Development of biosensor for phenolic compounds containing PPO in β -cyclodextrin modified support and iridium nanoparticles. <i>Enzyme and Microbial Technology</i> , 2013 , 52, 296-301	3.8	15
69	Genipin-Cross-Linked Chitosan as a Support for Laccase Biosensor. <i>Electroanalysis</i> , 2013 , 25, 557-566	3	7
68	Pt-Pd bimetallic nanoparticles dispersed in an ionic liquid and peroxidase immobilized on nanoclay applied in the development of a biosensor. <i>Analyst, The</i> , 2013 , 138, 4898-906	5	21
67	Gold nanoparticles dispersed in zwitterionic surfactant for peroxidase immobilization in biosensor construction. <i>Sensors and Actuators B: Chemical</i> , 2012 , 173, 483-490	8.5	10
66	Halloysite clay nanotubes and platinum nanoparticles dispersed in ionic liquid applied in the development of a catecholamine biosensor. <i>Analyst, The</i> , 2012 , 137, 3732-9	5	19
65	Gold nanoparticles in an ionic liquid phase supported in a biopolymeric matrix applied in the development of a rosmarinic acid biosensor. <i>Analyst, The</i> , 2011 , 136, 2495-505	5	27
64	Incorporação de líquidos iônicos e nanopartículas metálicas na construção de sensores eletroquímicos. <i>Química Nova</i> , 2011 , 34, 1042-1050	1.6	11
63	A novel support for laccase immobilization: cellulose acetate modified with ionic liquid and application in biosensor for methyl dopa detection. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 3549-54	11.8	76
62	Gold Nanoparticles and Hydrophobic Ionic Liquid Applied on the Development of a Voltammetric Biosensor for Polyphenol Determination. <i>Electroanalysis</i> , 2011 , 23, 1124-1133	3	25
61	Methomyl Detection by Inhibition of Laccase Using a Carbon Ceramic Biosensor. <i>Electroanalysis</i> , 2011 , 23, 1623-1630	3	15
60	Sensor-containing microspheres of chitosan crosslinked with 8-hydroxyquinoline-5-sulphonic acid for determination of Cu(II) in instant coffee. <i>Food Chemistry</i> , 2011 , 126, 807-814	8.5	12
59	Biomonitoring of methomyl pesticide by laccase inhibition on sensor containing platinum nanoparticles in ionic liquid phase supported in montmorillonite. <i>Sensors and Actuators B: Chemical</i> , 2011 , 155, 331-339	8.5	57
58	Sulfadiazine determination in pharmaceuticals by electrochemical reduction on a glassy carbon electrode. <i>Journal of the Brazilian Chemical Society</i> , 2010 , 21, 813-820	1.5	40
57	Biosensors of laccase based on hydrophobic ionic liquids derived from imidazolium cation. <i>Journal of the Brazilian Chemical Society</i> , 2010 , 21, 1451-1458	1.5	8
56	Sensor for fisetin based on gold nanoparticles in ionic liquid and binuclear nickel complex immobilized in silica. <i>Analyst, The</i> , 2010 , 135, 1015-22	5	18
55	Electroanalytical determination of estriol hormone using a boron-doped diamond electrode. <i>Talanta</i> , 2010 , 80, 1999-2006	6.2	46

54	Determination of thiodicarb using a biosensor based on alfalfa sprout peroxidase immobilized in self-assembled monolayers. <i>Talanta</i> , 2010 , 82, 164-70	6.2	29
53	Application of bismuth-film electrode for cathodic electroanalytical determination of sulfadiazine. <i>Electrochimica Acta</i> , 2010 , 55, 4970-4975	6.7	51
52	Development of Quercetin Biosensor Through Immobilizing Laccase in a Modified β -Cyclodextrin Matrix Containing Ag Nanoparticles in Ionic Liquid. <i>Electroanalysis</i> , 2010 , 22, 1376-1385	3	22
51	Bioelectroanalytical Determination of Rutin Based on bi-Enzymatic Sensor Containing Iridium Nanoparticles in Ionic Liquid Phase Supported in Clay. <i>Electroanalysis</i> , 2010 , 23, n/a-n/a	3	2
50	Development of a biomimetic chitosan film-coated gold electrode for determination of dopamine in the presence of ascorbic acid and uric acid. <i>Electrochimica Acta</i> , 2010 , 55, 7152-7157	6.7	40
49	Biosensor based on pequi polyphenol oxidase immobilized on chitosan crosslinked with cyanuric chloride for thiodicarb determination. <i>Enzyme and Microbial Technology</i> , 2010 , 47, 153-158	3.8	29
48	Imobilizaç� da lacase em micropart�ulas de quitosana obtidas por spray drying e usadas na constru� de biossensores. <i>Qu�mica Nova</i> , 2009 , 32, 1195-1201	1.6	9
47	Development of biosensor based on ionic liquid and corn peroxidase immobilized on chemically crosslinked chitin. <i>Sensors and Actuators B: Chemical</i> , 2009 , 138, 236-243	8.5	25
46	Pine nut peroxidase immobilized on chitosan crosslinked with citrate and ionic liquid used in the construction of a biosensor. <i>Enzyme and Microbial Technology</i> , 2009 , 44, 400-405	3.8	21
45	Biosensor based on platinum nanoparticles dispersed in ionic liquid and laccase for determination of adrenaline. <i>Sensors and Actuators B: Chemical</i> , 2009 , 140, 252-259	8.5	99
44	Development of biosensors containing laccase and imidazolium bis(trifluoromethylsulfonyl)imide ionic liquid for the determination of rutin. <i>Analytica Chimica Acta</i> , 2009 , 639, 90-5	6.6	42
43	Biosensor for luteolin based on silver or gold nanoparticles in ionic liquid and laccase immobilized in chitosan modified with cyanuric chloride. <i>Analyst, The</i> , 2009 , 134, 2320-8	5	73
42	Biosensor based on laccase and an ionic liquid for determination of rosmarinic acid in plant extracts. <i>Talanta</i> , 2009 , 77, 1322-7	6.2	67
41	Biomimetic sensor based on MnIIIMnII complex as manganese peroxidase mimetic for determination of rutin. <i>Talanta</i> , 2009 , 78, 221-6	6.2	24
40	Self-assembled monolayer of nickel(II) complex and thiol on gold electrode for the determination of catechin. <i>Talanta</i> , 2009 , 78, 1063-8	6.2	29
39	Biosensor for chlorogenic acid based on an ionic liquid containing iridium nanoparticles and polyphenol oxidase. <i>Talanta</i> , 2009 , 79, 222-8	6.2	57
38	Determination of chlorogenic acid in coffee using a biomimetic sensor based on a new tetranuclear copper(II) complex. <i>Talanta</i> , 2008 , 77, 394-9	6.2	29
37	Determination of catechin in green tea using a catechol oxidase biomimetic sensor. <i>Journal of the Brazilian Chemical Society</i> , 2008 , 19, 1215-1223	1.5	20

36	Rosmarinic acid determination using biomimetic sensor based on purple acid phosphatase mimetic. <i>Analytica Chimica Acta</i> , 2008 , 613, 91-7	6.6	22
35	Bean sprout peroxidase biosensor based on l-cysteine self-assembled monolayer for the determination of dopamine. <i>Sensors and Actuators B: Chemical</i> , 2008 , 133, 364-369	8.5	43
34	Electroanalytical determination of sulfadiazine and sulfamethoxazole in pharmaceuticals using a boron-doped diamond electrode. <i>Sensors and Actuators B: Chemical</i> , 2008 , 135, 66-73	8.5	95
33	Development of a new biomimetic sensor based on an FeIII/Fell complex for the determination of phenolic compounds. <i>Sensors and Actuators B: Chemical</i> , 2008 , 129, 424-430	8.5	20
32	Biosensor based on laccase immobilized on microspheres of chitosan crosslinked with tripolyphosphate. <i>Sensors and Actuators B: Chemical</i> , 2008 , 133, 202-207	8.5	62
31	Rutin determination in pharmaceutical formulations using a carbon paste electrode modified with poly(vinylpyrrolidone). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 47, 973-7	3.5	52
30	Biosensors based on bean sprout homogenate immobilized in chitosan microspheres and silica for determination of chlorogenic acid. <i>Enzyme and Microbial Technology</i> , 2008 , 43, 381-387	3.8	26
29	Simultaneous differential pulse voltammetric determination of L-dopa and carbidopa in pharmaceuticals using a carbon paste electrode modified with lead dioxide immobilized in a polyester resin. <i>Journal of the Brazilian Chemical Society</i> , 2007 , 18, 797-803	1.5	25
28	A green bean homogenate immobilized on chemically crosslinked chitin for determination of caffeic acid in white wine. <i>Enzyme and Microbial Technology</i> , 2007 , 40, 661-668	3.8	43
27	Biomimetic sensor based on a novel copper complex for the determination of hydroquinone in cosmetics. <i>Sensors and Actuators B: Chemical</i> , 2007 , 122, 89-94	8.5	49
26	l-Cysteine determination in pharmaceutical formulations using a biosensor based on laccase from <i>Aspergillus oryzae</i> . <i>Sensors and Actuators B: Chemical</i> , 2007 , 128, 279-285	8.5	48
25	Procedure 23 Determination of total phenols in wastewaters using a biosensor based on carbon paste modified with crude extract of jack fruit (<i>Artocarpus integrifolia</i> L.). <i>Comprehensive Analytical Chemistry</i> , 2007 , e163-e168	1.9	
24	Procedure 22 Voltammetric determination of paracetamol in pharmaceuticals using a zucchini (<i>Cucurbita pepo</i>) tissue biosensor. <i>Comprehensive Analytical Chemistry</i> , 2007 , 49, e157-e161	1.9	3
23	Chapter 17 Electrochemical biosensors based on vegetable tissues and crude extracts for environmental, food and pharmaceutical analysis. <i>Comprehensive Analytical Chemistry</i> , 2007 , 357-377	1.9	7
22	Constru� e aplica� de biossensores usando diferentes procedimentos de imobiliza� da peroxidase de vegetal em matriz de quitosana. <i>Qu�mica Nova</i> , 2006 , 29, 932-939	1.6	11
21	Immobilization procedures for the development of a biosensor for determination of hydroquinone using chitosan and gilo (<i>Solanum gilo</i>). <i>Enzyme and Microbial Technology</i> , 2006 , 38, 449-456	3.8	53
20	Development of a biosensor based on gilo peroxidase immobilized on chitosan chemically crosslinked with epichlorohydrin for determination of rutin. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 41, 366-72	3.5	61
19	A zucchini-peroxidase biosensor applied to dopamine determination. <i>Il Farmaco</i> , 2005 , 60, 179-83		22

18	Jack Fruit-Capric Acid Biosensor for Total Phenols Determination in Wastewaters. <i>Analytical Letters</i> , 2004 , 37, 1833-1846	2.2	15
17	Biosensor Based on Chitosan Biopolymer and Crude Extract of Ginger (<i>Zingiber officinales</i> Rosc.) for the Determination of Hydroquinone in Wastewater of Photographic Process. <i>Analytical Letters</i> , 2004 , 37, 3111-3127	2.2	21
16	Determinação de paracetamol em produtos farmacêuticos usando um biossensor de pasta de carbono modificado com extrato bruto de abobrinha (<i>Cucurbita pepo</i>). <i>Quimica Nova</i> , 2003 , 26, 39-43	1.6	24
15	Synergic effect studies of the bi-enzymatic system laccase-peroxidase in a voltammetric biosensor for catecholamines. <i>Talanta</i> , 2003 , 59, 889-96	6.2	57
14	Uso analítico de tecidos e de extratos brutos vegetais como fonte enzimática. <i>Quimica Nova</i> , 2002 , 25, 455-464	1.6	55
13	SWEET POTATO (<i>IPOMOEA BATATAS</i> (L.) LAM.) TISSUE AS A BIOCATALYST IN A PARAFFIN/GRAPHITE BIOSENSOR FOR HYDRAZINE DETERMINATION IN BOILER FEED WATER. <i>Analytical Letters</i> , 2002 , 35, 2221-2231	2.2	58
12	Electroregenerable anion-exchange resin with triiodide carbon paste electrode for the voltammetric determination of adrenaline. <i>Analyst, The</i> , 2002 , 127, 525-9	5	19
11	Flow injection spectrophotometric determination of isoproterenol using an avocado (<i>Persea americana</i>) crude extract immobilized on controlled-pore silica reactor. <i>Talanta</i> , 2002 , 57, 135-43	6.2	41
10	Chronoamperometric determination of paracetamol using an avocado tissue (<i>Persea americana</i>) biosensor. <i>Talanta</i> , 2001 , 55, 685-92	6.2	70
9	Biosensor based on paraffin/graphite modified with sweet potato tissue for the determination of hydroquinone in cosmetic cream in organic phase. <i>Talanta</i> , 2000 , 52, 681-9	6.2	76
8	Zucchini crude extract-palladium-modified carbon paste electrode for the determination of hydroquinone in photographic developers. <i>Analytica Chimica Acta</i> , 1999 , 398, 145-151	6.6	38
7	L-Cysteine determination using a polyphenol oxidase-based inhibition flow injection procedure. <i>Analytica Chimica Acta</i> , 1999 , 399, 287-293	6.6	33
6	Determination of Epinephrine and Dopamine in Pharmaceutical Formulations Using a Biosensor Based on Carbon Paste Modified with Crude Extract of Cara Root (<i>Dioscorea bulbifera</i>). <i>Analytical Letters</i> , 1999 , 32, 39-50	2.2	46
5	Spectrophotometric determination of methyldopa and dopamine in pharmaceutical formulations using a crude extract of sweet potato root (<i>Ipomoea batatas</i> (L.) Lam.) as enzymatic source. <i>Talanta</i> , 1998 , 46, 559-64	6.2	62
4	Flow injection spectrophotometric determination of hydrogen peroxide using a crude extract of zucchini (<i>Cucurbita pepo</i>) as a source of peroxidase. <i>Analyst, The</i> , 1998 , 123, 1809-1812	5	44
3	Flow injection spectrophotometric determination of L-Dopa and carbidopa in pharmaceutical formulations using a crude extract of sweet potato root [<i>Ipomoea batatas</i> (L.) Lam.] as enzymatic source. <i>Analyst, The</i> , 1997 , 122, 345-50	5	50
2	Flow injection spectrophotometric determination of sulfite using a crude extract of sweet potato root (<i>Ipomoea batatas</i> (L.) Lam.) as a source of polyphenol oxidase. <i>Analytica Chimica Acta</i> , 1997 , 354, 51-57	6.6	54
1	Flow injection spectrophotometric determination of aspartame in dietary products. <i>Analyst, The</i> , 1994 , 119, 2101-4	5	25

