

Gustavo Baldassarre

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7061543/publications.pdf>

Version: 2024-02-01

128
papers

5,662
citations

76326

40
h-index

82547

72
g-index

132
all docs

132
docs citations

132
times ranked

8210
citing authors

#	ARTICLE	IF	CITATIONS
1	HMGA1 positively regulates the microtubule-destabilizing protein stathmin promoting motility in TNBC cells and decreasing tumour sensitivity to paclitaxel. <i>Cell Death and Disease</i> , 2022, 13, 429.	6.3	2
2	Discovering Common miRNA Signatures Underlying Female-Specific Cancers via a Machine Learning Approach Driven by the Cancer Hallmark ERBB. <i>Biomedicines</i> , 2022, 10, 1306.	3.2	3
3	<sc><i>CDKN1B</i></sc> mutation and copy number variation are associated with tumor aggressiveness in luminal breast cancer. <i>Journal of Pathology</i> , 2021, 253, 234-245.	4.5	12
4	RNA splicing alteration in the response to platinum chemotherapy in ovarian cancer: A possible biomarker and therapeutic target. <i>Medicinal Research Reviews</i> , 2021, 41, 586-615.	10.5	6
5	HSP90 identified by a proteomic approach as druggable target to reverse platinum resistance in ovarian cancer. <i>Molecular Oncology</i> , 2021, 15, 1005-1023.	4.6	8
6	Acquired EGFR C797G Mutation Detected by Liquid Biopsy as Resistance Mechanism After Treatment With Osimertinib: A Case Report. <i>In Vivo</i> , 2021, 35, 2941-2945.	1.3	5
7	A pre-operative prognostic score for the selection of patients for salvage surgery after recurrent head and neck squamous cell carcinomas. <i>Scientific Reports</i> , 2021, 11, 502.	3.3	9
8	A preliminary study of micro-RNAs as minimally invasive biomarkers for the diagnosis of prostate cancer patients. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 79.	8.6	19
9	miRâ€9 modulates and predicts the response to radiotherapy and EGFR inhibition in HNSCC. <i>EMBO Molecular Medicine</i> , 2021, 13, e12872.	6.9	15
10	Inhibition of CDK4/6 as Therapeutic Approach for Ovarian Cancer Patients: Current Evidences and Future Perspectives. <i>Cancers</i> , 2021, 13, 3035.	3.7	12
11	COVID-19 epidemic strongly affected cancer research in Italy: a survey of the Italian Cancer Society (SIC). <i>ESMO Open</i> , 2021, 6, 100165.	4.5	4
12	p27kip1 expression and phosphorylation dictate Palbociclib sensitivity in KRAS-mutated colorectal cancer. <i>Cell Death and Disease</i> , 2021, 12, 951.	6.3	6
13	Evaluation of Angiogenesis-Related Genes as Prognostic Biomarkers of Bevacizumab Treated Ovarian Cancer Patients: Results from the Phase IV MITO16A/ManGO OV-2 Translational Study. <i>Cancers</i> , 2021, 13, 5152.	3.7	7
14	Downregulation of miR-223 Expression Is an Early Event during Mammary Transformation and Confers Resistance to CDK4/6 Inhibitors in Luminal Breast Cancer. <i>Cancer Research</i> , 2020, 80, 1064-1077.	0.9	49
15	TIMP-1 Is Overexpressed and Secreted by Platinum Resistant Epithelial Ovarian Cancer Cells. <i>Cells</i> , 2020, 9, 6.	4.1	20
16	Identification and Characterization of a New Platinum-Induced TP53 Mutation in MDAH Ovarian Cancer Cells. <i>Cells</i> , 2020, 9, 36.	4.1	8
17	Plasma-Based Longitudinal Evaluation of ESR1 Epigenetic Status in Hormone Receptor-Positive HER2-Negative Metastatic Breast Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 550185.	2.8	13
18	A new role for IDH1 in the control of ovarian cancer cells metabolism and senescence. <i>Annals of Translational Medicine</i> , 2020, 8, 780-780.	1.7	4

#	ARTICLE	IF	CITATIONS
19	Serum- and glucocorticoid- inducible kinase 2, SGK2, is a novel autophagy regulator and modulates platinum drugs response in cancer cells. <i>Oncogene</i> , 2020, 39, 6370-6386.	5.9	14
20	Bevacizumab or PARP-Inhibitors Maintenance Therapy for Platinum-Sensitive Recurrent Ovarian Cancer: A Network Meta-Analysis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3805.	4.1	17
21	Differential miRNAs expression pattern of irradiated breast cancer cell lines is correlated with radiation sensitivity. <i>Scientific Reports</i> , 2020, 10, 9054.	3.3	18
22	Splicing factor proline- and glutamine-rich (SFPQ) protein regulates platinum response in ovarian cancer-modulating SRSF2 activity. <i>Oncogene</i> , 2020, 39, 4390-4403.	5.9	37
23	Abstract 5270: HSP90 identified by a proteomic approach as druggable target to reverse platinum-resistance in ovarian cancer. , 2020, , .		0
24	Sleeping beauty genetic screen identifies miR-23b::BTBD7 gene interaction as crucial for colorectal cancer metastasis. <i>EBioMedicine</i> , 2019, 46, 79-93.	6.1	13
25	Multiplex staining depicts the immune infiltrate in colitis-induced colon cancer model. <i>Scientific Reports</i> , 2019, 9, 12645.	3.3	9
26	Pathologist second opinion significantly alters clinical management of pT1 endoscopically resected colorectal cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 475, 665-668.	2.8	12
27	USP1 links platinum resistance to cancer cell dissemination by regulating Snail stability. <i>Science Advances</i> , 2019, 5, eaav3235.	10.3	79
28	p27kip1 at the crossroad between actin and microtubule dynamics. <i>Cell Division</i> , 2019, 14, 2.	2.4	14
29	The T197A Knock-in Model of <i>Cdkn1b</i> Gene to Study the Effects of p27 Restoration <i>In Vivo</i> . <i>Molecular Cancer Therapeutics</i> , 2019, 18, 482-493.	4.1	2
30	Stathmin Is Required for Normal Mouse Mammary Gland Development and β 16HER2-Driven Tumorigenesis. <i>Cancer Research</i> , 2019, 79, 397-409.	0.9	19
31	Bevacizumab or PARP-inhibitors maintenance therapy for platinum-sensitive (PS) recurrent ovarian cancer (rOC)? A network meta-analysis (NMA).. <i>Journal of Clinical Oncology</i> , 2019, 37, 5564-5564.	1.6	1
32	Abstract 3128: miR-9 expression regulates and predicts the response to EGFR inhibitors in head & neck squamous cell carcinoma. , 2019, , .		0
33	Therapeutic decision based on molecular detection of resistance mechanism in an ALK-rearranged lung cancer patient: a case report. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 8945-8950.	2.0	4
34	STAT3 in Breast Cancer Onset and Progression: A Matter of Time and Context. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2818.	4.1	33
35	Exploring the Role of Fallopian Ciliated Cells in the Pathogenesis of High-Grade Serous Ovarian Cancer. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2512.	4.1	30
36	Landscape of CDKN1B Mutations in Luminal Breast Cancer and Other Hormone-Driven Human Tumors. <i>Frontiers in Endocrinology</i> , 2018, 9, 393.	3.5	26

#	ARTICLE	IF	CITATIONS
37	Abstract 1460: Stathmin regulates mammary gland morphogenesis and tumorigenesis. , 2018, , .		0
38	An Integrated Approach Identifies Mediators of Local Recurrence in Head and Neck Squamous Carcinoma. <i>Clinical Cancer Research</i> , 2017, 23, 3769-3780.	7.0	36
39	Loss of p27kip1 increases genomic instability and induces radio-resistance in luminal breast cancer cells. <i>Scientific Reports</i> , 2017, 7, 595.	3.3	22
40	Common biological phenotypes characterize the acquisition of platinum-resistance in epithelial ovarian cancer cells. <i>Scientific Reports</i> , 2017, 7, 7104.	3.3	28
41	CDK6 protects epithelial ovarian cancer from platinum-induced death via FOXO3 regulation. <i>EMBO Molecular Medicine</i> , 2017, 9, 1415-1433.	6.9	61
42	SRSF2 mutations in epithelial ovarian cancer. <i>Cancer Breaking News</i> , 2017, 5, 25-29.	0.0	2
43	Molecular biology of breast tumors and prognosis. <i>F1000Research</i> , 2016, 5, 711.	1.6	6
44	Development and validation of a microRNA-based signature (MiROvar) to predict early relapse or progression of epithelial ovarian cancer: a cohort study. <i>Lancet Oncology</i> , The, 2016, 17, 1137-1146.	10.7	97
45	p27kip1: An all-round tumor suppressor. <i>Molecular and Cellular Oncology</i> , 2016, 3, e1141742.	0.7	0
46	Radiotherapy-induced miR-223 prevents relapse of breast cancer by targeting the EGF pathway. <i>Oncogene</i> , 2016, 35, 4914-4926.	5.9	63
47	Meet me in the cytoplasm: A role for p27Kip1 in the control of H-Ras. <i>Small GTPases</i> , 2016, 7, 71-75.	1.6	3
48	SUMOylation regulates p27 ^{Kip1} stability and localization in response to TGF β 2. <i>Journal of Molecular Cell Biology</i> , 2016, 8, 17-30.	3.3	11
49	Abstract A02: CDK6 controls platinum sensitivity via the regulation of FOXO3a/ATR: A new actionable pathway for ovarian cancer patients.. , 2016, , .		1
50	Preclinical validation of a novel compound targeting p70S6 kinase in breast cancer. <i>Aging</i> , 2016, 8, 958-977.	3.1	8
51	p27kip1 expression limits H-Ras-driven transformation and tumorigenesis by both canonical and non-canonical mechanisms. <i>Oncotarget</i> , 2016, 7, 64560-64574.	1.8	5
52	Biomarker analysis of the MITO2 phase III trial of first-line treatment in ovarian cancer: predictive value of DNA-PK and phosphorylated ACC. <i>Oncotarget</i> , 2016, 7, 72654-72661.	1.8	15
53	p27 ^{kip1} controls H-Ras/MAPK activation and cell cycle entry via modulation of MT stability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 13916-13921.	7.1	45
54	Roles of CDKN1B in cancer?. <i>Aging</i> , 2015, 7, 529-530.	3.1	8

#	ARTICLE	IF	CITATIONS
55	Mutant AKT1-E17K is oncogenic in lung epithelial cells. <i>Oncotarget</i> , 2015, 6, 39634-39650.	1.8	24
56	Time-tuning cancer therapy. <i>Aging</i> , 2015, 7, 531-532.	3.1	0
57	C1q as a unique player in angiogenesis with therapeutic implication in wound healing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 4209-4214.	7.1	140
58	Genetic characterization of p27 ^{kip1} and stathmin in controlling cell proliferation in vivo. <i>Cell Cycle</i> , 2014, 13, 3100-3111.	2.6	34
59	Stathmin regulates mutant p53 stability and transcriptional activity in ovarian cancer. <i>EMBO Molecular Medicine</i> , 2014, 6, 295-295.	6.9	3
60	p70S6 kinase mediates breast cancer cell survival in response to surgical wound fluid stimulation. <i>Molecular Oncology</i> , 2014, 8, 766-780.	4.6	28
61	Prognostic role of bowel involvement in optimally cytoreduced advanced ovarian cancer: a retrospective study. <i>Journal of Ovarian Research</i> , 2014, 7, 72.	3.0	12
62	LZTS1 downregulation confers paclitaxel resistance and is associated with worse prognosis in breast cancer. <i>Oncotarget</i> , 2014, 5, 970-977.	1.8	21
63	Contact inhibition modulates intracellular levels of miR-223 in a p27 ^{kip1} -dependent manner. <i>Oncotarget</i> , 2014, 5, 1185-1197.	1.8	17
64	Surgery-induced wound response promotes stem-like and tumor-initiating features of breast cancer cells, <i>via</i> STAT3 signaling. <i>Oncotarget</i> , 2014, 5, 6267-6279.	1.8	57
65	Stathmin regulates mutant p53 stability and transcriptional activity in ovarian cancer. <i>EMBO Molecular Medicine</i> , 2013, 5, 707-722.	6.9	49
66	Inhibition of breast cancer local relapse by targeting p70S6 kinase activity. <i>Journal of Molecular Cell Biology</i> , 2013, 5, 428-431.	3.3	19
67	A microRNA signature defines chemoresistance in ovarian cancer through modulation of angiogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 9845-9850.	7.1	176
68	Abstract B056: p70S6K activity drives local relapse in breast cancer. , 2013, , .		0
69	New light on p27 ^{kip1} in breast cancer. <i>Cell Cycle</i> , 2012, 11, 3701-3702.	2.6	18
70	Alteration of G1/S transition regulators influences recurrences in head and neck squamous carcinomas. <i>Journal of Cellular Physiology</i> , 2012, 227, 233-238.	4.1	9
71	Stathmin Is Dispensable for Tumor Onset in Mice. <i>PLoS ONE</i> , 2012, 7, e45561.	2.5	10
72	Abstract 3043: A CDK-independent function of p27 ^{kip1} controls cell proliferation. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
73	Stathmin: a protein with many tasks. New biomarker and potential target in cancer. <i>Expert Opinion on Therapeutic Targets</i> , 2011, 15, 1249-1266.	3.4	155
74	Role of T198 Modification in the Regulation of p27Kip1 Protein Stability and Function. <i>PLoS ONE</i> , 2011, 6, e17673.	2.5	45
75	Abstract 1419: Role of p70S6K in breast cancer recurrence. , 2011, , .		0
76	Abstract 332: B-Raf mutations are associated with a worse outcome in ovarian cancer. , 2011, , .		0
77	p27 ^{kip1} Controls Cell Morphology and Motility by Regulating Microtubule-Dependent Lipid Raft Recycling. <i>Molecular and Cellular Biology</i> , 2010, 30, 2229-2240.	2.3	68
78	Role of Glucocorticoids in Breast Cancer. <i>Current Pharmaceutical Design</i> , 2010, 16, 3593-3600.	1.9	22
79	The Tumor Suppressor Functions of p27 ^{kip1} Include Control of the Mesenchymal/Amoeboid Transition. <i>Molecular and Cellular Biology</i> , 2009, 29, 5031-5045.	2.3	60
80	Beneficial Effects of Intraoperative Radiotherapy on Tumor Microenvironment Could Improve Outcomes (<i>Int J Radiat Oncol Biol Phys</i> 2008;72:1575â€“1581). <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 74, 976.	0.8	17
81	MITOSTATIN, a putative tumor suppressor on chromosome 12q24.1, is downregulated in human bladder and breast cancer. <i>Oncogene</i> , 2009, 28, 257-269.	5.9	43
82	MicroRNAs: The Jack of All Trades. <i>Clinical Leukemia</i> , 2009, 3, 20-32.	0.2	2
83	E2F1-Regulated MicroRNAs Impair TGFÎ²-Dependent Cell-Cycle Arrest and Apoptosis in Gastric Cancer. <i>Cancer Cell</i> , 2008, 13, 272-286.	16.8	818
84	Somatostatin as a Regulator of First-Trimester Human Trophoblast Functions. <i>Placenta</i> , 2008, 29, 660-670.	1.5	4
85	p27Kip1 expression inhibits glioblastoma growth, invasion, and tumor-induced neoangiogenesis. <i>Molecular Cancer Therapeutics</i> , 2008, 7, 1164-1175.	4.1	49
86	Targeted Intraoperative Radiotherapy Impairs the Stimulation of Breast Cancer Cell Proliferation and Invasion Caused by Surgical Wounding. <i>Clinical Cancer Research</i> , 2008, 14, 1325-1332.	7.0	200
87	Stathmin Activity Influences Sarcoma Cell Shape, Motility, and Metastatic Potential. <i>Molecular Biology of the Cell</i> , 2008, 19, 2003-2013.	2.1	121
88	Take Your "M" Time. <i>Cell Cycle</i> , 2007, 6, 2087-2090.	2.6	3
89	Fez1/Lzts1 a new mitotic regulator implicated in cancer development. <i>Cell Division</i> , 2007, 2, 24.	2.4	19
90	Fez1/Lzts1 Absence Impairs Cdk1/Cdc25C Interaction during Mitosis and Predisposes Mice to Cancer Development. <i>Cancer Cell</i> , 2007, 11, 275-289.	16.8	67

#	ARTICLE	IF	CITATIONS
91	Prostaglandin E2 Inhibits Proliferation and Migration of HTR-8/SVneo Cells, a Human Trophoblast-derived Cell Line. <i>Placenta</i> , 2006, 27, 592-601.	1.5	43
92	Effects of PGE2 on Human Trophoblast Proliferation and Migration. <i>Placenta</i> , 2006, 27, 930-932.	1.5	0
93	Haploinsufficiency of the Hmga1 Gene Causes Cardiac Hypertrophy and Myelo-Lymphoproliferative Disorders in Mice. <i>Cancer Research</i> , 2006, 66, 2536-2543.	0.9	104
94	Transgenic mice overexpressing the wild-type form of the HMGA1 gene develop mixed growth hormone/prolactin cell pituitary adenomas and natural killer cell lymphomas. <i>Oncogene</i> , 2005, 24, 3427-3435.	5.9	137
95	HMGA1 protein expression sensitizes cells to cisplatin-induced cell death. <i>Oncogene</i> , 2005, 24, 6809-6819.	5.9	29
96	p27Kip1-stathmin interaction influences sarcoma cell migration and invasion. <i>Cancer Cell</i> , 2005, 7, 51-63.	16.8	259
97	p27kip1 Functional Regulation in Human Cancer: A Potential Target for Therapeutic Designs. <i>Current Medicinal Chemistry</i> , 2005, 12, 1589-1605.	2.4	66
98	Familial Cancer Associated with a Polymorphism in <i>ARLTS1</i> . <i>New England Journal of Medicine</i> , 2005, 352, 1667-1676.	27.0	119
99	Reduced E-cadherin expression contributes to the loss of p27 kip1 -mediated mechanism of contact inhibition in thyroid anaplastic carcinomas. <i>Carcinogenesis</i> , 2005, 26, 1021-1034.	2.8	56
100	Linking Inflammation to Cell Cycle Progression. <i>Current Pharmaceutical Design</i> , 2004, 10, 1653-1666.	1.9	22
101	Critical role of cyclin D3 in TSH-dependent growth of thyrocytes and in hyperproliferative diseases of the thyroid gland. <i>Oncogene</i> , 2003, 22, 7576-7586.	5.9	23
102	Negative Regulation of BRCA1 Gene Expression by HMGA1 Proteins Accounts for the Reduced BRCA1 Protein Levels in Sporadic Breast Carcinoma. <i>Molecular and Cellular Biology</i> , 2003, 23, 2225-2238.	2.3	119
103	Regulation of BRCA1 Transcription by Specific Single-Stranded DNA Binding Factors. <i>Molecular and Cellular Biology</i> , 2003, 23, 3774-3787.	2.3	58
104	Loss of Hmga1 gene function affects embryonic stem cell lymphohematopoietic differentiation. <i>FASEB Journal</i> , 2003, 17, 1-27.	0.5	63
105	HMGA1 protein over-expression is a frequent feature of epithelial ovarian carcinomas. <i>Carcinogenesis</i> , 2003, 24, 1191-1198.	2.8	75
106	FEZ1/LZTS1 Is Down-Regulated in High-Grade Bladder Cancer, and Its Restoration Suppresses Tumorigenicity in Transitional Cell Carcinoma Cells. <i>American Journal of Pathology</i> , 2002, 160, 1345-1352.	3.8	38
107	Glial cell line-derived neurotrophic factor induces proliferative inhibition of NT2/D1 cells through RET-mediated up-regulation of the cyclin-dependent kinase inhibitor p27kip 1. <i>Oncogene</i> , 2002, 21, 1739-1749.	5.9	13
108	Overexpression of the HMGA2 gene in transgenic mice leads to the onset of pituitary adenomas. <i>Oncogene</i> , 2002, 21, 3190-3198.	5.9	201

#	ARTICLE	IF	CITATIONS
109	A Truncated Form of Teratocarcinoma-Derived Growth Factor-1 (Cripto-1) mRNA Expressed in Human Colon Carcinoma Cell Lines and Tumors. <i>Tumor Biology</i> , 2001, 22, 286-293.	1.8	19
110	Onset of natural killer cell lymphomas in transgenic mice carrying a truncated HMGI-C gene by the chronic stimulation of the IL-2 and IL-15 pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 7970-7975.	7.1	92
111	FEZ1/LZTS1 gene at 8p22 suppresses cancer cell growth and regulates mitosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 10374-10379.	7.1	89
112	PTEN expression is reduced in a subset of sporadic thyroid carcinomas: evidence that PTEN-growth suppressing activity in thyroid cancer cells is mediated by p27kip1. <i>Oncogene</i> , 2000, 19, 3146-3155.	5.9	139
113	Rat Protein Tyrosine Phosphatase $\hat{1}$ Suppresses the Neoplastic Phenotype of Retrovirally Transformed Thyroid Cells through the Stabilization of p27 Kip1. <i>Molecular and Cellular Biology</i> , 2000, 20, 9236-9246.	2.3	99
114	Pivotal Role of the RB Family Proteins in in Vitro Thyroid Cell Transformation. <i>Experimental Cell Research</i> , 2000, 260, 257-267.	2.6	10
115	Assignment of human teratocarcinoma derived growth factor (TDGF) sequences to chromosomes 2q37, 3q22, 6p25 and 19q13.1. <i>Cytogenetic and Genome Research</i> , 1999, 84, 220-224.	1.1	11
116	Regulation of thymosin beta10 expression by TSH and other mitogenic signals in the thyroid gland and in cultured thyrocytes. <i>European Journal of Endocrinology</i> , 1999, 140, 597-607.	3.7	9
117	Modulation of in vivo growth of thyroid tumor-derived cell lines by sense and antisense vascular endothelial growth factor gene. <i>Oncogene</i> , 1999, 18, 4860-4869.	5.9	51
118	Key role of the cyclin-dependent kinase inhibitor p27kip1 for embryonal carcinoma cell survival and differentiation. <i>Oncogene</i> , 1999, 18, 6241-6251.	5.9	43
119	Overexpressed cyclin D3 contributes to retaining the growth inhibitor p27 in the cytoplasm of thyroid tumor cells. <i>Journal of Clinical Investigation</i> , 1999, 104, 865-874.	8.2	110
120	The RI $\hat{1}$ subunit of protein kinase A (PKA) binds to Grb2 and allows PKA interaction with the activated EGF-Receptor. <i>Oncogene</i> , 1997, 14, 923-928.	5.9	94
121	Expression of teratocarcinoma-derived growth factor-1 (TDGF-1) in testis germ cell tumors and its effects on growth and differentiation of embryonal carcinoma cell line NTERA2/D1. <i>Oncogene</i> , 1997, 15, 927-936.	5.9	60
122	Transfection with a CRIPTO anti-sense plasmid suppresses endogenous CRIPTO expression and inhibits transformation in a human embryonal carcinoma cell line. , 1996, 66, 538-543.		22
123	Differential effects of protein kinase a sub-units on chinese-hamster-ovary cell cycle and proliferation. <i>International Journal of Cancer</i> , 1994, 59, 712-716.	5.1	27
124	Down-regulation of ri $\hat{1}$ subunit of camp-dependent protein kinase induces growth inhibition of human mammary epithelial cells transformed by c-ha-ras and c-erbB-2 proto-oncogenes. <i>International Journal of Cancer</i> , 1993, 53, 438-443.	5.1	46
125	Infection with a transforming growth factor $\hat{1}$ anti-sense retroviral expression vector reduces their vitro growth and transformation of a human colon cancer cell line. <i>International Journal of Cancer</i> , 1993, 54, 952-958.	5.1	31
126	Reduction of RI $\hat{1}$ Subunit of cAMP-dependent Protein Kinase Expression Induces Growth Inhibition of Human Mammary Epithelial Cells Transformed by TGF- β , c-Ha-ras, and c-erbB-2 Genes. <i>Annals of the New York Academy of Sciences</i> , 1993, 698, 102-107.	3.8	4

#	ARTICLE	IF	CITATIONS
127	Overexpression of the HMGA2 gene in transgenic mice leads to the onset of pituitary adenomas. , 0, .		1
128	CDK4/6 Inhibitors in Combination Therapies: Better in Company Than Alone: A Mini Review. Frontiers in Oncology, 0, 12, .	2.8	14