Thomas Lohse

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7061984/publications.pdf

Version: 2024-02-01

464 papers 26,460 citations

79 h-index 134 g-index

487 all docs

487 docs citations

times ranked

487

11176 citing authors

#	Article	IF	Citations
1	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
2	An Exceptional Very High Energy Gamma-Ray Flare of PKS 2155-304. Astrophysical Journal, 2007, 664, L71-L74.	4.5	644
3	Observations of the Crab nebula with HESS. Astronomy and Astrophysics, 2006, 457, 899-915.	5.1	603
4	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
5	Muon reconstruction performance of the ATLAS detector in proton–proton collision data at \$\$\$qrt{s}\$\$ s =13ÂTeV. European Physical Journal C, 2016, 76, 292.	3.9	453
6	Improved luminosity determination in pp collisions at $q = 7 \text{ mathrm} $ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
7	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
8	Performance of pile-up mitigation techniques for jets in $pp \ p \ collisions at q \ s=8. European Physical Journal C, 2016, 76, 581.$	3.9	298
9	Luminosity determination in pp collisions at $\$$ sqrt $\{s\}$ \$\$ s = 8 TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
10	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\$$ sqrt $\{s\}$ =7 $\$$ s = 7 and 8ÂTeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
11	Jet energy measurement and its systematic uncertainty in proton–proton collisions at \$\$sqrt{s}=7\$\$ s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
12	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	3.9	259
13	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	3.9	248
14	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\frac{s}=8-$ \$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
15			

#	Article	IF	CITATIONS
19	Jet energy resolution in proton-proton collisions at $\sqrt{\frac{1}{2010}} = 7 \text{mbox} $ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	3.9	209
20	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton–proton collision data. European Physical Journal C, 2014, 74, 2941.	3.9	204
21	HatHor Âfor single top-quark production: Updated predictions and uncertainty estimates for single top-quark production in hadronic collisions. Computer Physics Communications, 2015, 191, 74-89.	7. 5	200
22	Search for an additional, heavy Higgs boson in the $\$$ Hightarrow ZZ $\$$ H → Z Z decay channel at $\$$ sqrt $\{s\}$ = 8;ext $\{$ TeV $\}$ \$\$ s = 8 TeV in $\$$ pp $\$$ \$ p p collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
23	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton–proton collisions at \$\$sqrt{s}=13~hbox {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 903.	3.9	181
24	Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	179
25	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\$ sqrt{{s_{NN }}}} = 2.76 TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
26	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
27	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
28	Search for new high-mass phenomena in the dilepton final state using 36 fbâ^'1 of proton-proton collision data at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
29	Measurement of the transverse momentum and \$\$phi ^*_{eta }\$\$ Ï• η â^— distributions of Drell–Yan lepton pairs in proton–proton collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
30	Measurement of the top quark-pair production cross section with \hat{A} ATLAS in pp collisions at $q=0.5$ \$\text{s}=7\$ \text{ATeV}. European Physical Journal C, 2011, 71, 1.	3.9	146
31	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at	4.7	145
32	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
33	Precision measurement and interpretation of inclusive $\$W^+\$W^+, \$W^$ European Physical Journal C, 2017, 77, 367.	3.9	145
34	Measurement of the $\frac{t}{s}$ t t \hat{A}^- production cross-section using \frac{s} enu \hat{A}^- events with \frac{s} b -tagged jets in \frac{s} p p collisions at $\frac{s}{r}$ s = 7 and \hat{A}^- with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
35	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
36	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	137

#	Article	IF	CITATIONS
37	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
38	H.E.S.S. observations of PKSÂ2155-304. Astronomy and Astrophysics, 2005, 430, 865-875.	5.1	133
39	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at \$\$sqrt{s}=13,ext {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 199.	3.9	132
40	Measurement of the Z/\hat{l}^3 * boson transverse momentum distribution in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
41	ATLAS b-jet identification performance and efficiency measurement with $t_{ar{t}}$ events in pp collisions at $s_{ar{t}}$ events in pp collisions at $s_{ar{t}}$	3.9	130
42	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 $ sqrt $\{s\}=8 $ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
43	Search for charged Higgs bosons decaying via H ± → τν in \$ toverline t \$ events using pp collision da sqrt {s} = 7;TeV \$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	ata at \$ 4.7	126
44	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $$\sqrt{s}=13$$ pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	124
45	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $\$ in	3.9	123

#	Article	IF	CITATIONS
55	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	108
56	Search for heavy resonances decaying into WW in the \$\$eu mu u \$\$ e Î $\frac{1}{2}$ Î $\frac{1}{4}$ Î $\frac{1}{2}$ final state in pp collisions at \$\$sqrt{s}=13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
57	Measurement of the inclusive jet cross-section in pp collisions at $q=2.76 \text{ mbox} $ and comparison to the inclusive jet cross-section at $q=7 \text{ mbox} $ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	3.9	105
58	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in \$ sqrt{s}=8 \$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	102
59	Search for heavy neutrinos and right-handed W bosons in events with two leptons and jets in pp collisions at	3.9	101
60	Search for heavy ZZ resonances in the \$\$ell ^+ell ^-ell ^+ell ^-\$\$ â," + â," - â," + â," - and \$\$ell ^+ell ^-u ar{u }\$\$ â," + â," - $1\frac{1}{2}$	3.9	101
61	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $q = 7 \text{ mbox}$. European Physical Journal C, 2012, 72, 1.	3.9	100
62	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
63	Search for new phenomena in events with at least three photons collected in pp collisions at $$$ sqrt s s = 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
64	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
65	Measurements of the \$\$W\$\$ W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	3.9	92
66	Search for Higgs boson pair production in the $\$$ bar $\{b\}$ bar $\{b\}$ \$\$ b b \hat{A}^- b b \hat{A}^- final state from pp collisions at $\$$ sqrt $\{s\}$ = 8\$\$ s = 8 TeVwith the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
67	Search for the b b \hat{A}^- \$\$ boverline{b} \$\$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
68	Jet mass and substructure of inclusive jets in $\$ sqrt $\{s\} = 7$; $\{ext\{TeV\}\}\$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	4.7	88
69	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in	4.7	88
70	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton–proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
71	Measurement of multi-particle azimuthal correlations in pp, pÂ+ÂPb and low-multiplicity PbÂ+ÂPb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
72	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\$$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	84

#	Article	IF	CITATIONS
73	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
74	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $s=13$ TeV. European Physical Journal C, 2021, 81, 1.	3.9	82
75	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at \$ sqrt{s}=7 \$TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	81
76	Measurement of the prompt J/ $\$$ psi $\$$ $\ddot{\Gamma}$ pair production cross-section in pp collisions at $\$\$$ sqrt $\{s\}$ = $\$\$$ s = $\$$ $\^{A}$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
77	Search for dark matter at $\frac{s}{13-mathrm{TeV}}$ s = 13 TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
78	Search for production of $\$WW/WZ$ \$\$ WW/WZ \$\$ or esonances decaying to a lepton, neutrino and jets in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
79	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
80	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in protonâ€"proton collisions at \$\$ 13 \$\$ s = 13 \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
81	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78
82	Light-quark and gluon jet discrimination in pp p collisions at q and gluon jet discrimination in p p collisions at q and gluon jet discrimination in p p collisions at p and p and p are Light-quark and gluon jet discrimination in p p collisions at p and p are Light-quark and gluon jet discrimination in p p collisions at p and p are Light-quark and gluon jet discrimination in p p collisions at p and p are Light-quark and p are Light-quark and p are Light-quark and p and p are Light-quark	3.9	77
83	Search for dark matter in events with heavy quarks and missing transverse momentum in \$\$pp\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
84	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC protonâ€"proton collision data at \$\$sqrt{s} = 13\$\$Â\$\$ext {TeV}\$\$. European Physical Journal C, 2019, 79, 1.	3.9	77
85	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
86	Measurement of quarkonium production in proton–lead and proton–proton collisions at \$\$5.02~mathrm {TeV}\$\$ 5.02 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
87	Search for resonant diboson production in the \$\$mathrm {ell ell }qar{q}\$\$ â,, \hat{a} , \hat{a} , \hat{q} \hat{q} final state in \$\$pp\$\$ p p collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
88	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at \$sqrt{s}=7mbox{~TeV}\$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
89	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
90	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73

#	Article	IF	Citations
91	Search for squarks and gluinos in final states with jets and missing transverse momentum at $$$ sqrt{s}\$\$ = 13 \$\${mathrm{TeV}}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
92	Search for supersymmetry at $\$$ sqrt $\{s\}=13$ \$\$ s = 13 ÂTeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
93	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at \$ sqrt{s}=8 \$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	71
94	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 $ \$\$ sqrt{ s }=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	71
95	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 $ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
96	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton–proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
97	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\$$ sqrt $\{s\}=8$ \$\$ s = 8 \$\$,hbox {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 303.	3.9	70
98	Search for resonances in diphoton events at s = 13 $\$$ sqrt $\{s\}$ =13 $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
99	Search for charged Higgs bosons decaying via H ± â†' Ï,, ± ν in fully hadronic final states using pp collision data at s \$\$ sqrt{s} \$\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
100	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\frac{s_{mathrm {NN}}}{2.76}$ s NN = 2.76 ÂTeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	3.9	68
101	Measurement of charged-particle spectra in Pb+Pb collisions at s N N = $2.76 \$\$$ sqrt{s_{mathrm{NN}}}= $2.76 \$\$$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	67
102	Search for direct pair production of a chargino and a neutralino decaying to the 125\^A GeV Higgs boson in \$\$sqrt{varvec{s}} = 8\$\$ s = 8 \^ATeV \$\$varvec{pp}\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	3.9	67
103	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
104	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in s $$$ sqrt ${s}$ $$$ = 8 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	66
105	A search for t t \hat{A}^- \$\$ toverline{t} \$\$ resonances using lepton-plus-jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	66
106	A search for pair-produced resonances in four-jet final states at $\$$ sqrt $\{s\}$ =13 $\$$ s = 13 $\$$ ext $\{TeV\}$ \$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
107	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $sqrt {s}\ = 7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
108	Measurement of the W \hat{a}^{\dagger} , \hat{a}^{\dagger	sqrt {s}	64

#	Article	IF	CITATIONS
109	Measurement of isolated-photon pair production in pp collisions at \$ sqrt{s}=7;TeV \$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	64
110	Observation and measurements of the production of prompt and non-prompt $\space{2}\$ p collisions at $\space{2}\$ boson in $\space{2}\$ p collisions at $\space{2}\$ varvec{sqrt{s}= 8,ext {TeV}}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
111	Evidence for the H \hat{a} †' b b \hat{A}^- \$\$ Ho boverline{b} \$\$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
112	Jet energy scale and resolution measured in proton–proton collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
113	Measurement of the differential cross-sections of prompt and non-prompt production of \$\$J/psi \$\$ J / $\ddot{\Gamma}$ and \$\$psi (2mathrm {S})\$\$ $\ddot{\Gamma}$ (2 S) in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 and 8 $\dot{\Lambda}$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
114	Performance of the ATLAS muon trigger in pp collisions at $\$$ sqrt $\{s\}$ =8 $\$$ s = 8 TeV. European Physical Journal C, 2015, 75, 120.	3.9	62
115	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\$$ sqrt $\{s\} = 8$ \$ $s = 8$ ÂTeV. European Physical Journal C, 2016, 76, 154.	3.9	62
116	Measurement of ZZ production in pp collisions at $q=7 $ TeV and limits on anomalous ZZZ and ZZγ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
117	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $q=0.000$ sqrt(s) = 7 mbox(TeV)\$. European Physical Journal C, 2013, 73, 1.	3.9	61
118	Charged-particle distributions at low transverse momentum in $\$\$qrt\{s\} = 13\$\$ s = 13 \ \hat{A}TeV pp$ interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61
119	Performance of algorithms that reconstruct missing transverse momentum in \$\$\$qrt{s}\$\$ s = 8 TeV protonâ€"proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
120	Prompt and non-prompt \$\$J/psi \$\$ J / $\ddot{\Gamma}$ and \$\$psi (2mathrm {S})\$\$ $\ddot{\Gamma}$ (2 S) suppression at high transverse momentum in \$\$5.02~mathrm {TeV}\$\$ 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
121	Measurement of multi-jet cross sections in proton–proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	3.9	60
122	Summary of the searches for squarks and gluinos using $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
123	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s=8$ \$\$ sqrt $s=8$ \$\$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
124	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the \$\$ell ell / ell u / u u + b ar{b}\$\$ â," â," \hat{l} ," \hat{l} /2 / \hat{l} /2 + b b \hat{A} final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
125	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in protonâ \in "lead collisions at \$\$sqrt{s_{_ext {NN}}} = 5.02\$\$ s NN = 5.02 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	3.9	60
126	Search for dark matter produced in association with bottom or top quarks in $\$\$qrt\{s\}=13\$\$s=13\ATeV$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60

#	Article	IF	Citations
127	Measurement of W $\hat{A}\pm Z$ production in proton-proton collisions at $q=7-mbox\{TeV\}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59
128	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $q=1$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	59
129	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\$ sqrt{s} $\$ = 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
130	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\$ sqrt{s} $\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
131	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\$$ sqrt $\{s_{ext}\}$ s NN = 2.76 and 5.0. European Physical Journal C, 2018, 78, 142.	3.9	59
132	Search for charged Higgs bosons decaying via $H\hat{A}\pm\hat{a}\uparrow'\hat{I},\hat{A}\pm\hat{I}\frac{1}{2}\hat{I},\hat{a}$ in the $\hat{I},+\text{jets}$ and $\hat{I},+\text{lepton}$ final states with 36 fbs of pp collision data recorded at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	â^'1 4.7	59
133	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton–proton collisions at \$\$sqrt{s}=7\$\$ s = 7 ÂTeV in 2010. European Physical Journal C, 2014, 74, 3034.	3.9	58
134	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	57
135	Measurement of the jet fragmentation function and transverse profile in proton–proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	56
136	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\frac{s}{q} = 8$ s = 8 ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	3.9	56
137	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8ÂTeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
138	Search for direct top squark pair production in events with a Z \$ Z boson, 5 \$ b -jets and missing transverse momentum in S \$qrt{s}=8\$\$ s = 8 TeV \$\$pp\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
139	Summary of the ATLAS experiment $\hat{a} \in \mathbb{N}$ s sensitivity to supersymmetry after LHC Run 1 $\hat{a} \in \mathbb{N}$ interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
140	Search for pair production of Higgs bosons in the $\$$ boverline $\{b\}$ boverline $\{b\}$ \$\$ final state using proton-proton collisions at $\$$ sqrt $\{s\}=13$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
141	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
142	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\$ \sqrt{s}=7 $ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
143	Measurements of fiducial cross-sections for $\frac{1}{r}$ production with one or two additional b-jets in pp collisions at $\frac{1}{r}$ s = 8 TeVÂusing the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
144	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fba $^{\circ}$ 1 of \$ sqrt {s} = 7;TeV \$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	4.7	53

#	Article	IF	Citations
145	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $q=0$ at $q=0$ at $q=0$ at $q=0$ at $q=0$ and $q=0$ are $q=0$ and $q=0$ are $q=0$ and $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ and $q=0$ are $q=0$	4.7	53
146	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $q=1$ at $q=1$ at $q=1$ at $q=1$ and $q=1$ are $q=1$ are $q=1$ are $q=1$ and $q=1$ are $q=1$ are $q=1$ are $q=1$ are $q=1$ are $q=1$ are $q=1$ and $q=1$ are $q=1$ are $q=1$ are $q=1$ and $q=1$ are $q=1$ and $q=1$ are $q=1$ a	4.7	52
147	Performance of jet substructure techniques for large-R jets in proton-proton collisions at \$ sqrt{s}=7 \$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
148	Search for lepton-flavour-violating H → μÏ,, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
149	Measurement of the top quark mass in the $\frac{t}{ightarrow}$ ext{ lepton+jets } \$\$ t t Â-â†' lepton+jets and \$\$tar{t}ightarrow ext{ dilepton } \$\$ t t Â-â†' dilepton channels using \$\$\$qrt{s}=7\$\$ s = 7 \$\${mathrm { TeV}}\$\$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
150	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\$$ sqrt $\{s\} = 13$,mathrm $\{TeV\}$ \$\$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
151	Measurement of the top quark mass with the template method in the \$tar{t} omathrm{lepton}+mathrm{jets}\$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.	3.9	51
152	Search for minimal supersymmetric standard model Higgs Bosons $H\hat{A}/A$ and for a \$\$Z^{prime}\$\$ Z $\hat{a} \in \mathbb{Z}$ boson in the \$\$au au \$\$ \hat{I} , \hat{I} , final state produced in pp collisions at \$\$sqrt{s}= 13\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51
153	Measurement of the charged-particle multiplicity inside jets from $\frac{s}{s} = 8$ \$ $\frac{TeV}{s} = 0$ \$\${mathrm{TeV}}\$\$ TeV Âpp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
154	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\$$ sqrt $\{s_mathrm{NN}\}\} = 2.76\$$ s NN = 2.76. European Physical Journal C, 2017, 77, 379.	3.9	51
155	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
156	Search for direct top squark pair production in final states with two leptons in $\$\$$ sqrt $\{s\}$ = 13 $\$\$$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
157	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb $\$^{-1}$ + 1 of pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
158	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
159	Constraints on mediator-based dark matter and scalar dark energy models using $\$\$$ sqrt $\$\$$ = 13 TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
160	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in \$ sqrt{s}=7;mathrm{TeV} \$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	48
161	Search for contact interactions and large extra dimensions in the dilepton channel using proton–proton collisions at \$\$sqrt{s}~=\$\$ s = Â8ÂTeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	3.9	48
162	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48

#	Article	IF	CITATIONS
163	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fba 1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
164	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	47
165	Measurements of the production cross section of a 22 \$ Z boson in association with jets in pp collisions at 12 \$ s. European Physical Journal C, 2017, 77, 361.	3.9	47
166	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $p=0.05$ p p collisions at $p=0.05$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	3.9	46
167	Study of the rare decays of \$\$B^0_s\$\$ B s 0 and \$\$B^0\$\$ B 0 into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
168	Measurement of the Higgs boson coupling properties in the H \hat{a} t' $ZZ\hat{a}$ - \hat{a} t' \hat{a} ," decay channel at \$\$ sqrt{s}=13 TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	\$\$. ₇	46
169	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
170	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
171	Measurement of the cross section for top-quark pair production in pp collisions at $q = {7},{ext{TeV}}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
172	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in protonâ \in proton collisions at $q=7 \text{ mbox}$ European Physical Journal C, 2013, 73, 1.	3.9	45
173	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	3.9	45
174	Measurement of the $tar{t}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	3.9	45
175	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
176	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
177	Search for supersymmetry at \sqrt{s} = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
178	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at s $\$ sqrt{s} $\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
179	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 $ \$\$ sqrt $\{s\}=13 $ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
180	Application of deep learning methods to analysis of imaging atmospheric Cherenkov telescopes data. Astroparticle Physics, 2019, 105, 44-53.	4.3	45

#	Article	IF	Citations
181	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
182	Search for the Standard Model Higgs boson in the H â†' Ï,, + Ï,, â^' decay mode in \$ sqrt {s} = 7,{mathrm{ \$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	[TeV}} 4.7	43
183	Search for charged Higgs bosons in the H $\hat{A}\pm\hat{a}\uparrow$ tb decay channel in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
184	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\$\$qrt\{s\} = 8\$$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
185	Search for single top-quark production via flavour-changing neutral currents at 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
186	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $q=0$ sqrt $q=0$ asymmetry in proton-proton collisions at $q=0$ sqrt $q=0$ and $q=0$ asymmetry in proton-proton collisions at $q=0$ sqrt $q=0$ and $q=0$ asymmetry in proton-proton collisions at $q=0$ sqrt $q=0$ and $q=0$ are $q=0$ and $q=0$ and $q=0$ are $q=0$ asymmetry in proton-proton collisions at $q=0$ and $q=0$ are $q=0$ and $q=0$ are $q=0$ asymmetry in proton-proton collisions at $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ are $q=0$ and $q=0$ are $q=0$ a	4.7	42
187	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 $ sqrt $s=8 $ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	42
188	Two-particle Boseâ€"Einstein correlations in pp collisions at \$\$mathbf {sqrt{s} =}\$\$ s = 0.9 and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
189	Performance of top-quark and $\$ varvec $\{W\}$ $\$ $\$ $\$ $\$ $\$ $\$ $\$ $\$ $\$ $\$	3.9	42
190	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $sqrt{s}=7~mbox{TeV}$ protonâ e proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	3.9	41
191	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at s $\$ sqrt{s} $\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	41
192	Measurement of the production and lepton charge asymmetry of $\$W$ \$\$ W bosons in Pb+Pb collisions at $\$$ mathbf {sqrt{mathbf {s}_{mathrm {mathbf {NN}}}}=2.76;TeV}\$\$ s NN = 2.76 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	3.9	41
193	Measurement of the $\$ {varvec{tar{t}Z}}\$\$ t t Â^Z and \$\${varvec{tar{t}W}}\$\$ t t Â^W production cross sections in multilepton final states using 3.2 fb \$\$^{-1}\$\$ - 1 of \$\$varvec{pp}\$\$ p p collisions at \$\$sqrt{s}\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
194	Higgs boson production cross-section measurements and their EFT interpretation in the \$\$4ell \$\$ decay channel at \$\$sqrt{s}=\$\$13ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
195	Limits on the production of the standard model Higgs boson in pp collisions at $sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	40
196	A search for $\$$ toverline t $\$$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	40
197	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $pp $ p collisions at $s=7,mathrm{TeV}$ s = 7 TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
198	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	40

#	Article	IF	CITATIONS
199	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s=7$ \$\$ $q=7$ \$\$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40
200	Study of the $S_c^+ ightarrow J/psi D_s^+ B c + \hat{a}^' J/\ddot{D} s + and S_c^+ ightarrow J/psi D_s^{*+} B c + \hat{a}^' J/\ddot{D} s \hat{a}^- + decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.$	3.9	40
201	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb \hat{a} °1 of \$\$ sqrt{s}=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
202	Measurements of b-jet tagging efficiency with the ATLAS detector using $$$ toverline{t} $$$ events at $$$ sqrt{s}=13 $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
203	Search for heavy resonances decaying into a pair of Z bosons in the \$\$ell ^+ell ^-ell '^+ell '^-\$\$ and \$\$ell ^+ell ^-u {{ar{u }}}\$\$ final states using 139 \$\$mathrm {fb}^{-1}\$\$ of proton–proton collisions at \$\$sqrt{s} = 13,\$\$TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
204	Search for massive colored scalars in four-jet final states in \$sqrt{s}=7~mbox{TeV}\$ proton–proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	39
205	Search for flavour-changing neutral current top-quark decays to $\$ q Z in \$\\$varvec{pp}\$\$ p p collision data collected with the ATLAS detector at \$\\$varvec{sqrt{s}=8}\$\$ s = 8 ÂTeV. European Physical Journal C, 2016, 76, 12.	3.9	39
206	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $s=0.016, 76, 87.01$	3.9	39
207	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s=8$ \$\$ sqrt{s} = 8 \$\$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	38
208	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
209	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s=13 $ \$ sqrt{ s }=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
210	Measurements of WH and ZH production in the $\$H$ ightarrow bar{b}\$\$ decay channel in pp collisions at $\$\13 ,ext {Te}ext {V}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
211	Search for second generation scalar leptoquarks in pp collisions at $q=7-mbox{TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	37
212	Search for bottom squark pair production in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	3.9	37
213	Measurement of the W boson polarisation in $\frac{1}{5}$ t t \hat{A}^- events from pp collisions at $\frac{1}{5}$ s = 8 TeV in the leptonÂ+Âjets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
214	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
215	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
216	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb \hat{a} 1 of \$\$ sqrt{s} \$\$ = 13 TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37

#	Article	IF	CITATIONS
217	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $q=0$ mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	36
218	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\$ sqrt $\{s\} = \{7\}; \{ext\{TeV\}\}\}\$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	36
219	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $sqrt\{s\} = 7$ mbox $TeV\}$ with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	3.9	36
220	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	36
221	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	36
222	Search for heavy long-lived multi-charged particles in pp collisions at $\$$ sqrt $\{s\}$ =8 $\$$ s = 8 ÂTeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	3.9	36
223	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36
224	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in \$\$ sqrt{s} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
225	Search for a scalar partner of the top quark in the all-hadronic $f(x)$ plus missing transverse momentum final state at $f(x)$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
226	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
227	Measurement of the production cross section of prompt J/\tilde{I} mesons in association with a W $\hat{A}\pm$ boson in pp collisions at \$ sqrt{s} \$ = 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
228	Search for \$\$W' ightarrow tb ightarrow qqbb\$\$ W ′ â†' t b â†' q q b b decays in \$\$pp\$\$ p p collisions at \$\$sqrt{s}\$\$ s Â=Ã8ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	3.9	35
229	Measurement of the inclusive jet cross-section in proton-proton collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV using 4.5 fba^1 of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
230	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35
231	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
232	Multi-channel search for squarks and gluinos in \$sqrt{s}=7mbox{ TeV}\$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	3.9	34
233	Measurements of top-quark pair differential and double-differential cross-sections in the $\$$ ell $\$$ +jets channel with pp collisions at $\$$ qrt $\{s\}$ =13 $\$$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
234	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in \$\$pp\$\$ collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34

#	Article	IF	CITATIONS
235	Inclusive search for same-sign dilepton signatures in pp collisions at $\$$ sqrt $\$$ = 7 $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	33
236	Measurement of jet shapes in top-quark pair events at $q=7 \text{ mbox} $ using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	3.9	33
237	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
238	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
239	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
240	Measurements of $\ddot{\Gamma}(2S)$ and $X(3872)$ \hat{a}^{\dagger} $\ddot{\Gamma} = \hat{\pi}$ production in pp collisions at $s = 8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
241	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
242	Search for third generation scalar leptoquarks in pp collisions at $\ \sqrt{s}=7 \ TeV $ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
243	Measurement of \dagger ‡ c1 and \dagger ‡ c2 production with s \$\$ sqrt{s} \$\$ = 7 TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	32
244	Determination of the strong coupling constant $\frac{1}{s} = \frac{1}{s} $ in transverse energy e^{e} energy correlations in multijet events at $\frac{1}{s} = \frac{1}{s} $ European Physical Journal C, 2017, 77, 872.	3.9	32
245	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4 \$ell \$\$ decay channel at $$\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2020, 80, 1.	3.9	32
246	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s}=900$ GeV and $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	31
247	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in \$sqrt{s}=7 mathrm{TeV}\$ proton–proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
248	Measurement of the differential cross-section of B + meson production in pp collisions at $\frac{1}{5}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
249	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\$$ sqrt $\{s\}$ \$ s = 13 Te V with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
250	A search for prompt lepton-jets in pp collisions at $s = 8 $ \$ sqrt{mathrm{s}}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
251	Measurement of inclusive and differential cross sections in the H \hat{a} † ZZ * \hat{a} † 4 \hat{a} , decay channel in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
252	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fba $^{\circ}$ 1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31

#	Article	IF	Citations
253	Search for W W/W Z resonance production in \hat{a} , " \hat{l} ½qq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
254	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
255	Search for invisible particles produced in association with single-top-quarks in proton–proton collisions at \$\$sqrt{s}=mathrm {8~TeV}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	3.9	30
256	Measurement of the t t \hat{A}^- \$\$ toverline{t} \$\$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
257	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	30
258	Charged-particle distributions in pp interactions at $\$$ sqrt $\{s\}$ =8 mathrm $\{$, TeV $\}$ \$\$ s = 8 TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	3.9	30
259	Searches for the $Z\hat{I}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
260	Study of \$\$WWgamma \$\$ W W γ and \$\$WZgamma \$\$ W Z. European Physical Journal C, 2017, 77, 646.	3.9	30
261	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
262	Evidence for \$\$tar{t}\$\$\$ production in the multilepton final state in proton–proton collisions at \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
263	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	29
264	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
265	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s=13 $ \$ sqrt $s=13 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
266	Searches for heavy ZZ and ZW resonances in the â, "â, "qq and $\hat{l}/2\hat{l}/2$ qq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
267	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\$$ sqrt $\{s\}=13$ \$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
268	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 $ \$\$ sqrt{ s }=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	28
269	Measurement of lepton differential distributions and the top quark mass in $\frac{1}{2}$ tt \hat{A}^- . European Physical Journal C, 2017, 77, 804.	3.9	28
270	Measurement of \$\$WW/WZ ightarrow ell u q q^{prime }\$\$ W W / W Z → â,, $\hat{l}^{1/2}$ q q â \hat{l}^{2} production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at \$\$\$qrt{s} =8~ext {TeV}\$\$ s = 8 TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28

#	Article	IF	CITATIONS
271	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
272	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the H \hat{a} †' aa \hat{a} †' 4b channel in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
273	Search for charginoâ \in "neutralino pair production in final states with three leptons and missing transverse momentum in \$\$sqrt{s} = 13\$\$ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
274	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\$ sqrt{s} = 8}\$\$ s = 8 ÂTeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
275	Measurement of the WW + WZ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at s = $7 $ \$ sqrt{s}= $7 $ \$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
276	Measurements of top-quark pair differential cross-sections in the \$\$emu \$\$ e \hat{l} 4 channel in pp collisions at \$\$sqrt{s} = 13\$\$ s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
277	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a \ddot{l} ,-lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
278	Measurements of electroweak \$\$Wjj \$\$ W j j production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
279	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\$$ ell ell bb\$\$ and \$\$ell ell WW\$\$ final states in pp collisions at $\$$ qrt{s}=13\$\$Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
280	A search for $tar{t}\$ resonances with the ATLAS detector in 2.05 fbâ^1 of proton-proton collisions at $q=7\$ mathrm{TeV}. European Physical Journal C, 2012, 72, 2083.	3.9	25
281	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	25
282	Measurement of the low-mass Drell-Yan differential cross section at s $\$\$$ sqrt $\{s\}$ $\$\$$ = 7 TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	25
283	Determination of the top-quark pole mass using t t \hat{A}^- \$\$ toverline{t} \$\$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	4.7	25
284	Searches for heavy diboson resonances in pp collisions at $s=13 $ \$\$ sqrt{ s }=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25
285	Search for triboson $\W^{pm}W^{pm}W^{mp}\$ W ± W ± W â-" production in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
286	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24
287	Search for supersymmetry in a final state containing two photons and missing transverse momentum in \$\$varvec{sqrt{s}}\$\$ s Â=Â13ÂTeV \$\$varvec{pp}\$\$. European Physical Journal C, 2016, 76, 517.	3.9	24
288	Measurement of the cross-section and charge asymmetry of W bosons produced in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24

#	Article	IF	CITATIONS
289	Measurement of fiducial and differential $\$W^+W^-$ \$ production cross-sections at $\$sqrt\{s\}=13\$$ ÂTeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
290	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
291	A measurement of the ratio of the production cross sections for $\$W$ and $\$Z$ Dosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
292	Measurement of the underlying event in jet events from 7 \$\$ext {TeV}\$\$ TeV proton–proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	3.9	23
293	A search for high-mass resonances decaying to $\ddot{l}_{,+}\ddot{l}_{,a}$ in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 1.	4.7	23
294	Measurement of three-jet production cross-sections in $pp $ p collisions at 7Â $mathrm $ Te,V}\$\$ Te V centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23
295	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $s=13$ from with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
296	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
297	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
298	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
299	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\frac{1}{s}=7 \text{ mathrm} $ TeV\$. European Physical Journal C, 2012, 72, 1.	3.9	22
300	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead–lead collisions at \$\$sqrt{s_{mathrm {NN}}}=2.76\$\$ s NN = 2.76 ÂTeVÂwith the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	3.9	22
301	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at	4.7	22
302	Measurement of the t t \hat{A}^- W \$\$ toverline{t}W \$\$ and t t \hat{A}^- Z \$\$ toverline{t}Z \$\$ production cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
303	Study of (W/Z)H production and Higgs boson couplings using Hâ \dagger ' W W â $^-$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
304	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	22
305	Measurements of top-quark pair spin correlations in the $\$$ -emu $\$$ channel at $\$$ -sqrt $\{s\}$ = 13 $\$$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
306	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22

#	Article	IF	CITATIONS
307	Measurement of \ddot{l} , polarization in Wâ† \ddot{l} 2 decays with the ATLAS detector in pp collisions at \$sqrt{s} =7~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 2062.	3.9	21
308	Measurement of the production cross-section of $\ddot{\Gamma}(2S)$ \hat{a} †' $J\ddot{\Gamma}(\hat{a}$ †' \hat{I} ¹ /4 \hat{a} \hat{a} '') \ddot{I} ∈ \hat{a} in pp collisions at s \$\$ sqrt = 7 TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	{ _{\$} } ₇ \$\$	21
309	Determination of spin and parity of the Higgs boson in the \$\$WW^*ightarrow e u mu u \$\$ W W \hat{a} — \hat{a} †' e \hat{l} ½ \hat{l} ½ \hat{l} 4 decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
310	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
311	Search for the Standard Model Higgs boson decaying into b b \hat{A}^- \$\$ boverline{b} \$\$ produced in association with top quarks decaying hadronically in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
312	Search for new phenomena in events with three or more charged leptons in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
313	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
314	Measurements of top quark spin observables in t t \hat{A}^- \$\$ toverline{t} \$\$ events using dilepton final states in s = 8 \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
315	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\$\sqrt{s}={13}{ext {TeV}}$ s = 13 TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
316	Search for charged Higgs bosons through the violation of lepton universality in $\$ toverline{t} \$ events using pp collision data at $\$ sqrt{s}=7 $\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	19
317	Measurement of k T splitting scales in Wâ†'â,,"ν events at $q = 7 \text{ mathrm{TeV}}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
318	Search for flavour-changing neutral current top quark decays t \hat{a} † Hq in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19
319	Addendum to $\hat{a} \in \mathbb{N}$ Measurement of the $\hat{a} \in \hat{A}$ production cross-section using $\hat{a} \in \hat{A}$ events with b-tagged jets in pp collisions at $\hat{a} = 7$ and $\hat{a} = 7$ and $\hat{a} \in \mathbb{N}$. European Physical Journal C, 2016, 76, 1.	3.9	19
320	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 $ \$ sqrt{ s }=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
321	Probing lepton flavour violation via neutrinoless $\$ varvec{au longrightarrow 3mu }\$\ \ddot{I} , $\ddot{a}\ddot{Y}$ ¶ 3 \dot{I} 1/4 decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
322	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in \s p p collisions at \s mathbf \s s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19
323	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fbâ^1 of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
324	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nbâ^1 of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19

#	Article	IF	CITATIONS
325	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	4.7	18
326	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in \$sqrt{s}=7\$ TeV proton–proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	18
327	Search for top quark decays t â†' qH, with H â†' $\hat{i}^3\hat{i}^3$, in s = 13 \$\$ sqrt{s}=13 \$\$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18
328	Search for dark matter in association with an energetic photon in pp collisions at $\$\$ $ sqrt $\$\$ = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
329	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton–proton collisions at \$\$sqrt{s}\$\$ = 13ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
330	Search for new phenomena in final states with b-jets and missing transverse momentum in $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
331	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	3.9	17
332	Search for anomalous production of prompt like-sign lepton pairs at \$ sqrt{s}=7;mathrm{TeV} \$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
333	Measurement of the top quark charge in pp collisions at $ \sqrt{s}=7 $ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
334	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s=7$ \$\$ sqrt $s=7$ \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	17
335	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\$$ sqrt $\{s\}$ =7mathrm $\{$,TeV $\}$ \$\$ s = 7 TeV. European Physical Journal C, 2015, 75, 158.	3.9	17
336	Identification of high transverse momentum top quarks in pp collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
337	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
338	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
339	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
340	Direct top-quark decay width measurement in the $\$ mathbf {varvec{tar{t}}}\$\$ t t Â^ lepton+jets channel at \$\$sqrt{s}=8~ext {TeV}\$\$ s = 8 TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
341	Search for flavour-changing neutral current top-quark decays t \hat{a}^{\dagger} qZ in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
342	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17

#	Article	IF	CITATIONS
343	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
344	Search for the HH \hat{a}^{\dagger} \$\$ boverline{b}boverline{b} \$\$ process via vector-boson fusion production using proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
345	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\$\$$ sqrt $\{\$\}$ = 13, $\{$ ext $\{$ TeV $\}\}$ $\$\$$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
346	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	16
347	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
348	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
349	Top-quark mass measurement in the all-hadronic t t \hat{A}^- \$\$ toverline{t} \$\$ decay channel at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
350	Search for exclusive Higgs and Z boson decays to $\hat{i} \cdot \hat{i}^3$ and $\hat{i} \cdot \hat{i}^3$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
351	Measurement of differential cross sections and W+/W \hat{a} cross-section ratios for W boson production in association with jets at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
352	Search for diphoton events with large missing transverse energy with 36 pbâ^1 of 7 TeV proton–proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	15
353	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $q=0$ TeV with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
354	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	15
355	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at \$ sqrt{s}=7;mathrm{TeV} \$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
356	Measurement of the flavour composition of dijet events in pp collisions at $q=0$ mbox{TeV}\$ with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	3.9	15
357	Search forWHproduction with a light Higgs boson decaying to prompt electron-jets in proton–proton collisions at \$sqrt {s}=7\$ TeV with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	2.9	15
358	Measurement of event-shape observables in SZ ightarrow ell $+$ ell $-$ at 'a," + a," - events in pp collisions at $s=7$ at 's," - events in pp collisions at $s=7$ at the LHC. European Physical Journal C, 2016, 76, 375.	3.9	15
359	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to WW $\hat{a} - \hat{a}^{\dagger} \hat{e}^{1}/2\hat{l}/4\hat{l}/2$ with the ATLAS detector at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
360	Search for strong gravity in multijet final states produced in pp collisions at $s=13 \$\$ $ sqrt $\{s\}=13 \$\$$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15

#	Article	IF	CITATIONS
361	Search for scalar resonances decaying into $\hat{l}/4+\hat{l}/4\hat{a}$ in events with and without b-tagged jets produced in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
362	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13ÂTeV proton–proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15
363	TeV Emission of Galactic Plane Sources with HAWC and H.E.S.S Astrophysical Journal, 2021, 917, 6.	4.5	15
364	Determination of jet calibration and energy resolution in proton–proton collisions at \$\$sqrt{s} = 8~hbox {TeV}\$\$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
365	Search for a heavy neutral particle decaying into an electron and a muon using 1 fbâ^1 of ATLAS data. European Physical Journal C, 2011, 71, 1.	3.9	14
366	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
367	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
368	Measurement of charged-particle distributions sensitive to the underlying event in s = 13 $\$$ sqrt{s}=13 $\$$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
369	Studies of $Z\hat{I}^3$ production in association with a high-mass dijet system in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
370	Measurement of VH, \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
371	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $$$ sqrt{s} $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
372	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\$\$qrt\{s\}=13$,ext $TeV\}$. European Physical Journal C, 2021, 81, 1.	3.9	14
373	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $$$ sqrt{mathrm{s}} \$\$ = 13 TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
374	Search for $\$$ toverline $\{t\}$ $\$$ resonances in fully hadronic final states in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
375	Measurement of the c-jet mistagging efficiency in $\frac{1}{5}$ events using pp collision data at $\frac{1}{5}$ sqrt $\frac{1}{5}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
376	Search for R-parity-violating supersymmetry in events with four or more leptons in \$ sqrt{s}=7;mathrm{TeV} \$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
377	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\frac{1}{2} - \frac{1}{2}$ European Physical Journal C, 2012, 72, 1.	3.9	13
378	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13

#	Article	IF	CITATIONS
379	Search for lepton flavour violation in the $e\hat{1}$ /4 continuum with the ATLAS detector in $q=1$ = 7-mbox{TeV}\$ pp collisions at the LHC. European Physical Journal C, 2012, 72, 2040.	3.9	13
380	The differential production cross section of the $\$$ phi $\$$ i (1020) meson in $\$$ sqrt $\{s\}$ \$ s = 7ÂTeV $\$$ pp\$\$ p p collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	3.9	13
381	Measurement of the CP-violating phase i̇̃• s and the B s 0 meson decay width difference with B s 0  → J/l̈́ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	Ϊ• 4.7	13
382	Search for new phenomena with photon+jet events in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
383	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
384	Measurements of top-quark pair to Z-boson cross-section ratios at $s=13 \$\$ $ sqrt $\{s\}=13 \$\$$, 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
385	Search for new phenomena in high-mass final states with a photon and a jet from $proper proper prop$	3.9	13
386	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at \$\$sqrt{s}=13\$\$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
387	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	12
388	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fba 1 of s \$\$ sqrt{s} \$\$ = 8 TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
389	Measurement of the $\$$ boverline $\{b\}$ \$ b b \hat{A}^- dijet cross section in pp collisions at $\$$ sqrt $\{s\}$ = 7\$\$ s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12
390	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\frac{s^2-13}$ s = 13 Â \$\$ext {TeV}\$\$ TeV \$\$varvec{pp}\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
391	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s=13 $ sqrt $s=13 $ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
392	Observation of the associated production of a top quark and a Z boson in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
393	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\$$ sqrt{s} $\$$ = 13 TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
394	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton–proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
395	Search for supersymmetry in events with four or more charged leptons in 139 fba $^{\circ}$ 1 of \$\$ sqrt{s} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
396	Measurements of the inclusive and differential production cross sections of a top-quark $\hat{a}\in \hat{a}$ antiquark pair in association with a Z \hat{a} boson at $\hat{a}=13$ \$ $\hat{a}=13$ 0 with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12

#	Article	IF	CITATIONS
397	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $$$ sqrt ${s}$ $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
398	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12
399	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$, 8 and 13ÂTeV. European Physical Journal C, 2022, 82, 1.	3.9	12
400	Measurement of \hat{W}^3 and \hat{Z}^3 production in proton-proton collisions at \$ sqrt {s} = 7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	11
401	Measurement of four-jet differential cross sections in $s=8$ \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
402	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	1.2	11
403	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ĀTeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11
404	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\frac{s}{s}=13$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
405	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
406	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
407	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at s $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	10
408	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s=8$ \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	10
409	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $s=8$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
410	Measurement of the inclusive and fiducial $\frac{1}{\hat{A}}$ t t \hat{A} production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
411	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W± and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
412	Measurement of the t\$\$ overline{t} $$$ \$\$ overline{t} \$\$ production cross section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
413	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fba $^{\circ}$ 1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
414	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10

#	Article	IF	Citations
415	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
416	Measurement of the $\$$ toverline{t}gamma $\$$ production cross section in proton-proton collisions at $\$$ sqrt{s}=8 $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
417	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
418	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8 \$\$ \cdot \$$ sqrt $\{s\}=8 \$\$$ TeV using the ZZ \hat{a}_1 \hat{a}_n $$	erli n.e {u}\$	\$\$ d ecay char
419	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
420	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton–proton collisions at 8ÂTeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
421	Search for dark matter produced in association with a single top quark in $\$\$qrt\{s\}=13\$$ ÂTeV $\$pp\$$ collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9
422	Measurement of the relative width difference of the B 0 $\hat{a} \in B \hat{A}^- 0 \$ \{B\}^0 + \{0\}^0 \$$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
423	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 $ \$ sqrt{ s =13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
424	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\$$ sqrt $\{s\}=8$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
425	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
426	Measurements of W+W \hat{a}^2 + \hat{a} % \hat{b} 1 jet production cross-sections in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
427	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
428	Reconstruction and identification of boosted di-Ï,, systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
429	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
430	Measurement of \$\$au \$\$ \ddot{i} , polarisation in \$\$Z/gamma ^{*}ightarrow au au \$\$ Z / \hat{i} 3. European Physical Journal C, 2018, 78, 163.	3.9	7
431	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using \$\$sqrt{s} = 13hbox { TeV}\$\$ protonâ€"proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
432	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7

#	Article	IF	CITATIONS
433	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\$$ sqrt $\{s\}=13\$$ ATeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
434	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
435	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $$$ sqrt{s} $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	6
436	Searching for TeV Gamma-Ray Emission from SGR 1935+2154 during Its 2020 X-Ray and Radio Bursting Phase. Astrophysical Journal, 2021, 919, 106.	4.5	6
437	Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.	3.9	6
438	A search for the decays of stopped long-lived particles at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 1.	4.7	5
439	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
440	The ATLAS inner detector trigger performance in pp collisions at 13ÂTeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
441	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	4
442	Measurement of jet activity in top quark events using the $el^{1}/4$ final state with two b-tagged jets in pp collisions at $s = 8 $ \$ sqrt{ s }= $8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
443	Measurement of hadronic event shapes in high-pT multijet final states at $\$\$$ sqrt $\$\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
444	Search for top squarks in events with a Higgs or Z boson using $139 \text{\^{A}} \text{fb} ^{-1} $ of pp collision data at \$\$sqrt{s}=13\$\$ $\text{\^{A}}$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
445	Measurement of the energy response of the ATLASÂcalorimeter to chargedÂpions from \$\$W^{pm }ightarrow au ^{pm }(ightarrow pi ^{pm }u _{au })u _{au }\$\$ events in RunÂ2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
446	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
447	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
448	Study on low-energy positron polarimetry. Pramana - Journal of Physics, 2007, 69, 1171-1175.	1.8	3
449	Measurement of the k t splitting scales in Z \hat{a}^{\dagger} , \hat{a}^{\dagger} , events in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
450	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ \$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3

#	Article	IF	CITATIONS
451	Measurement of the inclusive jet cross-section in proton-proton collisions at (sqrt{s}=7) TeV using 4.5 fbâ^1 of data with the ATLAS detector. , 2015, 2015, 1.		3
452	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector., 2015, 75, 1.		3
453	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider., 2015, 75, 1.		3
454	Measurement of b-quark fragmentation properties in jets using the decay $B\hat{A}\pm\hat{a}\uparrow'J/\Gamma'K\hat{A}\pm\hat{a}$ in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
455	A search for an excited muon decaying to a muon and two jets inppcollisions at \$sqrt{s};=;8;{m{TeV}}\$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
456	Measurement of the (toverline $\{t\}$) production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at (sqrt $\{s\}$ =7) and 8 TeV with the ATLAS detector., 2014, 74, 1.		2
457	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at (sqrt $\{s\}=8$ ~)TeV with the ATLAS detector., 2015, 75, 1.		2
458	Search for exotic decays of the Higgs boson into b\$\$ overline{b} \$\$ and missing transverse momentum in pp collisions at $$$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
459	Measurement of the energy asymmetry in $f(t)=0$ production at $f(t)=0$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
460	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fba $^{\circ}$ 1 of (sqrt{s}=13) TeV pp collisions with the ATLAS detector., 2018, 2018, 1.		1
461	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at (sqrt $\{s\}=8$) TeV with the ATLAS detector., 2015, 75, 1.		1
462	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ($sqrt\{s\}=8$, mathrm TeV{}) with the ATLAS detector., 2016, 76, 1.		1
463	Measurement of the W-boson mass in pp collisions at (sqrt{s}=7, hbox {TeV}) with the ATLAS detector. , 2018, 78, 1.		1
464	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at (sqrt{s}=13,ext {TeV})., 2018, 78, 1.		1