

Yao-jun Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7062313/publications.pdf>

Version: 2024-02-01

123
papers

5,136
citations

101384

36
h-index

106150

65
g-index

125
all docs

125
docs citations

125
times ranked

6632
citing authors

#	ARTICLE	IF	CITATIONS
1	Radiofrequency Ablation With or Without Transcatheter Arterial Chemoembolization in the Treatment of Hepatocellular Carcinoma: A Prospective Randomized Trial. <i>Journal of Clinical Oncology</i> , 2013, 31, 426-432.	0.8	433
2	Transarterial Chemoembolization for Unresectable Hepatocellular Carcinoma with Portal Vein Tumor Thrombosis: A Prospective Comparative Study. <i>Annals of Surgical Oncology</i> , 2011, 18, 413-420.	0.7	305
3	A serum microRNA classifier for early detection of hepatocellular carcinoma: a multicentre, retrospective, longitudinal biomarker identification study with a nested case-control study. <i>Lancet Oncology</i> , The, 2015, 16, 804-815.	5.1	237
4	Radiofrequency Ablation versus Hepatic Resection for the Treatment of Hepatocellular Carcinomas 2 cm or Smaller: A Retrospective Comparative Study. <i>Radiology</i> , 2012, 262, 1022-1033.	3.6	203
5	Recurrent Hepatocellular Carcinoma Treated with Sequential Transcatheter Arterial Chemoembolization and RF Ablation versus RF Ablation Alone: A Prospective Randomized Trial. <i>Radiology</i> , 2012, 262, 689-700.	3.6	183
6	A novel vascular pattern promotes metastasis of hepatocellular carcinoma in an epithelialâ€“mesenchymal transitionâ€“independent manner. <i>Hepatology</i> , 2015, 62, 452-465.	3.6	159
7	Hepatic resection versus transcatheter arterial chemoembolization for the treatment of hepatocellular carcinoma with portal vein tumor thrombus. <i>Cancer</i> , 2012, 118, 4725-4736.	2.0	139
8	Hepatocellular Carcinoma Treated with Radiofrequency Ablation with or without Ethanol Injection: A Prospective Randomized Trial. <i>Radiology</i> , 2007, 244, 599-607.	3.6	137
9	Hepatic Arterial Infusion of Oxaliplatin, Fluorouracil, and Leucovorin Versus Transarterial Chemoembolization for Large Hepatocellular Carcinoma: A Randomized Phase III Trial. <i>Journal of Clinical Oncology</i> , 2022, 40, 150-160.	0.8	137
10	EZH2 negatively regulates PD-L1 expression in hepatocellular carcinoma. , 2019, 7, 300.		114
11	Percutaneous Radiofrequency Ablation Versus Repeat Hepatectomy for Recurrent Hepatocellular Carcinoma: A Retrospective Study. <i>Annals of Surgical Oncology</i> , 2008, 15, 3484-3493.	0.7	112
12	Postoperative Neutrophil-to-Lymphocyte Ratio Change Predicts Survival of Patients with Small Hepatocellular Carcinoma Undergoing Radiofrequency Ablation. <i>PLoS ONE</i> , 2013, 8, e58184.	1.1	108
13	Prognostic nomogram for patients with unresectable hepatocellular carcinoma after transcatheter arterial chemoembolization. <i>Journal of Hepatology</i> , 2015, 63, 122-130.	1.8	101
14	Percutaneous microwave ablation of larger hepatocellular carcinoma. <i>Clinical Radiology</i> , 2013, 68, 21-26.	0.5	100
15	Multimodality Treatment for Hepatocellular Carcinoma With Portal Vein Tumor Thrombus. <i>Medicine (United States)</i> , 2016, 95, e3015.	0.4	94
16	MiRâ€“139â€“5p, miRâ€“940 and miRâ€“193aâ€“5p inhibit the growth of hepatocellular carcinoma by targeting <i>SPOCK1</i> . <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 2475-2488.	1.6	79
17	A phase I clinical trial utilizing autologous tumor-infiltrating lymphocytes in patients with primary hepatocellular carcinoma. <i>Oncotarget</i> , 2015, 6, 41339-41349.	0.8	79
18	Expression patterns of programmed death ligand 1 correlate with different microenvironments and patient prognosis in hepatocellular carcinoma. <i>British Journal of Cancer</i> , 2018, 119, 80-88.	2.9	74

#	ARTICLE	IF	CITATIONS
19	The Efficacy of Cytokine-Induced Killer Cell Infusion as an Adjuvant Therapy for Postoperative Hepatocellular Carcinoma Patients. <i>Annals of Surgical Oncology</i> , 2013, 20, 4305-4311.	0.7	68
20	MicroRNAs miR-125b and miR-100 suppress metastasis of hepatocellular carcinoma by disrupting the formation of vessels that encapsulate tumour clusters. <i>Journal of Pathology</i> , 2016, 240, 450-460.	2.1	66
21	Vessels That Encapsulate Tumor Clusters (VETC) Pattern Is a Predictor of Sorafenib Benefit in Patients with Hepatocellular Carcinoma. <i>Hepatology</i> , 2019, 70, 824-839.	3.6	62
22	Serum copper and zinc levels at diagnosis and hepatocellular carcinoma survival in the Guangdong Liver Cancer Cohort. <i>International Journal of Cancer</i> , 2019, 144, 2823-2832.	2.3	61
23	A case-control study comparing percutaneous radiofrequency ablation alone or combined with transcatheter arterial chemoembolization for hepatocellular carcinoma. <i>European Journal of Surgical Oncology</i> , 2010, 36, 257-263.	0.5	56
24	Loco-recurrence after resection for ductal adenocarcinoma of the pancreas: predictors and implications for adjuvant chemoradiotherapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2012, 138, 1063-1071.	1.2	56
25	Trametinib modulates cancer multidrug resistance by targeting ABCB1 transporter. <i>Oncotarget</i> , 2015, 6, 15494-15509.	0.8	56
26	A randomized controlled trial on patients with or without adjuvant autologous cytokine-induced killer cells after curative resection for hepatocellular carcinoma. <i>Oncolmmunology</i> , 2016, 5, e1083671.	2.1	56
27	Hepatitis B virus reactivation after radiofrequency ablation or hepatic resection for HBV-related small hepatocellular carcinoma: A retrospective study. <i>European Journal of Surgical Oncology</i> , 2013, 39, 865-872.	0.5	55
28	Macrophages induce CD47 upregulation via IL-6 and correlate with poor survival in hepatocellular carcinoma patients. <i>Oncolmmunology</i> , 2019, 8, e1652540.	2.1	55
29	TACC3 promotes stemness and is a potential therapeutic target in hepatocellular carcinoma. <i>Oncotarget</i> , 2015, 6, 24163-24177.	0.8	54
30	Galectin-3 is associated with a poor prognosis in primary hepatocellular carcinoma. <i>Journal of Translational Medicine</i> , 2014, 12, 273.	1.8	52
31	The clinical significance of preoperative serum cholesterol and high-density lipoprotein-cholesterol levels in hepatocellular carcinoma. <i>Journal of Cancer</i> , 2016, 7, 626-632.	1.2	51
32	Radiofrequency ablation as first-line treatment for small solitary hepatocellular carcinoma: Long-term results. <i>European Journal of Surgical Oncology</i> , 2010, 36, 1054-1060.	0.5	50
33	Tumor Infiltration in the Medial Resection Margin Predicts Survival After Pancreaticoduodenectomy for Pancreatic Ductal Adenocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2012, 16, 1875-1882.	0.9	50
34	High expression of high mobility group box 1 (hmgb1) predicts poor prognosis for hepatocellular carcinoma after curative hepatectomy. <i>Journal of Translational Medicine</i> , 2012, 10, 135.	1.8	48
35	The inflammation-based scores to predict prognosis of patients with hepatocellular carcinoma after hepatectomy. <i>Medical Oncology</i> , 2014, 31, 883.	1.2	48
36	Radiofrequency ablation versus open hepatic resection for elderly patients (>=65 years) with very early or early hepatocellular carcinoma. <i>Cancer</i> , 2013, 119, 3812-3820.	2.0	47

#	ARTICLE	IF	CITATIONS
37	Monocarboxylate transporter 4 predicts poor prognosis in hepatocellular carcinoma and is associated with cell proliferation and migration. <i>Journal of Cancer Research and Clinical Oncology</i> , 2015, 141, 1151-1162.	1.2	46
38	Overexpression of LAMC1 predicts poor prognosis and enhances tumor cell invasion and migration in hepatocellular carcinoma. <i>Journal of Cancer</i> , 2017, 8, 2992-3000.	1.2	40
39	Therapeutic safety and effects of adjuvant autologous RetroNectin activated killer cell immunotherapy for patients with primary hepatocellular carcinoma after radiofrequency ablation. <i>Cancer Biology and Therapy</i> , 2010, 9, 903-907.	1.5	39
40	Prospective, single-center cohort study analyzing the efficacy of complete laparoscopic resection on recurrent hepatocellular carcinoma. <i>Chinese Journal of Cancer</i> , 2016, 35, 25.	4.9	37
41	Percutaneous radiofrequency ablation for the treatment of hepatocellular carcinoma in the caudate lobe. <i>European Journal of Surgical Oncology</i> , 2008, 34, 166-172.	0.5	36
42	Clinical outcomes after zotarolimus and everolimus drug eluting stent implantation in coronary artery bifurcation lesions: insights from the RESOLUTE All Comers Trial. <i>Heart</i> , 2013, 99, 1267-1274.	1.2	36
43	Tumor Location Influences Oncologic Outcomes of Hepatocellular Carcinoma Patients Undergoing Radiofrequency Ablation. <i>Cancers</i> , 2018, 10, 378.	1.7	36
44	Preoperative vascular evaluation with computed tomography and magnetic resonance imaging for pancreatic cancer: A meta-analysis. <i>Pancreatology</i> , 2012, 12, 227-233.	0.5	35
45	Sildenafil inhibits the growth of human colorectal cancer in vitro and in vivo. <i>American Journal of Cancer Research</i> , 2015, 5, 3311-24.	1.4	35
46	Risk factors of survival after percutaneous radiofrequency ablation of hepatocellular carcinoma. <i>Surgical Oncology</i> , 2008, 17, 23-31.	0.8	33
47	Elevated neutrophil to lymphocyte ratio might predict poor prognosis for colorectal liver metastasis after percutaneous radiofrequency ablation. <i>International Journal of Hyperthermia</i> , 2012, 28, 132-140.	1.1	33
48	Radiofrequency ablation combined with transarterial chemoembolization versus hepatectomy for patients with hepatocellular carcinoma within Milan criteria: a retrospective case-control study. <i>Clinical and Translational Oncology</i> , 2017, 19, 844-852.	1.2	33
49	Derived neutrophil to lymphocyte ratio predicts prognosis for patients with HBV-associated hepatocellular carcinoma following transarterial chemoembolization. <i>Oncology Letters</i> , 2016, 11, 2987-2994.	0.8	30
50	A monocyte/granulocyte to lymphocyte ratio predicts survival in patients with hepatocellular carcinoma. <i>Scientific Reports</i> , 2015, 5, 15263.	1.6	27
51	EIF4EBP1 Overexpression Is Associated with Poor Survival and Disease Progression in Patients with Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0117493.	1.1	27
52	A modified TNM-7 staging system to better predict the survival in patients with hepatocellular carcinoma after hepatectomy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013, 139, 1709-1719.	1.2	26
53	Higher dietary intakes of choline and betaine are associated with a lower risk of primary liver cancer: a case-control study. <i>Scientific Reports</i> , 2017, 7, 679.	1.6	26
54	LncRNA CSMD1-1 promotes the progression of Hepatocellular Carcinoma by activating MYC signaling. <i>Theranostics</i> , 2020, 10, 7527-7544.	4.6	26

#	ARTICLE	IF	CITATIONS
55	Inflammation scores predict survival for hepatitis B virus-related hepatocellular carcinoma patients after transarterial chemoembolization. <i>World Journal of Gastroenterology</i> , 2015, 21, 5582.	1.4	25
56	Serum Bioavailable, Rather Than Total, 25-hydroxyvitamin D Levels Are Associated With Hepatocellular Carcinoma Survival. <i>Hepatology</i> , 2020, 72, 169-182.	3.6	25
57	CACYBP Enhances Cytoplasmic Retention of P27Kip1 to Promote Hepatocellular Carcinoma Progression in the Absence of RNF41 Mediated Degradation. <i>Theranostics</i> , 2019, 9, 8392-8408.	4.6	24
58	Radiofrequency ablation versus laparoscopic hepatectomy for hepatocellular carcinoma: A real world single center study. <i>European Journal of Surgical Oncology</i> , 2020, 46, 548-559.	0.5	23
59	Lack of Response to Transarterial Chemoembolization for Intermediate-Stage Hepatocellular Carcinoma: Abandon or Repeat?. <i>Radiology</i> , 2021, 298, 680-692.	3.6	23
60	A Nomogram for Predicting the Benefit of Adjuvant Cytokine-Induced Killer Cell Immunotherapy in Patients with Hepatocellular Carcinoma. <i>Scientific Reports</i> , 2015, 5, 9202.	1.6	22
61	Antiviral therapy in the improvement of survival of patients with hepatitis B virus-related hepatocellular carcinoma treated with sorafenib. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 1032-1039.	1.4	22
62	The Association between Dietary Vitamin A and Carotenes and the Risk of Primary Liver Cancer: A Case-Control Study. <i>Nutrients</i> , 2016, 8, 624.	1.7	22
63	A novel inflammation-based nomogram system to predict survival of patients with hepatocellular carcinoma. <i>Cancer Medicine</i> , 2018, 7, 5027-5035.	1.3	22
64	Stereotactic Body Radiotherapy vs. Radiofrequency Ablation in the Treatment of Hepatocellular Carcinoma: A Meta-Analysis. <i>Frontiers in Oncology</i> , 2020, 10, 1639.	1.3	22
65	Preoperative Levels of Serum Interleukin-6 in Patients with Hepatocellular Carcinoma. <i>Hepato-Gastroenterology</i> , 2011, 58, 1687-93.	0.5	22
66	Synergistic Inhibitory Effect of Hyperbaric Oxygen Combined with Sorafenib on Hepatoma Cells. <i>PLoS ONE</i> , 2014, 9, e100814.	1.1	19
67	Association of Sustained Response Duration With Survival After Conventional Transarterial Chemoembolization in Patients With Hepatocellular Carcinoma. <i>JAMA Network Open</i> , 2018, 1, e183213.	2.8	19
68	Comparison of Stable and Unstable Ethiodized Oil Emulsions for Transarterial Chemoembolization of Hepatocellular Carcinoma: Results of a Single-Center Double-Blind Prospective Randomized Controlled Trial. <i>Journal of Vascular and Interventional Radiology</i> , 2018, 29, 1068-1077.e2.	0.2	19
69	Development and validation of prognostic nomograms for single large and huge hepatocellular carcinoma after curative resection. <i>European Journal of Cancer</i> , 2021, 155, 85-96.	1.3	19
70	Transarterial chemoembolization vs. conservative treatment for unresectable infiltrating hepatocellular carcinoma: A retrospective comparative study. <i>Molecular and Clinical Oncology</i> , 2014, 2, 1047-1054.	0.4	18
71	Impact of oral anti-hepatitis B therapy on the survival of patients with hepatocellular carcinoma initially treated with chemoembolization. <i>Chinese Journal of Cancer</i> , 2015, 34, 205-16.	4.9	17
72	Stereotactic Body Radiotherapy as a Salvage Therapy after Incomplete Radiofrequency Ablation for Hepatocellular Carcinoma: A Retrospective Propensity Score Matching Study. <i>Cancers</i> , 2019, 11, 1116.	1.7	17

#	ARTICLE	IF	CITATIONS
73	Identification of an 88-microRNA signature in whole blood for diagnosis of hepatocellular carcinoma and other chronic liver diseases. <i>Aging</i> , 2017, 9, 1565-1584.	1.4	17
74	Tescalcin is an unfavorable prognosis factor that regulates cell proliferation and survival in hepatocellular carcinoma patients. <i>Cancer Communications</i> , 2020, 40, 355-369.	3.7	16
75	Transarterial Chemoembolization Combined with Radiofrequency Ablation in the Treatment of Stage B1 Intermediate Hepatocellular Carcinoma. <i>Journal of Oncology</i> , 2019, 2019, 1-7.	0.6	15
76	Expression of Pim-3 in colorectal cancer and its relationship with prognosis. <i>Tumor Biology</i> , 2016, 37, 9151-9156.	0.8	14
77	Sorafenib Monotherapy Versus Sorafenib Combined with Regional Therapies for Hepatocellular Carcinoma Patients with Pulmonary Oligometastases: A Propensity Score-matched Analysis. <i>Journal of Cancer</i> , 2018, 9, 1745-1753.	1.2	14
78	Assessing Hepatic Fibrosis Using 2-D Shear Wave Elastography in Patients with Liver Tumors: A Prospective Single-Center Study. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 2522-2529.	0.7	13
79	Transcatheter arterial chemoembolization (TACE) versus hepatectomy in hepatocellular carcinoma with macrovascular invasion: a meta-analysis of 1683 patients. <i>Journal of Cancer</i> , 2017, 8, 2984-2991.	1.2	13
80	Identification of immunological subtypes of hepatocellular carcinoma with expression profiling of immune-modulating genes. <i>Aging</i> , 2020, 12, 12187-12205.	1.4	13
81	Prediagnostic dietary intakes of vitamin A and β -carotene are associated with hepatocellular-carcinoma survival. <i>Food and Function</i> , 2020, 11, 759-767.	2.1	12
82	Prognostic Values of Alpha-Fetoprotein and Des-Gamma-Carboxyprothrombin in Hepatocellular Carcinoma in China: An Analysis of 4792 Patients. <i>Journal of Hepatocellular Carcinoma</i> , 2021, Volume 8, 657-670.	1.8	12
83	Novel Percutaneous Radiofrequency Ablation of Portal Vein Tumor Thrombus: Safety and Feasibility. <i>CardioVascular and Interventional Radiology</i> , 2013, 36, 245-248.	0.9	11
84	Role of radiofrequency ablation in the treatment of small hepatocellular carcinoma. <i>World Journal of Hepatology</i> , 2010, 2, 146.	0.8	11
85	Preparation of carbon-coated iron nanofluid and its application in radiofrequency ablation. , 2015, 103, 908-914.		10
86	Long-term therapy with sorafenib is associated with pancreatic atrophy. <i>Journal of Surgical Research</i> , 2015, 199, 314-321.	0.8	10
87	Conformal radiofrequency ablation of hepatocellular carcinoma with a multiâ€pin bipolar system. <i>Journal of Surgical Oncology</i> , 2011, 103, 69-74.	0.8	9
88	^{18}F -fluorodeoxyglucose positron emission tomography in management of pancreatic cystic tumors. <i>Nuclear Medicine and Biology</i> , 2012, 39, 982-985.	0.3	9
89	Radiofrequency Ablation Does Not Induce the Significant Increase of CD4+CD25+Foxp3+ Regulatory T Cells Compared with Surgical Resection in Hepal-6 Tumor Model. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2013, 61, 333-340.	1.0	9
90	High expression of thymosin beta 10 predicts poor prognosis for hepatocellular carcinoma after hepatectomy. <i>World Journal of Surgical Oncology</i> , 2014, 12, 226.	0.8	9

#	ARTICLE	IF	CITATIONS
91	High expression of TACC2 in hepatocellular carcinoma is associated with poor prognosis. <i>Cancer Biomarkers</i> , 2018, 22, 611-619.	0.8	9
92	Predictive factors for the benefit of triple-drug transarterial chemoembolization for patients with unresectable hepatocellular carcinoma. <i>Cancer Medicine</i> , 2019, 8, 4200-4213.	1.3	9
93	Serum choline is associated with hepatocellular carcinoma survival: a prospective cohort study. <i>Nutrition and Metabolism</i> , 2020, 17, 25.	1.3	9
94	High serum fibroblast growth factor 21 is associated with inferior hepatocellular carcinoma survival: A prospective cohort study. <i>Liver International</i> , 2022, 42, 663-673.	1.9	9
95	Role of Radiofrequency Ablation in the Treatment of Hepatocellular Carcinoma: Experience of a Cancer Center in China. <i>Oncology</i> , 2011, 81, 100-104.	0.9	8
96	Long-term survival of patients with hepatocellular carcinoma with inferior vena cava tumor thrombus treated with sorafenib combined with transarterial chemoembolization: report of two cases and literature review. <i>Chinese Journal of Cancer</i> , 2014, 33, 259-266.	4.9	8
97	The role of miR-10b in metastatic pancreatic ductal adenocarcinoma. <i>Surgery</i> , 2012, 152, 936-938.	1.0	7
98	Serum folate concentrations at diagnosis are associated with hepatocellular carcinoma survival in the Guangdong Liver Cancer Cohort study. <i>British Journal of Nutrition</i> , 2019, 121, 1376-1388.	1.2	7
99	Association between dietary patterns and prognosis of hepatocellular carcinoma in the Guangdong liver cancer cohort study. <i>Hepatology Research</i> , 2020, 50, 1164-1175.	1.8	7
100	Comparison Between Portal Vein Perfusion Chemotherapy and Neoadjuvant Hepatic Arterial Infusion Chemotherapy for Resectable Intermediate to Advanced Stage Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 2016-2029.	0.7	7
101	Left jackknife position: a novel position for laparoscopic hepatectomy. <i>Chinese Journal of Cancer</i> , 2017, 36, 31.	4.9	6
102	Stereotactic Body Radiotherapy as a Salvage Therapy after Incomplete Radiofrequency Ablation for Hepatocellular Carcinoma: A Retrospective Cohort Study. <i>Journal of Oncology</i> , 2020, 2020, 1-9.	0.6	6
103	<p></p>Baseline HBV Loads Do Not Affect the Prognosis of Patients with Hepatocellular Carcinoma Receiving Anti-Programmed Cell Death-1 Immunotherapy</p>. <i>Journal of Hepatocellular Carcinoma</i> , 2020, Volume 7, 337-345.	1.8	6
104	Efficacy of combining temperature- and power-controlled radiofrequency ablation for malignant liver tumors. <i>Chinese Journal of Cancer</i> , 2010, 29, 408-412.	4.9	6
105	Tenofovir vs. Entecavir on Outcomes of Hepatitis B Virus-Related Hepatocellular Carcinoma after Radiofrequency Ablation. <i>Viruses</i> , 2022, 14, 656.	1.5	6
106	The Optimal Management for Sub-Centimeter Hepatocellular Carcinoma: Curative Treatments or Follow-Up?. <i>Medical Science Monitor</i> , 2019, 25, 4941-4951.	0.5	5
107	<p></p>Can Immediately Treating Subcentimeter Hepatocellular Carcinoma Improve the Survival of Patients?</p>. <i>Journal of Hepatocellular Carcinoma</i> , 2020, Volume 7, 377-384.	1.8	5
108	Parecoxib prevents complications in hepatocellular carcinoma patients receiving hepatic transarterial chemoembolization: a prospective score-matched cohort study. <i>Oncotarget</i> , 2016, 7, 27938-27945.	0.8	4

#	ARTICLE	IF	CITATIONS
109	Single-Port Laparoscopic Hepatectomy for Liver Tumor: Operative Steps (With Video). Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2019, 29, e98-e101.	0.4	3
110	Single versus multiple port laparoscopic left lateral sectionectomy for hepatocellular carcinoma: A retrospective comparative study. International Journal of Surgery, 2020, 77, 15-21.	1.1	3
111	Sorafenib as an adjuvant therapy for hepatocellular carcinoma with microvascular invasion after radical resection: A prospective multicenter nonrandomized controlled study.. Journal of Clinical Oncology, 2020, 38, e16685-e16685.	0.8	3
112	The combination treatment strategy of lenvatinib for hepatocellular carcinoma: a real-world study. Journal of Cancer Research and Clinical Oncology, 0, , .	1.2	3
113	Adjuvant Sorafenib Following Radiofrequency Ablation for Early-Stage Recurrent Hepatocellular Carcinoma With Microvascular Invasion at the Initial Hepatectomy. Frontiers in Oncology, 0, 12, .	1.3	3
114	Family history of hepatocellular carcinoma is not associated with its patientsâ€™ prognosis after hepatectomy. World Journal of Surgical Oncology, 2013, 11, 280.	0.8	2
115	Transarterial infusion chemotherapy (TAI) combined with Sintilimab in locally advanced, potentially resectable hepatocellular carcinoma (HCC).. Journal of Clinical Oncology, 2020, 38, e16593-e16593.	0.8	2
116	The role of neoadjuvant conventional transarterial chemoembolization with radiofrequency ablation in the treatment of recurrent hepatocellular carcinoma after initial hepatectomy with microvascular invasion. International Journal of Hyperthermia, 2022, 39, 688-696.	1.1	2
117	The mutation of hepatitis B virus and the prognosis of hepatocellular carcinoma after surgery: a pilot study. Cancer Management and Research, 2018, Volume 10, 599-611.	0.9	1
118	Radiofrequency Ablation Systems and Operating Mechanisms. , 2016, , 25-33.		1
119	ASO Visual Abstract: Comparison between Portal Vein Perfusion Chemotherapy and Neoadjuvant Hepatic Arterial Infusion Chemotherapy for Resectable Intermediate/Advanced-Stage Hepatocellular Carcinoma. Annals of Surgical Oncology, 2022, 29, 2032-2033.	0.7	1
120	Preventive effect of celecoxib in sorafenib-related hand-foot syndrome in hepatocellular carcinoma patients, a single-center, open-label, randomized, controlled clinical phase III trial. American Journal of Cancer Research, 2020, 10, 1467-1476.	1.4	1
121	Expert consensus on local ablation therapies for primary liver cancer. Chinese Clinical Oncology, 2012, 1, 11.	0.4	1
122	Reply. Hepatology, 2022, 75, 491-492.	3.6	0
123	Development and Validation of Prognostic Nomograms for BCLC A Stage Hepatocellular Carcinoma Beyond Milan Criteria after Curative Resection. SSRN Electronic Journal, 0, , .	0.4	0