

A J Willem Van Der Does

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7062675/publications.pdf>

Version: 2024-02-01

133
papers

6,425
citations

50566

48
h-index

90395

73
g-index

138
all docs

138
docs citations

138
times ranked

8024
citing authors

#	ARTICLE	IF	CITATIONS
1	Temporal Relationship Between Change in Subjective Distress and PTSD Symptom Decrease During Prolonged Exposure Therapy for Posttraumatic Stress Disorder. <i>Behavior Therapy</i> , 2022, 53, 170-181.	1.3	6
2	Student mental health during the COVID-19 pandemic: Are international students more affected?. <i>Journal of American College Health</i> , 2022, , 1-9.	0.8	14
3	Anger and cluster B personality traits and the conversion from unipolar depression to bipolar disorder. <i>Depression and Anxiety</i> , 2021, 38, 671-681.	2.0	6
4	Does complex PTSD predict or moderate treatment outcomes of three variants of exposure therapy?. <i>Journal of Anxiety Disorders</i> , 2021, 80, 102388.	1.5	18
5	Psychological risk factors and the course of depression and anxiety disorders: A review of 15 years NESDA research. <i>Journal of Affective Disorders</i> , 2021, 295, 1347-1359.	2.0	26
6	Effect of Prolonged Exposure, intensified Prolonged Exposure and STAIR+Prolonged Exposure in patients with PTSD related to childhood abuse: a randomized controlled trial. <i>Høgskole Utbildning</i> , 2021, 12, 1851511.	1.4	47
7	Temporal stability of symptoms of affective disorders, cognitive vulnerability and personality over time. <i>Journal of Affective Disorders</i> , 2020, 260, 77-83.	2.0	18
8	Impact of review method on the conclusions of clinical reviews: A systematic review on dietary interventions in depression as a case in point. <i>PLoS ONE</i> , 2020, 15, e0238131.	1.1	18
9	EEG Theta/Beta Ratio Neurofeedback Training in Healthy Females. <i>Applied Psychophysiology Biofeedback</i> , 2020, 45, 195-210.	1.0	12
10	Title is missing!. , 2020, 15, e0238131.		0
11	Title is missing!. , 2020, 15, e0238131.		0
12	Title is missing!. , 2020, 15, e0238131.		0
13	Title is missing!. , 2020, 15, e0238131.		0
14	Ambivalence over Expression of Anger and Sadness Mediates Gender Differences in Depressive Symptoms. <i>Cognitive Therapy and Research</i> , 2019, 43, 365-373.	1.2	1
15	Electroencephalography theta/beta ratio covaries with mind wandering and functional connectivity in the executive control network. <i>Annals of the New York Academy of Sciences</i> , 2019, 1452, 52-64.	1.8	45
16	Longitudinal course of suicidal ideation and predictors of its persistence â€“ A NESDA study. <i>Journal of Affective Disorders</i> , 2019, 257, 365-375.	2.0	26
17	Trait anger and anger attacks in relation to depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2019, 259, 259-265.	2.0	25
18	Transcutaneous vagus nerve stimulation reduces spontaneous but not induced negative thought intrusions in high worriers. <i>Biological Psychology</i> , 2019, 142, 80-89.	1.1	46

#	ARTICLE	IF	CITATIONS
19	lâ€™m going to fail! Acute cognitive performance anxiety increases threat-interference and impairs WM performance. PLoS ONE, 2019, 14, e0210824.	1.1	33
20	Do not look away! Spontaneous frontal EEG theta/beta ratio as a marker for cognitive control over attention to mild and high threat. Biological Psychology, 2018, 135, 8-17.	1.1	66
21	The measurement of cognitive reactivity to sad mood in patients remitted from major depressive disorder. British Journal of Clinical Psychology, 2018, 57, 313-327.	1.7	11
22	Diet quality and depression risk: A systematic review and dose-response meta-analysis of prospective studies. Journal of Affective Disorders, 2018, 226, 346-354.	2.0	363
23	The SMILES trial: do undisclosed recruitment practices explain the remarkably large effect?. BMC Medicine, 2018, 16, 243.	2.3	18
24	Acute effects of caffeine on threat-selective attention: moderation by anxiety and EEG theta/beta ratio. Biological Psychology, 2018, 136, 100-110.	1.1	16
25	The predictive specificity of psychological vulnerability markers for the course of affective disorders. Journal of Psychiatric Research, 2018, 103, 10-17.	1.5	21
26	Transcutaneous vagus nerve stimulation and extinction of prepared fear: A conceptual non-replication. Scientific Reports, 2018, 8, 11471.	1.6	28
27	Early and late dotâ€™probe attentional bias to mild and high threat pictures: Relations with EEG theta/beta ratio, selfâ€™reported trait attentional control, and trait anxiety. Psychophysiology, 2018, 55, e13274.	1.2	13
28	Mineralocorticoid receptor haplotype, estradiol, progesterone and emotional information processing. Psychoneuroendocrinology, 2017, 76, 162-173.	1.3	37
29	Associations between chronotypes and psychological vulnerability factors of depression. Chronobiology International, 2017, 34, 1125-1135.	0.9	80
30	Oral contraceptives positively affect mood in healthy PMS-free women: A longitudinal study. Journal of Psychosomatic Research, 2017, 103, 119-126.	1.2	15
31	Psychometric properties of the Leiden Index of Depression Sensitivity (LEIDS).. Psychological Assessment, 2017, 29, 158-171.	1.2	32
32	Mineralocorticoid receptor haplotype moderates the effects of oral contraceptives and menstrual cycle on emotional information processing. Journal of Psychopharmacology, 2016, 30, 1054-1061.	2.0	25
33	The effects of transcutaneous vagus nerve stimulation on conditioned fear extinction in humans. Neurobiology of Learning and Memory, 2016, 132, 49-56.	1.0	92
34	Frontal EEG theta/beta ratio as an electrophysiological marker for attentional control and its test-retest reliability. Biological Psychology, 2016, 121, 49-52.	1.1	99
35	The association between personality traits, cognitive reactivity and body mass index is dependent on depressive and/or anxiety status. Journal of Psychosomatic Research, 2016, 89, 26-31.	1.2	16
36	Tryptophan supplementation and the response to unfairness in healthy volunteers. Frontiers in Psychology, 2015, 6, 1012.	1.1	5

#	ARTICLE	IF	CITATIONS
37	Essential Amino Acids in the Gluten-Free Diet and Serum in Relation to Depression in Patients with Celiac Disease. <i>PLoS ONE</i> , 2015, 10, e0122619.	1.1	20
38	Testing the antidepressant properties of the peptide ARA290 in a human neuropsychological model of drug action. <i>European Neuropsychopharmacology</i> , 2015, 25, 2289-2299.	0.3	8
39	Effect of variation in BDNF Val66Met polymorphism, smoking, and nicotine dependence on symptom severity of depressive and anxiety disorders. <i>Drug and Alcohol Dependence</i> , 2015, 148, 150-157.	1.6	14
40	Cognitive reactivity, self-depressed associations, and the recurrence of depression. <i>Journal of Affective Disorders</i> , 2015, 183, 300-309.	2.0	24
41	Mindfulness Skills, Anxiety Sensitivity, and Cognitive Reactivity in Patients with Posttraumatic Stress Disorder. <i>Mindfulness</i> , 2015, 6, 1004-1011.	1.6	19
42	Association Between Smoking, Nicotine Dependence, and BDNF Val66Met Polymorphism with BDNF Concentrations in Serum. <i>Nicotine and Tobacco Research</i> , 2015, 17, 323-329.	1.4	67
43	Cognitive Reactivity Versus Dysfunctional Cognitions and the Prediction of Relapse in Recurrent Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e1306-e1312.	1.1	47
44	DHA Serum Levels Were Significantly Higher in Celiac Disease Patients Compared to Healthy Controls and Were Unrelated to Depression. <i>PLoS ONE</i> , 2014, 9, e97778.	1.1	17
45	The 5-HTTLPR polymorphism, early and recent life stress, and cognitive endophenotypes of depression. <i>Cognition and Emotion</i> , 2014, 28, 1149-1163.	1.2	8
46	Attentional Bias Modification in Dutch Veterans With Posttraumatic Stress Disorder—A Case Series With a Personalized Treatment Version. <i>Journal of Traumatic Stress</i> , 2014, 27, 240-243.	1.0	13
47	Oral contraceptives may alter the detection of emotions in facial expressions. <i>European Neuropsychopharmacology</i> , 2014, 24, 1855-1859.	0.3	39
48	Repetitive negative thinking as a transdiagnostic factor in depression and anxiety: A conceptual replication. <i>Behaviour Research and Therapy</i> , 2014, 63, 177-183.	1.6	92
49	Attentional bias and attentional control in Posttraumatic Stress Disorder. <i>Journal of Anxiety Disorders</i> , 2014, 28, 203-210.	1.5	59
50	The influence of worry and avoidance on the Iowa Gambling Task. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 74-80.	0.6	6
51	The effect of tryptophan on the cortisol response to social stress is modulated by the 5-HTTLPR genotype. <i>Psychoneuroendocrinology</i> , 2013, 38, 201-208.	1.3	22
52	The effects of MAOA genotype, childhood trauma, and sex on trait and state-dependent aggression. <i>Brain and Behavior</i> , 2013, 3, 42-42.	1.0	0
53	Celiac disease, diet adherence and depressive symptoms. <i>Journal of Psychosomatic Research</i> , 2013, 74, 155-160.	1.2	67
54	Attentional Bias Modification in Posttraumatic Stress Disorder: A Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2013, 82, 99-105.	4.0	76

#	ARTICLE	IF	CITATIONS
55	The effects of a visual search attentional bias modification paradigm on attentional bias in dysphoric individuals. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013, 44, 248-254.	0.6	25
56	A Multiple Case Series Analysis of Six Variants of Attentional Bias Modification for Depression. , 2013, 2013, 1-8.		10
57	Confounding of Big Five Personality Assessments in Emotional Disorders by Comorbidity and Current Disorder. <i>European Journal of Personality</i> , 2013, 27, 389-397.	1.9	16
58	Cognitive Reactivity, Implicit Associations, and the Incidence of Depression: A Two-Year Prospective Study. <i>PLoS ONE</i> , 2013, 8, e70245.	1.1	40
59	Effects of omega-3 fatty acid supplementation on mood and emotional information processing in recovered depressed individuals. <i>Journal of Psychopharmacology</i> , 2012, 26, 738-743.	2.0	42
60	The effects of MAOA genotype, childhood trauma, and sex on trait and state-dependent aggression. <i>Brain and Behavior</i> , 2012, 2, 806-813.	1.0	60
61	Association of smoking and nicotine dependence with severity and course of symptoms in patients with depressive or anxiety disorder. <i>Drug and Alcohol Dependence</i> , 2012, 126, 138-146.	1.6	78
62	Affective regulation of cognitive-control adjustments in remitted depressive patients after acute tryptophan depletion. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2012, 12, 280-286.	1.0	34
63	Emotional processing as a predictor of symptom change: An acute tryptophan depletion study in depressed patients. <i>European Neuropsychopharmacology</i> , 2011, 21, 379-383.	0.3	11
64	Psychiatric history and subthreshold symptoms as predictors of the occurrence of depressive or anxiety disorder within 2 years. <i>British Journal of Psychiatry</i> , 2011, 198, 206-212.	1.7	122
65	Psychological traits and the cortisol awakening response: Results from the Netherlands Study of Depression and Anxiety. <i>Psychoneuroendocrinology</i> , 2011, 36, 240-248.	1.3	90
66	BDNF Val66Met polymorphism is associated with higher anticipatory cortisol stress response, anxiety, and alcohol consumption in healthy adults. <i>Psychoneuroendocrinology</i> , 2011, 36, 1562-1569.	1.3	102
67	Clinical and Physiological Correlates of Irritability in Depression: Results from the Netherlands Study of Depression and Anxiety. <i>Depression Research and Treatment</i> , 2011, 2011, 1-9.	0.7	15
68	A common and functional mineralocorticoid receptor haplotype enhances optimism and protects against depression in females. <i>Translational Psychiatry</i> , 2011, 1, e62-e62.	2.4	112
69	Age at Smoking Onset and the Onset of Depression and Anxiety Disorders. <i>Nicotine and Tobacco Research</i> , 2011, 13, 809-819.	1.4	43
70	Psychological Characteristics of Chronic Depression. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 288-294.	1.1	140
71	Cognitive reactivity: Investigation of a potentially treatable marker of suicide risk in depression. <i>Journal of Affective Disorders</i> , 2010, 122, 46-52.	2.0	61
72	Serotonin transporter gene, childhood emotional abuse and cognitive vulnerability to depression. <i>Genes, Brain and Behavior</i> , 2010, 9, 615-620.	1.1	56

#	ARTICLE	IF	CITATIONS
73	The efficacy of <i>n</i> -3 fatty acids DHA and EPA (fish oil) for perinatal depression. <i>British Journal of Nutrition</i> , 2010, 104, 1577-1585.	1.2	50
74	Heart-focused anxiety as a mediating variable in the treatment of noncardiac chest pain by cognitive-behavioral therapy and paroxetine. <i>Journal of Psychosomatic Research</i> , 2010, 69, 227-235.	1.2	62
75	Cognitive Reactivity, Suicidal Ideation and Future Fluency: Preliminary Investigation of a Differential Activation Theory of Hopelessness/Suicidality. <i>Cognitive Therapy and Research</i> , 2008, 32, 83-104.	1.2	128
76	Residual cognitive impairments in remitted depressed patients. <i>Depression and Anxiety</i> , 2008, 25, E27-E36.	2.0	37
77	Cognitive Behavior Therapy and Paroxetine in the Treatment of Hypochondriasis: A Randomized Controlled Trial. <i>American Journal of Psychiatry</i> , 2007, 164, 91-99.	4.0	153
78	Cognitive and serotonergic vulnerability to depression: Convergent findings.. <i>Journal of Abnormal Psychology</i> , 2007, 116, 86-94.	2.0	47
79	Memory of childhood trauma before and after long-term psychological treatment of borderline personality disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2007, 38, 1-10.	0.6	14
80	Low-Dose Tryptophan Depletion. <i>Biological Psychiatry</i> , 2007, 62, 542-543.	0.7	8
81	The effects of serotonin manipulations on emotional information processing and mood. <i>Journal of Affective Disorders</i> , 2007, 103, 43-62.	2.0	101
82	Tryptophan Depletion Affects Heart Rate Variability and Impulsivity in Remitted Depressed Patients with a History of Suicidal Ideation. <i>Biological Psychiatry</i> , 2006, 60, 507-514.	0.7	71
83	Recurrence of suicidal ideation across depressive episodes. <i>Journal of Affective Disorders</i> , 2006, 91, 189-194.	2.0	86
84	Social problem solving, autobiographical memory and future specificity in outpatients with borderline personality disorder. <i>Clinical Psychology and Psychotherapy</i> , 2006, 13, 131-137.	1.4	34
85	Autobiographical memory in depressed and nondepressed patients with borderline personality disorder after long-term psychotherapy. <i>Cognition and Emotion</i> , 2006, 20, 448-465.	1.2	22
86	Diet rich in $\hat{\pm}$ -lactalbumin improves memory in unmedicated recovered depressed patients and matched controls. <i>Journal of Psychopharmacology</i> , 2006, 20, 526-535.	2.0	59
87	The effects of a diet enriched with $\hat{\pm}$ -lactalbumin on mood and cortisol response in unmedicated recovered depressed subjects and controls. <i>British Journal of Nutrition</i> , 2005, 94, 415-422.	1.2	50
88	Automatic Negative Evaluation of Suffocation Sensations in Individuals With Suffocation Fear.. <i>Journal of Abnormal Psychology</i> , 2005, 114, 466-470.	2.0	3
89	Thought suppression and cognitive vulnerability to depression. <i>British Journal of Clinical Psychology</i> , 2005, 44, 1-14.	1.7	62
90	Acute tryptophan depletion in depressed patients treated with a selective serotoninâ€œnoradrenalin reuptake inhibitor: Augmentation of antidepressant response?. <i>Journal of Affective Disorders</i> , 2005, 86, 305-311.	2.0	21

#	ARTICLE	IF	CITATIONS
91	The effects of high-dose and low-dose tryptophan depletion on mood and cognitive functions of remitted depressed patients. <i>Journal of Psychopharmacology</i> , 2005, 19, 267-275.	2.0	92
92	Acute tryptophan depletion as a model of depressive relapse. <i>British Journal of Psychiatry</i> , 2005, 187, 148-154.	1.7	55
93	Cognitive Therapy Does Not Prevent a Response to Tryptophan Depletion in Patients also Treated with Antidepressants. <i>Biological Psychiatry</i> , 2005, 58, 913-915.	0.7	4
94	Autobiographical memory in depressed and non-depressed patients with borderline personality disorder. <i>British Journal of Clinical Psychology</i> , 2004, 43, 17-29.	1.7	61
95	Monoamine depletion in psychiatric and healthy populations: review. <i>Molecular Psychiatry</i> , 2003, 8, 951-973.	4.1	219
96	Anxiety Sensitivity Profile: Dimensional Structure and Relationship with Temperament and Character. <i>Psychotherapy and Psychosomatics</i> , 2003, 72, 217-222.	4.0	15
97	Acute tryptophan depletion (ATD) induces depressive symptoms in subgroups of recovered depressed patients, including those with seasonal affective disorder (SAD) (Van der Does, 2001a, review).. <i>Psychological Medicine</i> , 2003, 33, 1133-1135.	2.7	1
98	Locus of Control Orientation in Panic Disorder and the Differential Effects of Treatment. <i>Psychotherapy and Psychosomatics</i> , 2002, 71, 85-89.	4.0	23
99	Cognitive reactivity to sad mood: structure and validity of a new measure. <i>Behaviour Research and Therapy</i> , 2002, 40, 105-119.	1.6	166
100	Different types of experimentally induced sad mood?. <i>Behavior Therapy</i> , 2002, 33, 551-561.	1.3	32
101	Predictors of Mood Response to Acute Tryptophan Depletion A Reanalysis. <i>Neuropsychopharmacology</i> , 2002, 27, 852-861.	2.8	161
102	Tryptophan depletion in SSRI-recovered depressed outpatients. <i>Psychopharmacology</i> , 2001, 155, 123-127.	1.5	75
103	The effects of tryptophan depletion on mood and psychiatric symptoms. <i>Journal of Affective Disorders</i> , 2001, 64, 107-119.	2.0	183
104	The Mood-Lowering Effect of Tryptophan Depletion: Possible Explanation for Discrepant Findings. <i>Archives of General Psychiatry</i> , 2001, 58, 200-202.	13.8	31
105	Heartbeat perception in panic disorder: a reanalysis. <i>Behaviour Research and Therapy</i> , 2000, 38, 47-62.	1.6	133
106	A Randomized, Controlled Trial of Prayer?. <i>Archives of Internal Medicine</i> , 2000, 160, 1871-1872.	4.3	7
107	Cognitive Change following Cognitive Behavioural Therapy for Non-Cardiac Chest Pain. <i>Psychotherapy and Psychosomatics</i> , 1999, 68, 214-220.	4.0	49
108	Thought suppression, dissociation and psychopathology. <i>Personality and Individual Differences</i> , 1999, 27, 877-886.	1.6	44

#	ARTICLE	IF	CITATIONS
109	Cognitive-behavioral therapy for noncardiac chest pain: a randomized trial. <i>American Journal of Medicine</i> , 1999, 106, 424-429.	0.6	93
110	Conditions not attributable to a mental disorder in Dutch psychiatric out-patients. <i>Psychological Medicine</i> , 1999, 29, 213-220.	2.7	8
111	Increasing numbers of patients with self-inflicted burns at dutch burn units. <i>Burns</i> , 1998, 24, 584-585.	1.1	10
112	Cognitive Behavioural Therapy for Unexplained Non-Cardiac Chest Pain: A Pilot Study. <i>Behavioural and Cognitive Psychotherapy</i> , 1997, 25, 339-350.	0.9	19
113	Association of anxiety with perception of histamine induced bronchoconstriction in patients with asthma. <i>Thorax</i> , 1997, 52, 149-152.	2.7	69
114	Burn injuries, psychiatric disorders and length of hospitalization. <i>Journal of Psychosomatic Research</i> , 1997, 43, 431-435.	1.2	53
115	Somatization and somatosensory amplification in psychiatric outpatients: An explorative study. <i>Comprehensive Psychiatry</i> , 1997, 38, 93-97.	1.5	45
116	Voluntary breath holding: Not a suitable probe of the suffocation alarm in panic disorder. <i>Behaviour Research and Therapy</i> , 1997, 35, 779-784.	1.6	24
117	Family treatment, expressed emotion and relapse in recent onset schizophrenia. <i>Psychiatry Research</i> , 1997, 72, 23-31.	1.7	43
118	Parental communication deviance: its stability and the effect of family treatment in recent-onset schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 1997, 95, 199-204.	2.2	27
119	The relationships between expressed emotion, affective style and communication deviance in recent-onset schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 1997, 96, 445-451.	2.2	15
120	Symptoms, cognitive and social functioning in recent-onset schizophrenia: A longitudinal study. <i>Schizophrenia Research</i> , 1996, 19, 61-71.	1.1	28
121	Is there a specific relationship between asthma and panic disorder?. <i>Behaviour Research and Therapy</i> , 1996, 34, 333-340.	1.6	52
122	Length of outpatient treatment affected by extraversion: Still waters run long. <i>Personality and Individual Differences</i> , 1996, 21, 857-862.	1.6	1
123	Treatment, expressed emotion and relapse in recent onset schizophrenic disorders. <i>Psychological Medicine</i> , 1996, 26, 333-342.	2.7	216
124	Dimensions and Subtypes of Recent-Onset Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 1995, 183, 681-687.	0.5	41
125	Relapse criteria in schizophrenic disorders: Different perspectives. <i>Psychiatry Research</i> , 1994, 54, 273-281.	1.7	33
126	The prevalence of respiratory disorders in panic disorder, major depressive disorder and V-code patients. <i>Behaviour Research and Therapy</i> , 1994, 32, 647-649.	1.6	34

#	ARTICLE	IF	CITATIONS
127	Information Processing and Social Cognitive Problem Solving in Schizophrenia. Journal of Nervous and Mental Disease, 1993, 181, 13-20.	0.5	50
128	A Dimensional and Categorical Approach to the Symptomatology of Recent-Onset Schizophrenia. Journal of Nervous and Mental Disease, 1993, 181, 744-749.	0.5	60
129	Symptom dimensions and cognitive and social functioning in recent-onset schizophrenia. Psychological Medicine, 1993, 23, 745-753.	2.7	58
130	What determines Wisconsin card sorting performance in schizophrenia?. Clinical Psychology Review, 1992, 12, 567-583.	6.0	59
131	The effectiveness of standardized versus individualized hypnotic suggestions: A brief communication. International Journal of Clinical and Experimental Hypnosis, 1989, 37, 1-5.	1.1	12
132	Does hypnosis contribute to the care of burn patients?. General Hospital Psychiatry, 1989, 11, 119-124.	1.2	15
133	Hypnosis and pain in patients with severe burns: a pilot study. Burns, 1988, 14, 399-404.	1.1	14