

Kevin C Maki

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/70636/kevin-c-maki-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

3,891
citations

32
h-index

61
g-index

94
ext. papers

4,666
ext. citations

4.4
avg, IF

5.68
L-index

#	Paper	IF	Citations
87	Left ventricular mass regression, all-cause and cardiovascular mortality in chronic kidney disease: a meta-analysis.. <i>BMC Nephrology</i> , 2022 , 23, 34	2.7	0
86	A Head-to-Head Comparison of a Free Fatty Acid Formulation of Omega-3 Pentaenoic Acids Versus Icosapent Ethyl in Adults With Hypertriglyceridemia: The ENHANCE-IT Study.. <i>Journal of the American Heart Association</i> , 2022 , e024176	6	0
85	Science dialogue mapping of knowledge and knowledge gaps related to the effects of dairy intake on human cardiovascular health and disease. <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 61, 179-195	11.5	2
84	Epidemiology of Atherosclerotic Cardiovascular Disease. <i>Contemporary Cardiology</i> , 2021 , 91-105	0.1	
83	Pathophysiology and Management of Dyslipidemias Associated with Insulin-Resistant States. <i>Contemporary Cardiology</i> , 2021 , 307-322	0.1	2
82	Perspective: Laboratory Considerations and Clinical Data Management for Human Nutrition Randomized Controlled Trials: Guidance for Ensuring Quality and Integrity. <i>Advances in Nutrition</i> , 2021 , 12, 46-58	10	6
81	Perspective: Planning and Conducting Statistical Analyses for Human Nutrition Randomized Controlled Trials: Ensuring Data Quality and Integrity. <i>Advances in Nutrition</i> , 2021 , 12, 1610-1624	10	3
80	The National Lipid Association scientific statement on coronary artery calcium scoring to guide preventive strategies for ASCVD risk reduction. <i>Journal of Clinical Lipidology</i> , 2021 , 15, 33-60	4.9	33
79	Effects of potato resistant starch intake on insulin sensitivity, related metabolic markers and appetite ratings in men and women at risk for type 2 diabetes: a pilot cross-over randomised controlled trial. <i>Journal of Human Nutrition and Dietetics</i> , 2021 , 34, 94-105	3.1	5
78	Investigating contrasting results in REDUCE-IT and STRENGTH: partial answers but questions remain. <i>European Heart Journal</i> , 2021 ,	9.5	3
77	Effects of Whole Grain Intake, Compared with Refined Grain, on Appetite and Energy Intake: A Systematic Review and Meta-Analysis. <i>Advances in Nutrition</i> , 2021 , 12, 1177-1195	10	6
76	Dietary Influences on Atherosclerotic Cardiovascular Disease Risk. <i>Current Atherosclerosis Reports</i> , 2021 , 23, 62	6	4
75	The Potential Role of Appetite in Mediating the Relationship of Whole Grains and Body Weight. <i>Nutrition Today</i> , 2021 , 56, 239-245	1.6	
74	Whole grain intake, compared to refined grain, improves postprandial glycemia and insulinemia: a systematic review and meta-analysis of randomized controlled trials.. <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 1-19	11.5	0
73	Substituting Lean Beef for Carbohydrate in a Healthy Dietary Pattern Does Not Adversely Affect the Cardiometabolic Risk Factor Profile in Men and Women at Risk for Type 2 Diabetes. <i>Journal of Nutrition</i> , 2020 , 150, 1824-1833	4.1	5
72	The Effects of Carbohydrate-Restricted Dietary Patterns and Physical Activity on Body Weight and Glycemic Control. <i>Current Atherosclerosis Reports</i> , 2020 , 22, 20	6	0
71	Effects of substituting eggs for high-carbohydrate breakfast foods on the cardiometabolic risk-factor profile in adults at risk for type 2 diabetes mellitus. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 784-795	5.2	3

70	Potential Cardiometabolic Health Benefits of Full-Fat Dairy: The Evidence Base. <i>Advances in Nutrition</i> , 2020 , 11, 533-547	10	20
69	Effects of Whole Grain, Compared to Refined Grain, Intake on Subjective Measures of Appetite: A Systematic Review and Meta-Analysis. <i>Current Developments in Nutrition</i> , 2020 , 4, 657-657	0.4	78
68	Nutritional Bar with Potato-Based Resistant Starch Attenuated Post-Prandial Glucose and Insulin Response in Healthy Adults. <i>Foods</i> , 2020 , 9,	4.9	2
67	Naturally occurring hormones in foods and potential health effects. <i>Toxicology Research and Application</i> , 2020 , 4, 239784732093628	0.8	2
66	Absorption of Folic Acid from Different Delivery Forms: A Randomized, Crossover Study. <i>Current Developments in Nutrition</i> , 2020 , 4, 970-970	0.4	78
65	The Effect of Multi-Vitamin/Multi-Mineral Supplementation on Nutritional Status in Older Adults Receiving Drug Therapies: A Double-Blind, Placebo-Controlled Trial. <i>Journal of Dietary Supplements</i> , 2020 , 1-14	2.3	0
64	Effects of Consuming Almonds on Insulin Sensitivity and Other Cardiometabolic Health Markers in Adults With Prediabetes. <i>Journal of the American College of Nutrition</i> , 2020 , 39, 397-406	3.5	7
63	Review of current evidence and clinical recommendations on the effects of low-carbohydrate and very-low-carbohydrate (including ketogenic) diets for the management of body weight and other cardiometabolic risk factors: A scientific statement from the National Lipid Association Nutrition and Lifestyle Task Force. <i>Journal of Clinical Lipidology</i> , 2019 , 13, 689-711.e1	4.9	104
62	The Relationship between Whole Grain Intake and Body Weight: Results of Meta-Analyses of Observational Studies and Randomized Controlled Trials. <i>Nutrients</i> , 2019 , 11,	6.7	25
61	National Lipid Association Scientific Statement on the use of icosapent ethyl in statin-treated patients with elevated triglycerides and high or very-high ASCVD risk. <i>Journal of Clinical Lipidology</i> , 2019 , 13, 860-872	4.9	49
60	Strategies to improve bioavailability of omega-3 fatty acids from ethyl ester concentrates. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2019 , 22, 116-123	3.8	14
59	Vegetarian Diet Patterns and Chronic Disease Risk. <i>Nutrition Today</i> , 2019 , 54, 132-140	1.6	1
58	Meta-regression analysis of the effects of dietary cholesterol intake on LDL and HDL cholesterol. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 7-16	7	32
57	Diet and prevention of type 2 diabetes mellitus: beyond weight loss and exercise. <i>Expert Review of Endocrinology and Metabolism</i> , 2019 , 14, 1-12	4.1	31
56	A Lean Pork-Containing Breakfast Reduces Hunger and Glycemic Response Compared to a Refined Carbohydrate-Containing Breakfast in Adults with Prediabetes. <i>Journal of the American College of Nutrition</i> , 2018 , 37, 293-301	3.5	2
55	Assessing Cardiovascular Disease Risk and Responses to Preventive Therapies in Clinical Practice. <i>Current Atherosclerosis Reports</i> , 2018 , 20, 23	6	4
54	Type-4 Resistant Starch in Substitution for Available Carbohydrate Reduces Postprandial Glycemic Response and Hunger in Acute, Randomized, Double-Blind, Controlled Study. <i>Nutrients</i> , 2018 , 10,	6.7	19
53	Omega-3 Fatty Acid Supplementation and Cardiovascular Disease Risk: Glass Half Full or Time to Nail the Coffin Shut?. <i>Nutrients</i> , 2018 , 10,	6.7	19

52	The Effect of Cranberry Juice Consumption on the Recurrence of Urinary Tract Infection: Relationship to Baseline Risk Factors. <i>Journal of the American College of Nutrition</i> , 2018 , 37, 121-126	3.5	5
51	Statin use and risk for type 2 diabetes: what clinicians should know. <i>Postgraduate Medicine</i> , 2018 , 130, 166-172	3.7	13
50	Effects of a Self-micro-emulsifying Delivery System Formulation Versus a Standard ω -3 Acid Ethyl Ester Product on the Bioavailability of Eicosapentaenoic Acid and Docosahexaenoic Acid: A Study in Healthy Men and Women in a Fasted State. <i>Clinical Therapeutics</i> , 2018 , 40, 2065-2076	3.5	5
49	Long-Chain Omega-3 Fatty Acid Bioavailability: Implications for Understanding the Effects of Supplementation on Heart Disease Risk. <i>Journal of Nutrition</i> , 2018 , 148, 1701-1703	4.1	6
48	ω -3 Polyunsaturated Fatty Acids and Cardiometabolic Health: Current Evidence, Controversies, and Research Gaps. <i>Advances in Nutrition</i> , 2018 , 9, 688-700	10	41
47	Corn Oil Lowers Plasma Cholesterol Compared with Coconut Oil in Adults with Above-Desirable Levels of Cholesterol in a Randomized Crossover Trial. <i>Journal of Nutrition</i> , 2018 , 148, 1556-1563	4.1	21
46	Effects of MAT9001 containing eicosapentaenoic acid and docosapentaenoic acid, compared to eicosapentaenoic acid ethyl esters, on triglycerides, lipoprotein cholesterol, and related variables. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 102-109	4.9	13
45	Bioequivalence Demonstration for ω -3 Acid Ethyl Ester Formulations: Rationale for Modification of Current Guidance. <i>Clinical Therapeutics</i> , 2017 , 39, 652-658	3.5	7
44	A Novel ω -3 Acid Ethyl Ester Formulation Incorporating Advanced Lipid Technologies (ALT) Improves Docosahexaenoic Acid and Eicosapentaenoic Acid Bioavailability Compared with Lovaza. <i>Clinical Therapeutics</i> , 2017 , 39, 581-591	3.5	19
43	Replacement of Refined Starches and Added Sugars with Egg Protein and Unsaturated Fats Increases Insulin Sensitivity and Lowers Triglycerides in Overweight or Obese Adults with Elevated Triglycerides. <i>Journal of Nutrition</i> , 2017 , 147, 1267-1274	4.1	14
42	Minimal food effect for eicosapentaenoic acid and docosahexaenoic acid bioavailability from omega-3-acid ethyl esters with an Advanced Lipid Technologies (ALT)-based formulation. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 394-405	4.9	13
41	Effects of n-3 fatty acid treatment on monocyte phenotypes in humans with hypertriglyceridemia. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 1361-1371	4.9	9
40	Use of supplemental long-chain omega-3 fatty acids and risk for cardiac death: An updated meta-analysis and review of research gaps. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 1152-1160.e2	4.9	69
39	Corn oil intake favorably impacts lipoprotein cholesterol, apolipoprotein and lipoprotein particle levels compared with extra-virgin olive oil. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 33-38	5.2	24
38	Consumption of a cranberry juice beverage lowered the number of clinical urinary tract infection episodes in women with a recent history of urinary tract infection. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 1434-42	7	56
37	Triglyceride-lowering therapies reduce cardiovascular disease event risk in subjects with hypertriglyceridemia. <i>Journal of Clinical Lipidology</i> , 2016 , 10, 905-914	4.9	36
36	The Effects of Breakfast Consumption and Composition on Metabolic Wellness with a Focus on Carbohydrate Metabolism. <i>Advances in Nutrition</i> , 2016 , 7, 613S-21S	10	27
35	Sugar-sweetened product consumption alters glucose homeostasis compared with dairy product consumption in men and women at risk of type 2 diabetes mellitus. <i>Journal of Nutrition</i> , 2015 , 145, 459-66 ^{4.1}	4.1	27

34	A randomized, controlled, crossover trial to assess the acute appetitive and metabolic effects of sausage and egg-based convenience breakfast meals in overweight premenopausal women. <i>Nutrition Journal</i> , 2015 , 14, 17	4.3	22
33	National lipid association recommendations for patient-centered management of dyslipidemia: part 1--full report. <i>Journal of Clinical Lipidology</i> , 2015 , 9, 129-69	4.9	478
32	Dietary substitutions for refined carbohydrate that show promise for reducing risk of type 2 diabetes in men and women. <i>Journal of Nutrition</i> , 2015 , 145, 159S-163S	4.1	54
31	Effects of omega-3 carboxylic acids on lipoprotein particles and other cardiovascular risk markers in high-risk statin-treated patients with residual hypertriglyceridemia: a randomized, controlled, double-blind trial. <i>Lipids in Health and Disease</i> , 2015 , 14, 98	4.4	38
30	Effects of two dietary fibers as part of ready-to-eat cereal (RTEC) breakfasts on perceived appetite and gut hormones in overweight women. <i>Nutrients</i> , 2015 , 7, 1245-66	6.7	33
29	National Lipid Association Recommendations for Patient-Centered Management of Dyslipidemia: Part 2. <i>Journal of Clinical Lipidology</i> , 2015 , 9, S1-122.e1	4.9	293
28	An assessment by the Statin Diabetes Safety Task Force: 2014 update. <i>Journal of Clinical Lipidology</i> , 2014 , 8, S17-29	4.9	79
27	National Lipid Association recommendations for patient-centered management of dyslipidemia: part 1 - executive summary. <i>Journal of Clinical Lipidology</i> , 2014 , 8, 473-88	4.9	323
26	Associations between dairy foods, diabetes, and metabolic health: potential mechanisms and future directions. <i>Metabolism: Clinical and Experimental</i> , 2014 , 63, 618-27	12.7	55
25	Effects of fenofibric acid on carotid intima-media thickness in patients with mixed dyslipidemia on atorvastatin therapy: randomized, placebo-controlled study (FIRST). <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 1298-306	9.4	55
24	Omega-3 free fatty acids for the treatment of severe hypertriglyceridemia: the EpanoVa fOr Lowering Very high triglyceridEs (EVOLVE) trial. <i>Journal of Clinical Lipidology</i> , 2014 , 8, 94-106	4.9	163
23	Limitations of observational evidence: implications for evidence-based dietary recommendations. <i>Advances in Nutrition</i> , 2014 , 5, 7-15	10	83
22	Relationship between baseline triglyceride concentration and triglyceride reduction with 4 g/d long-chain omega-3 acid ethyl esters (1035.6). <i>FASEB Journal</i> , 2014 , 28, 1035.6	0.9	2
21	A highly bioavailable omega-3 free fatty acid formulation improves the cardiovascular risk profile in high-risk, statin-treated patients with residual hypertriglyceridemia (the ESPRIT trial). <i>Clinical Therapeutics</i> , 2013 , 35, 1400-11.e1-3	3.5	81
20	Fibermalt is well tolerated in healthy men and women at intakes up to 60g/d: a randomized, double-blind, crossover trial. <i>International Journal of Food Sciences and Nutrition</i> , 2013 , 64, 274-81	3.7	5
19	A meta-analysis of randomized controlled trials that compare the lipid effects of beef versus poultry and/or fish consumption. <i>Journal of Clinical Lipidology</i> , 2012 , 6, 352-61	4.9	36
18	Treatment options for the management of hypertriglyceridemia: strategies based on the best-available evidence. <i>Journal of Clinical Lipidology</i> , 2012 , 6, 413-26	4.9	68
17	Indicators of the atherogenic lipoprotein phenotype measured with density gradient ultracentrifugation predict changes in carotid intima-media thickness in men and women. <i>Vascular Health and Risk Management</i> , 2012 , 8, 31-8	4.4	7

16	Stearidonic acid raises red blood cell membrane eicosapentaenoic acid. <i>Journal of Nutrition</i> , 2012 , 142, 626S-629S	4.1	8
15	Resistant starch from high-amylose maize increases insulin sensitivity in overweight and obese men. <i>Journal of Nutrition</i> , 2012 , 142, 717-23	4.1	137
14	Effects of prescription omega-3-acid ethyl esters, coadministered with atorvastatin, on circulating levels of lipoprotein particles, apolipoprotein CIII, and lipoprotein-associated phospholipase A2 mass in men and women with mixed dyslipidemia. <i>Journal of Clinical Lipidology</i> , 2011 , 5, 483-92	4.9	67
13	Effects of prescription omega-3-acid ethyl esters on fasting lipid profile in subjects with primary hypercholesterolemia. <i>Journal of Cardiovascular Pharmacology</i> , 2011 , 57, 489-94	3.1	28
12	Validation of insulin sensitivity and secretion indices derived from the liquid meal tolerance test. <i>Diabetes Technology and Therapeutics</i> , 2011 , 13, 661-6	8.1	20
11	Whole-grain ready-to-eat oat cereal, as part of a dietary program for weight loss, reduces low-density lipoprotein cholesterol in adults with overweight and obesity more than a dietary program including low-fiber control foods. <i>Journal of the American Dietetic Association</i> , 2010 , 110, 205-14		129
10	Omega-3 fatty acids for the treatment of elevated triglycerides. <i>Clinical Lipidology</i> , 2009 , 4, 425-437		16
9	Prescription omega-3 acid ethyl esters plus simvastatin 20 and 80 mg: effects in mixed dyslipidemia. <i>Journal of Clinical Lipidology</i> , 2009 , 3, 33-8	4.9	17
8	Effects of prescription omega-3-acid ethyl esters on lipoprotein particle concentrations, apolipoproteins AI and CIII, and lipoprotein-associated phospholipase A(2) mass in statin-treated subjects with hypertriglyceridemia. <i>Journal of Clinical Lipidology</i> , 2009 , 3, 332-40	4.9	60
7	Beneficial effects of resistant starch on laxation in healthy adults. <i>International Journal of Food Sciences and Nutrition</i> , 2009 , 60 Suppl 4, 296-305	3.7	28
6	Effects of adding prescription omega-3 acid ethyl esters to simvastatin (20 mg/day) on lipids and lipoprotein particles in men and women with mixed dyslipidemia. <i>American Journal of Cardiology</i> , 2008 , 102, 429-33	3	73
5	Efficacy and tolerability of adding prescription omega-3 fatty acids 4 g/d to simvastatin 40 mg/d in hypertriglyceridemic patients: an 8-week, randomized, double-blind, placebo-controlled study. <i>Clinical Therapeutics</i> , 2007 , 29, 1354-67	3.5	327
4	Effects of fenofibrate on atherogenic dyslipidemia in hypertriglyceridemic subjects. <i>Clinical Cardiology</i> , 2006 , 29, 268-73	3.3	43
3	Incorporation of lean red meat into a National Cholesterol Education Program Step I diet: a long-term, randomized clinical trial in free-living persons with hypercholesterolemia. <i>Journal of the American College of Nutrition</i> , 2000 , 19, 351-60	3.5	29
2	Comparison of the effects of lean red meat vs lean white meat on serum lipid levels among free-living persons with hypercholesterolemia: a long-term, randomized clinical trial. <i>Archives of Internal Medicine</i> , 1999 , 159, 1331-8		54
1	Arguments in favor of screening for diabetes in cardiac rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 1995 , 15, 97-102		6