

Kyung Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7064082/publications.pdf>

Version: 2024-02-01

67
papers

2,681
citations

172207

29
h-index

205818

48
g-index

72
all docs

72
docs citations

72
times ranked

3276
citing authors

#	ARTICLE	IF	CITATIONS
1	Progression of kidney disease as a maladaptive response to injury. , 2022, , 213-220.		0
2	Activation of STAT3 signaling pathway in the kidney of COVID-19 patients. <i>Journal of Nephrology</i> , 2022, 35, 735-743.	0.9	10
3	Kidney single-cell transcriptome profile reveals distinct response of proximal tubule cells to SGLT2i and ARB treatment in diabetic mice. <i>Molecular Therapy</i> , 2022, 30, 1741-1753.	3.7	17
4	Modulation of transforming growth factor- β -induced kidney fibrosis by leucine-rich α -2 glycoprotein-1. <i>Kidney International</i> , 2022, 101, 299-314.	2.6	27
5	Digital Spatial Profiling of Individual Glomeruli From Patients With Anti-Neutrophil Cytoplasmic Autoantibody-Associated Glomerulonephritis. <i>Frontiers in Immunology</i> , 2022, 13, 831253.	2.2	9
6	HIPK2 directs cell type-specific regulation of STAT3 transcriptional activity in Th17 cell differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2117112119.	3.3	2
7	Similarities and Differences between COVID-19-Associated Nephropathy and HIV-Associated Nephropathy. <i>Kidney Diseases (Basel, Switzerland)</i> , 2022, 8, 1-12.	1.2	6
8	Reticulon-1A mediates diabetic kidney disease progression through endoplasmic reticulum-mitochondrial contacts in tubular epithelial cells. <i>Kidney International</i> , 2022, 102, 293-306.	2.6	18
9	Puerarin attenuates diabetic kidney injury through interaction with Guanidine nucleotide-binding protein Ci subunit alpha-1 (Gnai1) subunit. <i>Journal of Cellular and Molecular Medicine</i> , 2022, 26, 3816-3827.	1.6	10
10	Connectivity Mapping Identifies BI-2536 as a Potential Drug to Treat Diabetic Kidney Disease. <i>Diabetes</i> , 2021, 70, 589-602.	0.3	12
11	Inhibition of apoptosis signal-regulating kinase 1 mitigates the pathogenesis of human immunodeficiency virus-associated nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 430-441.	0.4	5
12	Low expression of HIV genes in podocytes accelerates the progression of diabetic kidney disease in mice. <i>Kidney International</i> , 2021, 99, 914-925.	2.6	16
13	Disparate roles of retinoid acid signaling molecules in kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 320, F683-F692.	1.3	23
14	Peroxisomal L-bifunctional Protein Deficiency Causes Male-specific Kidney Hypertrophy and Proximal Tubular Injury in Mice. <i>Kidney360</i> , 2021, 2, 1441-1454.	0.9	10
15	A Novel Mechanism of Regulation for Exosome Secretion in the Diabetic Kidney. <i>Diabetes</i> , 2021, 70, 1440-1442.	0.3	4
16	Molecular Analysis of the Kidney From a Patient With COVID-19-associated Collapsing Glomerulopathy. <i>Kidney Medicine</i> , 2021, 3, 653-658.	1.0	18
17	Global transcriptomic changes in glomerular endothelial cells in mice with podocyte depletion and glomerulosclerosis. <i>Cell Death and Disease</i> , 2021, 12, 687.	2.7	5
18	Epithelial proliferation and cell cycle dysregulation in kidney injury and disease. <i>Kidney International</i> , 2021, 100, 67-78.	2.6	20

#	ARTICLE	IF	CITATIONS
19	Autocrine and paracrine effects of a novel podocyte gene, RARRES1. <i>Kidney International</i> , 2021, 100, 745-747.	2.6	7
20	Role of CD8+ T cells in crescentic glomerulonephritis. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 564-572.	0.4	21
21	Role of SIRT1 in HIV-associated kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 319, F335-F344.	1.3	13
22	Diabetic Kidney Disease: Challenges, Advances, and Opportunities. <i>Kidney Diseases (Basel, Switzerland)</i> , 2020, 6, 215-225.	1.2	98
23	Podocyte and endothelial-specific elimination of BAMBI identifies differential transforming growth factor- β pathways contributing to diabetic glomerulopathy. <i>Kidney International</i> , 2020, 98, 601-614.	2.6	14
24	Drug Testing for Residual Progression of Diabetic Kidney Disease in Mice Beyond Therapy with Metformin, Ramipril, and Empagliflozin. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 1729-1745.	3.0	20
25	Integrin- β 1 is required for the renal cystogenesis caused by ciliary defects. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, F1306-F1312.	1.3	2
26	Tubular HIPK2 is a key contributor to renal fibrosis. <i>JCI Insight</i> , 2020, 5, .	2.3	14
27	Soluble RARRES1 induces podocyte apoptosis to promote glomerular disease progression. <i>Journal of Clinical Investigation</i> , 2020, 130, 5523-5535.	3.9	37
28	Arctigenin attenuates diabetic kidney disease through the activation of PP2A in podocytes. <i>Nature Communications</i> , 2019, 10, 4523.	5.8	89
29	Comparison of Kidney Transcriptomic Profiles of Early and Advanced Diabetic Nephropathy Reveals Potential New Mechanisms for Disease Progression. <i>Diabetes</i> , 2019, 68, 2301-2314.	0.3	74
30	Single-Cell RNA Profiling of Glomerular Cells Shows Dynamic Changes in Experimental Diabetic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 533-545.	3.0	133
31	LRG1 Promotes Diabetic Kidney Disease Progression by Enhancing TGF- β -Induced Angiogenesis. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 546-562.	3.0	82
32	Expression of Glutamate Receptor Subtype 3 Is Epigenetically Regulated in Podocytes under Diabetic Conditions. <i>Kidney Diseases (Basel, Switzerland)</i> , 2019, 5, 34-42.	1.2	7
33	Increased podocyte Sirtuin-1 function attenuates diabetic kidney injury. <i>Kidney International</i> , 2018, 93, 1330-1343.	2.6	153
34	Protein S Protects against Podocyte Injury in Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 1397-1410.	3.0	34
35	Transcriptomic analysis uncovers novel synergistic mechanisms in combination therapy for lupus nephritis. <i>Kidney International</i> , 2018, 93, 416-429.	2.6	26
36	Role of KrÄppel-like factor-2 in kidney disease. <i>Nephrology</i> , 2018, 23, 53-56.	0.7	15

#	ARTICLE	IF	CITATIONS
37	SIRT1 Is a Potential Drug Target for Treatment of Diabetic Kidney Disease. <i>Frontiers in Endocrinology</i> , 2018, 9, 624.	1.5	63
38	Epigenetic regulation of RCAN1 expression in kidney disease and its role in podocyte injury. <i>Kidney International</i> , 2018, 94, 1160-1176.	2.6	23
39	Gene expression profiles of glomerular endothelial cells support their role in the glomerulopathy of diabetic mice. <i>Kidney International</i> , 2018, 94, 326-345.	2.6	55
40	Tyro3 is a podocyte protective factor in glomerular disease. <i>JCI Insight</i> , 2018, 3, .	2.3	14
41	Bowman's capsule provides a protective niche for podocytes from cytotoxic CD8+ T cells. <i>Journal of Clinical Investigation</i> , 2018, 128, 3413-3424.	3.9	62
42	Inhibition of Reticulon-1-Mediated Endoplasmic Reticulum Stress in Early AKI Attenuates Renal Fibrosis Development. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2007-2021.	3.0	64
43	A Novel Inhibitor of Homeodomain Interacting Protein Kinase 2 Mitigates Kidney Fibrosis through Inhibition of the TGF- β 1/Smad3 Pathway. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2133-2143.	3.0	43
44	The Role of Endoplasmic Reticulum Stress in Diabetic Nephropathy. <i>Current Diabetes Reports</i> , 2017, 17, 17.	1.7	74
45	FGF-Dependent, Context-Driven Role for FRS Adapters in the Early Telencephalon. <i>Journal of Neuroscience</i> , 2017, 37, 5690-5698.	1.7	10
46	Reduction in podocyte SIRT1 accelerates kidney injury in aging mice. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F621-F628.	1.3	69
47	Rtn1a-Mediated Endoplasmic Reticulum Stress in Podocyte Injury and Diabetic Nephropathy. <i>Scientific Reports</i> , 2017, 7, 323.	1.6	37
48	Puerarin attenuates diabetic kidney injury through the suppression of NOX4 expression in podocytes. <i>Scientific Reports</i> , 2017, 7, 14603.	1.6	40
49	Retinoic acid improves nephrotoxic serum-induced glomerulonephritis through activation of podocyte retinoic acid receptor β . <i>Kidney International</i> , 2017, 92, 1444-1457.	2.6	32
50	Reduced Kr β 1-Like Factor 2 Aggravates Glomerular Endothelial Cell Injury and Kidney Disease in Mice with Unilateral Nephrectomy. <i>American Journal of Pathology</i> , 2016, 186, 2021-2031.	1.9	26
51	Role of C/EBP β in Adriamycin-induced podocyte injury. <i>Scientific Reports</i> , 2016, 6, 33520.	1.6	16
52	Knockdown of RTN1A attenuates ER stress and kidney injury in albumin overload-induced nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F409-F415.	1.3	27
53	Comparison of Glomerular and Podocyte mRNA Profiles in Streptozotocin-Induced Diabetes. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 1006-1014.	3.0	37
54	Autophagy Limits Endotoxemic Acute Kidney Injury and Alters Renal Tubular Epithelial Cell Cytokine Expression. <i>PLoS ONE</i> , 2016, 11, e0150001.	1.1	30

#	ARTICLE	IF	CITATIONS
55	HIPK2 is a new drug target for anti-fibrosis therapy in kidney disease. <i>Frontiers in Physiology</i> , 2015, 6, 132.	1.3	21
56	RTN1 mediates progression of kidney disease by inducing ER stress. <i>Nature Communications</i> , 2015, 6, 7841.	5.8	80
57	Genetics and Epigenetics of Diabetic Nephropathy. <i>Kidney Diseases (Basel, Switzerland)</i> , 2015, 1, 42-51.	1.2	24
58	BAMBI Elimination Enhances Alternative TGF- β 2 Signaling and Glomerular Dysfunction in Diabetic Mice. <i>Diabetes</i> , 2015, 64, 2220-2233.	0.3	50
59	Inactivation of Integrin- β 1 Prevents the Development of Polycystic Kidney Disease after the Loss of Polycystin-1. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 888-895.	3.0	57
60	Glomerular endothelial cell injury and cross talk in diabetic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, F287-F297.	1.3	200
61	The Role of SIRT1 in Diabetic Kidney Disease. <i>Frontiers in Endocrinology</i> , 2014, 5, 166.	1.5	63
62	Prostaglandin E ₂ mediates proliferation and chloride secretion in ADPKD cystic renal epithelia. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, F1425-F1434.	1.3	21
63	Cilium, centrosome and cell cycle regulation in polycystic kidney disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2011, 1812, 1263-1271.	1.8	35
64	Structural Basis of SNT PTB Domain Interactions with Distinct Neurotrophic Receptors. <i>Molecular Cell</i> , 2000, 6, 921-929.	4.5	98
65	Control of cytoskeletal architecture by thesrc-suppressed C kinase substrate, SSeCKS. <i>Cytoskeleton</i> , 1998, 41, 1-17.	4.4	77
66	Novel Recognition Motif on Fibroblast Growth Factor Receptor Mediates Direct Association and Activation of SNT Adapter Proteins. <i>Journal of Biological Chemistry</i> , 1998, 273, 17987-17990.	1.6	158
67	Control of cytoskeletal architecture by the src-suppressed C kinase substrate, SSeCKS. , 1998, 41, 1.		3