

Eileen Ingham

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7064605/eileen-ingham-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

7,399
citations

48
h-index

83
g-index

144
ext. papers

8,006
ext. citations

5.3
avg, IF

5.7
L-index

#	Paper	IF	Citations
137	Decellularised human bone allograft from different anatomical sites as a basis for functionally stratified repair material for bone defects. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2022 , 125, 104965	4.1	0
136	The effect of decellularisation on the real time mechanical fatigue of porcine aortic heart valve roots.. <i>PLoS ONE</i> , 2022 , 17, e0265763	3.7	1
135	Integration and functional performance of a decellularised porcine superflexor tendon graft in an ovine model of anterior cruciate ligament reconstruction. <i>Biomaterials</i> , 2021 , 279, 121204	15.6	2
134	An experimental simulation model to assess wear of the porcine patellofemoral joint. <i>PLoS ONE</i> , 2021 , 16, e0250077	3.7	0
133	Augmentation of the insufficient tissue bed for surgical repair of hypospadias using acellular matrix grafts: A proof of concept study. <i>Journal of Tissue Engineering</i> , 2021 , 12, 2041731421998840	7.5	3
132	Development of a specimen-specific in vitro pre-clinical simulation model of the human cadaveric knee with appropriate soft tissue constraints. <i>PLoS ONE</i> , 2020 , 15, e0238785	3.7	4
131	Biomechanical assessment of the stability of osteochondral grafts implanted in porcine and bovine femoral condyles. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2020 , 234, 163-170	1.7	5
130	Decellularized Intervertebral Discs: A Potential Replacement for Degenerate Human Discs. <i>Tissue Engineering - Part C: Methods</i> , 2020 , 26, 565-576	2.9	4
129	Developing a Tooth Organ Culture Model for Dental and Periodontal Regeneration Research. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 581413	5.8	0
128	Development of a pre-clinical experimental simulation model of the natural porcine knee with appropriate ligamentous constraints. <i>PLoS ONE</i> , 2019 , 14, e0216872	3.7	2
127	Stratifying the mechanical performance of a decellularized xenogeneic tendon graft for anterior cruciate ligament reconstruction as a function of graft diameter: An animal study. <i>Bone and Joint Research</i> , 2019 , 8, 518-525	4.2	4
126	Development and Characterisation of a Decellularised Porcine Dermis for Chronic Non-Healing Wounds. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019 , 58, e156	2.3	
125	Decellularisation affects the strain rate dependent and dynamic mechanical properties of a xenogeneic tendon intended for anterior cruciate ligament replacement. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2019 , 91, 18-23	4.1	10
124	Simple geometry tribological study of osteochondral graft implantation in the knee. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2018 , 232, 249-256	1.7	6
123	Decellularization of human donor aortic and pulmonary valved conduits using low concentration sodium dodecyl sulfate. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018 , 12, e841-e853	4.4	28
122	The effects of irradiation dose and storage time following treatment on the viscoelastic properties of decellularised porcine super flexor tendon. <i>Journal of Biomechanics</i> , 2017 , 57, 157-160	2.9	4
121	Development and characterisation of a low-concentration sodium dodecyl sulphate decellularised porcine dermis. <i>Journal of Tissue Engineering</i> , 2017 , 8, 2041731417724011	7.5	9

120	Decellularization and Characterization of Porcine Superflexor Tendon: A Potential Anterior Cruciate Ligament Replacement. <i>Tissue Engineering - Part A</i> , 2017 , 23, 124-134	3.9	29
119	The effects of irradiation on the biological and biomechanical properties of an acellular porcine superflexor tendon graft for cruciate ligament repair. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2017 , 105, 2477-2486	3.5	16
118	Regional biomechanical and histological characterization of the mitral valve apparatus: Implications for mitral repair strategies. <i>Journal of Biomechanics</i> , 2016 , 49, 2491-501	2.9	5
117	Bi-linear mechanical property determination of acellular human patellar tendon grafts for use in anterior cruciate ligament replacement. <i>Journal of Biomechanics</i> , 2016 , 49, 1607-1612	2.9	12
116	A biomechanical characterisation of acellular porcine super flexor tendons for use in anterior cruciate ligament replacement: investigation into the effects of fat reduction and bioburden reduction bioprocesses. <i>Journal of Biomechanics</i> , 2015 , 48, 22-9	2.9	16
115	Tribology studies of the natural knee using an animal model in a new whole joint natural knee simulator. <i>Journal of Biomechanics</i> , 2015 , 48, 3004-11	2.9	19
114	Regenerative potential of low-concentration SDS-decellularized porcine aortic valved conduits in vivo. <i>Tissue Engineering - Part A</i> , 2015 , 21, 332-42	3.9	38
113	A Nondestructive Method to Distinguish the Internal Constituent Architecture of the Intervertebral Discs Using 9.4 Tesla Magnetic Resonance Imaging. <i>Spine</i> , 2015 , 40, E1315-22	3.3	3
112	Development and characterisation of a decellularised bovine osteochondral biomaterial for cartilage repair. <i>Journal of Materials Science: Materials in Medicine</i> , 2015 , 26, 186	4.5	24
111	The biological response to nanometre-sized polymer particles. <i>Acta Biomaterialia</i> , 2015 , 23, 38-51	10.8	47
110	Current strategies in meniscal regeneration. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2014 , 102, 619-34	3.5	29
109	The human tissue-biomaterial interface: a role for PPAR α -dependent glucocorticoid receptor activation in regulating the CD163+ M2 macrophage phenotype. <i>Tissue Engineering - Part A</i> , 2014 , 20, 2390-401	3.9	23
108	Development and characterization of acellular porcine pulmonary valve scaffolds for tissue engineering. <i>Tissue Engineering - Part A</i> , 2014 , 20, 2963-74	3.9	31
107	Biological Effects of Clinically Relevant CoCr Nanoparticles in the Dura Mater: An Organ Culture Study. <i>Nanomaterials</i> , 2014 , 4, 485-504	5.4	4
106	Immunogenicity of undifferentiated and differentiated allogeneic mouse mesenchymal stem cells. <i>Journal of Tissue Engineering</i> , 2014 , 5, 2041731414534255	7.5	21
105	Generation of a large volume of clinically relevant nanometre-sized ultra-high-molecular-weight polyethylene wear particles for cell culture studies. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2014 , 228, 418-26	1.7	2
104	Interaction of micron and nano-sized particles with cells of the dura mater. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2014 , 102, 1496-505	3.5	8
103	Assay validation for the assessment of adipogenesis of multipotential stromal cells--a direct comparison of four different methods. <i>Cytotherapy</i> , 2013 , 15, 89-101	4.8	44

102	Consequences of exposure to peri-articular injections of micro- and nano-particulate cobalt-chromium alloy. <i>Biomaterials</i> , 2013 , 34, 8564-80	15.6	31
101	Development of a decellularised dermis. <i>Cell and Tissue Banking</i> , 2013 , 14, 465-74	2.2	29
100	Influence of particle size and reactive oxygen species on cobalt chrome nanoparticle-mediated genotoxicity. <i>Biomaterials</i> , 2013 , 34, 3559-70	15.6	64
99	Biological effects of cobalt-chromium nanoparticles and ions on dural fibroblasts and dural epithelial cells. <i>Biomaterials</i> , 2013 , 34, 3547-58	15.6	46
98	Biomimetic self-assembling peptides as scaffolds for soft tissue engineering. <i>Nanomedicine</i> , 2013 , 8, 823-47	5.6	101
97	Wear of surface-engineered metal-on-metal bearings for hip prostheses under adverse conditions with the head loading on the rim of the cup. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2013 , 227, 345-9	1.7	9
96	Technique for internal channelling of hydroentangled nonwoven scaffolds to enhance cell penetration. <i>Journal of Biomaterials Applications</i> , 2013 , 28, 241-9	2.9	3
95	Orthogonal invariant sets of the diffusion tensor and the development of a curvilinear set suitable for low-anisotropy tissues. <i>PLoS ONE</i> , 2013 , 8, e78798	3.7	0
94	The use of antithrombotic therapies in reducing synthetic small-diameter vascular graft thrombosis. <i>Vascular and Endovascular Surgery</i> , 2012 , 46, 212-22	1.4	32
93	(v) Simulation and measurement of wear in metal-on-metal bearings in vitro- understanding the reasons for increased wear. <i>Orthopaedics and Trauma</i> , 2012 , 26, 253-258	0.5	7
92	Development of methods for studying the differentiation of human mesenchymal stem cells under cyclic compressive strain. <i>Tissue Engineering - Part C: Methods</i> , 2012 , 18, 252-62	2.9	42
91	Development and characterization of acellular allogeneic arterial matrices. <i>Tissue Engineering - Part A</i> , 2012 , 18, 471-83	3.9	39
90	Peptide-Based Biomaterials: Rational Molecular Design of Complementary Self-Assembling Peptide Hydrogels (Adv. Healthcare Mater. 5/2012). <i>Advanced Healthcare Materials</i> , 2012 , 1, 679-679	10.1	
89	(iv) Enhancing the safety and reliability of joint replacement implants. <i>Orthopaedics and Trauma</i> , 2012 , 26, 246-252	0.5	18
88	In Vitro Measurement of Wear in Joint Replacements: A Stratified Approach for Enhanced Reliability BAFER Pre-Clinical Simulation Testing. <i>Seminars in Arthroplasty</i> , 2012 , 23, 286-288	0.4	7
87	Rational molecular design of complementary self-assembling peptide hydrogels. <i>Advanced Healthcare Materials</i> , 2012 , 1, 640-5	10.1	41
86	Comparison of human and animal femoral head chondral properties and geometries. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2012 , 226, 55-62	1.7	30
85	The effect of anterior-posterior shear on the wear of CHARIT total disc replacement. <i>Spine</i> , 2012 , 37, E528-34	3.3	14

84	Investigation of the Suitability of Decellularised Porcine Pericardium for Mitral Valve Reconstruction 2012 ,		5
83	Fluid load support and contact mechanics of hemiarthroplasty in the natural hip joint. <i>Medical Engineering and Physics</i> , 2011 , 33, 96-105	2.4	26
82	Development and characterization of an acellular porcine cartilage bone matrix for use in tissue engineering. <i>Journal of Biomedical Materials Research - Part A</i> , 2011 , 99, 283-94	5.4	95
81	De novo designed positively charged tape-forming peptides: self-assembly and gelation in physiological solutions and their evaluation as 3D matrices for cell growth. <i>Soft Matter</i> , 2011 , 7, 8085	3.6	19
80	Hemiarthroplasty of hip joint: An experimental validation using porcine acetabulum. <i>Journal of Biomechanics</i> , 2011 , 44, 1536-42	2.9	13
79	Investigation of the regenerative capacity of an acellular porcine medial meniscus for tissue engineering applications. <i>Tissue Engineering - Part A</i> , 2011 , 17, 231-42	3.9	61
78	Modeling tissue growth within nonwoven scaffolds pores. <i>Tissue Engineering - Part C: Methods</i> , 2011 , 17, 123-30	2.9	20
77	2009 Knee Society Presidential Guest Lecture: Polyethylene wear in total knees. <i>Clinical Orthopaedics and Related Research</i> , 2010 , 468, 12-8	2.2	55
76	The genotoxicity of physiological concentrations of chromium (Cr(III) and Cr(VI)) and cobalt (Co(II)): an in vitro study. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2010 , 688, 53-61	3.3	55
75	Recombinant self-assembling peptides as biomaterials for tissue engineering. <i>Biomaterials</i> , 2010 , 31, 9395-405	15.6	81
74	Factors influencing the oxygen consumption rate of aortic valve interstitial cells: application to tissue engineering. <i>Tissue Engineering - Part C: Methods</i> , 2009 , 15, 355-63	2.9	11
73	Production of self-assembling biomaterials for tissue engineering. <i>Trends in Biotechnology</i> , 2009 , 27, 423-33	15.1	188
72	Investigation of the antiadhesive properties of human mesothelial cells cultured in vitro on implantable surgical materials. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2009 , 88, 49-60	3.5	10
71	Surface engineering: a low wearing solution for metal-on-metal hip surface replacements. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2009 , 90, 558-65	3.5	38
70	High cup angle and microseparation increase the wear of hip surface replacements. <i>Clinical Orthopaedics and Related Research</i> , 2009 , 467, 2259-65	2.2	154
69	Nanoparticles can cause DNA damage across a cellular barrier. <i>Nature Nanotechnology</i> , 2009 , 4, 876-83	28.7	303
68	Regional biomechanical and histological characterisation of the passive porcine urinary bladder: Implications for augmentation and tissue engineering strategies. <i>Biomaterials</i> , 2009 , 30, 266-75	15.6	63
67	Cytocompatibility of poly(1,2 propandiol methacrylate) copolymer hydrogels and conetworks with or without alkyl amine functionality. <i>Biomaterials</i> , 2009 , 30, 2468-78	15.6	18

66	Characterization of UHMWPE Wear Particles 2009 , 409-422		0
65	TRIBOLOGY OF METAL-ON-METAL ARTIFICIAL HIP JOINTS 2009 , 279-307		
64	Thirteen years' experience with the Ross Operation. <i>Journal of Heart Valve Disease</i> , 2009 , 18, 84-94		28
63	Biocompatibility and potential of acellular human amniotic membrane to support the attachment and proliferation of allogeneic cells. <i>Tissue Engineering - Part A</i> , 2008 , 14, 463-72	3.9	96
62	Tribology and wear of metal-on-metal hip prostheses: influence of cup angle and head position. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008 , 90 Suppl 3, 111-7	5.6	96
61	Delayed development of linezolid resistance in <i>Staphylococcus aureus</i> following exposure to low levels of antimicrobial agents. <i>Antimicrobial Agents and Chemotherapy</i> , 2008 , 52, 1940-4	5.9	21
60	Development and characterization of an acellular porcine medial meniscus for use in tissue engineering. <i>Tissue Engineering - Part A</i> , 2008 , 14, 505-18	3.9	128
59	Tissue engineering small-diameter vascular grafts: preparation of a biocompatible porcine ureteric scaffold. <i>Tissue Engineering - Part A</i> , 2008 , 14, 1871-82	3.9	37
58	Effect of bearing size on the long-term wear, wear debris, and ion levels of large diameter metal-on-metal hip replacements--An in vitro study. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2008 , 87, 163-72	3.5	69
57	Biotribology of articular cartilage--a review of the recent advances. <i>Medical Engineering and Physics</i> , 2008 , 30, 1349-63	2.4	139
56	Microbial colonization of an in vitro model of a tissue engineered human skin equivalent--a novel approach. <i>FEMS Microbiology Letters</i> , 2008 , 279, 110-5	2.9	49
55	In vitro modulation of human keratinocyte pro- and anti-inflammatory cytokine production by the capsule of <i>Malassezia</i> species. <i>FEMS Immunology and Medical Microbiology</i> , 2008 , 54, 203-14		43
54	Computational simulation of oxygen diffusion in aortic valve leaflet for tissue engineering applications. <i>Journal of Heart Valve Disease</i> , 2008 , 17, 700-9		11
53	The 2007 Otto Aufranc Award. Ceramic-on-metal hip arthroplasties: a comparative in vitro and in vivo study. <i>Clinical Orthopaedics and Related Research</i> , 2007 , 465, 23-32	2.2	74
52	Effect of ionic strength on the self-assembly, morphology and gelation of pH responsive sheet tape-forming peptides. <i>Tetrahedron</i> , 2007 , 63, 7457-7467	2.4	87
51	Characterisation of wear particles produced by metal on metal and ceramic on metal hip prostheses under standard and microseparation simulation. <i>Journal of Materials Science: Materials in Medicine</i> , 2007 , 18, 819-27	4.5	89
50	Development and characterisation of a full-thickness acellular porcine bladder matrix for tissue engineering. <i>Biomaterials</i> , 2007 , 28, 1061-70	15.6	158
49	Biocompatibility of acellular human pericardium. <i>Journal of Surgical Research</i> , 2007 , 143, 407-14	2.5	69

48	The use of ultrasonication to aid recellularization of acellular natural tissue scaffolds for use in anterior cruciate ligament reconstruction. <i>Tissue Engineering</i> , 2007 , 13, 1561-72		85
47	Self-assembling peptides as injectable lubricants for osteoarthritis. <i>Journal of Biomedical Materials Research - Part A</i> , 2006 , 78, 236-46	5.4	59
46	Mechanisms of the post-antibiotic effects induced by rifampicin and gentamicin in Escherichia coli. <i>Journal of Antimicrobial Chemotherapy</i> , 2006 , 58, 444-8	5.1	18
45	Development and characterization of an acellular human pericardial matrix for tissue engineering. <i>Tissue Engineering</i> , 2006 , 12, 763-73		120
44	Review: tissue engineering of the urinary bladder: considering structure-function relationships and the role of mechanotransduction. <i>Tissue Engineering</i> , 2006 , 12, 635-44		79
43	Production of an acellular amniotic membrane matrix for use in tissue engineering. <i>Tissue Engineering</i> , 2006 , 12, 2117-29		183
42	Tribology of Hip Joints from Natural Hip Joints, Cartilage Substitution, Artificial Replacements to Cartilage Tissue Engineering. <i>Journal of Biomechanical Science and Engineering</i> , 2006 , 1, 69-81	0.8	1
41	Tribology of alternative bearings. <i>Clinical Orthopaedics and Related Research</i> , 2006 , 453, 25-34	2.2	165
40	The effect of hyaluronic acid and phospholipid based lubricants on friction within a human cartilage damage model. <i>Biomaterials</i> , 2006 , 27, 4581-90	15.6	87
39	Effect of swing phase load on metal-on-metal hip lubrication, friction and wear. <i>Journal of Biomechanics</i> , 2006 , 39, 2274-81	2.9	56
38	Wear of crosslinked polyethylene under different tribological conditions. <i>Journal of Materials Science: Materials in Medicine</i> , 2006 , 17, 235-43	4.5	69
37	Wear-simulation analysis of rotating-platform mobile-bearing knees. <i>Orthopedics</i> , 2006 , 29, S36-41	1.5	25
36	Wavelength dependent responses of primary human keratinocytes to combined treatment with benzo[a]pyrene and UV light. <i>Mutagenesis</i> , 2005 , 20, 305-10	2.8	12
35	Long-term clinical, radiological and histopathological follow-up of a well-fixed Mckee-Farrar metal-on-metal total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2005 , 20, 542-6	4.4	16
34	The Effect of Different Lubrication Regimes and Lubricants on the Friction Hard-on-Hard Total Hip Replacements 2005 , 625		
33	Biphasic surface amorphous layer lubrication of articular cartilage. <i>Medical Engineering and Physics</i> , 2005 , 27, 836-44	2.4	36
32	Comparison of wear of ultra high molecular weight polyethylene acetabular cups against alumina ceramic and chromium nitride coated femoral heads. <i>Wear</i> , 2005 , 259, 972-976	3.5	25
31	Nanometre size wear debris generated from crosslinked and non-crosslinked ultra high molecular weight polyethylene in artificial joints. <i>Wear</i> , 2005 , 259, 977-983	3.5	44

30	The role of macrophages in osteolysis of total joint replacement. <i>Biomaterials</i> , 2005 , 26, 1271-86	15.6	529
29	The osteolytic response of macrophages to challenge with particles of Simplex P, Endurance, Palacos R, and Vertebroplastic bone cement particles in vitro. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2005 , 75, 210-20	3.5	9
28	Deletion of the multiple-drug efflux pump AcrAB in <i>Escherichia coli</i> prolongs the postantibiotic effect. <i>Antimicrobial Agents and Chemotherapy</i> , 2005 , 49, 1206-8	5.9	6
27	Biocompatibility and recellularization potential of an acellular porcine heart valve matrix. <i>Journal of Heart Valve Disease</i> , 2005 , 14, 228-36; discussion 236-7		27
26	In-vitro assessment of the functional performance of the decellularized intact porcine aortic root. <i>Journal of Heart Valve Disease</i> , 2005 , 14, 408-21; discussion 422		36
25	Tissue engineering of cardiac valves: re-seeding of acellular porcine aortic valve matrices with human mesenchymal progenitor cells. <i>Journal of Heart Valve Disease</i> , 2005 , 14, 806-13		40
24	The hyaluronate lyase of <i>Staphylococcus aureus</i> - a virulence factor?. <i>Microbiology (United Kingdom)</i> , 2004 , 150, 2005-2013	2.9	60
23	Role of the hprT-ftsH locus in <i>Staphylococcus aureus</i> . <i>Microbiology (United Kingdom)</i> , 2004 , 150, 373-381.	2.9	35
22	Assessment of a microplate method for determining the post-antibiotic effect in <i>Staphylococcus aureus</i> and <i>Escherichia coli</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2004 , 54, 139-43	5.1	29
21	Metal-on-metal bearing wear with different swing phase loads. <i>Journal of Biomedical Materials Research Part B</i> , 2004 , 70, 233-9		47
20	The influence of molecular weight, crosslinking and counterface roughness on TNF-alpha production by macrophages in response to ultra high molecular weight polyethylene particles. <i>Biomaterials</i> , 2004 , 25, 3511-22	15.6	145
19	Comparative wear under different conditions of surface-engineered metal-on-metal bearings for total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2004 , 19, 112-7	4.4	32
18	Wear, debris, and biologic activity of cross-linked polyethylene in the knee: benefits and potential concerns. <i>Clinical Orthopaedics and Related Research</i> , 2004 , 114-9	2.2	136
17	Long-term wear of ceramic matrix composite materials for hip prostheses under severe swing phase microseparation. <i>Journal of Biomedical Materials Research Part B</i> , 2003 , 66, 567-73		104
16	Comparison of the response of human peripheral blood mononuclear cells to challenge with particles of three bone cements in vitro. <i>Biomaterials</i> , 2003 , 24, 737-48	15.6	26
15	Role and regulation of the superoxide dismutases of <i>Staphylococcus aureus</i> . <i>Microbiology (United Kingdom)</i> , 2003 , 149, 2749-2758	2.9	156
14	Tissue engineering of cardiac valve prostheses I: development and histological characterization of an acellular porcine scaffold. <i>Journal of Heart Valve Disease</i> , 2002 , 11, 457-62		144
13	Tissue engineering of cardiac valve prostheses II: biomechanical characterization of decellularized porcine aortic heart valves. <i>Journal of Heart Valve Disease</i> , 2002 , 11, 463-71		97

12	Quantitative characterization of polyethylene debris isolated from periprosthetic tissue in early failure knee implants and early and late failure Charnley hip implants. <i>Journal of Biomedical Materials Research Part B</i> , 2001 , 58, 415-20		52
11	Comparison of wear in a total knee replacement under different kinematic conditions. <i>Journal of Materials Science: Materials in Medicine</i> , 2001 , 12, 1039-42	4.5	55
10	In <i>Staphylococcus aureus</i> , fur is an interactive regulator with PerR, contributes to virulence, and is necessary for oxidative stress resistance through positive regulation of catalase and iron homeostasis. <i>Journal of Bacteriology</i> , 2001 , 183, 468-75	3.5	223
9	PerR controls oxidative stress resistance and iron storage proteins and is required for virulence in <i>Staphylococcus aureus</i> . <i>Infection and Immunity</i> , 2001 , 69, 3744-54	3.7	269
8	Quantitative characterization of polyethylene debris isolated from periprosthetic tissue in early failure knee implants and early and late failure Charnley hip implants 2001 , 58, 415		1
7	Effect of size and dose on bone resorption activity of macrophages by in vitro clinically relevant ultra high molecular weight polyethylene particles. <i>Journal of Biomedical Materials Research Part B</i> , 2000 , 53, 490-7		248
6	Evaluation of the response of primary human peripheral blood mononuclear phagocytes to challenge with in vitro generated clinically relevant UHMWPE particles of known size and dose. <i>Journal of Biomedical Materials Research Part B</i> , 2000 , 52, 296-307		164
5	Comparison of the response of primary human peripheral blood mononuclear phagocytes from different donors to challenge with model polyethylene particles of known size and dose. <i>Biomaterials</i> , 2000 , 21, 2033-44	15.6	73
4	Production of TNF-alpha and bone resorbing activity by macrophages in response to different types of bone cement particles. <i>Biomaterials</i> , 2000 , 21, 1005-13	15.6	88
3	Heat shock proteins and inflammatory acne vulgaris: molecular cloning, overexpression and purification of a propionibacterium acnes GroEL and DnaK homologue. <i>FEMS Microbiology Letters</i> , 2000 , 191, 183-6	2.9	26
2	Effect of size and dose on bone resorption activity of macrophages by in vitro clinically relevant ultra high molecular weight polyethylene particles 2000 , 53, 490		1
1	The <i>Staphylococcus aureus</i> Alternative Sigma Factor B Controls the Environmental Stress Response but Not Starvation Survival or Pathogenicity in a Mouse Abscess Model. <i>Journal of Bacteriology</i> , 1998 , 180, 6082-6089	3.5	6