
Elena V Poddubskaya

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/706508/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Nivolumab versus Docetaxel in Advanced Nonsquamous Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2015, 373, 1627-1639.	27.0	7,973
2	Nivolumab versus Docetaxel in Advanced Squamous-Cell Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2015, 373, 123-135.	27.0	7,261
3	Nivolumab Versus Docetaxel in Previously Treated Patients With Advanced Non–Small-Cell Lung Cancer: Two-Year Outcomes From Two Randomized, Open-Label, Phase III Trials (CheckMate 017 and) Tj ETQq1 I	L 0.784314	4 <i>rg</i> B∂T /Ove
4	Phase I/II trial of pimasertib plus gemcitabine in patients with metastatic pancreatic cancer. International Journal of Cancer, 2018, 143, 2053-2064.	5.1	76
5	RNA sequencing for research and diagnostics in clinical oncology. Seminars in Cancer Biology, 2020, 60, 311-323.	9.6	56
6	Personalized prescription of tyrosine kinase inhibitors in unresectable metastatic cholangiocarcinoma. Experimental Hematology and Oncology, 2018, 7, 21.	5.0	40
7	Nivolumab versus docetaxel in a predominantly Chinese patient population with previously treated advanced non-small cell lung cancer: 2-year follow-up from a randomized, open-label, phase 3 study (CheckMate 078). Lung Cancer, 2021, 152, 7-14.	2.0	40
8	Acquired resistance to tyrosine kinase inhibitors may be linked with the decreased sensitivity to X-ray irradiation. Oncotarget, 2018, 9, 5111-5124.	1.8	30
9	Oncobox Bioinformatical Platform for Selecting Potentially Effective Combinations of Target Cancer Drugs Using High-Throughput Gene Expression Data. Cancers, 2018, 10, 365.	3.7	27
10	Personalized prescription of imatinib in recurrent granulosa cell tumor of the ovary: case report. Journal of Physical Education and Sports Management, 2019, 5, a003434.	1.2	27
11	A phase III study (CheckMate 017) of nivolumab (NIVO; anti-programmed death-1 [PD-1]) vs docetaxel (DOC) in previously treated advanced or metastatic squamous (SQ) cell non-small cell lung cancer (NSCLC) Journal of Clinical Oncology, 2015, 33, 8009-8009.	1.6	27
12	Genome-wide methylotyping resolves breast cancer epigenetic heterogeneity and suggests novel therapeutic perspectives. Epigenomics, 2019, 11, 605-617.	2.1	26
13	RNA sequencing profiles and diagnostic signatures linked with response to ramucirumab in gastric cancer. Journal of Physical Education and Sports Management, 2020, 6, a004945.	1.2	26
14	RNA Sequencing in Comparison to Immunohistochemistry for Measuring Cancer Biomarkers in Breast Cancer and Lung Cancer Specimens. Biomedicines, 2020, 8, 114.	3.2	22
15	Disparity between Inter-Patient Molecular Heterogeneity and Repertoires of Target Drugs Used for Different Types of Cancer in Clinical Oncology. International Journal of Molecular Sciences, 2020, 21, 1580.	4.1	17
16	Transcriptomics-Guided Personalized Prescription of Targeted Therapeutics for Metastatic ALK-Positive Lung Cancer Case Following Recurrence on ALK Inhibitors. Frontiers in Oncology, 2019, 9, 1026.	2.8	15
17	Activation of intracellular signaling pathways as a new type of biomarkers for selection of target anticancer drugs Journal of Clinical Oncology, 2017, 35, e23142-e23142.	1.6	14
18	High-Throughput Mutation Data Now Complement Transcriptomic Profiling: Advances in Molecular Pathway Activation Analysis Approach in Cancer Biology. Cancer Informatics, 2019, 18, 117693511983884.	1.9	13

Elena V Poddubskaya

#	Article	IF	CITATIONS
19	Phase II randomized trial of MEK inhibitor pimasertib or placebo combined with gemcitabine in the first-line treatment of metastatic pancreatic cancer Journal of Clinical Oncology, 2015, 33, 344-344.	1.6	13
20	Abnormal promoter DNA hypermethylation of the integrin, nidogen, and dystroglycan genes in breast cancer. Scientific Reports, 2021, 11, 2264.	3.3	12
21	Oncobox, gene expression-based second opinion system for predicting response to treatment in advanced solid tumors Journal of Clinical Oncology, 2019, 37, e13143-e13143.	1.6	11
22	DNA methylation in the promoter regions of the laminin family genes in normal and breast carcinoma tissues. Molecular Biology, 2015, 49, 598-607.	1.3	9
23	Abnormal Hypermethylation of CpG Dinucleotides in Promoter Regions of Matrix Metalloproteinases Genes in Breast Cancer and its Relation to Epigenomic Subtypes and HER2 Overexpression. Biomedicines, 2020, 8, 116.	3.2	9
24	Three-year follow-up and patient-reported outcomes from CheckMate 078: Nivolumab versus docetaxel in a predominantly Chinese patient population with previously treated advanced non-small cell lung cancer. Lung Cancer, 2022, 165, 71-81.	2.0	9
25	Diagnostic Value of Combinatorial Markers in Colorectal Carcinoma. Frontiers in Oncology, 2020, 10, 832.	2.8	8
26	Clinical use of RNA sequencing and oncobox analytics to predict personalized targeted therapeutic efficacy Journal of Clinical Oncology, 2020, 38, e13676-e13676.	1.6	7
27	RNA Sequencing Data for FFPE Tumor Blocks Can Be Used for Robust Estimation of Tumor Mutation Burden in Individual Biosamples. Frontiers in Oncology, 2021, 11, 732644.	2.8	6
28	Experimental and Meta-Analytic Validation of RNA Sequencing Signatures for Predicting Status of Microsatellite Instability. Frontiers in Molecular Biosciences, 2021, 8, 737821.	3.5	4
29	Features of the management of cancer patients during the COVID-19 pandemic. SeÄenovskij Vestnik, 2020, 11, 62-73.	0.4	2
30	Endocrine adverse events of immune checkpoint inhibitors: results of a single-center study. SeÄenovskij Vestnik, 2019, 10, 4-11.	0.4	1
31	RNA-sequencing and bioinformatic analysis to pre-assess sensitivity to targeted therapeutics in recurrent glioblastoma Journal of Clinical Oncology, 2019, 37, e13533-e13533.	1.6	0
32	Molecular pathway activation-based analysis for personalized prescription of tyrosine kinase inhibitors for advanced solid tumor patients Journal of Clinical Oncology, 2019, 37, e15636-e15636.	1.6	0
33	Bevacizumab biosimilar and reference bevacizumab in subjects with stage IIIB/IV no squamous non-small cell lung cancer (NSCLC) (STELLA study): Results for the primary endpoint in a confirmatory, double-blind, randomized, controlled study Journal of Clinical Oncology, 2020, 38,	1.6	0