

# Joselito M Razal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7065111/publications.pdf>

Version: 2024-02-01

157  
papers

13,754  
citations

22132

59  
h-index

21521

114  
g-index

160  
all docs

160  
docs citations

160  
times ranked

15066  
citing authors

#	ARTICLE	IF	CITATIONS
1	Highly stable lithium anodes from recycled hemp textile. <i>Chemical Communications</i> , 2022, 58, 1946-1949.	2.2	4
2	Water-based asymmetric supercapacitors with 2.5 V wide potential and high energy density based on Na <sub>0.6</sub> CoO <sub>2</sub> nanoarray formed via electrochemical oxidation. <i>Carbon</i> , 2022, 189, 81-92.	5.4	19
3	Synthesis of nitrogen-sulfur co-doped Ti <sub>3</sub> C <sub>2</sub> MXene with enhanced electrochemical properties. <i>Materials Reports Energy</i> , 2022, 2, 100079.	1.7	13
4	Inducing liquid crystallinity in dilute MXene dispersions for facile processing of multifunctional fibers. <i>Journal of Materials Chemistry A</i> , 2022, 10, 4770-4781.	5.2	19
5	Toughening Wet-Spun Silk Fibers by Silk Nanofiber Templating. <i>Macromolecular Rapid Communications</i> , 2022, 43, e2100891.	2.0	11
6	Environmentally stable MXene ink for direct writing flexible electronics. <i>Nanoscale</i> , 2022, 14, 6299-6304.	2.8	6
7	Tough and Fatigue Resistant Cellulose Nanocrystal Stitched Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene Films. <i>Macromolecular Rapid Communications</i> , 2022, 43, e2200114.	2.0	7
8	Planar or Biaxial Stretching of Poly(ethylene terephthalate) Fiber Webs Prepared by Laser-Electrospinning. <i>Materials</i> , 2022, 15, 2209.	1.3	4
9	2D Higher-Metal Nitride Nanosheets for Solar Steam Generation. <i>Small</i> , 2022, 18, .	5.2	21
10	Co <sub>3</sub> Se <sub>4</sub> quantum dots encapsulated with nitrogen-doped porous nanocarbon as ultrastable electrode material for water-based all-solid asymmetric supercapacitors. <i>Journal of Colloid and Interface Science</i> , 2022, 627, 10-20.	5.0	4
11	Constructing conductive titanium carbide nanosheet (MXene) network on polyurethane/polyacrylonitrile fibre framework for flexible strain sensor. <i>Journal of Colloid and Interface Science</i> , 2021, 584, 1-10.	5.0	86
12	Facile construction of MgCo <sub>2</sub> O <sub>4</sub> @CoFe layered double hydroxide core-shell nanocomposites on nickel foam for high-performance asymmetric supercapacitors. <i>Journal of Power Sources</i> , 2021, 484, 229288.	4.0	58
13	Spinning Regenerated Silk Fibers with Improved Toughness by Plasticizing with Low Molecular Weight Silk. <i>Biomacromolecules</i> , 2021, 22, 788-799.	2.6	12
14	Superwetable membrane with hierarchical porosity for simultaneous separation of emulsions and removal of nanoparticles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 611, 125798.	2.3	5
15	Unipolar stroke, electroosmotic pump carbon nanotube yarn muscles. <i>Science</i> , 2021, 371, 494-498.	6.0	110
16	A nitrogenous pre-intercalation strategy for the synthesis of nitrogen-doped Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene with enhanced electrochemical capacitance. <i>Journal of Materials Chemistry A</i> , 2021, 9, 6393-6401.	5.2	45
17	Sequentially Bridged Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene Sheets for High Performance Applications. <i>Advanced Materials Interfaces</i> , 2021, 8, 2002043.	1.9	23
18	Superelastic Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene-Based Hybrid Aerogels for Compression-Resilient Devices. <i>ACS Nano</i> , 2021, 15, 5000-5010.	7.3	139

#	ARTICLE	IF	CITATIONS
19	Pore-assisted lithium deposition in hierarchically porous and hollow carbon textile for highly stable lithium anode. <i>Journal of Power Sources</i> , 2021, 489, 229464.	4.0	17
20	Strategies for Integrated Capture and Conversion of CO <sub>2</sub> from Dilute Flue Gases and the Atmosphere. <i>ChemSusChem</i> , 2021, 14, 1805-1820.	3.6	37
21	Comparison of silver-plated nylon (Ag/PA66) e-textile and Ag/AgCl electrodes for bioelectrical impedance analysis (BIA). <i>Biomedical Physics and Engineering Express</i> , 2021, 7, 035011.	0.6	4
22	Multilayered and hierarchical structured NiCo double hydroxide nanosheets generated on porous MgCo <sub>2</sub> O <sub>4</sub> nanowire arrays for high performance supercapacitors. <i>Applied Surface Science</i> , 2021, 546, 149133.	3.1	43
23	Interfacial piezoelectric polarization locking in printable Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene-fluoropolymer composites. <i>Nature Communications</i> , 2021, 12, 3171.	5.8	57
24	MgCo <sub>2</sub> O <sub>4</sub> @NiMn layered double hydroxide core-shell nanocomposites on nickel foam as superior electrode for all-solid-state asymmetric supercapacitors. <i>Journal of Colloid and Interface Science</i> , 2021, 592, 455-467.	5.0	57
25	Synthesis of petaloid and origami-lantern shaped MnO <sub>2</sub> /Co <sub>2</sub> CH@C hierarchical core-shell nanorod arrays for portable asymmetric supercapacitor. <i>Composites Part B: Engineering</i> , 2021, 215, 108756.	5.9	37
26	Light-Controlled Ionic Transport through Molybdenum Disulfide Membranes. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 34679-34685.	4.0	14
27	Development and Applications of MXene-Based Functional Fibers. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 36655-36669.	4.0	47
28	Carbon fibre waste recycling into hybrid nonwovens for electromagnetic interference shielding and sound absorption. <i>Journal of Cleaner Production</i> , 2021, 315, 128196.	4.6	33
29	In-situ formation of Ni-Co(OH) <sub>2</sub> nanosheet arrays on magnesium cobaltate nanowires for hybrid supercapacitors with enhanced electrochemical performance. <i>Applied Surface Science</i> , 2021, 568, 150856.	3.1	14
30	Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene: from dispersions to multifunctional architectures for diverse applications. <i>Materials Horizons</i> , 2021, 8, 2886-2912.	6.4	41
31	In situ embedding of cobalt sulfide quantum dots among transition metal layered double hydroxides for high performance all-solid-state asymmetric supercapacitors. <i>Journal of Materials Chemistry A</i> , 2021, 9, 22573-22584.	5.2	60
32	Scalable Fabrication of Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene/RGO/Carbon Hybrid Aerogel for Organics Absorption and Energy Conversion. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 51333-51342.	4.0	20
33	Interfacial Engineering of 3D Hollow Mo-Based Carbide/Nitride Nanostructures. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 50524-50530.	4.0	16
34	Investigation on structure and characteristics of alginate-based wet-spun polyacrylonitrile composite fibers by utilizing natural textile waste. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48370.	1.3	16
35	Supported growth of inorganic-organic nanoflowers on 3D hierarchically porous nanofibrous membrane for enhanced enzymatic water treatment. <i>Journal of Hazardous Materials</i> , 2020, 381, 120947.	6.5	34
36	Flexible coaxial fiber-shaped asymmetric supercapacitors based on manganese, nickel co-substituted cobalt carbonate hydroxides. <i>Journal of Materials Chemistry A</i> , 2020, 8, 1837-1848.	5.2	67

#	ARTICLE	IF	CITATIONS
37	Bio-inspired Nanocomposite Membranes for Osmotic Energy Harvesting. <i>Joule</i> , 2020, 4, 247-261.	11.7	177
38	Titanium dioxide coated carbon foam as microreactor for improved sunlight driven treatment of cotton dyeing wastewater. <i>Journal of Cleaner Production</i> , 2020, 246, 118949.	4.6	28
39	Cathodic electrogenerated chemiluminescence of tris(2,2'-bipyridine)ruthenium(II) and peroxydisulfate at pure Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene electrodes. <i>Chemical Communications</i> , 2020, 56, 10022-10025.	2.2	26
40	Downsizing metal-organic frameworks by bottom-up and top-down methods. <i>NPG Asia Materials</i> , 2020, 12, .	3.8	105
41	Transition Metal Dichalcogenide (TMD) Membranes with Ultrasmall Nanosheets for Ultrafast Molecule Separation. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 45453-45459.	4.0	33
42	Structure and Properties of Poly(ethylene terephthalate) Fiber Webs Prepared via Laser-Electrospinning and Subsequent Annealing Processes. <i>Materials</i> , 2020, 13, 5783.	1.3	4
43	Mechanochromic and Thermochromic Sensors Based on Graphene Infused Polymer Opals. <i>Advanced Functional Materials</i> , 2020, 30, 2002473.	7.8	48
44	Enhancement of Adhesive Strength of Epoxy/Carboxyl-Terminated Poly(butadiene-co-acrylonitrile) Nanocomposites Using Waste Hemp Fiber-Derived Cellulose Nanofibers. <i>Industrial &amp; Engineering Chemistry Research</i> , 2020, 59, 10904-10913.	1.8	9
45	MXene-Based Fibers, Yarns, and Fabrics for Wearable Energy Storage Devices. <i>Advanced Functional Materials</i> , 2020, 30, 2000739.	7.8	168
46	Bath Electrospinning of Continuous and Scalable Multifunctional MXene-Infiltrated Nanoyarns. <i>Small</i> , 2020, 16, e2002158.	5.2	81
47	Wet-Spun Trojan Horse Cell Constructs for Engineering Muscle. <i>Frontiers in Chemistry</i> , 2020, 8, 18.	1.8	13
48	3D knitted energy storage textiles using MXene-coated yarns. <i>Materials Today</i> , 2020, 34, 17-29.	8.3	103
49	Impact of the wet spinning parameters on the alpacaca-based polyacrylonitrile composite fibers: Morphology and enhanced mechanical properties study. <i>Journal of Applied Polymer Science</i> , 2020, 137, 49264.	1.3	19
50	2D Nb <sub>4</sub> N <sub>5</sub> Nanosheets Synthesized by a Template Method. <i>Chemistry - an Asian Journal</i> , 2020, 15, 1609-1612.	1.7	13
51	Freezing Titanium Carbide Aqueous Dispersions for Ultra-long-term Storage. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 34032-34040.	4.0	136
52	MXene coupled with molybdenum dioxide nanoparticles as 2D-0D pseudocapacitive electrode for high performance flexible asymmetric micro-supercapacitors. <i>Journal of Materiomics</i> , 2020, 6, 138-144.	2.8	27
53	Additive-Free MXene Liquid Crystals and Fibers. <i>ACS Central Science</i> , 2020, 6, 254-265.	5.3	182
54	MXene Composite and Coaxial Fibers with High Stretchability and Conductivity for Wearable Strain Sensing Textiles. <i>Advanced Functional Materials</i> , 2020, 30, 1910504.	7.8	308

#	ARTICLE	IF	CITATIONS
55	Improving the Tensile Properties of Wet Spun Silk Fibers Using Rapid Bayesian Algorithm. ACS Biomaterials Science and Engineering, 2020, 6, 3197-3207.	2.6	12
56	Scalable Manufacturing of Free-standing, Strong Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene Films with Outstanding Conductivity. Advanced Materials, 2020, 32, e2001093.	11.1	613
57	Zn-Ni-Co trimetallic carbonate hydroxide nanothorns branched on Cu(OH) <sub>2</sub> nanorods array based on Cu foam for high-performance asymmetric supercapacitors. Journal of Power Sources, 2019, 437, 226897.	4.0	104
58	Ti <sub>3</sub> C <sub>2</sub> MXene as a new nanofiller for robust and conductive elastomer composites. Nanoscale, 2019, 11, 14712-14719.	2.8	52
59	Facile Solution Processing of Stable MXene Dispersions towards Conductive Composite Fibers. Global Challenges, 2019, 3, 1900037.	1.8	59
60	Knittable and Washable Multifunctional MXene-coated Cellulose Yarns. Advanced Functional Materials, 2019, 29, 1905015.	7.8	239
61	Polyacrylonitrile/liquid crystalline graphene oxide composite fibers – Towards high performance carbon fiber precursors. Composites Science and Technology, 2019, 182, 107781.	3.8	25
62	Textile strain sensors: a review of the fabrication technologies, performance evaluation and applications. Materials Horizons, 2019, 6, 219-249.	6.4	289
63	Reverse synthesis of star anise-like cobalt doped Cu-MOF/Cu <sub>2</sub> O hybrid materials based on a Cu(OH) <sub>2</sub> precursor for high performance supercapacitors. Journal of Materials Chemistry A, 2019, 7, 3815-3827.	5.2	153
64	Unimpeded migration of ions in carbon electrodes with bimodal pores at an ultralow temperature of ~100 Å°C. Journal of Materials Chemistry A, 2019, 7, 16339-16346.	5.2	21
65	Shape-tailorable high-energy asymmetric micro-supercapacitors based on plasma reduced and nitrogen-doped graphene oxide and MoO <sub>2</sub> nanoparticles. Journal of Materials Chemistry A, 2019, 7, 14328-14336.	5.2	34
66	Extending the low temperature operational limit of Li-ion battery to ~80 Å°C. Energy Storage Materials, 2019, 23, 383-389.	9.5	101
67	Temperature-independent capacitance of carbon-based supercapacitor from ~100 to 60 Å°C. Energy Storage Materials, 2019, 22, 323-329.	9.5	104
68	Fast and scalable wet-spinning of highly conductive PEDOT:PSS fibers enables versatile applications. Journal of Materials Chemistry A, 2019, 7, 6401-6410.	5.2	135
69	Highly Conductive Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene Hybrid Fibers for Flexible and Elastic Fiber-shaped Supercapacitors. Small, 2019, 15, e1804732.	5.2	171
70	The Role of Tension and Temperature for Efficient Carbonization of Polyacrylonitrile Fibers: Toward Low Cost Carbon Fibers. Industrial & Engineering Chemistry Research, 2018, 57, 4268-4276.	1.8	36
71	Data on kilometer scale production of stretchable conductive multifilaments enables knitting wearable strain sensing textiles. Data in Brief, 2018, 18, 1765-1772.	0.5	11
72	Development of Graphene Oxide/Polyaniline Inks for High Performance Flexible Microsupercapacitors via Extrusion Printing. Advanced Functional Materials, 2018, 28, 1706592.	7.8	144

#	ARTICLE	IF	CITATIONS
73	Continuous production of stretchable conductive multifilaments in kilometer scale enables facile knitting of wearable strain sensing textiles. <i>Applied Materials Today</i> , 2018, 11, 255-263.	2.3	59
74	Nanofluidic electric generators constructed from boron nitride nanosheet membranes. <i>Nano Energy</i> , 2018, 47, 368-373.	8.2	57
75	Simultaneously "pushing" and "pulling" graphene oxide into low-polar solvents through a designed interface. <i>Nanotechnology</i> , 2018, 29, 315707.	1.3	6
76	Elastic Fiber Supercapacitors for Wearable Energy Storage. <i>Macromolecular Rapid Communications</i> , 2018, 39, e1800103.	2.0	30
77	Tunable photocatalytic selectivity of TiO <sub>2</sub> /SiO <sub>2</sub> nanocomposites: Effect of silica and isolation approach. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 552, 130-141.	2.3	42
78	Synthesis and characterization of zinc adeninate metal-organic frameworks (bioMOF1) as potential anti-inflammatory drug delivery material. <i>AIP Conference Proceedings</i> , 2018, , .	0.3	2
79	High-Performance Biscrolled MXene/Carbon Nanotube Yarn Supercapacitors. <i>Small</i> , 2018, 14, e1802225.	5.2	158
80	Recent Development of Fabricating Flexible Micro-Supercapacitors for Wearable Devices. <i>Advanced Materials Technologies</i> , 2018, 3, 1800028.	3.0	69
81	Poly(3,4-ethylene-dioxythiophene)-poly(styrenesulfonate) glued and graphene encapsulated sulfur-carbon film for high-performance free-standing lithium-sulfur batteries. <i>Journal of Power Sources</i> , 2017, 342, 772-778.	4.0	22
82	Multifunctional, biocompatible and pH-responsive carbon nanotube- and graphene oxide/tectomer hybrid composites and coatings. <i>Nanoscale</i> , 2017, 9, 7791-7804.	2.8	24
83	High Power Density Electrochemical Thermocells for Inexpensively Harvesting Low-Grade Thermal Energy. <i>Advanced Materials</i> , 2017, 29, 1605652.	11.1	166
84	Liquid Crystals of Graphene Oxide: A Route Towards Solution-Based Processing and Applications. <i>Particle and Particle Systems Characterization</i> , 2017, 34, 1600396.	1.2	22
85	Metal porphyrin intercalated reduced graphene oxide nanocomposite utilized for electrocatalytic oxygen reduction. <i>Green Energy and Environment</i> , 2017, 2, 285-293.	4.7	26
86	Inkjet-Printed Planar Biochips for Interfacial Detection of Biomoleculars. <i>Advanced Materials Interfaces</i> , 2017, 4, 1700588.	1.9	3
87	MXene: a potential candidate for yarn supercapacitors. <i>Nanoscale</i> , 2017, 9, 18604-18608.	2.8	119
88	Knittable energy storing fiber with high volumetric performance made from predominantly MXene nanosheets. <i>Journal of Materials Chemistry A</i> , 2017, 5, 24076-24082.	5.2	191
89	Nanostructured Electrospun Hybrid Graphene/Polyacrylonitrile Yarns. <i>Nanomaterials</i> , 2017, 7, 293.	1.9	26
90	Compositional Effects of Large Graphene Oxide Sheets on the Spinnability and Properties of Polyurethane Composite Fibers. <i>Advanced Materials Interfaces</i> , 2016, 3, 1500672.	1.9	37

#	ARTICLE	IF	CITATIONS
91	Relationship between nanotopographical alignment and stem cell fate with live imaging and shape analysis. <i>Scientific Reports</i> , 2016, 6, 37909.	1.6	54
92	Facile Fabrication of Flexible Microsupercapacitor with High Energy Density. <i>Advanced Materials Technologies</i> , 2016, 1, 1600166.	3.0	48
93	A New Raman Metric for the Characterisation of Graphene oxide and its Derivatives. <i>Scientific Reports</i> , 2016, 6, 19491.	1.6	250
94	High-Performance Multifunctional Graphene-PLGA Fibers: Toward Biomimetic and Conducting 3D Scaffolds. <i>Advanced Functional Materials</i> , 2016, 26, 3105-3117.	7.8	43
95	Hierarchical Nafion enhanced carbon aerogels for sensing applications. <i>Nanoscale</i> , 2016, 8, 3416-3424.	2.8	17
96	Synthesis of a porous sheet-like $V_2O_5$ -CNT nanocomposite using an ice-templating "bricks-and-mortar" assembly approach as a high-capacity, long cycle life cathode material for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 2729-2737.	5.2	52
97	A novel and facile approach to fabricate a conductive and biomimetic fibrous platform with sub-micron and micron features. <i>Journal of Materials Chemistry B</i> , 2016, 4, 1056-1063.	2.9	10
98	A facile approach to spinning multifunctional conductive elastomer fibres with nanocarbon fillers. <i>Smart Materials and Structures</i> , 2016, 25, 035015.	1.8	45
99	Towards the Knittability of Graphene Oxide Fibres. <i>Scientific Reports</i> , 2015, 5, 14946.	1.6	60
100	High-Performance Flexible All-Solid-State Supercapacitor from Large Free-Standing Graphene-PEDOT/PSS Films. <i>Scientific Reports</i> , 2015, 5, 17045.	1.6	243
101	N-doped pierced graphene microparticles as a highly active electrocatalyst for Li-air batteries. <i>2D Materials</i> , 2015, 2, 024002.	2.0	14
102	Coiled polymeric growth factor gradients for multi-luminal neural chemotaxis. <i>Brain Research</i> , 2015, 1619, 72-83.	1.1	9
103	Nano-Carbon Electrodes for Thermal Energy Harvesting. <i>Journal of Nanoscience and Nanotechnology</i> , 2015, 15, 1-14.	0.9	118
104	Knitted Strain Sensor Textiles of Highly Conductive All-Polymeric Fibers. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 21150-21158.	4.0	267
105	Achieving Outstanding Mechanical Performance in Reinforced Elastomeric Composite Fibers Using Large Sheets of Graphene Oxide. <i>Advanced Functional Materials</i> , 2015, 25, 94-104.	7.8	93
106	Fabrication of graphene foam supported carbon nanotube/polyaniline hybrids for high-performance supercapacitor applications. <i>2D Materials</i> , 2014, 1, 034002.	2.0	16
107	Automated quantification of neurite outgrowth orientation distributions on patterned surfaces. <i>Journal of Neural Engineering</i> , 2014, 11, 046006.	1.8	5
108	Strain-Responsive Polyurethane/PEDOT:PSS Elastomeric Composite Fibers with High Electrical Conductivity. <i>Advanced Functional Materials</i> , 2014, 24, 2957-2966.	7.8	238

#	ARTICLE	IF	CITATIONS
109	Formation and processability of liquid crystalline dispersions of graphene oxide. <i>Materials Horizons</i> , 2014, 1, 87-91.	6.4	113
110	Performance enhancement of single-walled nanotubeâ€“microwave exfoliated graphene oxide composite electrodes using a stacked electrode configuration. <i>Journal of Materials Chemistry A</i> , 2014, 2, 14835-14843.	5.2	14
111	High-Performance Multifunctional Graphene Yarns: Toward Wearable All-Carbon Energy Storage Textiles. <i>ACS Nano</i> , 2014, 8, 2456-2466.	7.3	331
112	â€“Laser chemistryâ€™ synthesis, physicochemical properties, and chemical processing of nanostructured carbon foams. <i>Nanoscale Research Letters</i> , 2013, 8, 233.	3.1	12
113	Engineering a multimodal nerve conduit for repair of injured peripheral nerve. <i>Journal of Neural Engineering</i> , 2013, 10, 016008.	1.8	65
114	Wet-spinning of PEDOT:PSS/Functionalized-SWNTs Composite: a Facile Route Toward Production of Strong and Highly Conducting Multifunctional Fibers. <i>Scientific Reports</i> , 2013, 3, 3438.	1.6	64
115	Organic Solvent-Based Graphene Oxide Liquid Crystals: A Facile Route toward the Next Generation of Self-Assembled Layer-by-Layer Multifunctional 3D Architectures. <i>ACS Nano</i> , 2013, 7, 3981-3990.	7.3	219
116	Multifunctional conducting fibres with electrically controlled release of ciprofloxacin. <i>Journal of Controlled Release</i> , 2013, 169, 313-320.	4.8	108
117	Scalable Oneâ€“Step Wetâ€“Spinning of Graphene Fibers and Yarns from Liquid Crystalline Dispersions of Graphene Oxide: Towards Multifunctional Textiles. <i>Advanced Functional Materials</i> , 2013, 23, 5345-5354.	7.8	354
118	Scalable Solid-Template Reduction for Designed Reduced Graphene Oxide Architectures. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 7676-7681.	4.0	12
119	Carbon Nanotube â€“ Reduced Graphene Oxide Composites for Thermal Energy Harvesting Applications. <i>Advanced Materials</i> , 2013, 25, 6602-6606.	11.1	178
120	Exploiting high quality PEDOT:PSSâ€“SWNT composite formulations for wet-spinning multifunctional fibers. <i>Journal of Materials Chemistry</i> , 2012, 22, 25174.	6.7	58
121	Novel carbon materials for thermal energy harvesting. <i>Journal of Thermal Analysis and Calorimetry</i> , 2012, 109, 1229-1235.	2.0	54
122	Carbon Nanotube Nanowebâ€“Bioelectrode for Highly Selective Dopamine Sensing. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 44-48.	4.0	74
123	Electrical Stimulation of Myoblast Proliferation and Differentiation on Aligned Nanostructured Conductive Polymer Platforms. <i>Advanced Healthcare Materials</i> , 2012, 1, 801-808.	3.9	61
124	Electrically Conductive, Tough Hydrogels with pH Sensitivity. <i>Chemistry of Materials</i> , 2012, 24, 3425-3433.	3.2	134
125	The Role of Unbound Oligomers in the Nucleation and Growth of Electrodeposited Polypyrrole and Method for Preparing High Strength, High Conductivity Films. <i>Langmuir</i> , 2012, 28, 10891-10897.	1.6	29
126	A pHâ€“sensitive, strong doubleâ€“network hydrogel: Poly(ethylene glycol) methyl ether methacrylatesâ€“poly(acrylic acid). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2012, 50, 423-430.	2.4	57



#	ARTICLE	IF	CITATIONS
127	<i>In vivo</i> biocompatibility and <i>in vitro</i> characterization of poly(lactide-co-glycolide) structures containing levetiracetam, for the treatment of epilepsy. Journal of Biomedical Materials Research - Part A, 2012, 100A, 424-431.	2.1	5
128	Progress Toward Robust Polymer Hydrogels. Australian Journal of Chemistry, 2011, 64, 1007.	0.5	263
129	Highly Stretchable Conducting SIBS- $\beta$ HT Fibers. Advanced Functional Materials, 2011, 21, 955-962.	7.8	76
130	One-Step Wet-Spinning Process of Poly(3,4-ethylenedioxythiophene):Poly(styrenesulfonate) Fibers and the Origin of Higher Electrical Conductivity. Advanced Functional Materials, 2011, 21, 3363-3370.	7.8	158
131	Artificial Muscles Based on Polypyrrole/Carbon Nanotube Laminates. Advanced Materials, 2011, 23, 2966-2970.	11.1	64
132	Integrated High-Efficiency Pt/Carbon Nanotube Arrays for PEM Fuel Cells. Advanced Energy Materials, 2011, 1, 671-677.	10.2	51
133	Carbon nanotube architectures as catalyst supports for proton exchange membrane fuel cells. Energy and Environmental Science, 2010, 3, 1286.	15.6	218
134	The citrate-mediated shape evolution of transforming photomorphing silver nanoparticles. Chemical Communications, 2010, 46, 7807.	2.2	34
135	Nanostructured carbon electrodes. Journal of Materials Chemistry, 2010, 20, 3553.	6.7	63
136	Elastic conducting carbon nanotube-laden SIBS fibers. , 2010, , .		6
137	Advanced microwave-assisted production of hybrid electrodes for energy applications. Energy and Environmental Science, 2010, 3, 1979.	15.6	19
138	Conducting gel-fibres based on carrageenan, chitosan and carbon nanotubes. Journal of Materials Chemistry, 2010, 20, 7953.	6.7	40
139	Wet-Spun Biodegradable Fibers on Conducting Platforms: Novel Architectures for Muscle Regeneration. Advanced Functional Materials, 2009, 19, 3381-3388.	7.8	53
140	A Conducting-Polymer Platform with Biodegradable Fibers for Stimulation and Guidance of Axonal Growth. Advanced Materials, 2009, 21, 4393-4397.	11.1	136
141	Nerve Repair: A Conducting-Polymer Platform with Biodegradable Fibers for Stimulation and Guidance of Axonal Growth (Adv. Mater. 43/2009). Advanced Materials, 2009, 21, .	11.1	3
142	Mechanical Reinforcement of Continuous Flow Spun Polyelectrolyte Complex Fibers. Macromolecular Bioscience, 2009, 9, 354-360.	2.1	16
143	Modulated release of dexamethasone from chitosan-carbon nanotube films. Sensors and Actuators A: Physical, 2009, 155, 120-124.	2.0	44
144	Carbon Nanotube Biofiber Formation in a Polymer-Free Coagulation Bath. Advanced Functional Materials, 2008, 18, 61-66.	7.8	68

#	ARTICLE	IF	CITATIONS
145	Spinning Carbon Nanotube-Gel Fibers Using Polyelectrolyte Complexation. <i>Advanced Functional Materials</i> , 2008, 18, 3759-3764.	7.8	46
146	Arbitrarily Shaped Fiber Assemblies from Spun Carbon Nanotube Gel Fibers. <i>Advanced Functional Materials</i> , 2007, 17, 2918-2924.	7.8	55
147	Fuel-Powered Artificial Muscles. <i>Science</i> , 2006, 311, 1580-1583.	6.0	140
148	Highly Conducting Carbon Nanotube/Polyethyleneimine Composite Fibers. <i>Advanced Materials</i> , 2005, 17, 1064-1067.	11.1	120
149	Multifunctional Carbon Nanotube Composite Fibers. <i>Advanced Engineering Materials</i> , 2004, 6, 801-804.	1.6	57
150	Hierarchical Self-Assembly of Peptide-Coated Carbon Nanotubes. <i>Advanced Functional Materials</i> , 2004, 14, 1147-1151.	7.8	67
151	Continuous carbon nanotube composite fibers: properties, potential applications, and problems Electronic supplementary information (ESI) available: frontispiece figure. See <a href="http://www.rsc.org/suppdata/jm/b3/b312092a/">http://www.rsc.org/suppdata/jm/b3/b312092a/</a> . <i>Journal of Materials Chemistry</i> , 2004, 14, 1.	6.7	247
152	Super-tough carbon-nanotube fibres. <i>Nature</i> , 2003, 423, 703-703.	13.7	1,394
153	Improving the mechanical properties of single-walled carbon nanotube sheets by intercalation of polymeric adhesives. <i>Applied Physics Letters</i> , 2003, 82, 1682-1684.	1.5	253
154	Controlled Assembly of Carbon Nanotubes by Designed Amphiphilic Peptide Helices. <i>Journal of the American Chemical Society</i> , 2003, 125, 1770-1777.	6.6	481
155	Mechanical properties of hybrid polymer nanotube systems. , 2003, , .		0
156	Carbon Nanotubes Self-Assembled by Amphiphilic Peptide -Helices. <i>Microscopy and Microanalysis</i> , 2003, 9, 326-327.	0.2	0
157	Hierarchical hollow metal nanostructure arrays for selective CO2 conversion. <i>Materials Advances</i> , 0, , .	2.6	1