

Sren Lund Kristensen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7065797/soren-lund-kristensen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers

3,660
citations

30
h-index

59
g-index

114
ext. papers

4,948
ext. citations

7
avg, IF

5.35
L-index

#	Paper	IF	Citations
100	The burden of cardiovascular outcomes in heart failure patients with new-onset, prevalent, and without type 2 diabetes.. <i>Clinical Research in Cardiology</i> , 2022 , 111, 460	6.1	
99	Ischemic Stroke Severity and Mortality in Patients With and Without Atrial Fibrillation.. <i>Journal of the American Heart Association</i> , 2022 , 11, e022638	6	2
98	Long-term Risk of Death and Heart Failure Hospitalization in Patients With Takotsubo Syndrome: Insights from a Nationwide Cohort.. <i>Journal of Cardiac Failure</i> , 2022 ,	3.3	1
97	Association Between Inappropriately Dosed Anticoagulation Therapy With Stroke Severity and Outcomes in Patients With Atrial Fibrillation.. <i>Journal of the American Heart Association</i> , 2022 , e024402	6	
96	Clinical cardiovascular phenotypes and the pattern of future events in patients with type 2 diabetes.. <i>Clinical Research in Cardiology</i> , 2022 , 1	6.1	
95	Diabetes and prediabetes in patients with heart failure and preserved ejection fraction.. <i>European Journal of Heart Failure</i> , 2021 ,	12.3	3
94	Five-year risk of heart failure and death following myocardial infarction with cardiogenic shock: a nationwide cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 40-49	4.3	0
93	Cardiovascular and mortality outcomes with GLP-1 receptor agonists in patients with type 2 diabetes: A meta-analysis with the FREEDOM cardiovascular outcomes trial.. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2021 , 16, 102382	8.9	4
92	Rate of Heart Failure Following Atrial Fibrillation According to Presence of Family History of Dilated Cardiomyopathy or Heart Failure: A Nationwide Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e021286	6	2
91	Long-term prognosis following hospitalization for acute myocarditis - a matched nationwide cohort study. <i>Scandinavian Cardiovascular Journal</i> , 2021 , 55, 264-269	2	0
90	Long-Term Cardiovascular Outcomes in Systemic Lupus Erythematosus. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 1717-1727	15.1	8
89	The association of prior carpal tunnel syndrome surgery with adverse cardiovascular outcomes and long-term mortality after aortic valve replacement. <i>IJC Heart and Vasculature</i> , 2021 , 33, 100741	2.4	
88	Dapagliflozin in HFrEF Patients Treated With Mineralocorticoid Receptor Antagonists: An Analysis of DAPA-HF. <i>JACC: Heart Failure</i> , 2021 , 9, 254-264	7.9	23
87	The effect of sodium-glucose transport protein 2 inhibitors on mortality and heart failure in randomized trials versus observational studies. <i>Diabetic Medicine</i> , 2021 , 38, e14600	3.5	0
86	The DANish randomized, double-blind, placebo controlled trial in patients with chronic HEART failure (DANHEART): A 2x2 factorial trial of hydralazine-isosorbide dinitrate in patients with chronic heart failure (H-HeFT) and metformin in patients with chronic heart failure and diabetes or prediabetes (MetHeFT). <i>European Heart Journal</i> , 2021 , 42, 137-146	4.9	13
85	Initiation of domiciliary care and nursing home admission following first hospitalization for heart failure, stroke, chronic obstructive pulmonary disease or cancer. <i>PLoS ONE</i> , 2021 , 16, e0255364	3.7	0
84	Nursing Home Admission and Initiation of Domiciliary Care After Ischemic Stroke - The Importance of Time to Thrombolysis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 30, 105916	2.8	1

83	Socioeconomic Disparities in Referral for Invasive Hemodynamic Evaluation for Advanced Heart Failure: A Nationwide Cohort Study. <i>Circulation: Heart Failure</i> , 2021 , 14, e008662	7.6	1
82	Long-Term Mortality Associated With Use of Carvedilol Versus Metoprolol in Heart Failure Patients With and Without Type 2 Diabetes: A Danish Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e021310	6	1
81	Cardiovascular, mortality, and kidney outcomes with GLP-1 receptor agonists in patients with type 2 diabetes: a systematic review and meta-analysis of randomised trials. <i>Lancet Diabetes and Endocrinology</i> , 2021 , 9, 653-662	18.1	58
80	Incidence of heart valve disease in women treated with the ergot-derived dopamine agonist bromocriptine.. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 622	2.3	
79	Type 2 Diabetes Mellitus and Impact of Heart Failure on Prognosis Compared to Other Cardiovascular Diseases: A Nationwide Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020 , 13, e006260	5.8	13
78	Add-on therapy in metformin-treated patients with type 2 diabetes at moderate cardiovascular risk: a nationwide study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 107	8.7	12
77	Comparison of BNP and NT-proBNP in Patients With Heart Failure and Reduced Ejection Fraction. <i>Circulation: Heart Failure</i> , 2020 , 13, e006541	7.6	31
76	Quality of life and the associated risk of all-cause mortality in nonischemic heart failure. <i>International Journal of Cardiology</i> , 2020 , 305, 92-98	3.2	4
75	Favorable five-year outcomes for heart failure diagnosed in younger patients without severe comorbidity. <i>International Journal of Cardiology</i> , 2020 , 305, 106-112	3.2	3
74	Readmission and death in patients admitted with new-onset versus worsening of chronic heart failure: insights from a nationwide cohort. <i>European Journal of Heart Failure</i> , 2020 , 22, 1777-1785	12.3	19
73	Risk of heart failure in type 2 diabetes complicated by incident ischaemic heart disease and end-stage renal disease. <i>European Journal of Heart Failure</i> , 2020 , 22, 813-820	12.3	2
72	One-Year Mortality After Intensification of Outpatient Diuretic Therapy. <i>Journal of the American Heart Association</i> , 2020 , 9, e016010	6	7
71	Risk Factors for Morbidity and Mortality Following Hospitalization for Pericarditis. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2623-2631	15.1	5
70	Long-Term Adverse Cardiac Outcomes in Patients With Sarcoidosis. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 767-777	15.1	21
69	Prevalence and incidence of intra-ventricular conduction delays and outcomes in patients with heart failure and reduced ejection fraction: insights from PARADIGM-HF and ATMOSPHERE. <i>European Journal of Heart Failure</i> , 2020 , 22, 2370-2379	12.3	9
68	Identification of Patients with New-Onset Heart Failure and Reduced Ejection Fraction in Danish Administrative Registers. <i>Clinical Epidemiology</i> , 2020 , 12, 589-594	5.9	7
67	Heart failure and the prognostic impact and incidence of new-onset of diabetes mellitus: a nationwide cohort study. <i>Cardiovascular Diabetology</i> , 2019 , 18, 79	8.7	16
66	The effect of implantable cardioverter-defibrillator in patients with diabetes and non-ischaemic systolic heart failure. <i>Europace</i> , 2019 , 21, 1203-1210	3.9	3

65	Risk of stroke subsequent to infective endocarditis: A nationwide study. <i>American Heart Journal</i> , 2019 , 212, 144-151	4.9	4
64	N-Terminal Pro-B-Type Natriuretic Peptide Levels for Risk Prediction in Patients With Heart Failure and Preserved Ejection Fraction According to Atrial Fibrillation Status. <i>Circulation: Heart Failure</i> , 2019 , 12, e005766	7.6	14
63	Long-Term Outcome in Patients With Heart Failure Treated With Levothyroxine: An Observational Nationwide Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1725-1734	5.6	14
62	Efficacy of an implantable cardioverter-defibrillator in patients with diabetes and heart failure and reduced ejection fraction. <i>Clinical Research in Cardiology</i> , 2019 , 108, 868-877	6.1	9
61	Cardiovascular, mortality, and kidney outcomes with GLP-1 receptor agonists in patients with type 2 diabetes: a systematic review and meta-analysis of cardiovascular outcome trials. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, 776-785	18.1	522
60	Risk Models for Prediction of Implantable Cardioverter-Defibrillator Benefit: Insights From the DANISH Trial. <i>JACC: Heart Failure</i> , 2019 , 7, 717-724	7.9	14
59	Insulin treatment and clinical outcomes in patients with diabetes and heart failure with preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2019 , 21, 974-984	12.3	30
58	Association of Carpal Tunnel Syndrome With Amyloidosis, Heart Failure, and Adverse Cardiovascular Outcomes. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 15-23	15.1	36
57	Burden and Causes of Hospital Admissions in Heart Failure During the Last Year of Life. <i>JACC: Heart Failure</i> , 2019 , 7, 561-570	7.9	11
56	Diabetic cardiomyopathy. <i>Heart</i> , 2019 , 105, 337-345	5.1	37
55	The prognostic value of troponin T and N-terminal pro B-type natriuretic peptide, alone and in combination, in heart failure patients with and without diabetes. <i>European Journal of Heart Failure</i> , 2019 , 21, 40-49	12.3	31
54	Nursing Home Admission and Initiation of Domiciliary Care Following Infective Endocarditis. <i>Global Heart</i> , 2019 , 14, 41-46.e2	2.9	2
53	Risk of Incident Heart Failure in Patients With Diabetes and Asymptomatic Left Ventricular Systolic Dysfunction. <i>Diabetes Care</i> , 2018 , 41, 1285-1291	14.6	23
52	Low-Dose Aspirin in Heart Failure Not Complicated by Atrial Fibrillation: A Nationwide Propensity-Matched Study. <i>JACC: Heart Failure</i> , 2018 , 6, 156-167	7.9	7
51	Microvascular complications in diabetes patients with heart failure and reduced ejection fraction-insights from the Beta-blocker Evaluation of Survival Trial. <i>European Journal of Heart Failure</i> , 2018 , 20, 1549-1556	12.3	11
50	Return to the workforce following coronary artery bypass grafting: A Danish nationwide cohort study. <i>International Journal of Cardiology</i> , 2018 , 251, 15-21	3.2	11
49	Aliskiren alone or in combination with enalapril vs. enalapril among patients with chronic heart failure with and without diabetes: a subgroup analysis from the ATMOSPHERE trial. <i>European Journal of Heart Failure</i> , 2018 , 20, 136-147	12.3	15
48	Return to the workforce following infective endocarditis-A nationwide cohort study. <i>American Heart Journal</i> , 2018 , 195, 130-138	4.9	8

47	Incidence of Hospitalization for Heart Failure and Case-Fatality Among 3.25 Million People With and Without Diabetes Mellitus. <i>Circulation</i> , 2018 , 138, 2774-2786	16.7	78
46	Initiation of domiciliary care and nursing home admission following first hospitalization of heart failure patients: a nationwide cohort study. <i>Clinical Epidemiology</i> , 2018 , 10, 917-930	5.9	4
45	Evidence-Based Therapy and Its Association With Workforce Detachment After First Hospitalization for Heart Failure. <i>JACC: Heart Failure</i> , 2018 , 6, 41-48	7.9	1
44	Sacubitril/valsartan reduces serum uric acid concentration, an independent predictor of adverse outcomes in PARADIGM-HF. <i>European Journal of Heart Failure</i> , 2018 , 20, 514-522	12.3	20
43	Employment status at time of first hospitalization for heart failure is associated with a higher risk of death and rehospitalization for heart failure. <i>European Journal of Heart Failure</i> , 2018 , 20, 240-247	12.3	12
42	Syncope and Its Impact on Occupational Accidents and Employment: A Danish Nationwide Retrospective Cohort Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017 , 10,	5.8	8
41	Cutaneous lupus erythematosus and the risk of deep venous thrombosis and pulmonary embolism: A Danish nationwide cohort study. <i>Lupus</i> , 2017 , 26, 1435-1439	2.6	19
40	The effects of sacubitril/valsartan on coronary outcomes in PARADIGM-HF. <i>American Heart Journal</i> , 2017 , 188, 35-41	4.9	24
39	Clinical and Echocardiographic Characteristics and Cardiovascular Outcomes According to Diabetes Status in Patients With Heart Failure and Preserved Ejection Fraction: A Report From the I-Preserve Trial (Irbesartan in Heart Failure With Preserved Ejection Fraction). <i>Circulation</i> , 2017 , 135, 724-735	16.7	100
38	Prevalence of Prediabetes and Undiagnosed Diabetes in Patients with HFpEF and HFrEF and Associated Clinical Outcomes. <i>Cardiovascular Drugs and Therapy</i> , 2017 , 31, 545-549	3.9	35
37	Prognostic Value of N-Terminal Pro-B-Type Natriuretic Peptide Levels in Heart Failure Patients With and Without Atrial Fibrillation. <i>Circulation: Heart Failure</i> , 2017 , 10,	7.6	37
36	Heart Failure in Young Adults Is Associated With High Mortality: A Contemporary Population-Level Analysis. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 1472-1477	3.8	17
35	Dementia-related adverse events in PARADIGM-HF and other trials in heart failure with reduced ejection fraction. <i>European Journal of Heart Failure</i> , 2017 , 19, 129-137	12.3	68
34	Management of Cardiovascular Risk in Patients with Chronic Inflammatory Diseases: Current Evidence and Future Perspectives. <i>American Journal of Cardiovascular Drugs</i> , 2016 , 16, 1-8	4	14
33	Long-Term Outcome in Levothyroxine Treated Patients With Subclinical Hypothyroidism and Concomitant Heart Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 4170-4177	5.6	28
32	Return to the Workforce After First Hospitalization for Heart Failure: A Danish Nationwide Cohort Study. <i>Circulation</i> , 2016 , 134, 999-1009	16.7	29
31	Risk Related to Pre-Diabetes Mellitus and Diabetes Mellitus in Heart Failure With Reduced Ejection Fraction: Insights From Prospective Comparison of ARNI With ACEI to Determine Impact on Global Mortality and Morbidity in Heart Failure Trial. <i>Circulation: Heart Failure</i> , 2016 , 9,	7.6	201
30	Atrial fibrillation and risk of stroke: a nationwide cohort study. <i>Europace</i> , 2016 , 18, 1689-1697	3.9	33

29	Geographic variations in the PARADIGM-HF heart failure trial. <i>European Heart Journal</i> , 2016 , 37, 3167-3174	3.4	88
28	SGLT2 Inhibition and cardiovascular events: why did EMPA-REG Outcomes surprise and what were the likely mechanisms?. <i>Diabetologia</i> , 2016 , 59, 1333-1339	10.3	207
27	The new pooled cohort equations risk calculator. <i>Canadian Journal of Cardiology</i> , 2015 , 31, 613-9	3.8	52
26	Comparison of outcomes after hospitalization for worsening heart failure, myocardial infarction, and stroke in patients with heart failure and reduced and preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2015 , 17, 169-76	12.3	25
25	Relative Importance of History of Heart Failure Hospitalization and N-Terminal Pro-B-Type Natriuretic Peptide Level as Predictors of Outcomes in Patients With Heart Failure and Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2015 , 3, 478-486	7.9	17
24	International geographic variation in event rates in trials of heart failure with preserved and reduced ejection fraction. <i>Circulation</i> , 2015 , 131, 43-53	16.7	58
23	Cardiovascular outcomes and systemic anti-inflammatory drugs in patients with severe psoriasis: 5-year follow-up of a Danish nationwide cohort. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1128-34	4.6	127
22	Comparison of antiplatelet regimens in secondary stroke prevention: a nationwide cohort study. <i>BMC Neurology</i> , 2015 , 15, 225	3.1	5
21	Antithrombotic treatment in patients with heart failure and associated atrial fibrillation and vascular disease: a nationwide cohort study. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 2689-98	15.1	16
20	Benefit of clopidogrel therapy in patients with myocardial infarction and chronic kidney disease-a Danish nation-wide cohort study. <i>Journal of the American Heart Association</i> , 2014 , 3,	6	4
19	Reply: A persisting dilemma for triple antithrombotic therapy: are we close to finding the correct answer?. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 231-2	15.1	
18	Dosage of angiotensin-II receptor blockers in heart failure patients following changes in Danish drug reimbursement policies. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1281-7	2.6	
17	Stent thrombosis is the primary cause of ST-segment elevation myocardial infarction following coronary stent implantation: a five year follow-up of the SORT OUT II study. <i>PLoS ONE</i> , 2014 , 9, e113399	3.7	8
16	Cardiovascular risk in patients with sleep apnoea with or without continuous positive airway pressure therapy: follow-up of 4.5 million Danish adults. <i>Journal of Internal Medicine</i> , 2014 , 276, 659-66	10.8	32
15	Increased risk of atrial fibrillation and stroke during active stages of inflammatory bowel disease: a nationwide study. <i>Europace</i> , 2014 , 16, 477-84	3.9	69
14	Psoriasis and risk of heart failure: a nationwide cohort study. <i>European Journal of Heart Failure</i> , 2014 , 16, 743-8	12.3	50
13	Prognosis after first-time myocardial infarction in patients with inflammatory bowel disease according to disease activity: nationwide cohort study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014 , 7, 857-62	5.8	9
12	Inflammatory bowel disease is associated with an increased risk of hospitalization for heart failure: a Danish Nationwide Cohort study. <i>Circulation: Heart Failure</i> , 2014 , 7, 717-22	7.6	43

11	Ongoing treatment with non-steroidal anti-inflammatory drugs at time of admission is associated with poorer prognosis in patients with first-time acute myocardial infarction. <i>International Journal of Cardiology</i> , 2013 , 168, 832-7	3.2	10
10	Cardiovascular disease event rates in patients with severe psoriasis treated with systemic anti-inflammatory drugs: a Danish real-world cohort study. <i>Journal of Internal Medicine</i> , 2013 , 273, 197-204	10.8	126
9	Oral anticoagulation and antiplatelets in atrial fibrillation patients after myocardial infarction and coronary intervention. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 981-9	15.1	265
8	Accuracy of the ICD-10 discharge diagnosis for syncope. <i>Europace</i> , 2013 , 15, 595-600	3.9	54
7	Psoriasis and new-onset diabetes: a Danish nationwide cohort study. <i>Diabetes Care</i> , 2013 , 36, 2402-7	14.6	57
6	Response to letter regarding article, "Bleeding after initiation of multiple antithrombotic drugs, including triple therapy, in atrial fibrillation patients following myocardial infarction and coronary intervention: a nationwide cohort study". <i>Circulation</i> , 2013 , 127, e585	16.7	1
5	Disease activity in inflammatory bowel disease is associated with increased risk of myocardial infarction, stroke and cardiovascular death--a Danish nationwide cohort study. <i>PLoS ONE</i> , 2013 , 8, e56944	3.7	128
4	Bleeding after initiation of multiple antithrombotic drugs, including triple therapy, in atrial fibrillation patients following myocardial infarction and coronary intervention: a nationwide cohort study. <i>Circulation</i> , 2012 , 126, 1185-93	16.7	317
3	Use of nonsteroidal anti-inflammatory drugs prior to chronic renal replacement therapy initiation: a nationwide study. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 428-34	2.6	14
2	The viability of perilyabyrinthine osteocytes: a quantitative study using bulk-stained undecalcified human temporal bones. <i>Anatomical Record</i> , 2012 , 295, 1101-8	2.1	12
1	Pharmacological undertreatment of coronary risk factors in patients with psoriasis: observational study of the Danish nationwide registries. <i>PLoS ONE</i> , 2012 , 7, e36342	3.7	30