Akiko Tamakoshi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7066576/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association between Body-Mass Index and Risk of Death in More Than 1 Million Asians. New England Journal of Medicine, 2011, 364, 719-729.	13.9	730
2	Overview of the BioBank Japan Project: Study design and profile. Journal of Epidemiology, 2017, 27, S2-S8.	1.1	451
3	The association between long working hours and health: A systematic review of epidemiological evidence. Scandinavian Journal of Work, Environment and Health, 2014, 40, 5-18.	1.7	439
4	The Relationship between Green Tea and Total Caffeine Intake and Risk for Self-Reported Type 2 Diabetes among Japanese Adults. Annals of Internal Medicine, 2006, 144, 554.	2.0	389
5	Prospective Cohort Study of the Risk of Prostate Cancer among Rotating-Shift Workers: Findings from the Japan Collaborative Cohort Study. American Journal of Epidemiology, 2006, 164, 549-555.	1.6	348
6	Self-reported sleep duration as a predictor of all-cause mortality: results from the JACC study, Japan. Sleep, 2004, 27, 51-4.	0.6	296
7	Japan Collaborative Cohort Study for Evaluation of Cancer Risk Sponsored by Monbusho(JACC Study) Journal of Epidemiology, 2001, 11, 144-150.	1.1	210
8	A Prospective Cohort Study of Shift Work and Risk of Ischemic Heart Disease in Japanese Male Workers. American Journal of Epidemiology, 2006, 164, 128-135.	1.6	168
9	Serum phytoestrogens and prostate cancer risk in a nested case-control study among Japanese men. Cancer Science, 2004, 95, 65-71.	1.7	143
10	Walking and Sports Participation and Mortality From Coronary Heart Disease and Stroke. Journal of the American College of Cardiology, 2005, 46, 1761-1767.	1.2	139
11	Profile of the JACC Study. Journal of Epidemiology, 2005, 15, S4-S8.	1.1	137
12	Reproducibility and Validity of a Self-administered Food Frequency Questionnaire Used in the JACC Study. Journal of Epidemiology, 2005, 15, S9-S23.	1.1	135
13	Cohort Profile of the Japan Collaborative Cohort Study at Final Follow-up. Journal of Epidemiology, 2013, 23, 227-232.	1.1	134
14	Cross-sectional analysis of BioBank Japan clinical data: A large cohort of 200,000 patients with 47 common diseases. Journal of Epidemiology, 2017, 27, S9-S21.	1.1	133
15	Association between type 2 diabetes and risk of cancer mortality: a pooled analysis of over 771,000 individuals in the Asia Cohort Consortium. Diabetologia, 2017, 60, 1022-1032.	2.9	132
16	Population Attributable Fraction of Mortality Associated with Tobacco Smoking in Japan: A Pooled Analysis of Three Large-scale Cohort Studies. Journal of Epidemiology, 2008, 18, 251-264.	1.1	127
17	A Meta-analysis of Individual Participant Data Reveals an Association between Circulating Levels of IGF-I and Prostate Cancer Risk. Cancer Research, 2016, 76, 2288-2300.	0.4	117
18	Alcohol Consumption and Mortality From Stroke and Coronary Heart Disease Among Japanese Men and Women. Stroke, 2008, 39, 2936-2942.	1.0	112

#	Article	IF	CITATIONS
19	BMI and All ause Mortality Among Japanese Older Adults: Findings From the Japan Collaborative Cohort Study. Obesity, 2010, 18, 362-369.	1.5	106
20	Association of Diabetes With All-Cause and Cause-Specific Mortality in Asia. JAMA Network Open, 2019, 2, e192696.	2.8	103
21	Tobacco Smoking and Mortality in Asia. JAMA Network Open, 2019, 2, e191474.	2.8	102
22	Body Mass Index and Mortality From All Causes and Major Causes in Japanese: Results of a Pooled Analysis of 7 Large-Scale Cohort Studies. Journal of Epidemiology, 2011, 21, 417-430.	1.1	100
23	Alcohol Consumption and Mortality among Middle-aged and Elderly Japanese Men and Women. Annals of Epidemiology, 2005, 15, 590-597.	0.9	87
24	Risk and Protective Factors Related to Mortality from Pneumonia among Middleaged and Elderly Community Residents: The JACC Study. Journal of Epidemiology, 2007, 17, 194-202.	1.1	86
25	Associations between dietary intakes of iron, copper and zinc with risk of type 2 diabetes mellitus: A large population-based prospective cohort study. Clinical Nutrition, 2018, 37, 667-674.	2.3	83
26	Serum insulin-like growth factor-I, insulin-like growth factor binding protein-3, and the risk of pancreatic cancer death. International Journal of Cancer, 2004, 110, 584-588.	2.3	77
27	Obesity, physical activity and the risk of pancreatic cancer in a large Japanese cohort. International Journal of Cancer, 2007, 120, 2665-2671.	2.3	77
28	A prospective cohort study of cigarette smoking and pancreatic cancer in Japan. Cancer Causes and Control, 2002, 13, 249-254.	0.8	71
29	Stability of Frozen Serum Levels of Insulin-like Growth Factor-I, Insulin-like Growth Factor-II, Insulin-like Growth Factor Binding Protein-3, Transforming Growth FactorÎ ² , Soluble Fas, and Superoxide Dismutase Activity for the JACC Study. Journal of Epidemiology, 2005, 15, S67-S73.	1.1	71
30	Dietary Intakes of Antioxidant Vitamins and Mortality From Cardiovascular Disease. Stroke, 2011, 42, 1665-1672.	1.0	70
31	Attributable and absolute risk of lung cancer death by smoking status: Findings from the Japan collaborative cohort study. International Journal of Cancer, 2003, 105, 249-254.	2.3	66
32	A Simple Food Frequency Questionnaire for Japanese Diet-Part I. Development of the Questionnaire, and Reproducibility and Validity for Food Groups. Journal of Epidemiology, 1999, 9, 216-226.	1.1	63
33	C-reactive protein levels and risk of mortality from cardiovascular disease in Japanese: The JACC Study. Atherosclerosis, 2009, 207, 291-297.	0.4	63
34	Validity and Reliability of Single-item Questions about Physical Activity Journal of Epidemiology, 2001, 11, 211-218.	1.1	62
35	Associations between copper and zinc intakes from diet and mortality from cardiovascular disease in a large population-based prospective cohort study. Journal of Nutritional Biochemistry, 2018, 56, 126-132.	1.9	62
36	Dietary Habits and Risk of Lung Cancer Death in a Large-scale Cohort Study (JACC Study) in Japan by Sex and Smoking Habit. Japanese Journal of Cancer Research, 2001, 92, 1259-1269.	1.7	59

#	Article	IF	CITATIONS
37	Impact of alcohol intake on total mortality and mortality from major causes in Japan: a pooled analysis of six large-scale cohort studies. Journal of Epidemiology and Community Health, 2012, 66, 448-456.	2.0	59
38	Effect of coffee consumption on all-cause and total cancer mortality: findings from the JACC study. European Journal of Epidemiology, 2011, 26, 285-293.	2.5	55
39	Cigarette Smoking and Esophageal Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. Japanese Journal of Clinical Oncology, 2012, 42, 63-73.	0.6	53
40	Serum carotenoids and mortality from lung cancer: a case-control study nested in the Japan Collaborative Cohort (JACC) Study. Cancer Science, 2003, 94, 57-63.	1.7	51
41	Frequency of Food Intake and Estimated Nutrient Intake among Men and Women: The JACC Study Journal of Epidemiology, 2005, 15, S24-S42.	1.1	50
42	Overview of BioBank Japan follow-up data in 32 diseases. Journal of Epidemiology, 2017, 27, S22-S28.	1.1	47
43	Cigarette Smoking and Pancreas Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence in the Japanese Population. Japanese Journal of Clinical Oncology, 2011, 41, 1292-1302.	0.6	46
44	The Japanese food score and risk of all-cause, CVD and cancer mortality: the Japan Collaborative Cohort Study. British Journal of Nutrition, 2018, 120, 464-471.	1.2	43
45	Long working hours and psychological distress among school teachers in Japan. Journal of Occupational Health, 2015, 57, 20-27.	1.0	39
46	Bowel Movement Frequency, Laxative Use, and Mortality From Coronary Heart Disease and Stroke Among Japanese Men and Women: The Japan Collaborative Cohort (JACC) Study. Journal of Epidemiology, 2016, 26, 242-248.	1.1	39
47	Milk Drinking and Mortality: Findings From the Japan Collaborative Cohort Study. Journal of Epidemiology, 2015, 25, 66-73.	1.1	38
48	Characteristics and prognosis of Japanese colorectal cancer patients: The BioBank Japan Project. Journal of Epidemiology, 2017, 27, S36-S42.	1.1	38
49	Associations of gut microbiota, dietary intake, and serum short-chain fatty acids with fecal short-chain fatty acids. Bioscience of Microbiota, Food and Health, 2020, 39, 11-17.	0.8	37
50	A population-based follow-up study on mortality from cancer or cardiovascular disease and serum carotenoids, retinol and tocopherols in Japanese inhabitants. Asian Pacific Journal of Cancer Prevention, 2006, 7, 533-46.	0.5	35
51	Coffee Consumption and Risk of Colorectal Cancer: The Japan Collaborative Cohort Study. Journal of Epidemiology, 2014, 24, 370-378.	1.1	33
52	Watching Television and Risk of Mortality From Pulmonary Embolism Among Japanese Men and Women. Circulation, 2016, 134, 355-357.	1.6	32
53	Demographic and lifestyle factors and survival among patients with esophageal and gastric cancer: The Biobank Japan Project. Journal of Epidemiology, 2017, 27, S29-S35.	1.1	32
54	Association of leisure-time physical activity with total and cause-specific mortality: a pooled analysis of nearly a half million adults in the Asia Cohort Consortium. International Journal of Epidemiology, 2018, 47, 771-779.	0.9	32

#	Article	IF	CITATIONS
55	Dietary Inflammatory Index Is Associated with Risk of All-Cause and Cardiovascular Disease Mortality but Not with Cancer Mortality in Middle-Aged and Older Japanese Adults. Journal of Nutrition, 2019, 149, 1451-1459.	1.3	32
56	Cigarette smoking and bladder cancer risk: an evaluation based on a systematic review of epidemiologic evidence in the Japanese population. Japanese Journal of Clinical Oncology, 2016, 46, 273-283.	0.6	31
57	Dietary patterns and breast cancer risk in a prospective Japanese study. Breast Cancer, 2017, 24, 152-160.	1.3	31
58	Body-Mass Index and Pancreatic Cancer Incidence: A Pooled Analysis of Nine Population-Based Cohort Studies With More Than 340,000 Japanese Subjects. Journal of Epidemiology, 2018, 28, 245-252.	1.1	30
59	Skipping Breakfast and Risk of Mortality from Cancer, Circulatory Diseases and All Causes: Findings from the Japan Collaborative Cohort Study. Yonago Acta Medica, 2016, 59, 55-60.	0.3	30
60	Dietary intakes of fat and total mortality among Japanese populations with a low fat intake: the Japan Collaborative Cohort (JACC) Study. Nutrition and Metabolism, 2014, 11, 12.	1.3	29
61	Relationship Between Dietary Vitamin D and Deaths From Stroke and Coronary Heart Disease. Stroke, 2018, 49, 454-457.	1.0	29
62	Dietary Patterns and Risk of Stomach Cancer Mortality: The Japan Collaborative Cohort Study. Annals of Epidemiology, 2010, 20, 356-363.	0.9	28
63	Characteristics and prognosis of Japanese female breast cancer patients: The BioBank Japan project. Journal of Epidemiology, 2017, 27, S58-S64.	1.1	27
64	Rationale, Design, and Profiles of the New Integrated Suburban Seniority Investigation (NISSIN) Project: A Study of an Age-Specific, Community-Based Cohort of Japanese Elderly. Journal of Epidemiology, 2009, 19, 237-243.	1.1	26
65	Long working hours and sleep problems among public junior high school teachers in Japan. Journal of Occupational Health, 2015, 57, 457-464.	1.0	26
66	Among the water-soluble vitamins, dietary intakes of vitamins C, B ₂ and folate are associated with the reduced risk of diabetes in Japanese women but not men. British Journal of Nutrition, 2019, 121, 1357-1364.	1.2	26
67	Low BMI and weight loss aggravate COPD mortality in men, findings from a large prospective cohort: the JACC study. Scientific Reports, 2021, 11, 1531.	1.6	26
68	Salty Food Preference and Intake and Risk of Gastric Cancer: The JACC Study. Journal of Epidemiology, 2016, 26, 92-97.	1.1	25
69	Perceived Stress and Colorectal Cancer Incidence: The Japan Collaborative Cohort Study. Scientific Reports, 2017, 7, 40363.	1.6	25
70	Passive smoking and mortality from aortic dissection or aneurysm. Atherosclerosis, 2017, 263, 145-150.	0.4	25
71	The association between social participation and cognitive function in community-dwelling older populations: Japan Gerontological Evaluation Study at Taisetsu community Hokkaido. International Journal of Geriatric Psychiatry, 2017, 32, 1131-1140.	1.3	25
72	Frequency of Seaweed Intake and Its Association with Cardiovascular Disease Mortality: The JACC Study. Journal of Atherosclerosis and Thrombosis, 2020, 27, 1340-1347.	0.9	25

#	Article	IF	CITATIONS
73	The Risk of Developing Diabetes in Association With Long Working Hours Differs by Shift Work Schedules. Journal of Epidemiology, 2016, 26, 481-487.	1.1	24
74	Association of body mass index and risk of death from pancreas cancer in Asians. European Journal of Cancer Prevention, 2013, 22, 244-250.	0.6	23
75	Insulin-like growth factor-related components and the risk of liver cancer in a nested case-control study. Tumor Biology, 2016, 37, 15125-15132.	0.8	23
76	Coffee drinking and colorectal cancer and its subsites: A pooled analysis of 8 cohort studies in <scp>J</scp> apan. International Journal of Cancer, 2018, 143, 307-316.	2.3	23
77	Serum adiponectin and insulin secretion: A direct or inverse association?. Journal of Diabetes Investigation, 2018, 9, 1106-1109.	1.1	23
78	A nested case-control study of stomach cancer and serum insulin-like growth factor (IGF)-1, IGF-2 and IGF-binding protein (IGFBP)-3. European Journal of Cancer, 2007, 43, 1611-1616.	1.3	22
79	Health Benefits of Daily Walking on Mortality Among Younger-Elderly Men With or Without Major Critical Diseases in the New Integrated Suburban Seniority Investigation Project: A Prospective Cohort Study. Journal of Epidemiology, 2015, 25, 609-616.	1.1	22
80	Risk factors for multiple myeloma: evidence from the Japan Collaborative Cohort (JACC) study. Asian Pacific Journal of Cancer Prevention, 2006, 7, 575-81.	0.5	22
81	Lifestyle determinants for social activity levels among the Japanese elderly. Archives of Gerontology and Geriatrics, 1996, 22, 271-286.	1.4	21
82	Association of gait speed with mortality among the Japanese elderly in the New Integrated Suburban Seniority Investigation Project: a prospective cohort study. Age and Ageing, 2015, 44, 153-157.	0.7	21
83	Similarities and differences between coronary heart disease and stroke in the associations with cardiovascular risk factors: The Japan Collaborative Cohort Study. Atherosclerosis, 2017, 261, 124-130.	0.4	21
84	Alcohol Consumption and Lung Cancer Mortality in Japanese Men: Results from Japan Collaborative Cohort (JACC) Study. Journal of Epidemiology, 2006, 16, 49-56.	1.1	20
85	Prospective study of seaweed consumption and thyroid cancer incidence in women. European Journal of Cancer Prevention, 2016, 25, 239-245.	0.6	20
86	Smoking cessation and subsequent risk of cancer: A pooled analysis of eight population-based cohort studies in Japan. Cancer Epidemiology, 2017, 51, 98-108.	0.8	20
87	Sleep duration and risk of breast cancer: The JACC Study. Breast Cancer Research and Treatment, 2019, 174, 219-225.	1.1	20
88	Low Intake of Vegetables and Fruits and Risk of Colorectal Cancer: The Japan Collaborative Cohort Study. Journal of Epidemiology, 2014, 24, 353-360.	1.1	19
89	Smoking and Pancreatic Cancer Incidence: A Pooled Analysis of 10 Population-Based Cohort Studies in Japan. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1370-1378.	1.1	19
90	Determination of total, free and esterified short-chain fatty acid in human serum by liquid chromatography-mass spectrometry. Annals of Clinical Biochemistry, 2019, 56, 190-197.	0.8	19

#	Article	IF	CITATIONS
91	Social participation patterns and the incidence of functional disability: The Japan Gerontological Evaluation Study. Geriatrics and Gerontology International, 2020, 20, 765-772.	0.7	19
92	Circulating miR-21, miR-29a, and miR-126 are associated with premature death risk due to cancer and cardiovascular disease: the JACC Study. Scientific Reports, 2021, 11, 5298.	1.6	19
93	Television Viewing Time and Mortality From Stroke and Coronary Artery Disease Among Japanese Men and Women – The Japan Collaborative Cohort Study –. Circulation Journal, 2015, 79, 2389-2395.	0.7	18
94	Association Between Average Daily Television Viewing Time and Chronic Obstructive Pulmonary Disease-Related Mortality: Findings From the Japan Collaborative Cohort Study. Journal of Epidemiology, 2015, 25, 431-436.	1.1	18
95	Alcohol Consumption and Risk of Gastric Cancer: The Japan Collaborative Cohort Study. Journal of Epidemiology, 2021, 31, 30-36.	1.1	18
96	Association of Body Mass Index and Mortality in Japanese Diabetic Men and Women Based on Self-Reports: The Japan Collaborative Cohort (JACC) Study. Journal of Epidemiology, 2015, 25, 553-558.	1.1	17
97	Passive smoking and chronic obstructive pulmonary disease mortality: findings from the Japan collaborative cohort study. International Journal of Public Health, 2017, 62, 489-494.	1.0	17
98	Characteristics of patients with liver cancer in the BioBank Japan project. Journal of Epidemiology, 2017, 27, S43-S48.	1.1	17
99	Leisure-time physical activity and risk of disability incidence: A 12-year prospective cohort study among young elderly of the same age at baseline. Journal of Epidemiology, 2017, 27, 538-545.	1.1	17
100	Characteristics and prognosis of Japanese male and female lung cancer patients: The BioBank Japan Project. Journal of Epidemiology, 2017, 27, S49-S57.	1.1	17
101	Dietary intakes of fat soluble vitamins as predictors of mortality from heart failure in a large prospective cohort study. Nutrition, 2018, 47, 50-55.	1.1	17
102	Fat-soluble vitamins from diet in relation to risk of type 2 diabetes mellitus in Japanese population. British Journal of Nutrition, 2019, 121, 647-653.	1.2	17
103	Body Mass Index and Mortality From Aortic Aneurysm and Dissection. Journal of Atherosclerosis and Thrombosis, 2021, 28, 338-348.	0.9	17
104	Effective vaccine allocation strategies, balancing economy with infection control against COVID-19 in Japan. PLoS ONE, 2021, 16, e0257107.	1.1	17
105	The influence of personality and perceived stress on the development of breast cancer: 20-year follow-up of 29,098 Japanese women. Scientific Reports, 2016, 6, 32559.	1.6	16
106	Coffee consumption and mortality in Japanese men and women: A pooled analysis of eight population-based cohort studies in Japan (Japan Cohort Consortium). Preventive Medicine, 2019, 123, 270-277.	1.6	16
107	Dietary patterns among Japanese adults: findings from the National Health and Nutrition Survey, 2012. Asia Pacific Journal of Clinical Nutrition, 2018, 27, 1120-1130.	0.3	16
108	Circulating insulin-like growth factors and risks of overall, aggressive and early-onset prostate cancer: a collaborative analysis of 20 prospective studies and Mendelian randomization analysis. International Journal of Epidemiology, 2023, 52, 71-86.	0.9	16

Ακικό Ταμακός Ηι

#	Article	IF	CITATIONS
109	Associations of daily walking and television viewing time with liver cancer mortality: findings from the Japan Collaborative Cohort Study. Cancer Causes and Control, 2014, 25, 787-793.	0.8	15
110	No modifying effect of education level on the association between lifestyle behaviors and cardiovascular mortality: the Japan Collaborative Cohort Study. Scientific Reports, 2017, 7, 39820.	1.6	15
111	Recurrent Pregnancy Loss and Cardiovascular Disease Mortality in Japanese Women: A Population-Based, Prospective Cohort Study. Journal of Stroke and Cerebrovascular Diseases, 2017, 26, 1047-1054.	0.7	15
112	Impact of modifiable healthy lifestyle adoption on lifetime gain from middle to older age. Age and Ageing, 2022, 51, .	0.7	15
113	Prospective cohort study on television viewing time and incidence of lung cancer: findings from the Japan Collaborative Cohort Study. Cancer Causes and Control, 2013, 24, 1547-1553.	0.8	14
114	<i>Helicobacter Pylori</i> Infection and Risk of Death From Cardiovascular Disease Among the Japanese Population: a Nested Case-Control Study within the JACC Study. Journal of Atherosclerosis and Thrombosis, 2015, 22, 1207-1213.	0.9	14
115	Comparison of human papillomavirus genotyping and cytology triage, <scp>COMPACT</scp> Study: Design, methods and baseline results in 14 642 women. Cancer Science, 2018, 109, 2003-2012.	1.7	14
116	Green Tea and Coffee Consumption and All-Cause Mortality Among Persons With and Without Stroke or Myocardial Infarction. Stroke, 2021, 52, 957-965.	1.0	14
117	Night Work, Rotating Shift Work, and the Risk of Cancer in Japanese Men and Women: The JACC Study. Journal of Epidemiology, 2021, 31, 585-592.	1.1	14
118	Cellular growth factors in relation to mortality from cardiovascular disease in middle-aged Japanese: The JACC study. Atherosclerosis, 2012, 224, 154-160.	0.4	13
119	A prospective cohort study of shift work and the risk of death from pancreatic cancer in Japanese men. Cancer Causes and Control, 2013, 24, 1357-1361.	0.8	13
120	Active and passive smoking and risk of death from pancreatic cancer: Findings from the Japan Collaborative Cohort Study. Pancreatology, 2013, 13, 279-284.	0.5	13
121	Occupational physical activity in relation to risk of cardiovascular mortality: The Japan Collaborative Cohort Study for Evaluation for Cancer Risk (JACC Study). Preventive Medicine, 2016, 89, 286-291.	1.6	13
122	Serum 25-hydroxyvitamin D3 levels and poor sleep quality in a Japanese population: the DOSANCO Health Study. Sleep Medicine, 2019, 57, 135-140.	0.8	13
123	Associations of Daily Walking Time With Pneumonia Mortality Among Elderly Individuals With or Without a Medical History of Myocardial Infarction or Stroke: Findings From the Japan Collaborative Cohort Study. Journal of Epidemiology, 2019, 29, 233-237.	1.1	13
124	Manganese intake from foods and beverages is associated with a reduced risk of type 2 diabetes. Maturitas, 2021, 143, 127-131.	1.0	13
125	Lower human defensin 5 in elderly people compared to middle-aged is associated with differences in the intestinal microbiota composition: the DOSANCO Health Study. GeroScience, 2022, 44, 997-1009.	2.1	13
126	Insulin-like growth factor-1, IGF binding protein-3, and the risk of esophageal cancer in a nested case-control study. World Journal of Gastroenterology, 2017, 23, 3488.	1.4	13

#	Article	IF	CITATIONS
127	The relationship between a low grain intake dietary pattern and impulsive behaviors in middle-aged Japanese people. PLoS ONE, 2017, 12, e0181057.	1.1	12
128	Dietary Antioxidant Micronutrients and All-Cause Mortality: The Japan Collaborative Cohort Study for Evaluation of Cancer Risk. Journal of Epidemiology, 2018, 28, 388-396.	1.1	12
129	Lifestyle and psychosocial factors and a decline in competence in daily living among Japanese early elderly people: from an age-specified community-based cohort study (NISSIN project). Environmental Health and Preventive Medicine, 2019, 24, 28.	1.4	12
130	Blood pressure levels and risk of cardiovascular disease mortality among Japanese men and women. Journal of Hypertension, 2019, 37, 1366-1371.	0.3	12
131	Prostate cancer risk in relation to insulin-like growth factor (IGF)-I and IGF-binding protein-3: A nested case-control study in large scale cohort study in Japan. Asian Pacific Journal of Cancer Prevention, 2009, 10 Suppl, 57-61.	0.5	12
132	Ovarian cancer mortality among women aged 40-79 years in relation to reproductive factors and body mass index: latest evidence from the Japan Collaborative Cohort study. Journal of Gynecologic Oncology, 2013, 24, 249.	1.0	11
133	Clinical and histopathological characteristics of patients with prostate cancer in the BioBank Japan project. Journal of Epidemiology, 2017, 27, S65-S70.	1.1	11
134	Alcohol consumption and mortality from aortic disease among Japanese men: The Japan Collaborative Cohort study. Atherosclerosis, 2017, 266, 64-68.	0.4	11
135	Water intake from foods and beverages and risk of mortality from CVD: the Japan Collaborative Cohort (JACC) Study. Public Health Nutrition, 2018, 21, 3011-3017.	1.1	11
136	Association of BMI, Smoking, and Alcohol with Multiple Myeloma Mortality in Asians: A Pooled Analysis of More than 800,000 Participants in the Asia Cohort Consortium. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1861-1867.	1.1	11
137	Association between educational level and total and cause-specific mortality: a pooled analysis of over 694 000 individuals in the Asia Cohort Consortium. BMJ Open, 2019, 9, e026225.	0.8	11
138	The associations of dietary patterns with all-cause mortality and other lifestyle factors in the elderly: An age-specific prospective cohort study. Clinical Nutrition, 2019, 38, 288-296.	2.3	11
139	Impact of Body Mass Index on Obesity-Related Cancer and Cardiovascular Disease Mortality; The Japan Collaborative Cohort Study. Journal of Atherosclerosis and Thrombosis, 2022, 29, 1547-1562.	0.9	11
140	Employment situation and risk of death among middle-aged Japanese women. Journal of Epidemiology and Community Health, 2015, 69, 1012-1017.	2.0	10
141	Association between shift work and the risk of death from biliary tract cancer in Japanese men. BMC Cancer, 2015, 15, 757.	1.1	10
142	Association between average daily television viewing time and the incidence of ovarian cancer: findings from the Japan Collaborative Cohort Study. Cancer Causes and Control, 2018, 29, 213-219.	0.8	10
143	"lkigaiâ€ , Subjective Wellbeing, as a Modifier of the Parity-Cardiovascular Mortality Association ― The Japan Collaborative Cohort Study ―. Circulation Journal, 2018, 82, 1302-1308.	0.7	10
144	Smoking and subsequent risk of acute myeloid leukaemia: A pooled analysis of 9 cohort studies in Japan. Hematological Oncology, 2018, 36, 262-268.	0.8	10

Ακικό Ταμακός Η

#	Article	IF	CITATIONS
145	Cardiovascular disease mortality in relation to physical activity during adolescence and adulthood in Japan: Does school-based sport club participation matter?. Preventive Medicine, 2018, 113, 102-108.	1.6	10
146	Fish intake and risk of mortality due to aortic dissection and aneurysm: A pooled analysis of the Japan cohort consortium. Clinical Nutrition, 2019, 38, 1678-1683.	2.3	10
147	Association Between Maternal Serum Folate Concentrations in the First Trimester and the Risk of Birth Defects: The Hokkaido Study of Environment and Children's Health. Journal of Epidemiology, 2019, 29, 164-171.	1.1	10
148	Weight Change and Mortality from Cardiovascular Diseases: The Japan Collaborative Cohort Study. Journal of Atherosclerosis and Thrombosis, 2021, 28, 25-33.	0.9	10
149	Multiple system atrophy in Hokkaido, Japan: a prospective registry study of natural history and symptom assessment scales followed for 5 years. BMJ Open, 2021, 11, e045100.	0.8	10
150	Are Japanese Women Less Physically Active Than Men? Findings From the DOSANCO Health Study. Journal of Epidemiology, 2020, 31, 530-536.	1.1	10
151	Association between dietary inflammatory index and serum C-reactive protein concentrations in the Japan Collaborative Cohort Study. Nagoya Journal of Medical Science, 2020, 82, 237-249.	0.6	9
152	Diabetes Mellitus and Risk of Colorectal Cancer Mortality in Japan: the Japan Collaborative Cohort Study. Asian Pacific Journal of Cancer Prevention, 2016, 17, 4681-4688.	0.5	9
153	Dairy products and the risk of developing prostate cancer: A largeâ€scale cohort study (JACC Study) in Japan. Cancer Medicine, 2021, 10, 7298-7307.	1.3	9
154	Association between Dietary Manganese Intake and Mortality from Cardiovascular Disease in Japanese Population: The Japan Collaborative Cohort Study. Journal of Atherosclerosis and Thrombosis, 2022, 29, 1432-1447.	0.9	9
155	Circulating insulinâ€like growth factor binding proteinâ€3 and risk of gastrointestinal malignant tumors. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 2104-2111.	1.4	8
156	Television viewing time, walking time, and risk of type 2 diabetes in Japanese men and women: The Japan Collaborative Cohort Study. Preventive Medicine, 2019, 118, 220-225.	1.6	8
157	Relationships Between Reproductive History and Mortality From Cardiovascular Diseases Among Japanese Women: The Japan Collaborative Cohort Study for Evaluation of Cancer Risk (JACC) Study. Journal of Epidemiology, 2020, 30, 509-515.	1.1	8
158	Diabetes and Mortality From Respiratory Diseases: The Japan Collaborative Cohort Study. Journal of Epidemiology, 2020, 30, 457-463.	1.1	8
159	Fecal short-chain fatty acids and obesity in a community-based Japanese population: The DOSANCO Health Study. Obesity Research and Clinical Practice, 2021, 15, 345-350.	0.8	8
160	Television Viewing Time and Breast Cancer Incidence for Japanese Premenopausal and Postmenopausal Women: The JACC Study. Cancer Research and Treatment, 2019, 51, 1509-1517.	1.3	8
161	Association of gait with global cognitive function and cognitive domains detected by MoCA-J among community-dwelling older adults: a cross-sectional study. BMC Geriatrics, 2021, 21, 523.	1.1	8
162	Relationship between serum levels of insulin-like growth factors and subsequent risk of cancer mortality: Findings from a nested case–control study within the Japan Collaborative Cohort Study. Cancer Epidemiology, 2010, 34, 279-284.	0.8	7

#	Article	IF	CITATIONS
163	Association of measles and mumps with cardiovascular disease: TheÂJapan Collaborative Cohort (JACC) study. Atherosclerosis, 2015, 241, 682-686.	0.4	7
164	Fish Intake and Death From Pulmonary Embolisms Among Japanese Men and Women ― The Japan Collaborative Cohort (JACC) Study ―. Circulation Journal, 2018, 82, 2063-2070.	0.7	7
165	Green tea consumption and risk of hematologic neoplasms: the Japan Collaborative Cohort Study for Evaluation of Cancer Risk (JACC Study). Cancer Causes and Control, 2019, 30, 1223-1230.	0.8	7
166	Impact of hypertension stratified by diabetes on the lifetime risk of cardiovascular disease mortality in Japan: a pooled analysis of data from the Evidence for Cardiovascular Prevention from Observational Cohorts in Japan study. Hypertension Research, 2020, 43, 1437-1444.	1.5	7
167	Association between Protein Intake and Skeletal Muscle Mass among Community-Dwelling Older Japanese: Results from the DOSANCO Health Study: A Cross-Sectional Study. Nutrients, 2021, 13, 187.	1.7	7
168	Associations of Body Mass Index, Weight Change, Physical Activity, and Sedentary Behavior With Endometrial Cancer Risk Among Japanese Women: The Japan Collaborative Cohort Study. Journal of Epidemiology, 2021, 31, 621-627.	1.1	7
169	Dairy intake and the risk of pancreatic cancer: the Japan Collaborative Cohort Study (JACC Study) and meta-analysis of prospective cohort studies. British Journal of Nutrition, 2022, 128, 1147-1155.	1.2	7
170	Association between falls and depressive symptoms or visual impairment among Japanese youngâ€old adults. Geriatrics and Gerontology International, 2016, 16, 384-391.	0.7	6
171	Self-Reported Eczema in Relation with Mortality from Cardiovascular Disease in Japanese: the Japan Collaborative Cohort Study. Journal of Atherosclerosis and Thrombosis, 2019, 26, 775-782.	0.9	6
172	Association of job category and occupational activity with breast cancer incidence in Japanese female workers: the JACC study. BMC Public Health, 2020, 20, 1106.	1.2	6
173	Milk Intake and Stroke Mortality in the Japan Collaborative Cohort Study—A Bayesian Survival Analysis. Nutrients, 2020, 12, 2743.	1.7	6
174	OUP accepted manuscript. International Journal of Epidemiology, 2021, , .	0.9	6
175	Television Viewing Time and the Risk of Colorectal Cancer Mortality among Japanese Population: The JACC Study. Cancer Research and Treatment, 2021, 53, 497-505.	1.3	6
176	Secondhand Smoke Exposure During Childhood and Cancer Mortality in Adulthood Among Never Smokers. American Journal of Epidemiology, 2021, , .	1.6	6
177	Blood soluble Fas levels and mortality from cardiovascular disease in middle-aged Japanese: The JACC study. Atherosclerosis, 2017, 260, 97-101.	0.4	5
178	Comparison of a new wrist-worn accelerometer with a commonly used triaxial accelerometer under free-living conditions. BMC Research Notes, 2018, 11, 746.	0.6	5
179	Association of accelerometer-measured physical activity with kidney function in a Japanese population: the DOSANCO Health Study. BMC Nephrology, 2022, 23, 7.	0.8	5
180	Overview of the Japan Collaborative Cohort Study for Evaluation of Cancer (JACC). Asian Pacific Journal of Cancer Prevention, 2007, 8 Suppl, 1-8.	0.5	5

#	Article	IF	CITATIONS
181	Relationship between sleep duration and cause-specific mortality in diabetic men and women based on self-reports. Sleep and Biological Rhythms, 2015, 13, 85-93.	0.5	4
182	Association of Adiponectin With Cancer and All-Cause Mortality in a Japanese Community-Dwelling Elderly Cohort: A Case-Cohort Study. Journal of Epidemiology, 2018, 28, 367-372.	1.1	4
183	Correlation between serum proinsulin levels and fatty liver: The Dynamics of Lifestyle and Neighborhood Community on Health Study. Journal of Diabetes Investigation, 2020, 11, 964-970.	1.1	4
184	Insulin-like Growth Factor-1, Insulin-like Growth Factor Binding Protein-3 and the Incidence of Malignant Neoplasms in a Nested Case–Control Study. Cancer Prevention Research, 2020, 13, 385-394.	0.7	4
185	Intake of Common Alcoholic and Non-Alcoholic Beverages and Breast Cancer Risk among Japanese Women: Findings from the Japan Collaborative Cohort Study. Asian Pacific Journal of Cancer Prevention, 2020, 21, 1701-1707.	0.5	4
186	Influence of different methods for measuring HbA1c on health checkups in a rural town in Hokkaido, Japan. Diabetology International, 2016, 7, 391-397.	0.7	3
187	Daily sleep duration and the risk of incident disability among younger elderly Japanese adults in the New Integrated Suburban Seniority Investigation Project: A prospective study using competing event analysis. Geriatrics and Gerontology International, 2019, 19, 945-949.	0.7	3
188	Serum 25-hydroxyvitamin D ₃ Levels and Diabetes in a Japanese Population: The DOSANCO Health Study. Journal of Epidemiology, 2021, , .	1.1	3
189	Comparison of dimension reduction methods on fatty acids food source study. Scientific Reports, 2021, 11, 18748.	1.6	3
190	Alcohol intake and stomach cancer risk in Japan: A pooled analysis of six cohort studies. Cancer Science, 2022, 113, 261-276.	1.7	3
191	Oral frailty and carriage of oral <i>Candida</i> in communityâ€dwelling older adults (Checkâ€up to) Tj ETQq1 1 2022, 39, 49-58.	0.784314 0.8	rgBT /Overlog 3
192	Leisure activities and instrumental activities of daily living: A 3â€year cohort study from the Japan Gerontological Evaluation Study. Geriatrics and Gerontology International, 2022, 22, 152-159.	0.7	3
193	Smoking Cessation and Mortality from Aortic Dissection and Aneurysm: Findings from the Japan Collaborative Cohort (JACC) Study. Journal of Atherosclerosis and Thrombosis, 2023, 30, 348-363.	0.9	3
194	Dietary Patterns and Risk of Esophageal Cancer Mortality: The Japan Collaborative Cohort Study. Nutrition and Cancer, 2016, 68, 1001-1009.	0.9	2
195	The Prospective Association Between Plasma Concentrations of Cellular Growth Factors and Risk of Heart Failure Mortality in Japanese Population. Journal of Epidemiology, 2019, 29, 104-109.	1.1	2
196	Alcohol Drinking and Bladder Cancer Risk From a Pooled Analysis of Ten Cohort Studies in Japan. Journal of Epidemiology, 2020, 30, 309-313.	1.1	2
197	Association of tea consumption and the risk of gastric cancer in Japanese adults: the Japan Collaborative Cohort Study. BMJ Open, 2020, 10, e038243.	0.8	2
198	The association of conventionally medicated systolic and diastolic blood pressure level and mortality from cardiovascular disease: is the lower the better in high stroke population?. Clinical Research in Cardiology, 2020, 109, 944-948.	1.5	2

Ακικό Ταμακός Η

#	Article	IF	CITATIONS
199	Analysis of Serotonin in Human Feces Using Solid Phase Extraction and Column-Switching LC-MS/MS. Mass Spectrometry, 2020, 9, A0081-A0081.	0.2	2
200	Inverse correlation between serum highâ€molecularâ€weight adiponectin and proinsulin level in a Japanese population: The Dynamics of Lifestyle and Neighborhood Community on Health Study. Journal of Diabetes Investigation, 2021, 12, 63-66.	1.1	2
201	Impact of reproductive factors on breast cancer incidence: Pooled analysis of nine cohort studies in Japan. Cancer Medicine, 2021, 10, 2153-2163.	1.3	2
202	Association of dietary protein intake with skeletal muscle mass in older adults: A systematic review. Geriatrics and Gerontology International, 2021, 21, 1077-1083.	0.7	2
203	Variables associated with methamphetamine use within the past year and sex differences among patients with methamphetamine use disorder: A crossâ€sectional study in Japan. American Journal on Addictions, 2022, , .	1.3	2
204	Plasma Angiopoietin-Like Protein 2 Levels and Mortality Risk Among Younger-Old Japanese People: A Population-Based Case–Cohort Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 1150-1158.	1.7	2
205	Risk Factors of Mortality from Foreign Bodies in the Respiratory Tract: The Japan Collaborative Cohort Study. Internal Medicine, 2022, 61, 1353-1359.	0.3	2
206	Multivariate Analysis for Molecular Species of Cholesteryl Ester in the Human Serum. Analytical Sciences, 2020, 36, 373-378.	0.8	1
207	Association between accelerometer-measured physical activity and falls among community-dwelling older people living in cold, snowy areas. European Geriatric Medicine, 2021, 12, 91-98.	1.2	1
208	Prediction of 11-year incidence of psychophysically dependent status or death among community-dwelling younger elderlies: from an age-specified community-based cohort study (the) Tj ETQq0 0 0	rg Bi I4∕Ove	rloak 10 Tf 50
209	The apparent inverse association between dietary carotene intake and risk of cardiovascular mortality disappeared after adjustment for other cardioprotective dietary intakes: The Japan collaborative cohort study. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 3064-3075.	1.1	1
210	Depressive Tendency and the Risk of Death from Pneumonia: The JACC Study. Internal Medicine, 2020, 59, 3123-3130.	0.3	1
211	Walking time, sports activity, job type, and body posture during work in relation to incident colorectal cancer: the JACC prospective cohort study. Cancer Causes and Control, 2022, 33, 473-481.	0.8	1
212	Dairy intake and the risk of esophageal cancer: the JACC Study. Journal of Epidemiology, 2022, , .	1.1	1
213	Associations of dietary intakes of vitamins B ₁ and B ₃ with risk of mortality from CVD among Japanese men and women: the Japan Collaborative Cohort study. British Journal of Nutrition, 2023, 129, 1213-1220.	1.2	1
214	Green Tea Consumption and Risk of Depression Symptoms: A Systematic Review and Meta-Analysis of Observational Studies. Journal of Nutritional Science and Vitaminology, 2022, 68, 155-161.	0.2	1
215	HPLC with spectrophotometric or mass spectrometric detection for quantifying very-long chain fatty acids in human plasma and its association with cardiac risk factors. Annals of Clinical Biochemistry, 2021, 58, 400-410.	0.8	0
216	Association between frequency of snacking and allâ€cause mortality among communityâ€dwelling youngâ€old adults: An ageâ€specific prospective cohort study. Geriatrics and Gerontology International, 2021, 21, 697-704.	0.7	0

#	Article	IF	CITATIONS
217	Insulin-like growth factor 2 and incidence of liver cancer in a nested case-control study. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, cebp.EPI-21-0481-E.2021.	1.1	0
218	Supper Timing and Cardiovascular Mortality: The Japan Collaborative Cohort Study. Nutrients, 2021, 13, 3389.	1.7	0
219	516Association of dietary diversity with all-cause mortality by body mass index in Japanese older adults. International Journal of Epidemiology, 2021, 50, .	0.9	0
220	Positive psychological factors and the risk of pneumonia-associated mortality: Japan Collaborative Cohort Study. Journal of Psychosomatic Research, 2022, , 110971.	1.2	0
221	Association of Physical Activity with Aortic Disease in Japanese Men and Women: The Japan Collaborative Cohort Study. Journal of Atherosclerosis and Thrombosis, 2022, , .	0.9	0
222	Alcohol Consumption and Long-Term Mortality in Men with or without a History of Myocardial Infarction. Journal of Atherosclerosis and Thrombosis, 2022, , .	0.9	0