

# Yongshuo H Fu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7066648/publications.pdf>

Version: 2024-02-01

84  
papers

6,909  
citations

87723

38  
h-index

62479

80  
g-index

88  
all docs

88  
docs citations

88  
times ranked

4706  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of Multi-Methods for Identifying Maize Phenology Using PhenoCams. <i>Remote Sensing</i> , 2022, 14, 244.	1.8	7
2	Contrasting phenology responses to climate warming across the northern extra-tropics. <i>Fundamental Research</i> , 2022, 2, 708-715.	1.6	6
3	The sensitivity of ginkgo leaf unfolding to the temperature and photoperiod decreases with increasing elevation. <i>Agricultural and Forest Meteorology</i> , 2022, 315, 108840.	1.9	8
4	Higher temperature sensitivity of flowering than leaf-out alters the time between phenophases across temperate tree species. <i>Global Ecology and Biogeography</i> , 2022, 31, 901-911.	2.7	7
5	An earlier start of the thermal growing season enhances tree growth in cold humid areas but not in dry areas. <i>Nature Ecology and Evolution</i> , 2022, 6, 397-404.	3.4	78
6	Machine Learning-Based Approaches for Predicting SPAD Values of Maize Using Multi-Spectral Images. <i>Remote Sensing</i> , 2022, 14, 1337.	1.8	49
7	Increasing terrestrial ecosystem carbon release in response to autumn cooling and warming. <i>Nature Climate Change</i> , 2022, 12, 380-385.	8.1	24
8	Climate warming shifts the time interval between flowering and leaf unfolding depending on the warming period. <i>Science China Life Sciences</i> , 2022, 65, 2316-2324.	2.3	5
9	Spatial Difference of Interactive Effect Between Temperature and Daylength on Ginkgo Budburst. <i>Frontiers in Plant Science</i> , 2022, 13, .	1.7	2
10	Soil moisture regulates warming responses of autumn photosynthetic transition dates in subtropical forests. <i>Global Change Biology</i> , 2022, 28, 4935-4946.	4.2	13
11	Soil moisture determines the effects of climate warming on spring phenology in grasslands. <i>Agricultural and Forest Meteorology</i> , 2022, 323, 109039.	1.9	15
12	UAV Multispectral Image-Based Urban River Water Quality Monitoring Using Stacked Ensemble Machine Learning Algorithms—A Case Study of the Zhanghe River, China. <i>Remote Sensing</i> , 2022, 14, 3272.	1.8	25
13	Air or soil temperature matters the responses of alpine plants in biomass accumulation to climate warming. <i>Science of the Total Environment</i> , 2022, 844, 157141.	3.9	8
14	Integrated phenology and climate in rice yields prediction using machine learning methods. <i>Ecological Indicators</i> , 2021, 120, 106935.	2.6	128
15	Global warming increases latitudinal divergence in flowering dates of a perennial herb in humid regions across eastern Asia. <i>Agricultural and Forest Meteorology</i> , 2021, 296, 108209.	1.9	7
16	Diverging models introduce large uncertainty in future climate warming impact on spring phenology of temperate deciduous trees. <i>Science of the Total Environment</i> , 2021, 757, 143903.	3.9	12
17	Decreasing control of precipitation on grassland spring phenology in temperate China. <i>Global Ecology and Biogeography</i> , 2021, 30, 490-499.	2.7	42
18	Photoperiod decelerates the advance of spring phenology of six deciduous tree species under climate warming. <i>Global Change Biology</i> , 2021, 27, 2914-2927.	4.2	48

#	ARTICLE	IF	CITATIONS
19	Divergent responses of phenology and growth to summer and autumnal warming. <i>Global Change Biology</i> , 2021, 27, 2905-2913.	4.2	14
20	Widespread decline in winds delayed autumn foliar senescence over high latitudes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	41
21	Integrating Spectral and Textural Information for Monitoring the Growth of Pear Trees Using Optical Images from the UAV Platform. <i>Remote Sensing</i> , 2021, 13, 1795.	1.8	16
22	Increasing importance of precipitation in spring phenology with decreasing latitudes in subtropical forest area in China. <i>Agricultural and Forest Meteorology</i> , 2021, 304-305, 108427.	1.9	18
23	Impact of microclimatic conditions and resource availability on spring and autumn phenology of temperate tree seedlings. <i>New Phytologist</i> , 2021, 232, 537-550.	3.5	49
24	Atmospheric brightening counteracts warming-induced delays in autumn phenology of temperate trees in Europe. <i>Global Ecology and Biogeography</i> , 2021, 30, 2477-2487.	2.7	23
25	Integrating spectral and textural information for identifying the tasseling date of summer maize using UAV based RGB images. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2021, 102, 102435.	1.4	24
26	Influences of Shifted Vegetation Phenology on Runoff Across a Hydroclimatic Gradient. <i>Frontiers in Plant Science</i> , 2021, 12, 802664.	1.7	8
27	Climate Warming Increased Spring Leaf-Out Variation Across Temperate Trees in China. <i>Frontiers in Forests and Global Change</i> , 2021, 4, .	1.0	2
28	Integrating satellite observations and human water use data to estimate changes in key components of terrestrial water storage in a semi-arid region of North China. <i>Science of the Total Environment</i> , 2020, 698, 134171.	3.9	16
29	Extended growing season reduced river runoff in Luanhe River basin. <i>Journal of Hydrology</i> , 2020, 582, 124538.	2.3	27
30	Legacy effect of spring phenology on vegetation growth in temperate China. <i>Agricultural and Forest Meteorology</i> , 2020, 281, 107845.	1.9	65
31	Modified Red Blue Vegetation Index for Chlorophyll Estimation and Yield Prediction of Maize from Visible Images Captured by UAV. <i>Sensors</i> , 2020, 20, 5055.	2.1	52
32	Overestimation of the effect of climatic warming on spring phenology due to misrepresentation of chilling. <i>Nature Communications</i> , 2020, 11, 4945.	5.8	67
33	Flowering phenology of a widespread perennial herb shows contrasting responses to global warming between humid and non-humid regions. <i>Functional Ecology</i> , 2020, 34, 1870-1881.	1.7	22
34	Climate warming increases spring phenological differences among temperate trees. <i>Global Change Biology</i> , 2020, 26, 5979-5987.	4.2	37
35	Scaling Effects on Chlorophyll Content Estimations with RGB Camera Mounted on a UAV Platform Using Machine-Learning Methods. <i>Sensors</i> , 2020, 20, 5130.	2.1	51
36	Impacts of Climate and Phenology on the Yields of Early Mature Rice in China. <i>Sustainability</i> , 2020, 12, 10133.	1.6	4

#	ARTICLE	IF	CITATIONS
37	Can changes in autumn phenology facilitate earlier green-up date of northern vegetation?. <i>Agricultural and Forest Meteorology</i> , 2020, 291, 108077.	1.9	36
38	Progress in plant phenology modeling under global climate change. <i>Science China Earth Sciences</i> , 2020, 63, 1237-1247.	2.3	55
39	InVEST Model-Based Estimation of Water Yield in North China and Its Sensitivities to Climate Variables. <i>Water (Switzerland)</i> , 2020, 12, 1692.	1.2	43
40	Soil thawing regulates the spring growth onset in tundra and alpine biomes. <i>Science of the Total Environment</i> , 2020, 742, 140637.	3.9	16
41	Modeling leaf senescence of deciduous tree species in Europe. <i>Global Change Biology</i> , 2020, 26, 4104-4118.	4.2	41
42	Response of Vegetation to Changes in Temperature and Precipitation at a Semi-Arid Area of Northern China Based on Multi-Statistical Methods. <i>Forests</i> , 2020, 11, 340.	0.9	11
43	Editorial: Experimental Manipulations to Predict Future Plant Phenology. <i>Frontiers in Plant Science</i> , 2020, 11, 637156.	1.7	3
44	Divergent changes in the elevational gradient of vegetation activities over the last 30 years. <i>Nature Communications</i> , 2019, 10, 2970.	5.8	119
45	Shortened temperature-relevant period of spring leaf-out in temperate zone trees. <i>Global Change Biology</i> , 2019, 25, 4282-4290.	4.2	20
46	Different determinants of radiation use efficiency in cold and temperate forests. <i>Global Ecology and Biogeography</i> , 2019, 28, 1649-1667.	2.7	12
47	Climatic Warming Increases Spatial Synchrony in Spring Vegetation Phenology Across the Northern Hemisphere. <i>Geophysical Research Letters</i> , 2019, 46, 1641-1650.	1.5	40
48	Urban-rural gradients reveal joint control of elevated CO <sub>2</sub> and temperature on extended photosynthetic seasons. <i>Nature Ecology and Evolution</i> , 2019, 3, 1076-1085.	3.4	98
49	Spatial heterogeneity of changes in vegetation growth and their driving forces based on satellite observations of the Yarlung Zangbo River Basin in the Tibetan Plateau. <i>Journal of Hydrology</i> , 2019, 574, 324-332.	2.3	63
50	Nutrient availability alters the correlation between spring leaf-out and autumn leaf senescence dates. <i>Tree Physiology</i> , 2019, 39, 1277-1284.	1.4	37
51	Plant phenology and global climate change: Current progresses and challenges. <i>Global Change Biology</i> , 2019, 25, 1922-1940.	4.2	944
52	Daylength helps temperate deciduous trees to leaf-out at the optimal time. <i>Global Change Biology</i> , 2019, 25, 2410-2418.	4.2	88
53	Short photoperiod reduces the temperature sensitivity of leaf-out in saplings of <i>Fagus sylvatica</i> but not in horse chestnut. <i>Global Change Biology</i> , 2019, 25, 1696-1703.	4.2	63
54	Spatial variance of spring phenology in temperate deciduous forests is constrained by background climatic conditions. <i>Nature Communications</i> , 2019, 10, 5388.	5.8	66

#	ARTICLE	IF	CITATIONS
55	Modelling leaf coloration dates over temperate China by considering effects of leafy season climate. <i>Ecological Modelling</i> , 2019, 394, 34-43.	1.2	20
56	Experiments Are Necessary in Process-Based Tree Phenology Modelling. <i>Trends in Plant Science</i> , 2019, 24, 199-209.	4.3	84
57	Extension of the growing season increases vegetation exposure to frost. <i>Nature Communications</i> , 2018, 9, 426.	5.8	190
58	Global warming leads to more uniform spring phenology across elevations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 1004-1008.	3.3	237
59	Simulating the onset of spring vegetation growth across the Northern Hemisphere. <i>Global Change Biology</i> , 2018, 24, 1342-1356.	4.2	44
60	Larger temperature response of autumn leaf senescence than spring leaf-out phenology. <i>Global Change Biology</i> , 2018, 24, 2159-2168.	4.2	124
61	Contrasting responses of autumn-leaf senescence to daytime and night-time warming. <i>Nature Climate Change</i> , 2018, 8, 1092-1096.	8.1	145
62	Calibrating a hydrological model in a regional river of the Qinghai-Tibet plateau using river water width determined from high spatial resolution satellite images. <i>Remote Sensing of Environment</i> , 2018, 214, 100-114.	4.6	33
63	Phenological responses of Icelandic subarctic grasslands to short-term and long-term natural soil warming. <i>Global Change Biology</i> , 2017, 23, 4932-4945.	4.2	47
64	Asymmetric effects of cooler and warmer winters on beech phenology last beyond spring. <i>Global Change Biology</i> , 2017, 23, 4569-4580.	4.2	39
65	Little change in heat requirement for vegetation green-up on the Tibetan Plateau over the warming period of 1998-2012. <i>Agricultural and Forest Meteorology</i> , 2017, 232, 650-658.	1.9	47
66	Strong impacts of daily minimum temperature on the green-up date and summer greenness of the Tibetan Plateau. <i>Global Change Biology</i> , 2016, 22, 3057-3066.	4.2	223
67	Long-term linear trends mask phenological shifts. <i>International Journal of Biometeorology</i> , 2016, 60, 1611-1613.	1.3	9
68	Three times greater weight of daytime than of night-time temperature on leaf unfolding phenology in temperate trees. <i>New Phytologist</i> , 2016, 212, 590-597.	3.5	82
69	Temperature, precipitation, and insolation effects on autumn vegetation phenology in temperate China. <i>Global Change Biology</i> , 2016, 22, 644-655.	4.2	294
70	Delayed autumn phenology in the Northern Hemisphere is related to change in both climate and spring phenology. <i>Global Change Biology</i> , 2016, 22, 3702-3711.	4.2	319
71	Matching the phenology of Net Ecosystem Exchange and vegetation indices estimated with MODIS and FLUXNET in-situ observations. <i>Remote Sensing of Environment</i> , 2016, 174, 290-300.	4.6	76
72	Timing of rice maturity in China is affected more by transplanting date than by climate change. <i>Agricultural and Forest Meteorology</i> , 2016, 216, 215-220.	1.9	42

#	ARTICLE	IF	CITATIONS
73	Increased heat requirement for leaf flushing in temperate woody species over 1980–2012: effects of chilling, precipitation and insolation. <i>Global Change Biology</i> , 2015, 21, 2687-2697.	4.2	158
74	Leaf onset in the northern hemisphere triggered by daytime temperature. <i>Nature Communications</i> , 2015, 6, 6911.	5.8	384
75	Declining global warming effects on the phenology of spring leaf unfolding. <i>Nature</i> , 2015, 526, 104-107.	13.7	637
76	Unexpected role of winter precipitation in determining heat requirement for spring vegetation green-up at northern middle and high latitudes. <i>Global Change Biology</i> , 2014, 20, 3743-3755.	4.2	159
77	Recent spring phenology shifts in western Central Europe based on multiscale observations. <i>Global Ecology and Biogeography</i> , 2014, 23, 1255-1263.	2.7	208
78	Variation in leaf flushing date influences autumnal senescence and next year's flushing date in two temperate tree species. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 7355-7360.	3.3	254
79	Sensitivity of leaf unfolding to experimental warming in three temperate tree species. <i>Agricultural and Forest Meteorology</i> , 2013, 181, 125-132.	1.9	95
80	The Impact of Winter and Spring Temperatures on Temperate Tree Budburst Dates: Results from an Experimental Climate Manipulation. <i>PLoS ONE</i> , 2012, 7, e47324.	1.1	83
81	Bayesian comparison of six different temperature-based budburst models for four temperate tree species. <i>Ecological Modelling</i> , 2012, 230, 92-100.	1.2	74
82	Bayesian calibration of the Unified budburst model in six temperate tree species. <i>International Journal of Biometeorology</i> , 2012, 56, 153-164.	1.3	19
83	Desert disturbance assessments of regional oil exploitation by Aster and ETM+ images in Taklimakan Desert China. <i>Environmental Monitoring and Assessment</i> , 2008, 144, 159-168.	1.3	3
84	Effects of Vegetation Phenology on Ecosystem Water Use Efficiency in a Semiarid Region of Northern China. <i>Frontiers in Plant Science</i> , 0, 13, .	1.7	5