
Marta Conde-Sieira

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7067673/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-------------------|---------------|
| 1 | The Opioid System in Rainbow Trout Telencephalon Is Probably Involved in the Hedonic Regulation of Food Intake. Frontiers in Physiology, 2022, 13, 800218. | 2.8 | 2 |
| 2 | REV-ERBα Agonist SR9009 Promotes a Negative Energy Balance in Goldfish. International Journal of Molecular Sciences, 2022, 23, 2921. | 4.1 | 4 |
| 3 | Partial and total fishmeal replacement by defatted Tenebrio molitor larvae meal do not alter short- and mid-term regulation of food intake in European sea bass (Dicentrarchus labrax). Aquaculture, 2022, 560, 738604. | 3.5 | 4 |
| 4 | First evidence for the presence of amino acid sensing mechanisms in the fish gastrointestinal tract. Scientific Reports, 2021, 11, 4933. | 3.3 | 16 |
| 5 | Central serotonin participates in the anorexigenic effect of GLP-1 in rainbow trout (Oncorhynchus) Tj ETQq1 | 1 0.784314 1.8 | rgBT /Overloc |
| 6 | Role of the G protein-coupled receptors GPR84 and GPR119 in the central regulation of food intake in rainbow trout. Journal of Experimental Biology, 2021, 224, . | 1.7 | 5 |
| 7 | Central administration of endocannabinoids exerts bimodal effects in food intake of rainbow trout. Hormones and Behavior, 2021, 134, 105021. | 2.1 | 7 |
| 8 | Central regulation of food intake is not affected by inclusion of defatted Tenebrio molitor larvae meal in diets for European sea bass (Dicentrarchus labrax). Aquaculture, 2021, 544, 737088. | 3.5 | 7 |
| 9 | First evidence on the role of palmitoylethanolamide in energy homeostasis in fish. Hormones and Behavior, 2020, 117, 104609. | 2.1 | 5 |
| 10 | Hypothalamic AMPKα2 regulates liver energy metabolism in rainbow trout through vagal innervation. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2020, 318, R122-R134. | 1.8 | 7 |
| 11 | The long-chain fatty acid receptors FFA1 and FFA4 are involved in food intake regulation in fish brain. Journal of Experimental Biology, 2020, 223, . | 1.7 | 4 |
| 12 | Oral and pre-absorptive sensing of amino acids relates to hypothalamic control of food intake in rainbow trout. Journal of Experimental Biology, 2020, 223, . | 1.7 | 8 |
| 13 | The endocannabinoid system is affected by a high-fat-diet in rainbow trout. Hormones and Behavior, 2020, 125, 104825. | 2.1 | 6 |
| 14 | Periprandial response of central cannabinoid system to different feeding conditions in rainbow trout Oncorhynchus mykiss. Nutritional Neuroscience, 2020, , 1-12. | 3.1 | 5 |
| 15 | Na+/K+-ATPase is involved in the regulation of food intake in rainbow trout but apparently not through brain glucosensing mechanisms. Physiology and Behavior, 2019, 209, 112617. | 2.1 | 5 |
| 16 | Growth performance and nutrient utilisation of Senegalese sole fed vegetable oils in plant protein-rich diets from juvenile to market size. Aquaculture, 2019, 511, 734229. | 3.5 | 6 |
| 17 | Central Treatment of Ketone Body in Rainbow Trout Alters Liver Metabolism Without Apparently Altering the Regulation of Food Intake. Frontiers in Physiology, 2019, 10, 1206. | 2.8 | 5 |
| 18 | Differential Role of Hypothalamic AMPKα Isoforms in Fish: an Evolutive Perspective. Molecular Neurobiology, 2019, 56, 5051-5066. | 4.0 | 7 |

MARTA CONDE-SIEIRA

39

1.6

| # | Article | IF | CITATIONS |
|----|---|-------------|-------------|
| 19 | Effects of CCK-8 and GLP-1 on fatty acid sensing and food intake regulation in trout. Journal of Molecular Endocrinology, 2019, 62, 101-116. | 2.5 | 8 |
| 20 | Short-term exposure to repeated chasing stress does not induce habituation in Senegalese sole, Solea senegalensis. Aquaculture, 2018, 487, 32-40. | 3.5 | 9 |
| 21 | The short-term presence of oleate or octanoate alters the phosphorylation status of Akt, AMPK, mTOR, CREB, and FoxO1 in liver of rainbow trout (Oncorhynchus mykiss). Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2018, 219-220, 17-25. | 1.6 | 11 |
| 22 | Stress Effects on the Mechanisms Regulating Appetite in Teleost Fish. Frontiers in Endocrinology, 2018, 9, 631. | 3.5 | 64 |
| 23 | Response of rainbow trout's (Oncorhynchus mykiss) hypothalamus to glucose and oleate assessed through transcription factors BSX, ChREBP, CREB, and FoxO1. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2018, 204, 893-904. | 1.6 | 23 |
| 24 | Feeding Stimulation Ability and Central Effects of Intraperitoneal Treatment of L-Leucine, L-Valine, and L-Proline on Amino Acid Sensing Systems in Rainbow Trout: Implication in Food Intake Control. Frontiers in Physiology, 2018, 9, 1209. | 2.8 | 24 |
| 25 | Influence of vegetable diets on physiological and immune responses to thermal stress in Senegalese sole (Solea senegalensis). PLoS ONE, 2018, 13, e0194353. | 2.5 | 24 |
| 26 | Ceramide counteracts the effects of ghrelin on the metabolic control of food intake in rainbow trout. Journal of Experimental Biology, 2017, 220, 2563-2576. | 1.7 | 8 |
| 27 | Neuroendocrine and Immune Responses Undertake Different Fates following Tryptophan or Methionine Dietary Treatment: Tales from a Teleost Model. Frontiers in Immunology, 2017, 8, 1226. | 4.8 | 38 |
| 28 | Short- and long-term metabolic responses to diets with different protein:carbohydrate ratios in Senegalese sole (Solea senegalensis, Kaup 1858). British Journal of Nutrition, 2016, 115, 1896-1910. | 2.3 | 15 |
| 29 | Dietary Fatty Acid Metabolism is Affected More by Lipid Level than Source in Senegalese Sole Juveniles: Interactions for Optimal Dietary Formulation. Lipids, 2016, 51, 105-122. | 1.7 | 17 |
| 30 | A simple melatonin treatment protocol attenuates the response to acute stress in the sole Solea senegalensis. Aquaculture, 2016, 452, 272-282. | 3.5 | 22 |
| 31 | Nutrient Sensing Systems in Fish: Impact on Food Intake Regulation and Energy Homeostasis. Frontiers in Neuroscience, 2016, 10, 603. | 2.8 | 94 |
| 32 | Hypothalamic fatty acid sensing in Senegalese sole (<i>Solea senegalensis</i>): response to long-chain saturated, monounsaturated, and polyunsaturated (n-3) fatty acids. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 309, R1521-R1531. | 1.8 | 24 |
| 33 | Potential capacity of Senegalese sole (Solea senegalensis) to use carbohydrates: Metabolic responses to hypo- and hyper-glycaemia. Aquaculture, 2015, 438, 59-67. | 3.5 | 29 |
| 34 | Stress inhibition of melatonin synthesis in the pineal organ of rainbow trout (<i>Oncorhynchus) Tj ETQq0 0 0 rgE</i> | BT /Overloc | ck 10 Tf 50 |
| 35 | Is plasma cortisol response to stress in rainbow trout regulated by catecholamine-induced hyperglycemia?. General and Comparative Endocrinology, 2014, 205, 207-217. | 1.8 | 14 |

Oral administration of melatonin counteracts several of the effects of chronic stress in rainbow trout. Domestic Animal Endocrinology, 2014, 46, 26-36.

Marta Conde-Sieira

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | ACTH-stimulated cortisol release from head kidney of rainbow trout is modulated by glucose concentration. Journal of Experimental Biology, 2013, 216, 554-67. | 1.7 | 25 |
| 38 | Melatonin partially minimizes the adverse stress effects in Senegalese sole (Solea senegalensis). Aquaculture, 2013, 388-391, 165-172. | 3.5 | 23 |
| 39 | Glucosensing capacity in liver of rainbow trout displays day-night variations possibly related to melatonin action. Journal of Experimental Biology, 2012, 215, 3112-9. | 1.7 | 10 |
| 40 | Melatonin treatment alters glucosensing capacity and mRNA expression levels of peptides related to food intake control in rainbow trout hypothalamus. General and Comparative Endocrinology, 2012, 178, 131-138. | 1.8 | 19 |
| 41 | Daily Rhythmic Expression Patterns of <i>Clock1a</i> , <i>Bmal1</i> , and <i>Per1</i> Genes in Retina and Hypothalamus of the Rainbow Trout, <i>Oncorhynchus Mykiss</i> . Chronobiology International, 2011, 28, 381-389. | 2.0 | 56 |
| 42 | In vitro leptin treatment of rainbow trout hypothalamus and hindbrain affects glucosensing and gene expression of neuropeptides involved in food intake regulation. Peptides, 2011, 32, 232-240. | 2.4 | 42 |
| 43 | Melatonin in octopus (Octopus vulgaris): tissue distribution, daily changes and relation with serotonin and its acid metabolite. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2011, 197, 789-797. | 1.6 | 10 |
| 44 | CRF treatment induces a readjustment in glucosensing capacity in the hypothalamus and hindbrain of rainbow trout. Journal of Experimental Biology, 2011, 214, 3887-3894. | 1.7 | 19 |
| 45 | Effect of different glycaemic conditions on gene expression of neuropeptides involved in control of food intake in rainbow trout; interaction with stress. Journal of Experimental Biology, 2010, 213, 3858-3865. | 1.7 | 74 |
| 46 | Stress alters food intake and glucosensing response in hypothalamus, hindbrain, liver, and Brockmann bodies of rainbow trout. Physiology and Behavior, 2010, 101, 483-493. | 2.1 | 53 |
| 47 | Central leptin treatment modulates brain glucosensing function and peripheral energy metabolism of rainbow trout. Peptides, 2010, 31, 1044-1054. | 2.4 | 61 |