Min Joo Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7068817/publications.pdf

Version: 2024-02-01

236612 288905 67 1,832 25 40 h-index citations g-index papers 69 69 69 2918 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Bisphenol A Impairs Mitochondrial Function in the Liver at Doses below the No Observed Adverse Effect Level. Journal of Korean Medical Science, 2012, 27, 644.	1.1	163
2	Prevalence and risk factors of osteoporosis in Korea: A community-based cohort study with lumbar spine and hip bone mineral density. Bone, 2010, 47, 378-387.	1.4	116
3	Association of vitamin D deficiency with incidence of type 2 diabetes in high-risk Asian subjects. American Journal of Clinical Nutrition, 2013, 97, 524-530.	2.2	114
4	Subclinical Hypothyroidism and the Risk of Cardiovascular Disease and All-Cause Mortality: A Meta-Analysis of Prospective Cohort Studies. Thyroid, 2018, 28, 1101-1110.	2.4	97
5	Association between perfluoroalkyl substances exposure and thyroid function in adults: A meta-analysis. PLoS ONE, 2018, 13, e0197244.	1.1	76
6	Association Between Diethylhexyl Phthalate Exposure and Thyroid Function: A Meta-Analysis. Thyroid, 2019, 29, 183-192.	2.4	68
7	Bisphenols and Thyroid Hormone. Endocrinology and Metabolism, 2019, 34, 340.	1.3	66
8	Longitudinal Assessment of Quality of Life According to Treatment Options in Low-Risk Papillary Thyroid Microcarcinoma Patients: Active Surveillance or Immediate Surgery (Interim Analysis of) Tj ETQq0 0 0 rgB	3T ‡Ov erloc	ck d.s 0 Tf 50 45
9	Associations of urinary concentrations of phthalate metabolites, bisphenol A, and parabens with obesity and diabetes mellitus in a Korean adult population: Korean National Environmental Health Survey (KoNEHS) 2015–2017. Environment International, 2021, 146, 106227.	4.8	55
10	Central lymph node metastasis in papillary thyroid microcarcinoma can be stratified according to the number, the size of metastatic foci, and the presence of desmoplasia. Surgery, 2015, 157, 111-118.	1.0	50
11	CXCL16 positively correlated with M2-macrophage infiltration, enhanced angiogenesis, and poor prognosis in thyroid cancer. Scientific Reports, 2019, 9, 13288.	1.6	46
12	Analysis of Hemodialysis-Associated Hypoglycemia in Patients with Type 2 Diabetes Using a Continuous Glucose Monitoring System. Diabetes Technology and Therapeutics, 2010, 12, 801-807.	2.4	45
13	Chronic Exposure to Bisphenol A can Accelerate Atherosclerosis in High-Fat-Fed Apolipoprotein E Knockout Mice. Cardiovascular Toxicology, 2014, 14, 120-128.	1.1	44
14	The prevalence and risk factors of vertebral fractures in Korea. Journal of Bone and Mineral Metabolism, 2012, 30, 183-192.	1.3	42
15	Clinical Characteristics of Subtypes of Follicular Variant Papillary Thyroid Carcinoma. Thyroid, 2018, 28, 311-318.	2.4	40
16	Predictive Factors of Malignancy in Thyroid Nodules with a Cytological Diagnosis of Follicular Neoplasm. Endocrine Pathology, 2013, 24, 177-183.	5. 2	38
17	Sarcopenia Is Significantly Associated with Presence and Severity of Nonalcoholic Fatty Liver Disease. Journal of Obesity and Metabolic Syndrome, 2019, 28, 129-138.	1.5	36
18	Study Protocol of Multicenter Prospective Cohort Study of Active Surveillance on Papillary Thyroid Microcarcinoma (MAeSTro). Endocrinology and Metabolism, 2018, 33, 278.	1.3	35

#	Article	IF	CITATIONS
19	Association of exposure to polycyclic aromatic hydrocarbons and heavy metals with thyroid hormones in general adult population and potential mechanisms. Science of the Total Environment, 2021, 762, 144227.	3.9	34
20	Rosiglitazone increases endothelial cell migration and vascular permeability through Akt phosphorylation. BMC Pharmacology & Samp; Toxicology, 2017, 18, 62.	1.0	33
21	Postoperative Thyroid-Stimulating Hormone Levels Did Not Affect Recurrence after Thyroid Lobectomy in Patients with Papillary Thyroid Cancer. Endocrinology and Metabolism, 2019, 34, 150.	1.3	33
22	Exposure to polycyclic aromatic hydrocarbons and volatile organic compounds is associated with a risk of obesity and diabetes mellitus among Korean adults: Korean National Environmental Health Survey (KoNEHS) 2015–2017. International Journal of Hygiene and Environmental Health, 2022, 240, 113886.	2.1	32
23	Aberrant Thyroid-Stimulating Hormone Receptor Signaling Increases VEGF-A and CXCL8 Secretion of Thyroid Cancer Cells, Contributing to Angiogenesis and Tumor Growth. Clinical Cancer Research, 2019, 25, 414-425.	3.2	28
24	Long-term Recurrence of Small Papillary Thyroid Cancer and Its Risk Factors in a Korean Multicenter Study. Journal of Clinical Endocrinology and Metabolism, 2017, 102, jc.2016-2287.	1.8	27
25	Vitamin D level is not a predictor of hypocalcemia after total thyroidectomy. Langenbeck's Archives of Surgery, 2015, 400, 617-622.	0.8	26
26	Extent of surgery did not affect recurrence during 7â€years followâ€up in papillary thyroid cancer sized 1â€4Âcm: Preliminary results. Clinical Endocrinology, 2017, 87, 80-86.	1.2	26
27	Changes in the clinicopathological characteristics and genetic alterations of follicular thyroid cancer. European Journal of Endocrinology, 2017, 177, 465-473.	1.9	26
28	Thyroxine-binding globulin, peripheral deiodinase activity, and thyroid autoantibody status in association of phthalates and phenolic compounds with thyroid hormones in adult population. Environment International, 2020, 140, 105783.	4.8	26
29	Lead, mercury, and cadmium exposures are associated with obesity but not with diabetes mellitus: Korean National Environmental Health Survey (KoNEHS) 2015–2017. Environmental Research, 2022, 204, 111888.	3.7	26
30	Rg3 Improves Mitochondrial Function and the Expression of Key Genes Involved in Mitochondrial Biogenesis in C2C12 Myotubes. Diabetes and Metabolism Journal, 2016, 40, 406.	1.8	25
31	Attenuation of PERK enhances glucose-stimulated insulin secretion in islets. Journal of Endocrinology, 2018, 236, 125-136.	1.2	23
32	Effect of Initial Treatment Choice on 2-year Quality of Life in Patients with Low-risk Papillary Thyroid Microcarcinoma. Journal of Clinical Endocrinology and Metabolism, 2021, 106, 724-735.	1.8	23
33	Comprehensive Transcriptomic and Genomic Profiling of Subtypes of Follicular Variant of Papillary Thyroid Carcinoma. Thyroid, 2018, 28, 1468-1478.	2.4	21
34	Specific PERK inhibitors enhanced glucose-stimulated insulin secretion in a mouse model of type 2 diabetes. Metabolism: Clinical and Experimental, 2019, 97, 87-91.	1.5	21
35	Sarcopenic Obesity Is Significantly Associated With Coronary Artery Calcification. Frontiers in Medicine, 2021, 8, 651961.	1.2	18
36	Exploring the role of copper and selenium in the maintenance of normal thyroid function among healthy Koreans. Journal of Trace Elements in Medicine and Biology, 2020, 61, 126558.	1.5	16

#	Article	IF	Citations
37	<i>TERT</i> Promoter Mutations and Tumor Persistence/Recurrence in Papillary Thyroid Cancer. Cancer Research and Treatment, 2016, 48, 942-947.	1.3	15
38	The relationship between body fat and bone mineral density in Korean men and women. Journal of Bone and Mineral Metabolism, 2014, 32, 709-717.	1.3	14
39	Changes in Body Compositions and Basal Metabolic Rates during Treatment of Graves' Disease. International Journal of Endocrinology, 2018, 2018, 1-8.	0.6	12
40	Thyroid autoimmunity markers in women with polycystic ovary syndrome and controls. Human Fertility, 2022, 25, 128-134.	0.7	12
41	DEHP Down-Regulates Tshr Gene Expression in Rat Thyroid Tissues and FRTL-5 Rat Thyrocytes: A Potential Mechanism of Thyroid Disruption. Endocrinology and Metabolism, 2021, 36, 447-454.	1.3	12
42	Nonfunctioning Adrenal Incidentalomas are not Clinically Silent: A Longitudinal Cohort Study. Endocrine Practice, 2020, 26, 1406-1415.	1.1	11
43	The Association of Rate of Weight Gain During Early Adulthood With the Prevalence of Subclinical Coronary Artery Disease in Recently Diagnosed Type 2 Diabetes: The MAXWEL-CAD Study. Diabetes Care, 2014, 37, 2491-2499.	4.3	10
44	Improved Insulin Secretion by Autologous Islet Transplantation, Compared to Oral Antidiabetic Agents, after Distal Pancreatectomy. Cell Transplantation, 2015, 24, 1615-1626.	1.2	8
45	Preoperative Localization and Intraoperative Parathyroid Hormone Assay in Korean Patients with Primary Hyperparathyroidism. Endocrinology and Metabolism, 2014, 29, 464.	1.3	7
46	Loss of $\langle scp \rangle ER \langle scp \rangle \hat{l}^2$ expression in papillary thyroid carcinoma is associated with recurrence in young female. Clinical Endocrinology, 2015, 82, 300-306.	1.2	7
47	A Cross-Sectional Survey of Patient Treatment Choice in a Multicenter Prospective Cohort Study on Active Surveillance of Papillary Thyroid Microcarcinoma (MAeSTro). Thyroid, 2022, 32, 772-780.	2.4	7
48	Anti-tuberculosis Treatment-Induced Insulin Autoimmune Syndrome. The Ewha Medical Journal, 2016, 39, 122.	0.1	6
49	Hepatic fibrosis is associated with an increased rate of decline in bone mineral density in men with nonalcoholic fatty liver disease. Hepatology International, 2021, 15, 1347-1355.	1.9	6
50	Hematopoietic Stem Cell Transplantation after Posttransplant Lymphoproliferative Disorder. Journal of Korean Medical Science, 2010, 25, 781.	1.1	5
51	Ubiquitous Healthcare Service Has the Persistent Benefit on Glycemic Control and Body Weight in Older Adults With Diabetes. Diabetes Care, 2012, 35, e19-e19.	4.3	5
52	Medullary Thyroid Carcinoma with Ectopic Adrenocorticotropic Hormone Syndrome. Endocrinology and Metabolism, 2014, 29, 96.	1.3	5
53	Do Patients Want to Listen to a Diagnosis of Dementia in Korea? Preferences on Disclosing a Diagnosis of Dementia and Discussing Advance Care Planning in Elderly Patients with Memory Concerns and Their Families. Psychiatry Investigation, 2017, 14, 779.	0.7	5
54	Mitochondrial Complexes I and II Are More Susceptible to Autophagy Deficiency in Mouse \hat{I}^2 -Cells. Endocrinology and Metabolism, 2015, 30, 65.	1.3	4

#	Article	IF	Citations
55	Star-Shaped Intense Uptake of 131I on Whole Body Scans Can Reflect Good Therapeutic Effects of Low-Dose Radioactive Iodine Treatment of 1.1 GBq. Endocrinology and Metabolism, 2018, 33, 228.	1.3	4
56	Exposure to Bisphenol A, S, and F and its Association with Obesity and Diabetes Mellitus in General Adults of Korea: Korean National Environmental Health Survey (KoNEHS) 2015–2017. Exposure and Health, 2023, 15, 53-67.	2.8	4
57	Androgen Receptor Gene CAG Repeat Polymorphism and Effect of Testosterone Therapy in Hypogonadal Men in Korea. Endocrinology and Metabolism, 2011, 26, 225.	1.3	3
58	Analysis of Treatment Results after Thyroid Lobectomy with Prophylactic Ipsilateral Central Neck Lymph Node Dissection for Low-Risk Papillary Thyroid Carcinoma: A Single Institute Experience. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2015, 58, 769.	0.0	3
59	Sex, menopause, and age differences in the associations of persistent organic pollutants with thyroid hormones, thyroxine-binding globulin, and peripheral deiodinase activity: A cross-sectional study of the general Korean adult population. Environmental Research, 2022, 212, 113143.	3.7	3
60	Clinical Outcomes of Repeated Radioactive Iodine Therapy for Graves' Disease. Endocrinology and Metabolism, 2022, 37, 524-532.	1.3	3
61	Importance of Regular Follow-Up Examination during Active Surveillance: a Case of Anaplastic Transformation of Papillary Thyroid Microcarcinoma. International Journal of Thyroidology, 2016, 9, 185.	0.1	2
62	Secular Trends in Ablation Therapy for Graves' Disease: An Analysis of a 15-Year Experience at a Tertiary Hospital in South Korea. Journal of Clinical Medicine, 2021, 10, 1629.	1.0	2
63	A Case Report of Bilateral Adrenocortical Carcinoma Complicated by Adrenal Insufficiency. Endocrinology and Metabolism, 2011, 26, 243.	1.3	2
64	Secular Trends for Diagnostic Motives and Environmental Risk Factors in Thyroid Cancer Using Questionnaire Survey. International Journal of Thyroidology, 2017, 10, 82.	0.1	1
65	Thyroid nodules with discordant results of ultrasonographic and fine-needle aspiration findings. Journal of the Korean Medical Association, 2018, 61, 225.	0.1	1
66	Multiple Endocrine Neoplasia Type 1 Presenting with an Invasive Giant Prolactinoma. Korean Journal of Medicine, 2016, 91, 300-305.	0.1	1
67	Radioactive Iodine-Induced Graves' Disease in a Patient with Toxic Adenoma. Journal of Korean Thyroid Association, 2015, 8, 98.	0.2	0